



Fleet Catalog

Class 3 and Higher Including School Bus, Air Disc & Last Mile



Table of Contents

Medium Duty Brakes	1-5
Medium Duty / Heavy Duty Applications	6-734
School Bus Applications	735-805
Fleet Applications	806-919
Air Disc Brake Applications	920-924
Interchanges	925-947

MEDIUM DUTY BRAKES



©2023 General Motors. All rights reserved. The marks appearing in this ad are the trademarks or service marks of GM, its subsidiaries, affiliates or licensors.

MEDIUM DUTY BRAKES

GOLD PADS & SHOES

PADS

- Semi-metallic friction designed for best stopping power performance for vehicles operating at maximum GVW.
- Improved shear strength for higher temperatures, heavy loads, and harsh corrosive environments.
- 70+ Medium Duty SKUs.



SHOES

- Full Chevrolet/Isuzu coverage.
- Parking brake shoes include DIH and Driveline.
- 20+ Medium Duty SKUs.

EXPANDING COVERAGE

- 17D2018MH - 2018-17 Ford F-450/F-550 Super Duty (F&R)
- 17D1683MH - 2014-13 Hino 195, 195h (F&R)
- 17D1695MH - 2013 Hino 155 (F&R)
- 17D1062MH - 2010-05 Hino 145, 165, 185 (F&R)
- 17D735MF1 - 2004-95 Mitsubishi Fuso FE, 2002-96 FE- HD, 2004-01 FE-SP (F)



TESTING

- ACDelco passed Performance and Wear – Good durability to minimize cost per mile.



SILVER PADS & SHOES

- Limited SKUs for Medium Duty applications.
- Hardware included where applicable
- OE fit, form and function.

WARRANTY – US Only

**24 MONTH/
UNLIMITED
MILE**
LIMITED WARRANTY

ACDelco Gold brake products have a 24 month/Unlimited mile limited warranty. Effective on parts purchased April 1, 2018 and later to the original retail purchaser. Contact seller for limited warranty part details, qualifications, and possible labor coverage.

ACDelco Silver brake products have a 12 month/Unlimited mile limited warranty. Effective on parts purchased April 1, 2018 and later to the original retail purchaser. Contact seller for limited warranty part details, qualifications, and possible labor coverage.

MEDIUM DUTY BRAKES

GOLD ROTORS & DRUMS

ROTORS & DRUMS

- Application specific vane configurations help dissipate heat.
- Application specific metallurgy.
- Cool Shield™ coating and specialized paint help reduce corrosion – Including cast-in ABS sensor ring to prevent false ABS warning.
- Exceptional performance to match the high-stress environments in which they operate.
- 170+ Medium Duty Rotor SKUs.
- 30+ Medium Duty Drum SKUs.

NEW COVERAGE



- New coated Drums for Chevrolet/Isuzu applications.



SILVER ROTORS & DRUMS

ROTORS & DRUMS

- Matches OE vane configuration and rotor plate thickness which helps maintain optimum temperatures and reduce brakes' noise.



WARRANTY – US Only

**24 MONTH/
UNLIMITED
MILE**
LIMITED WARRANTY

ACDelco Gold brake products have a 24 month/Unlimited mile limited warranty. Effective on parts purchased April 1, 2018 and later to the original retail purchaser. Contact seller for limited warranty part details, qualifications, and possible labor coverage.

ACDelco Silver brake products have a 12 month/Unlimited mile limited warranty. Effective on parts purchased April 1, 2018 and later to the original retail purchaser. Contact seller for limited warranty part details, qualifications, and possible labor coverage.

©2023 General Motors. All rights reserved. The marks appearing in this ad are the trademarks or service marks of GM, its subsidiaries, affiliates or licensors.

MEDIUM DUTY BRAKES

NEW CALIPERS

- No core return, no core deposit.
- Zinc plated coating offers superior corrosion protection from environmental elements and corrosive road sprays.
 - Protects new cast iron Calipers, and brackets on aluminum Calipers.

NEW COVERAGE

- 18FR12845N and 18FR12846N
- 18FR12847N and 18FR12848N

TESTING

- SAE J1603 standard to ensure leak-free function in temperatures as low as -40° F.
- ASTM B117 Salt spray process tested.
- Remanufactured calipers are also available.



HYDRAULIC PARTS

HYDRAULIC PRODUCT SKU COUNTS


- 110+ Master Cylinder
- 155+ Wheel Cylinder
- 250+ Hardware numbers
- 270+ Brake Hose
- 130+ Brake Cable

NEW COVERAGE

- Hard to find Brake Hoses (Master Cylinder to Frame) available now.

TESTING

- SAE J1153 & J1154 testing in hot and cold temperatures.
- D.O.T. burst strength tests and reduce brakes noise.



WARRANTY – US Only

**24 MONTH/
UNLIMITED
MILE
LIMITED WARRANTY**

ACDelco Gold brake products have a 24 month/Unlimited mile limited warranty. Effective on parts purchased April 1, 2018 and later to the original retail purchaser. Contact seller for limited warranty part details, qualifications, and possible labor coverage.

ACDelco Silver brake products have a 12 month/Unlimited mile limited warranty. Effective on parts purchased April 1, 2018 and later to the original retail purchaser. Contact seller for limited warranty part details, qualifications, and possible labor coverage.

©2023 General Motors. All rights reserved. The marks appearing in this ad are the trademarks or service marks of GM, its subsidiaries, affiliates or licensors.

MEDIUM DUTY BRAKE COVERAGE

VEHICLE COVERAGE



2019 CHEVROLET 4500 LCF

PADS/SHOES:

- 17D825MH (F)
- 17792R or 17699R (R)

ROTORS/DRUMS:

- 18A1448 (F)
- 188415 (R)

WHEEL CYLINDERS:

- Forward 18E1443 (RL)
- Forward 18E1436 (RR)
- Rearward 18E1438 (RL)
- Rearward 18E1437 (RR)

BRAKE HOSES:

- 18J383908 (F)
- 18J383251 (R)



2019 CHEVROLET 5500 HD

PADS/SHOES:

- 17D1032MX

ROTORS/DRUMS:

- 18A2887 (F & R)



2017 ISUZU NPR

PADS/SHOES:

- 17D825MH (F)
- 17792R or 17699R (R)

ROTORS/DRUMS:

- 18A1448, 18B415

BRAKE HOSES:

- 18J383908, 18J383251



2017 FREIGHTLINER M2 BUSINESS CLASS – ROLLBACK

PADS/SHOES:

- 17D786AM 73 mm caliper
- 17D786MH 66 mm caliper

ROTORS/DRUMS:

- 18A1429 or 18A1839 10 stud 3.21" (F)

CALIPERS:

- 18M861 w/Fluid Switch or
- 18M885 w/o Fluid Switch



2015 – 19 FORD F-550 FLATBED

PADS/SHOES:

- 2018 – 2017 - 17D2018MH
- 2015 - 17D1066MH

ROTORS/DRUMS:

- 2018 - 2017 - 18A82089 (F), 18A82158 (R)
- 2015 - 18A1799 (F), 18A2435 (R)

CALIPERS:

- 2015 - 18FR2182 (FL), (FR)
- Also available in coated and NEW

BRAKE HOSES:

- 2015 – 18J383849 (FL), 18J383850 (FR) 18J383483 (RL), 18J383484 (RR)



2015 FREIGHTLINER MT45

PADS/SHOES:

- 17D786MH (F & R)

ROTORS/DRUMS:

- 18A1429 10 stud 3.21" (F)
- 18A1839 10 stud 3.21" (F)

CALIPERS:

- 18FR1515 66 mm (F & R) NEW

MASTER CYLINDER:

- 18M861 w/Fluid Switch, 18M885 w/o Fluid Switch

WARRANTY – US Only

**24 MONTH/
UNLIMITED
MILE
LIMITED WARRANTY**

ACDelco Gold brake products have a 24 month/Unlimited mile limited warranty. Effective on parts purchased April 1, 2018 and later to the original retail purchaser. Contact seller for limited warranty part details, qualifications, and possible labor coverage.

ACDelco Silver brake products have a 12 month/Unlimited mile limited warranty. Effective on parts purchased April 1, 2018 and later to the original retail purchaser. Contact seller for limited warranty part details, qualifications, and possible labor coverage.

Cable

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Parking Brake Cable	2000	2-Door; Cab & Chassis; 131.5" Wheelbase			18P1591	
		2-Door; Cab & Chassis; 155.5" Wheelbase			18P1611	
		2-Door; Cab & Chassis; 159.5" Wheelbase			18P1611	
	2000-99	4-Door; Crew Cab Pickup; 154.5" Wheelbase			18P2039	
		4-Door; Crew Cab Pickup; 168.5" Wheelbase			18P1559	
	2000-95	2-Door; Extended Cab Pickup			18P1611	
		2-Door; Standard Cab Pickup			18P1591	
	1999-95	4-Door; Cab & Chassis			18P1559	
	1998-96	4-Door; Crew Cab Pickup			18P1559	
	1996-95	2-Door; Cab & Chassis; 131.5" Wheelbase			18P1591	
		2-Door; Cab & Chassis; 155.5" Wheelbase			18P1611	
	1995	4-Door; Crew Cab Pickup			18P1589	
	1994	131.5" Wheelbase; Cable with Non-Removable Molded Pad Cover			18P1591	
		131.5" Wheelbase; Cable with Removable Rubber Pad Cover			18P911	
		155.5" Wheelbase; Cable with Non-Removable Molded Pad Cover			18P1611	
		155.5" Wheelbase; Cable with Removable Rubber Pad Cover			18P1051	
		168.5" Wheelbase; Cable with Non-Removable Molded Pad Cover			18P1559	
		168.5" Wheelbase; Cable with Removable Rubber Pad Cover			18P976	
	1993-92	168.5" Wheelbase			18P976	
	1993-90	131.5" Wheelbase			18P911	
		155.5" Wheelbase			18P1051	
	1991-90	135.5" Wheelbase			18P911	
	1990	159.5" Wheelbase			18P1051	
	1989-88	With Dual Rear Wheels			18P1610	
		without Dual Rear Wheels			18P911	
Rear						
Parking Brake Cable	2000-97	2-Door; Standard Cab Pickup; With Dual Rear Wheels	Right		18P1030	
		2-Door; Standard Cab Pickup; without Dual Rear Wheels	Right		18P1807	
	2000-96	2-Door; Extended Cab Pickup	Left		18P1816	
		2-Door; Standard Cab Pickup	Left		18P1816	
	2000-95	4-Door; Crew Cab Pickup	Left		18P2036	
	2000-92	2-Door; Cab & Chassis	Left		18P2037	
		2-Door; Cab & Chassis; Except RPO Code Wide Track Axle	Right		18P1807	
		2-Door; Cab & Chassis; RPO Code GTY Wide Track Axle	Right		18P2038	
		2-Door; Extended Cab Pickup	Right		18P1030	

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Parking Brake Cable	2000-92	4-Door; Crew Cab Pickup	Right	18P1031	
	1999-95	4-Door; Cab & Chassis	Left	18P2036	
	1999-92	4-Door; Cab & Chassis	Right	18P1031	
	1996-92	2-Door; Standard Cab Pickup	Right	18P1030	
	1995	2-Door; Standard Cab Pickup	Left	18P1054	
	1995-92	2-Door; Extended Cab Pickup	Left	18P1054	
	1994-92	2-Door; Standard Cab Pickup	Left	18P1319	
		4-Door; Cab & Chassis; Except RPO Code G80 Limited Slip Rear Axle	Left	18P1027	
		4-Door; Cab & Chassis; RPO Code G80 Limited Slip Rear Axle	Left	18P1361	
		4-Door; Crew Cab Pickup; Except RPO Code G80 Limited Slip Rear Axle	Left	18P1027	
		4-Door; Crew Cab Pickup; RPO Code G80 Limited Slip Rear Axle	Left	18P1361	
	1991-90	131.5" Wheelbase; Both Ends Are Button Type; 86-1/2" Length	Left	18P1054	
		131.5" Wheelbase; Both Ends Are Button Type; 87-1/2" Length	Right	18P1319	
		131.5" Wheelbase; One End Button Type & The Other End Is Threaded; 104" Length	Right	18P1047	
		131.5" Wheelbase; One End Button Type & The Other End Is Threaded; 105in Length	Left	18P1030	
		135.5" Wheelbase	Left	18P1319	
		135.5" Wheelbase; Except Wide Track Axle	Right	18P1320	
		135.5" Wheelbase; with Wide Track Axle	Right	18P1318	
		155.5" Wheelbase; Both Ends Are Button Type; 86-1/2" Length	Left	18P1054	
		155.5" Wheelbase; Both Ends Are Button Type; 87-1/2" Length	Right	18P1319	
		155.5" Wheelbase; One End Button Type & The Other End Is Threaded; 104" Length	Right	18P1047	
		155.5" Wheelbase; One End Button Type & The Other End Is Threaded; 105in Length	Left	18P1030	
	1990	159.5" Wheelbase	Left	18P1319	
		159.5" Wheelbase; Except Wide Track Axle	Right	18P1320	
		159.5" Wheelbase; with Wide Track Axle	Right	18P1318	
	1989-88		Left	18P1587	
			Right	18P2001	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2000-90	With Dual Rear Wheels	Left	18FR982	
				18FR982C	
				18FR982N	

Chevrolet – C3500 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2000-90	With Dual Rear Wheels	Left	18R982	
				18R982F1	
			Right	18FR981	
				18FR981C	
				18FR981N	
				18R981	
				18R981F1	
		with Single Rear Wheels (SRW)	Left	18FR742	
				18FR742C	
				18FR742N	
				18R742	
				18R742F1	
			Right	18FR741	
				18FR741C	
				18FR741N	
				18R741	
				18R741F1	
	1989-88	Left		18FR742	
				18FR742C	
				18FR742N	
				18R742	
		Right		18R742F1	
				18FR741	
				18FR741C	
				18FR741N	

Front

Disc Brake Caliper Bushing	2000	Single Rear Wheels		18K1524	
	2000-90	without Dual Rear Wheels		18K1524	
	1999-96	with Single Rear Wheels (SRW)		18K1524	
	1995	Single Rear Wheels		18K1524	
	1994	with Single Rear Wheels (SRW)		18K1524	
	1993	Single Rear Wheels		18K1524	
	1992-90	with Single Rear Wheels (SRW)		18K1524	
	1989-88			18K1524	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2000-95	without Dual Rear Wheels	Left	18J1089	

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Brake Hydraulic Hose	2000-95	without Dual Rear Wheels	Right		18J2045	
	2000-90	With Dual Rear Wheels	Left		18J785	
			Right		18J771	
	1994-93	without Dual Rear Wheels	Left		18J675	
			Right		18J674	
	1992-90	without Dual Rear Wheels	Left		18J1089	
			Right		18J2045	
	1989-88	without Dual Rear Wheels	Left		18J675	
			Right		18J674	
Rear						
Brake Hydraulic Hose	2000-96	22.25" Length	Center		18J1279	
	2000-90	17.75in Length	Center		18J2064	
		22.375in Length	Center		18J784	
	1994-90	22.25" Length	Center		18J784	
	1989-88		Center		18J2064	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2000-94			18M742	
	1993	With Dual Rear Wheels		18M422	
	1993-90	without Dual Rear Wheels		18M364	
	1992	Except Heavy Duty; With Dual Rear Wheels		18M422	
	1991-90	With Dual Rear Wheels		18M422	
	1989-88			18M364	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2000-90	2nd Generation, Copper Free Friction Formula; With Dual Rear Wheels		17D459CHF1	
		2nd Generation, Copper Free Friction Formula; without Dual Rear Wheels		17D370CHF1	
		Friction Contains Copper; without Dual Rear Wheels		17D370CH	
		Friction Contains Copper; With Dual Rear Wheels		17D459CH	
		With Dual Rear Wheels	14D459CH	17D459MH	
			14D459CHF1		
			14D459M		
			14D459MH		
		without Dual Rear Wheels	14D370CH	17D370MH	
			14D370CHF1		
			14D370CHF2		

Chevrolet – C3500 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2000-90	without Dual Rear Wheels	14D370MH		
	1989-88	2nd Generation, Copper Free Friction Formula		17D370CHF1	
		Friction Contains Copper		17D370CH	
			14D370CH	17D370MH	
			14D370CHF1		
			14D370CHF2		
		14D370MH			
Rear					
Disc Brake Pad Set	2000-95	RWD		17D184M	
				17D184MH	
	1994	From VIN # RJ107933		17D184M	
				17D184MH	
		To VIN # RJ107932	14D149MX	17D149MH	
				17D149MX	
	1993-91		14D149MX	17D149MH	
			17D149MX		
Rear					
Drum Brake Shoe	2000-90		14452R	17452R	
			R452		
	1989-88	without Dual Rear Wheels	14451R	17451R	
			R451		
		With Dual Rear Wheels	14452R	17452R	
			R452		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2000-98	With Dual Rear Wheels	18B254A		
		without Dual Rear Wheels	18B277A	18B277	
	1997-92	131.5" Wheelbase; with 9000lb & 9200lb GVW	18B277A	18B277	
		155.5" Wheelbase; with 9000lb & 9200lb GVW	18B277A	18B277	
		with 10000lb , 11000lb or 12000lb GVW; With Dual Rear Wheels	18B254A		
	1991	with 13in x 2-1/2in Brakes; without Dual Rear Wheels		18B111	
		with 13in x 3-1/2in Brakes; without Dual Rear Wheels		18B253	
	1991-88	with 13in x 3-1/2in Brakes; With Dual Rear Wheels	18B254A		
	1990	with 13in x 2-1/2in Brakes; RPO Y06 or Y07 9.5in Ring Gear; with 9.5in Diameter Ring Gear; without Dual Rear Wheels		18B111	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Drum	1989-88	with 6-3/8in Wide Drums; without Dual Rear Wheels	18B147A	18B147	
Front					
Disc Brake Rotor and Hub Assembly	2000-95	With Dual Rear Wheels	18A874A	18A874	
			18A874AC		
		without Dual Rear Wheels	18A507A	18A507	
			18A507AC		
	1994-90	With Dual Rear Wheels	18A452A		
	1994-88	without Dual Rear Wheels	18A269A		
	1989-88	With Dual Rear Wheels	18A297A	18A297	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2000-88	With Dual Rear Wheels		18E1362	
		without Dual Rear Wheels		18E112	

Chevrolet – C3500HD
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	2002-94			18P1449	
	1993-91			18P1322	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2002-95	Single Piston Caliper	Left		18FR652
					18FR652N
					18R1010
					18R652
			Right		18FR651
					18FR651N
					18R1009
					18R651
	2002-94	Dual Piston Caliper			18FR1408
					18R1408
	1994	From VIN # RJ107933; Single Piston Caliper	Left		18R1010
			Right		18R1009
		Thru VIN # RJ107932; Single Piston Caliper	Right		18FR651
					18FR651N
					18R651

Chevrolet – C3500HD (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	1994	To VIN # RJ107932; Single Piston Caliper	Left		18FR652	
					18FR652N	
					18R652	
	1993-91	Single Piston Caliper	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
					18R651	
Rear						
Disc Brake Caliper	2002-95	Dual Piston Caliper			18FR1408	
					18R1408	
		Single Piston Caliper	Left		18FR652	
					18FR652N	
					18R1010	
					18R652	
			Right		18FR651	
					18FR651N	
					18R1009	
					18R651	
	1994	From VIN # RJ107933; Single Piston Caliper	Left		18R1010	
			Right		18R1009	
	1993-91	Single Piston Caliper	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
					18R651	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Brake Hydraulic Hose	2002-91	Left		18J823		
		Right		18J822		
Rear						
Brake Hydraulic Hose	2002-96	Dual Piston Caliper	Left		18J1310	
			Right		18J1272	
		Single Piston Caliper	Left		18J351	
			Right		18J354	
			Center		18J2064	
	1995-91		Center		18J349	
			Left		18J351	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	1995-91	Right		18J354	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2002-92			18M949	
	1991			18M1887	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2002-95			17D184M	
				17D184MH	
	1994	From VIN # RJ107933		17D184M	
				17D184MH	
		To VIN # RJ107932	14D149MX	17D149MH	
				17D149MX	
	1993-91		14D149MX	17D149MH	
				17D149MX	
Rear					
Disc Brake Pad Set	2002-95			17D184M	
				17D184MH	
	1994	From VIN # RJ107933		17D184M	
				17D184MH	
		To VIN # RJ107932	14D149MX	17D149MH	
				17D149MX	
	1993-91		14D149MX	17D149MH	
				17D149MX	
Driveline					
Parking Brake Shoe	2002-91	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2002-95	5 Hole Rotor	18A686A	18A686	
	1994	5 Hole Rotor; From VIN # RJ107933	18A686A	18A686	
		8 Hole Rotor; Thru VIN # RJ107932	18A274A		
	1993-91	8 Hole Rotor	18A274A		
Rear					
Disc Brake Rotor	2002-95	10 Hole Rotor	18A717A	18A717	
	1994	10 Hole Rotor; From VIN # RJ107932	18A717A	18A717	
		10 Hole Rotor; To VIN # RJ107932	18A230A		

Chevrolet – C3500HD (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	1993-91	10 Hole Rotor	18A230A		

Chevrolet – C40

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1962-60			18J2027	
Rear					
Brake Hydraulic Hose	1962-60			18J33676	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1962-60	1 1/8" Bore Diameter		18M34404	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Shoe	1962-60			17248R	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	1962-60	1 1/2" Bore Diameter	Forward	18E487	
			Rearward	18E488	

Chevrolet – C4500 Kodiak

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2009-04	64mm 4 Piston Calipers	Left	18FR2503N	
			Right	18FR2502N	
				18R2502	
	2009-03	w/ 66mm Dual Piston Caliper		18FR2576	
				18R2576	
	2003	60mm Dual Piston Calipers; w/ Dual Piston Calipers		18FR2529	
			Left	18FR2496	
			Right	18FR2497	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	2003	Caliper Inlet With Tube Seat; 4 Piston Caliper	Right		18FR2497N	
					18R2497	
Rear						
Disc Brake Caliper	2009-04	5 Hole Rotor; Except Drum In Hat Parking Brake; w/ 66mm Dual Piston Caliper			18FR2576	
					18R2576	
		64mm 4 Piston Calipers	Left		18FR2502N	
					18R2502	
			Right		18FR2503N	
					18FR2528	
	2003	60mm Dual Piston Calipers; w/ Dual Piston Calipers			18FR2528N	
					18R2528	
Front						
Disc Brake Caliper Bushing	2009-03	w/ Dual Piston Calipers			18K16121	
Rear						
Disc Brake Caliper Bushing	2009-03	w/ Dual Piston Calipers			18K16121	
Front						
Disc Brake Caliper Piston	2003	70mm 4 Piston Calipers; Phenolic Piston			18K2420	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2009-07	w/ 6,000 Lb Front Axle; w/ 6,250 lb. Front Axle	Right		18J384138	
	2009-06	G38 8,000 Lb Front Axle	Left		18J384124	
			Right		18J384132	
	2009-03	8000 Lb Front Axle	Left		18J384141	
		FM7 7,000 Lb Front Axle	Right		18J384122	
		FM8 8,000 Lb Front Axle	Right		18J384124	
		w/ 6,000 Lb Front Axle; w/ 6,250 lb. Front Axle	Left		18J384151	
		w/ 7,000 lb. or 8,000 lb. Front Axle	Left		18J384114	
			Right		18J384134	
	2006-03	w/ 6,250 lb. Front Axle; w/ 6,000 Lb Front Axle	Right		18J384138	
2005	FRX 7,000 Lb Front Axle; G38 8,000 Lb Front Axle	Left		18J384124		
		Right		18J384132		
Rear						
Brake Hydraulic Hose	2009-06	4 X 4	Left		18J384140	
	2009-05	4 X 4	Right		18J384150	
	2009-04	4 X 2; Drum In Hat Parking Brake	Left		18J384178	

Chevrolet – C4500 Kodiak (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2009-04	4 X 2; Drum In Hat Parking Brake	Right	18J384142	
	2009-03	4 X 2; with Driveline Mounted Parking Brake; 11,000 Pound Rear Axle	Right	18J384126	
		4 X 2; with Driveline Mounted Parking Brake; w/ 11,000 lb. Rear Axle; w/ 13,500 lb. Axle	Left	18J384117	
		4 X 2; with Driveline Mounted Parking Brake; w/ 13,000 lb. Rear Axle	Right	18J384126	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-03	Except School Bus; w/ 6,250 lb. Front Axle		18M2429	
		w/ 7,000 lb. Front Axle or w/ 8,000 lb. Front Axle		18M870	
		with School Bus Package; w/ 6,250 lb. Front Axle		18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-03	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
		Dual Piston Caliper	14D1010MX	17D1010MH	
				17D1010MX	
Rear					
Disc Brake Pad Set	2009-04	Drum In Hat Parking Brake; Dual Piston Caliper	14D1064M	17D1064M	
				17D1064MH	
	2009-03	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
		with Driveline Mounted Parking Brake; Dual Piston Caliper	14D1010MX	17D1010MH	
				17D1010MX	
Driveline					
Parking Brake Shoe	2009-03	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
Rear					
Parking Brake Shoe	2009-04	Drum In Hat Parking Brake		17847B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-03	10 Hole Rotor Hat	18A2426A	18A2426	
		8 Hole Rotor	18A2759A	18A2759	
		Hat Shaped 5 Hole Rotor	18A2442A	18A2442	
			18A2442AC		

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2009-04	Drum In Hat Parking Brake; 10 Hole Rotor Hat	18A2668A	18A2668	
	2009-03	Hat Shaped 5 Hole Rotor; with Driveline Mounted Parking Brake	18A2442A	18A2442	
			18A2442AC		

Chevrolet – C50
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	1990			18P1530	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	1990-88	w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R1010	
					18R652	
		Right		18FR651		
				18FR651N		
				18R1009		
				18R651		
	1990-83	w/ 2.50" Dual Piston Dayton Caliper		18FR814		
				18FR814N		
				18R814		
		w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		
				18R813		
Rear						
Disc Brake Caliper	1990-88	w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R1010	
					18R652	
		Right		18FR651		
				18FR651N		
				18R1009		
				18R651		
	1990-83	w/ 2.50" Dual Piston Dayton Caliper		18FR814		
				18FR814N		
				18R814		
		w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		

Chevrolet – C50 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	1990-83	w/ 2.88" Dual Piston Bendix Caliper		18R813	
Front					
Disc Brake Caliper Bushing	1990-88	FMSI Number: 7142-D225		18K1395	
Rear					
Disc Brake Caliper Bushing	1990-88	FMSI Number: 7142-D225		18K1395	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1990	31.55" Length		18J1283	
	1989-88	27.45" Length		18J1386	
	1987-85	21.94" Length		18J1400	
	1987-79	23.19" Length		18J371	
	1982-79	Front Drum; Rear Drum; 9.13" Length	At Master Cylinder	18J857	
	1977-76	26.25" Long	Left	18J31	
			Right	18J31	
	1972-70			18J381239	
	1965-63	24.80" Length		18J1806	
	1961-60	Except I-Beam Axle		18J1735	
Rear					
Brake Hydraulic Hose	1990	22.25" Length	Left	18J1286	
		24.25" Long	Right	18J1287	
		25.21" Length	Center	18J1417	
	1989-88	Front Disc; Rear Disc; 18-5/8in Length		18J554	
	1989-79	Front Disc; Rear Drum; 18-5/8in Length		18J554	
	1961	without Shock Absorber		18J33676	
	1960	Except I-Beam Axle		18J33676	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1990	with 2.50in Dual Piston Dayton Caliper; 1 3/4" Bore Diameter		18M838	
	1989	Except Bendix Booster Type; without 5000lb Front Axle		18M284	
	1989-88	with BENDIX Booster; with 5,000lb Front Axle		18M892	
	1988	Except Bendix Booster; with 5,000lb Front Axle		18M284	
	1987-86	w/o Delco Brake Booster; w/o Dual System Hydro-Vac; 12,000 Pound Axle		18M284	
		w/o Dual System Hydro-Vac; w/ Delco Brake Booster; Except 12,000 lb. Front Axle		18M284	

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	1987-85	with Dual System Hydro-Vac; Except Delco Brake Booster Type; Except 12,000 lb. Front Axle		18M52	
	1985	w/ Delco Brake Booster; w/o Dual System Hydro-Vac; w/ Delco Dual Power Booster; Except 12,000 lb. Front Axle		18M284	
		w/o Delco Dual Power Booster; w/o Delco Brake Booster; w/o Dual System Hydro-Vac; 12000 # Front Axle		18M284	
	1984-83	Front Disc; Rear Drum; Except BENDIX Master Cylinder; Dual Vacuum Hydraulic Cylinder; Except 5000 Pound Axle		18M284	
	1983-80	Front Drum; Rear Drum; Bore 1-1/4in; Except Vacuum Cylinder; Single Hydraulic System		18M17	
		Front Drum; Rear Drum; Single Hydraulic System; with Vacuum Cylinder; 1 1/2" Bore Diameter		18M11	
		Front Drum; Rear Drum; with Dual Hydraulic System; Bendix Brakes; 1 3/4" Bore Diameter		18M246	
		Front Drum; Rear Drum; with Dual Hydraulic System; with WAGNER Master Cylinder; 1 3/4" Bore Diameter		18M52	
	1979	Bore 1-1/4in; Except Vacuum Cylinder; Single Hydraulic System		18M17	
		with Dual Hydraulic System; Bendix Brakes; 1 3/4" Bore Diameter		18M246	
		with Dual Hydraulic System; with WAGNER Master Cylinder; 1 3/4" Bore Diameter		18M52	
		with Vacuum Cylinder; Single Hydraulic System; 1 1/2" Bore Diameter		18M11	
	1974	Power Brakes; with Dual Hydraulic Cylinder		18M246	
	1974-73	Power Brakes; Single Hydraulic System; with Vacuum Cylinder; with WAGNER Master Cylinder		18M11	
		Power Brakes; with Dual Hydraulic System; Except Vacuum Cylinder; with Wagner Brake System		18M17	
		Power Brakes; with Dual Hydraulic System; with WAGNER Master Cylinder		18M52	
	1969-68			18M36346	
	1966	w/ 1 1/8" Master Cylinder Bore		18M34403	
		w/ Dual 1 1/4" Master Cylinder Bore		18M19089	
	1965-63	Bore 1-1/8in; Except Hydraulic Clutch		18M34403	
	1962-60	Master Cylinder w/ Dual 1 1/8" Diameter Bores		18M34404	
		w/ Dual 1 1/4" Master Cylinder Bore		18M19089	

Chevrolet – C50 (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1990-88	Single Piston Bendix Caliper		17D184M	
				17D184MH	
	1990-83	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	1990-83	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Drum Brake Shoe	1984-80			17427R	
Driveline					
Parking Brake Shoe	1990-83	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1990	5.41in Deep Pilot Hole; Except Tapped Holes For ABS Exciter Ring; Hat Shaped 5 Hole Rotor	18A177A	18A177	
		with 4.6in Pilot Hole; Except Tapped Holes For ABS Exciter Ring; Hat Shaped 5 Hole Rotor		18A954	
	1990-88	5.41in Deep Pilot Hole; Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
	1990-83	Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor	18A176A	18A176	
	1989-83	with 4.6in Pilot Hole; Hat Shaped 5 Hole Rotor		18A954	
Rear					
Disc Brake Rotor	1990	5 Hole Rotor; Except Tapped Holes For ABS Exciter Ring	18A177A	18A177	
		5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
		6 Hole Rotor		18A810	
		Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor	18A176A	18A176	
		U Shaped 10 Hole Rotor	18A692A		
	1989-88	5.41in Deep Pilot Hole; Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
	1989-83	5.41in Deep Pilot Hole; Hat Shaped 6 Hole Rotor		18A810	
	1987-83	5.41in Deep Pilot Hole; Except Tapped Holes For ABS Exciter Ring; Hat Shaped 5 Hole Rotor	18A177A	18A177	

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1983-79	7/8" Bore Diameter	Left		18E21	
			Right		18E20	
	1961	7/8in Bore Diameter	Left		18E20	
			Right		18E21	
	1960	7/8" Bore Diameter	Left		18E20	
			Right		18E21	
Rear						
Drum Brake Wheel Cylinder	1983-79	1 1/2" Bore Diameter	Left		18E82	
			Right		18E83	
	1970-68	Lower	Left		18E632	
			Right		18E632	
	1960		Rearward		18E488	

Chevrolet – C5500 Kodiak
Cable

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Parking Brake Cable	1991	with Manual Transmission; 84" Long			18P1526	
		with Automatic Transmission			18P1500	
	1990				18P1530	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2009-03	64mm 4 Piston Calipers	Left		18FR2503N	
			Right		18FR2502N	
					18R2502	
		Caliper Inlet With Tube Seat; 70mm 4 Piston Calipers	Left		18FR2496	
					18FR2496N	
			Right		18FR2497	
					18FR2497N	
					18R2497	
		w/ 66mm Dual Piston Caliper			18FR2576	
				18R2576		
	2003	60mm Dual Piston Calipers			18FR2529	
	1991-90	w/ 2.50" Dual Piston Dayton Caliper			18FR814	
					18FR814N	
				18R814		
Rear						
Disc Brake Caliper	2009-04	Drum In Hat Parking Brake; w/ 66mm Dual Piston Caliper			18FR2528	
					18FR2528N	

Chevrolet – C5500 Kodiak (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Rear (Cont.)						
Disc Brake Caliper	2009-04	Drum In Hat Parking Brake; w/ 66mm Dual Piston Caliper		18R2528		
		with Driveline Mounted Parking Brake; w/ 66mm Dual Piston Caliper		18FR2576		
				18R2576		
	2009-03	64mm 4 Piston Calipers	Left		18FR2502N	
				18R2502		
		Right		18FR2503N		
	2003	60mm Dual Piston Calipers		18FR2529		
	1991-90	w/ 2.50" Dual Piston Dayton Caliper		18FR814		
				18FR814N		
				18R814		
Front						
Disc Brake Caliper Bushing	2009-03	Dual Piston Caliper		18K16121		
Rear						
Disc Brake Caliper Bushing	2009-03	Dual Piston Caliper		18K16121		
Front						
Disc Brake Caliper Piston	2009-03	70mm 4 Piston Calipers; Phenolic Piston		18K2420		

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2009-05	4 X 4; w/ 8,000 lb Front Axle; w/ 7,000 lb. Front Axle	Left	18J384124	
			Right	18J384132	
	2009-03	4 X 2; w/ 7,000 lb. Front Axle	Left	18J384114	
			Right	18J384122	
		4 X 2; w/ 8,000 lb Front Axle	Left	18J384141	
			Right	18J384134	
		4 X 2; w/ RPO Code FK7 (6,000 Lb Capacity I Beam Front Axle); w/ RPO Code FR5 (6,250 Lb Capacity Front Axle)	Left	18J384151	
			Right	18J384138	
	1991-90	31.55" Length		18J1283	
Rear					
Brake Hydraulic Hose	2009-06	w/ 8,000 Lb AWD Front Axle (G38); w/ 13,500 Lb Dana Rear Axle (HD2)	Right	18J384150	
	2009-05	4 X 4; 13,500lb Axle Weight	Left	18J384140	
	2009-04	4 X 2; Drum In Hat Parking Brake; 11,000 Pound Rear Axle; 13,500lb Axle Weight	Left	18J384178	
			Right	18J384142	
	2009-03	4 X 2; Transmission Mounted Parking Brake; 11,000 Pound Rear Axle; 13,500lb Axle Weight	Right	18J384126	
			Left	18J384117	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2009-03	w/ 15,000 lb. Rear Axle	Left	18J384153	
			Right	18J384148	
		w/ 19060S Eaton Rear Axle (HPK)	Left	18J384160	
			Right	18J384166	
	2005	FRX 7,000 Lb Front Axle; w/ 8,000 Lb AWD Front Axle (G38); w/ RPO Code GL8 (13,500 Lb Capacity Rear Axle)	Right	18J384150	
	1991-90	25.21" Length	Center	18J1417	
		31.25" Long	Left Lower	18J1286	
		31.85" Long	Right Lower	18J1287	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-03			18M870	
	1991-90			18M838	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-03	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
		Dual Piston Caliper	14D1010MX	17D1010MH	
				17D1010MX	
	1991-90	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Rear					
Disc Brake Pad Set	2009-04	Drum In Hat Parking Brake; Dual Piston Caliper	14D1064M	17D1064M	
				17D1064MH	
		with Transmission Mounted Parking Brake; Dual Piston Caliper	14D1010MX	17D1010MH	
				17D1010MX	
	2009-03	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2003	Dual Piston Caliper	14D1010MX	17D1010MH	
				17D1010MX	
	1991-90	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Driveline					
Parking Brake Shoe	2009-03	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
	1991-90	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
Rear					
Parking Brake Shoe	2009-04	Drum In Hat Parking Brake		17847B	

Chevrolet – C5500 Kodiak (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-05	U Shaped 8 Hole Rotor	18A2759A	18A2759	
	2009-03	Stepped Hat 10 Hole Rotor; with Cast In ABS Exciter; w/ 8,000 lb Front Axle	18A2426A	18A2426	
		Stepped Hat 5 Hole Rotor; w/ 7,000 lb. Front Axle	18A2442A	18A2442	
			18A2442AC		
	1991-90	Hat Shaped 5 Hole Rotor; Non-ABS	18A177A	18A177	
	1990	5.41in Deep Pilot Hole; Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
with 4.6in Pilot Hole; Except Tapped Holes For ABS Exciter Ring; Hat Shaped 5 Hole Rotor			18A954		
Rear					
Disc Brake Rotor	2009-04	Drum In Hat Parking Brake; 10 Hole Rotor Hat; 13,500lb Axle Weight	18A2668A	18A2668	
	2009-03	Stepped Hat 10 Hole Rotor; with Transmission Mounted Parking Brake; 15,000lb Axle Weight	18A2426A	18A2426	
		Stepped Hat 5 Hole Rotor; with Transmission Mounted Parking Brake; 13,500lb Axle Weight	18A2442A	18A2442	
			18A2442AC		
	1991	Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor		18A1221	
	1991-90	Hat Shaped 10 Hole Rotor; Non-ABS		18A1222	
		Hat Shaped 5 Hole Rotor; Non-ABS	18A177A	18A177	
		U Shaped 10 Hole Rotor	18A692A		
	1990	5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
		6 Hole Rotor		18A810	

Chevrolet – C60

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	1990			18P1530	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1990-88	w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
	1989-83	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 3.38" Single Piston Bendix Caliper Left		18FR652	
				18FR652N	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	1989-83	w/ 3.38" Single Piston Bendix Caliper	Left	18R1010	
				18R652	
		Right	18FR651		
			18FR651N		
			18R1009		
			18R651		
Rear					
Disc Brake Caliper	1990-88	w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
	1990-83	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
	1989-83	w/ 3.38" Single Piston Bendix Caliper	Left	18FR652	
				18FR652N	
				18R1010	
				18R652	
		Right	18FR651		
			18FR651N		
			18R1009		
			18R651		
Front					
Disc Brake Caliper Bushing	1990-80	FMSI Number: 7142-D225		18K1395	
Rear					
Disc Brake Caliper Bushing	1990-80	FMSI Number: 7142-D225		18K1395	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1990			18J1283	
	1989-88	with 5,000lb Front Axle		18J1386	
	1987-83	21.94" Length		18J1400	
		26.12" Length		18J372	
	1987-80	23.19" Length		18J371	
	1982-81	29.38" Length		18J374	
	1982-80	Front Drum; Rear Drum	At Master Cylinder	18J857	
	1978-76	26.25" Long	Left	18J31	
			Right	18J31	
	1978-73	Curved Line on End; 24.25" Long	Left	18J373	
	1972-68		Right	18J36540	

Chevrolet – C60 (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1990	Center		18J1417	
		Left		18J1285	
		Right		18J1284	
	1989-80	18-5/8in Length Center		18J554	
	1982-80	Front Disc; Rear Drum; with 34,000lb Front Axle; 6 X 2		18J567	
		Front Drum; Rear Drum; Front Unit Brake; 18.69" Length		18J15	
Clutch Hydraulic Hose	1966			18J1346	
	1960			18J1346	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1987-78	Front Drum; Rear Drum; with BENDIX Booster; 1 3/4" Bore Diameter		18M246	
	1984-80	Front Drum; Rear Drum; with BENDIX Hydro Booster; 2" Bore		18M248	
		Front Drum; Rear Drum; with Wagner Power Booster; 1 3/4" Bore Diameter		18M50	
	1980	Front Disc; Rear Drum; Power Brakes; Single System; 1 1/2" Bore Diameter		18M294	
	1969-68			18M36346	
	1966-63			18M34403	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1990-88	Single Piston Bendix Caliper		17D184M	
				17D184MH	
	1990-83	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	1990-88	Single Piston Bendix Caliper		17D184M	
				17D184MH	
	1990-83	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Front					
Drum Brake Shoe	1984-80	Automatic Adjuster; w/ 15" X 3" Brakes		17321R	
Rear					
Drum Brake Shoe	1984-80	with 15in x 4in Brakes		17427R	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Shoe	1984-80	with Manual Adjuster; with 15in x 6in Brakes		17381R	
		with TWIN-PLEX Brakes; with 15in x 7in Brakes		17383R	
Driveline					
Parking Brake Shoe	1990-83	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1990	Hat Shaped 5 Hole Rotor	18A177A	18A177	
		with 15.37in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor	18A176A	18A176	
	1989-88	5.41in Deep Pilot Hole; Hat Shaped 6 Hole Rotor		18A810	
		5.41in Deep Pilot Hole; Stepped Hat 5 Hole Rotor		18A632	
		5.41in Deep Pilot Hole; Stepped Hat 6 Hole Rotor		18A631	
		with 4.6in Pilot Hole; Hat Shaped 5 Hole Rotor		18A954	
	1989-83	5.41in Deep Pilot Hole; Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
	1987-83	5.41in Deep Pilot Hole; Except Tapped Holes For ABS Exciter Ring; Hat Shaped 5 Hole Rotor	18A177A	18A177	
Rear					
Disc Brake Rotor	1990	Except Tapped Holes For ABS Exciter Ring; Hat Shaped 5 Hole Rotor	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
		with 14.75in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor		18A809	
		with 14.75in Diameter Rotor; Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor		18A1420	
		with 15.37in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor	18A176A	18A176	
		with 15.37in Diameter Rotor; Stepped Hat 10 Hole Rotor; 4 Piston Caliper		18A1414	
	1990-88	U Shaped 10 Hole Rotor	18A692A		
	1989-88	5.41in Deep Pilot Hole; Hat Shaped 5 Hole Rotor	18A177A	18A177	
		5.41in Deep Pilot Hole; Hat Shaped 6 Hole Rotor		18A810	
	1989-83	Hat Shaped; 10 Hole Rotor	18A176A	18A176	

Chevrolet – C60 (Cont.)

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1984-80	Bore 1-1/4in; with 9,000lb Front Axle; with Automatic Adjusting Brakes; w/ 15" X 3 1/2" Brakes	Left		18E58	
			Right		18E59	
		Bore 1-1/8in; w/ 15" X 3" Brakes; w/ 7,000 lb. Front Axle	Left		18E6	
			Right		18E7	
		with 5,000lb Front Axle; w/ 14" X 2 1/2" Brakes; 7/8" Bore Diameter	Left		18E20	
			Right		18E21	
		with Manual Adjusting Brakes; w/ 1 3/8" Bore Diameter	Left		18E86	
			Right		18E87	
Rear						
Drum Brake Wheel Cylinder	1987-80	Front Disc; Rear Drum; with Dayton Brakes; with 15in x 5in Brakes; 1 1/2" Bore Diameter	Left		18E82	
			Right		18E83	
	1984-80	Front Drum; Rear Drum; with # 34DS,34DT Rear Axle; with Manual Adjusting Brakes; 1 5/8" Bore Diameter			18E23	
					18E23	
					18E22	
					18E26	

Chevrolet – C60 Kodiak

Cable

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Parking Brake Cable	1996-94	78" Cable			18P1498	
		85" Length			18P1499	
	1996-93	37" Length			18P1537	
		40in Length			18P1528	
		49in Length			18P1527	
		52in Length			18P1525	
		56-1/8" Length			18P1529	
		57" Long			18P1553	
		70" Cable			18P97441	
	1994-91	with Manual Transmission; 84" Long			18P1500	
	1993-91	with Automatic Transmission			18P1526	
	1990				18P1530	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	1996-95	4 Piston Caliper; Caliper Inlet w/o Tube Seat	Left		18FR2494	
			Right		18FR2495	
	1996-90	w/ 2.88" Dual Piston Bendix Caliper			18FR813	
					18FR813N	
					18R813	
	Rear					
Disc Brake Caliper	1996-95	4 Piston Caliper; Caliper Inlet w/o Tube Seat	Left		18FR2495	
			Right		18FR2494	
	1996-90	w/ 2.50" Dual Piston Dayton Caliper			18FR814	
					18FR814N	
					18R814	
		w/ 2.88" Dual Piston Bendix Caliper			18FR813	
					18FR813N	
					18R813	
Front						
Disc Brake Caliper Bushing	1996-91	FMSI Number: 7142-D225			18K1395	
Rear						
Disc Brake Caliper Bushing	1996-92	FMSI Number: 7142-D225			18K1395	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	1996-90				18J1283	
Rear						
Brake Hydraulic Hose	1996-95	Non-ABS; with 16900lb Axle(s); w/ Air Suspension; Eaton 19060S Rear Axle; Dual Piston Caliper	Right		18J1287	
			Right		18J1284	
	1996-90		Left		18J1285	
	1994-90		Right		18J1284	
	1993-90		Center		18J1417	

Master Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1996-92	w/ 8,100 lb. Front Axle			18M838	

Pads & Shoes

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Pad Set	1996-95	4 Piston Caliper		14D1032MH	17D1032MH	

Chevrolet – C60 Kodiak (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	1996-95	4 Piston Caliper	14D1032MX	17D1032MX	
	1996-90	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Rear					
Disc Brake Pad Set	1996-95	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	1996-90	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Driveline					
Parking Brake Shoe	1996-90	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1996-90	Hat Shaped 5 Hole Rotor	18A177A	18A177	
		with 15.37in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor	18A176A	18A176	
Rear					
Disc Brake Rotor	1996-90	Except Tapped Holes For ABS Exciter Ring; Hat Shaped 5 Hole Rotor	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
		U Shaped 10 Hole Rotor	18A692A		
		with 14.75in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor		18A809	
		with 14.75in Diameter Rotor; Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor		18A1420	
		with 15.37in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor	18A176A	18A176	
		with 15.37in Diameter Rotor; Stepped Hat 10 Hole Rotor; 4 Piston Caliper		18A1414	

Chevrolet – C6500 Kodiak

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	2002-97	70" Cable		18P97441	
		78" Cable		18P1498	

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Parking Brake Cable	2000-97	37" Length		18P1537	
		40in Length		18P1528	
		49in Length		18P1527	
		52in Length		18P1525	
		56-1/8" Length		18P1529	
		57in Length		18P1553	
		85" Length		18P1499	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2009-03	64mm 4 Piston Calipers; w/ 8,000 lb Front Axle	Left		18FR2503N
			Right		18FR2502N
					18R2502
		Caliper Inlet With Tube Seat; 70mm 4 Piston Calipers; 10,000 to 12,000 lb Axle	Left		18FR2496
					18FR2496N
			Right		18FR2497
					18FR2497N
					18R2497
	2002-97	Steel Piston; 4 Piston Dayton Caliper	Left		18FR2494
			Right		18FR2495
		w/ 2.88" Dual Piston Bendix Caliper			18FR813
					18FR813N
					18R813
Rear					
Disc Brake Caliper	2009-03	64mm 4 Piston Calipers; w/ 15,000 lb. Rear Axle	Left		18FR2503N
			Right		18FR2502N
					18R2502
		Caliper Inlet With Tube Seat; with 19,000lb or 21,000lb Rear Axle; 70mm 4 Piston Calipers	Left		18FR2496
					18FR2496N
			Right		18FR2497
					18FR2497N
					18R2497
	2002-97	Steel Piston; 4 Piston Dayton Caliper	Left		18FR2495
			Right		18FR2494
		w/ 2.50" Dual Piston Dayton Caliper			18FR814
					18FR814N
					18R814
		w/ 2.88" Dual Piston Bendix Caliper			18FR813
					18FR813N
					18R813

Chevrolet – C6500 Kodiak (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	2002-97	FMSI Number: 7142-D225		18K1395	
Rear					
Disc Brake Caliper Bushing	2002-97	FMSI Number: 7142-D225		18K1395	
Front					
Disc Brake Caliper Piston	2009-03	Phenolic Piston; 70mm 4 Piston Calipers; 10,000 to 12,000 lb Axle		18K2420	
	2002	4 Piston Caliper		18K2420	
	2001	Phenolic; 4 Piston Caliper		18K2420	
	2000-97	4 Piston Caliper		18K2420	
Rear					
Disc Brake Caliper Piston	2009-03	with 19,000lb or 21,000lb Rear Axle; Phenolic Piston; 70mm 4 Piston Calipers		18K2420	
	2002	4 Piston Caliper		18K2420	
	2001	Phenolic; 4 Piston Caliper		18K2420	
	2000-97	4 Piston Caliper		18K2420	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2009-03	FM8 8,000 Lb Front Axle	Left		18J384136	
			Right		18J384145	
		Front Axle Code FM6, FS7 (10,000 To 12,000 lb.); Hydraulic Brakes (JE3)	Left		18J384125	
			Right		18J384137	
	2002-97	Non-ABS			18J1611	
		w/ ABS Brakes			18J1617	
Rear						
Brake Hydraulic Hose	2009-06	Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; w/ S130 Dana Rear Axle (HD1)	Left		18J384209	
		Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; w/ S130 Dana Rear Axle (HD1); Hydraulic Brakes (JE3)	Right		18J384197	
	2009-05	Low Profile Vehicle; RPO Code GZT Taper / Multi Leaf Rear Springs; w/ Dana Rear Axle (HD1, H08)	Left		18J384209	
	2009-03	Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; w/ 19060S Eaton Rear Axle (HPK)	Left		18J384167	
			Right		18J384212	
		RPO Code G40 (19,000 Lb Air Suspension); RPO Code GSJ (21,000 Lb Air Suspension)	Left		18J384345	
			Right		18J384346	
		with 19,000lb or 21,000lb Rear Axle; Except Air Suspension; Except Low Profile	Left		18J4125	
			Right		18J4124	
	2005-03	Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; Rear Axle H08 (15,000 Lb); Hydraulic Brakes (JE3)	Right		18J384197	

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Brake Hydraulic Hose	2004-03	Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; w/ RPO Code H08 (Dana Rear Axle)	Left		18J384209	
	2002	Except Low Profile Option; 4 Piston Caliper; Eaton 19060S Rear Axle	Right		18J4482	
		Non-ABS; Dual Piston Caliper	Right		18J1608	
	2002-00	Non-ABS; with 19000lb Axle(s); EATON 19050T Rear Axle; Taper / Multi Leaf Rear Springs (RPO Code GZT); Eaton 19060T Rear Axle; Dual Piston Caliper	Left		18J1286	
			Right		18J1287	
	2002-97	Except Low Profile Option; 4 Piston Caliper; Eaton 19060S Rear Axle	Left		18J1616	
		Except Low Profile Option; Dual Piston Caliper; w/ ABS			18J1610	
		Low Profile; 4 Piston Caliper	Left		18J1612	
			Right		18J1613	
		Low Profile; Dual Piston Caliper; w/ ABS			18J1609	
		Non-ABS; EATON 15040S Rear Axle; Dana S150-S Rear Axle; Dual Piston Caliper	Left		18J1286	
			Right		18J1287	
		Non-ABS; Eaton 19060D Rear Axle; Dual Piston Caliper	Left		18J1607	
		Non-ABS; with 16900lb Axle(s); Taper / Multi Leaf Rear Springs (RPO Code GZT); Eaton 19060S Rear Axle; Dual Piston Caliper	Left		18J1607	
		Non-ABS; with 16900lb Axle(s); w/ Air Suspension; Eaton 19060S Rear Axle; Dual Piston Caliper	Right		18J1287	
		Non-ABS; with 17850lb Axle(s); with 19000lb Axle(s); Eaton 19060S Rear Axle; Dual Piston Caliper	Left		18J1607	
		w/ Air Suspension; Dual Piston Caliper; w/ ABS Brakes	Left		18J1614	
			Right		18J1615	
	2001-00	Non-ABS; Except Low Profile Option; w/ Air Suspension; Eaton 19060T Rear Axle; Dual Piston Caliper	Left		18J1286	
			Right		18J1287	
	2001-99	Dual Piston Caliper; Non-ABS	Right		18J1608	
	2001-98	Except Low Profile Option; 4 Piston Caliper; Eaton 19060S Rear Axle; Eaton 19060T Rear Axle	Right		18J4482	
	2001-97	with 17850lb Axle(s); EATON 19050S Rear Axle; Dual Piston Caliper	Left		18J1286	
			Right		18J1287	
	1999	Disney Fleet; Except Low Profile Option; Taper / Multi Leaf Rear Springs (RPO Code GZT); Dual Piston Caliper; w/ ABS Brakes	Right		18J1615	
		Disney Fleet; Taper / Multi Leaf Rear Springs (RPO Code GZT); Dual Piston Caliper; w/ ABS Brakes	Left		18J1614	
	1999-98	with 17850lb Axle(s); EATON 19050T Rear Axle; Except Low Profile Option; 4 Piston Caliper	Right		18J4482	

Chevrolet – C6500 Kodiak (Cont.)

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Brake Hydraulic Hose	1999-97	Non-ABS; EATON 19050T Rear Axle; Taper / Multi Leaf Rear Springs (RPO Code GZT); Eaton 19060T Rear Axle; Dual Piston Caliper	Left		18J1286	
			Right		18J1287	
	1998	Non-ABS; Dual Piston Caliper; Non-ABS	Right		18J1608	
	1997	Except Low Profile Option; 4 Piston Caliper; Eaton 19060S Rear Axle	Right		18J4482	
		Non-ABS; Dual Piston Caliper	Right		18J1608	

Master Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-02				18M870	
	2001-97	With Power Brakes; FO50, FO70 w/ 15040S, 15040T, F155S Axle			18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-02	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Rail Slide Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2009-97	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Rail Slide Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	2009-97	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Rotor	2009-03	Hat Shaped 10 Hole Rotor		18A2426A	18A2426	
	2002-97	Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; 15.38" Rotor Diameter			18A1221	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring			18A1419	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2009-03	Hat Shaped 10 Hole Rotor	18A2426A	18A2426	
		U Shaped 10 Hole Rotor; w/ 21,000 lb. Rear Axle	18A2772A	18A2772	
	2002-97	4 Piston Caliper; Hat Shaped 10 Hole Rotor; 15.37" Rotor Diameter; Non-ABS	18A176A	18A176	
		4 Piston Caliper; Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; 15.37" Rotor Diameter	18A1220A	18A1220	
		Hat Shaped 10 Hole Rotor; 14.75" Rotor Diameter; Non-ABS		18A809	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; 14.75" Rotor Diameter		18A1420	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; 15.38" Rotor Diameter		18A1221	
		Hat Shaped 5 Hole Rotor; Non-ABS	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
		U Shaped 10 Hole Rotor	18A692A		
		with 15.37in Diameter Rotor; Stepped Hat 10 Hole Rotor; 4 Piston Caliper		18A1414	

Chevrolet – C70
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	1990			18P1530	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1990-83	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
	1989-83	w/ 3.38" Single Piston Bendix Caliper Left		18FR652	
				18FR652N	
				18R652	
		Right		18FR651	
				18FR651N	
				18R651	

Chevrolet – C70 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper	1990-83	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
	1989-83	w/ 3.38" Single Piston Bendix Caliper	Left	18FR652	
				18FR652N	
				18R652	
			Right	18FR651	
				18FR651N	
				18R651	

Front					
Disc Brake Caliper Bushing	1990-80	FMSI Number: 7142-D225		18K1395	

Rear					
Disc Brake Caliper Bushing	1990-80	FMSI Number: 7142-D225		18K1395	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1990			18J1283	
	1989-83	26.12" Length		18J372	
	1985-83	29.38" Length		18J374	
	1982-80	23.19" Length		18J371	
Rear					
Brake Hydraulic Hose	1990	Center		18J1417	
		Left		18J1285	
		Right		18J1284	
	1989-83	18-5/8in Length	Center	18J554	
	1987-80	18.69" Length		18J15	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1990	with 8,100lb Front Axle		18M838	
	1989-83	with 4 Bolt Mounting; with Dual Hydraulic System; with # F070,F090,F120 Front Axle; 1 3/4" Bore Diameter		18M284	
	1983-80	with 4 Bolt Mounting; Single Hydraulic System; 1 3/4" Bore Diameter		18M50	
	1982-80	Reservoir Cap Is Rectangular; Single Hydraulic System; 1 1/2" Bore Diameter; w/ 2 Bolt Mounting		18M11	

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	1982-80	Reservoir Cap Is Round In Front and Back; Single Hydraulic System; w/ 2 Bolt Mounting; 1 1/2" Bore Diameter		18M294	
		Single Hydraulic System; 1 3/4" Bore Diameter; w/ 2 Bolt Mounting		18M12	
		with 4 Bolt Mounting; with Dual Hydraulic System; 1 3/4" Bore Diameter		18M246	
	1980	with 4 Bolt Mounting; with Dual Hydraulic System; 2" Bore		18M248	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1990-83	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
	1989-88	Single Piston Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1990-83	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Front					
Drum Brake Shoe	1983-80	w/ 15" X 3" Brakes; with Auto Adjuster		17321R	
Rear					
Drum Brake Shoe	1983-81	with 15in x 7in Brakes		17383R	
	1983-80	with 15in x 6in Brakes		17381R	
	1980	with 15in x 7in Rear Brakes		17383R	
Driveline					
Parking Brake Shoe	1990-83	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	1990	Front Disc; Rear Drum; with 5 Bolt Holes		18B353	
		Front Disc; Rear Drum; with 9in Diameter Hub Hole; with .81in Stud Holes; with 10 Bolt Holes		18B354	
		Front Drum; Rear Drum; with 16.5in x 5in Brakes		18B331	
Front					
Disc Brake Rotor	1990	Hat Shaped 5 Hole Rotor	18A177A	18A177	

Chevrolet – C70 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	1990	with 15.37in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor	18A176A	18A176	
	1989-88	5.41in Deep Pilot Hole; Hat Shaped 6 Hole Rotor		18A810	
		U Shaped 10 Hole Rotor	18A692A		
	1989-83	5.41in Deep Pilot Hole; Except Tapped Holes For ABS Exciter Ring; Hat Shaped 5 Hole Rotor	18A177A	18A177	
		5.41in Deep Pilot Hole; Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
		5.41in Deep Pilot Hole; Stepped Hat 5 Hole Rotor		18A632	
		5.41in Deep Pilot Hole; Stepped Hat 6 Hole Rotor		18A631	
		with 15.37in Diameter Rotor; Hat Shaped; 10 Hole Rotor	18A176A	18A176	
Rear					
Disc Brake Rotor	1990	Hat Shaped 5 Hole Rotor	18A177A	18A177	
		U Shaped 10 Hole Rotor	18A692A		
		with 14.75in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor		18A809	
		with 14.75in Diameter Rotor; Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor		18A1420	
		with 15.37in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor	18A176A	18A176	
	1989-88	5.41in Deep Pilot Hole; Hat Shaped 6 Hole Rotor		18A810	
	1989-83	5.41in Deep Pilot Hole; Except Tapped Holes For ABS Exciter Ring; Hat Shaped 5 Hole Rotor	18A177A	18A177	
		5.41in Deep Pilot Hole; Stepped Hat 6 Hole Rotor		18A631	
		with 15.37in Diameter Rotor; Hat Shaped; 10 Hole Rotor	18A176A	18A176	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1982-80	Bore 1-1/4in; Axle # F090; w/ 15" X 3" Brakes	Left	18E58	
			Right	18E59	
		Bore 1-1/8in; Axle # F070; w/ 15" X 3" Brakes	Left	18E6	
			Right	18E7	
		with # F120 Front Axle; w/ 15" X 3 1/2" Brakes; w/ 1 3/8" Bore Diameter	Left	18E86	
			Right	18E87	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	1982-80	w/ 16" X 6" Brakes; 1-7/8" Bore		18E22	
		with # 34DS,34DT Rear Axle; with 15in x 6in Brakes; 1 5/8" Bore Diameter		18E23	
		with # H170,H175,T170,T175 Rear Axle; with 15in x 6in Brakes; 1 5/8" Bore Diameter		18E23	
		with # H172, 16244 Rear Axle; with 15in x 6in Brakes; 1 3/4" Bore Diameter		18E26	
		with 15in x 7in Brakes; 1 3/4" Bore Diameter		18E26	
	1980	Right		18E252	

Chevrolet – C70 Kodiak
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	1996-94	78" Cable		18P1498	
		85" Length		18P1499	
	1996-93	37" Length		18P1537	
		40in Length		18P1528	
		49in Length		18P1527	
		52in Length		18P1525	
		56-1/8" Length		18P1529	
		57" Long		18P1553	
		70" Cable		18P97441	
	1994-91	with Manual Transmission; 84" Long		18P1500	
	1993-91	with Automatic Transmission		18P1526	
	1990			18P1530	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	1996-95	4 Piston Caliper; Caliper Inlet w/o Tube Seat	Left		18FR2494	
			Right		18FR2495	
	1996-90	w/ 2.50" Dual Piston Dayton Caliper			18FR814	
					18FR814N	
					18R814	
		w/ 2.88" Dual Piston Bendix Caliper			18FR813	
					18FR813N	
					18R813	
Rear						
Disc Brake Caliper	1996-95	4 Piston Caliper; Caliper Inlet w/o Tube Seat	Left		18FR2495	
			Right		18FR2494	
	1996-90	w/ 2.50" Dual Piston Dayton Caliper			18FR814	

Chevrolet – C70 Kodiak (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	1996-90	w/ 2.50" Dual Piston Dayton Caliper		18FR814N	
				18R814	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
Front					
Disc Brake Caliper Bushing	1996-91	FMSI Number: 7142-D225		18K1395	
Rear					
Disc Brake Caliper Bushing	1996-91	FMSI Number: 7142-D225		18K1395	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1996-90			18J1283	
Rear					
Brake Hydraulic Hose	1996-90	Left		18J1285	
		Right		18J1284	
	1992-90	Center		18J1417	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1996-92	11,000 lb. Front Axle or w/ 12,000 lb. Front Axle		18M870	
		w/ 8,100 lb. Front Axle		18M838	
	1991-90	with 8,100lb Front Axle		18M838	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1996-90	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Rear					
Disc Brake Pad Set	1996-95	with Dayton Brakes; without Wear Sensors; 4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	1996-90	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline					
Parking Brake Shoe	1996-90	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Drum	1995-93	with 16,000lb Front Axle; with 20in Cast Wheels		18B358	
		with 16,000lb Front Axle; with Steel Wheels		18B357	
		with 20in Cast Steel Wheels; with 15in x 4in Brakes		18B359	
Rear					
Brake Drum	1996-90	Front Disc; Rear Drum; with 5 Bolt Holes		18B353	
		Front Disc; Rear Drum; with 9in Diameter Hub Hole; with .81in Stud Holes; with 10 Bolt Holes		18B354	
	1994-90	Front Drum; Rear Drum; with 16.5in x 5in Brakes		18B331	
Front					
Disc Brake Rotor	1996-90	Hat Shaped 5 Hole Rotor	18A177A	18A177	
		with 15.37in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor	18A176A	18A176	
Rear					
Disc Brake Rotor	1996-95	with 15.37in Diameter Rotor; Stepped Hat 10 Hole Rotor; 4 Piston Caliper		18A1414	
	1996-91	with ABS Mounting Holes; Dayton Axle # 23-122687-006		18A1419	
	1996-90	Hat Shaped 5 Hole Rotor	18A177A	18A177	
		U Shaped 10 Hole Rotor	18A692A		
		with 14.75in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor		18A809	
		with 14.75in Diameter Rotor; Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor		18A1420	
		with 15.37in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor	18A176A	18A176	

Chevrolet – C7500 Kodiak
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	2002-97	70" Cable		18P97441	
		78" Cable		18P1498	
	2000-97	37" Length		18P1537	
		40in Length		18P1528	

Chevrolet – C7500 Kodiak (Cont.)

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Parking Brake Cable	2000-97	49in Length		18P1527	
		52in Length		18P1525	
		56-1/8" Length		18P1529	
		57" Long		18P1553	
		85" Length		18P1499	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	2009-03	64mm 4 Piston Calipers	Left		18FR2503N	
			Right		18FR2502N	
					18R2502	
		70mm 4 Piston Calipers	Left		18FR2496	
					18FR2496N	
			Right		18FR2497	
					18FR2497N	
					18R2497	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper		18FR814		
				18FR814N		
				18R814		
		w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		
				18R813		
Rear						
Disc Brake Caliper	2009-03	70mm 4 Piston Calipers	Left		18FR2496	
					18FR2496N	
			Right		18FR2497	
					18FR2497N	
					18R2497	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper		18FR814		
				18FR814N		
				18R814		
		w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		with Steel Piston Caliper; w/ Dayton 70mm 4 Piston Caliper	Left		18FR2495	
		with Steel Piston Caliper; w/ Dayton 70mm 4 Piston Caliper; 7/16" - 24 Inlet Thread	Right		18FR2494	
	Front					
Disc Brake Caliper Bushing	2002-97	w/ 2.88" Dual Piston Bendix Caliper		18K1395		

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper Bushing	2002-97	w/ 2.88" Dual Piston Bendix Caliper		18K1395	
Front					
Disc Brake Caliper Piston	2009-03	70mm 4 Piston Calipers		18K2420	
Rear					
Disc Brake Caliper Piston	2009-03	70mm 4 Piston Calipers		18K2420	
	2002-97	w/ Dayton 70mm 4 Piston Caliper; w/ Phenolic Piston Caliper		18K2420	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2009-03	Front Axle Code FM6, FS7 (10,000 To 12,000 lb.); Hydraulic Brakes (JE3)	Left		18J384125	
			Right		18J384137	
		w/ RPO Code FM8 (8,000 Lb Capacity Front Axle)	Left		18J384136	
		w/ RPO Code FM8 (8,000 Lb Capacity Front Axle); Hydraulic Brakes (JE3)	Right		18J384145	
	2002-97	Non-ABS			18J1611	
		w/ ABS Brakes			18J1617	
Rear						
Brake Hydraulic Hose	2009-06	Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; w/ S130 Dana Rear Axle (HD1)	Left		18J384209	
		Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; w/ S130 Dana Rear Axle (HD1); Hydraulic Brakes (JE3)	Right		18J384197	
	2009-03	Except Low Profile Option	Left		18J4125	
			Right		18J4124	
		Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; w/ 19060S Eaton Rear Axle (HPK)	Left		18J384167	
		Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; w/ 19060S Eaton Rear Axle (HPK); Hydraulic Brakes (JE3)	Left		18J384167	
			Right		18J384212	
		Low Profile Vehicle; w/ Rear Spring Suspension; Dana Axle	Left		18J384209	
		RPO Code GSJ (21,000 Lb Air Suspension); RPO Code G40 (19,000 Lb Air Suspension)	Left		18J384345	
		Right		18J384346		
	2005-03	Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; Rear Axle H08 (15,000 Lb); Hydraulic Brakes (JE3)	Right		18J384197	
		Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; w/ RPO Code H08 (Dana Rear Axle)	Left		18J384209	
	2002	Except Low Profile Option; 4 Piston Caliper; Eaton 19060S Rear Axle	Right		18J4482	

Chevrolet – C7500 Kodiak (Cont.)

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Brake Hydraulic Hose	2002-00	Non-ABS; with 19000lb Axle(s); EATON 19050T Rear Axle; Taper / Multi Leaf Rear Springs (RPO Code GZT); Eaton 19060T Rear Axle; Dual Piston Caliper	Left		18J1286	
			Right		18J1287	
	2002-97	Except Disney Fleet; Except Low Profile Option; Taper / Multi Leaf Rear Springs (RPO Code GZT); Dual Piston Caliper; w/ ABS Brakes			18J1610	
		Except Low Profile Option; 4 Piston Caliper; Eaton 19060S Rear Axle	Left		18J1616	
		Low Profile; 4 Piston Caliper	Left		18J1612	
			Right		18J1613	
		Low Profile; Taper / Multi Leaf Rear Springs (RPO Code GZT); Dual Piston Caliper; w/ ABS Brakes			18J1609	
		Non-ABS; Eaton 19060D Rear Axle; Dual Piston Caliper	Left		18J1607	
			Right		18J1608	
		Non-ABS; Taper / Multi Leaf Rear Springs (RPO Code GZT); Eaton 21060D Rear Axle; Eaton 21060S Rear Axle; Eaton 22060S Rear Axle; Dual Piston Caliper	Left		18J1607	
			Right		18J1608	
		Non-ABS; Taper / Multi Leaf Rear Springs (RPO Code GZT); Eaton 21060T Rear Axle; Eaton 22060T Rear Axle; Dual Piston Caliper	Left		18J1286	
			Right		18J1287	
		Non-ABS; with 16900lb Axle(s); Taper / Multi Leaf Rear Springs (RPO Code GZT); Eaton 19060S Rear Axle; Dual Piston Caliper	Left		18J1607	
			Right		18J1608	
		Non-ABS; with 17850lb Axle(s); with 19000lb Axle(s); Eaton 19060S Rear Axle; Dual Piston Caliper	Left		18J1607	
			Right		18J1608	
		Radius Leaf Rear Springs (RPO Code GYN); w/ ABS Brakes			18J1610	
		w/ Air Suspension; Dual Piston Caliper; w/ ABS Brakes	Left		18J1614	
			Right		18J1615	
	2001-00	Non-ABS; Except Low Profile Option; w/ Air Suspension; Eaton 19060T Rear Axle; Dual Piston Caliper	Left		18J1286	
			Right		18J1287	
	2001-98	Except Low Profile Option; 4 Piston Caliper; Eaton 19060S Rear Axle; Eaton 19060T Rear Axle	Right		18J4482	
	2001-97	with 17850lb Axle(s); EATON 19050S Rear Axle; Dual Piston Caliper	Left		18J1286	
			Right		18J1287	
	1999	Disney Fleet; Except Low Profile Option; Taper / Multi Leaf Rear Springs (RPO Code GZT); Dual Piston Caliper; w/ ABS Brakes	Right		18J1615	
			Left		18J1614	
	1999-98	with 17850lb Axle(s); EATON 19050T Rear Axle; Except Low Profile Option; 4 Piston Caliper	Right		18J4482	

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Brake Hydraulic Hose	1999-97	Non-ABS; EATON 19050T Rear Axle; Taper / Multi Leaf Rear Springs (RPO Code GZT); Eaton 19060T Rear Axle; Dual Piston Caliper	Left		18J1286	
			Right		18J1287	
	1997	Except Low Profile Option; 4 Piston Caliper; Eaton 19060S Rear Axle	Right		18J4482	

Master Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-97				18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-03		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2009-03		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2002-97	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
		w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	

Driveline

Parking Brake Shoe	2009-97	w/ 9" x 3" Driveline Parking Brake Shoe		14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2000-98	Front Disc; Rear Drum; with .94in Stud Holes; with 8.78in Diameter Hub Hole; with 10 Bolt Holes		18B356	
	1997	Front Disc; Rear Drum; with 5 Bolt Holes		18B353	
		Front Disc; Rear Drum; with 9in Diameter Hub Hole; with .81in Stud Holes; with 10 Bolt Holes		18B354	
Front					
Disc Brake Rotor	2009-03	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter	18A2426A	18A2426	

Chevrolet – C7500 Kodiak (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2002-97	Hat Shaped 10 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; w/ 2.88" Dual Piston Bendix Caliper		18A1222	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.88" Dual Piston Bendix Caliper		18A1221	
		Hat Shaped 5 Hole Rotor; Except Tapped Holes For ABS Exciter Ring	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
Rear					
Disc Brake Rotor	2009-03	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; Except 21,000 Lb Axle	18A2426A	18A2426	
		U Shaped 10 Hole Rotor; with Cast In ABS Exciter; w/ 21,000 lb. Rear Axle	18A2772A	18A2772	
	2002-97	Hat Shaped 10 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; 14.75" Rotor Diameter		18A809	
		Hat Shaped 10 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; 15.37" Rotor Diameter		18A1222	
		Hat Shaped 10 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; 4 Piston Caliper	18A176A	18A176	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; 14.75" Rotor Diameter		18A1420	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; 15.37" Rotor Diameter		18A1221	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; 4 Piston Caliper	18A1220A	18A1220	
		Hat Shaped 5 Hole Rotor; Except Tapped Holes For ABS Exciter Ring	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
		U Shaped 10 Hole Rotor	18A692A		
		with 15.37in Diameter Rotor; Stepped Hat 10 Hole Rotor; 4 Piston Caliper		18A1414	

Chevrolet – Express 4500

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2014-13			18P97104	
	2012-11			18P97103	
Intermediate					
Parking Brake Cable	2010-09			18P97103	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front							
Disc Brake Caliper	2020-09	Original Part Design	Left		18R1996		
			Right		18R1995		
			Left		18FR1996	18R1996SV	
					18FR1996C		
					18FR1996N		
					18R1996F1		
		Right		18FR1995	18R1995SV		
				18FR1995C			
				18FR1995N			
				18R1995F1			
		2014-09	with Single Rear Wheels (SRW)	Left		18FR1381	18R1381SV
						18FR1381C	
					18FR1381N		
					18R1381F1		
	Right				18FR1380	18R1380SV	
					18FR1380C		
					18FR1380N		
					18R1380F1		
	with Single Rear Wheels (SRW); Original Part Design		Left		18R1381		
			Right		18R1380		
Rear							
Disc Brake Caliper	2020-09		Left		18FR12667C		
					18R12667C		
			Right		18FR12668C		
					18R12668C		
Rear							
Disc Brake Caliper Bushing	2016-15				18K1933		
	2013-09				18K1933		

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2021-09	Left		18J4878	
		Right		18J4879	
Rear					
Brake Hydraulic Hose	2018-11	Right		18J383739	
	2017-14	w/o Stabilitrak	Left	18J383628	
	2013-09		Left	18J383628	
	2010-09		Right	18J383046	

Chevrolet – Express 4500 (Cont.)

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2019-18			18M2568	
	2017-09	w/ Stabilitrak		18M2568	
		w/o Stabilitrak		18M2557	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty

Front

Disc Brake Pad Set	2020-18		14D784CH	17D784BMH	17D784MHSV
			14D784CHF1	17D784BSDH	
			14D784MH		
	2020-09	2nd Generation, Copper Free Friction Formula		17D784CHF1	
		Friction Contains Copper		17D784CH	
			14D784CH	17D784MH	17D784MHSV
			14D784CHF1	17D784MXH	
			14D784MH	17D784SDH	

Rear

Disc Brake Pad Set	2020-09	2nd Generation, Copper Free Friction Formula	14D1411CHF1	17D1411CHF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper	14D1411CH	17D1411CH	
				17D1411MH	17D1411MHSV
				17D1411SDH	
	2016	2nd Generation, Copper Free Friction Formula; Except 14040 GVW		17D974CHF1	
		Except 14040 GVW	14D974CH	17D974MH	17D974MHSV
			14D974CHF1	17D974SDH	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper; Except 14040 GVW		17D974CH	

Rear

Parking Brake Shoe	2022-09			17973B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty

Front

Disc Brake Rotor	2022-09		18A1193A	18A1193	
			18A1193AC		

Rear

Disc Brake Rotor	2020-09		18A2630A	18A2630	
	2011-10	with 3.20in Overall Rotor Height	18A926A	18A926	
			18A926AC	18A926SD	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2023-16	w/ 12,000 lb. GVW	Left	18FR2543	
				18R2543	
			Right	18FR2542	
				18R2542	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2023-16	w/ 12,000 lb. GVW		18J383908	
Rear					
Brake Hydraulic Hose	2023-16	w/ 12,000 lb. GVW	Center	18J383251	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2021-16			18M391472	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2021-16	w/ 12,000 lb. GVW		17D825M	
				17D825MH	
Rear					
Drum Brake Shoe	2021-16	w/ 12,000 lb. GVW		17699R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2021-16	w/ 12,000 lb. GVW		18B415	
Front					
Disc Brake Rotor	2023-16	w/ 12,000 lb. GVW	18A1448A	18A1448	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2021-16	w/ 12,000 lb. GVW	Left Forward	18E1443	
			Left Rearward	18E1438	
			Right Forward	18E1436	

Chevrolet – LCF 3500 (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	2021-16	w/ 12,000 lb. GVW	Right Rearward	18E1437	

Chevrolet – LCF 3500HD

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2017-16	w/ 13,000 lb. GVW	Left	18FR2543	
				18R2543	
			Right	18FR2542	
				18R2542	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2017-16	w/ 13,000 lb. GVW		18J383908	
Rear					
Brake Hydraulic Hose	2017-16	w/ 13,000 lb. GVW	Center	18J383251	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2017-16	w/ 13,000 lb. GVW		17D825M	
				17D825MH	
Rear					
Drum Brake Shoe	2017-16	w/ 13,000 lb. GVW		17699R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2017-16	w/ 13,000 lb. GVW		18B415	
Front					
Disc Brake Rotor	2017-16	w/ 13,000 lb. GVW	18A1448A	18A1448	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2017-16	w/ 13,000 lb. GVW	Left Forward	18E1443	
			Left Rearward	18E1438	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	2017-16	w/ 13,000 lb. GVW	Right Forward	18E1436	
			Right Rearward	18E1437	

Chevrolet – LCF 4500

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2023-16	w/ 14,500 lb. GVW	Left	18FR2443	
			Right	18FR2442	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2020-16	w/ 14,500 lb. GVW		18J384163	
Rear					
Brake Hydraulic Hose	2023-16	w/ 14,500 lb. GVW	Center	18J383251	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-16	w/ 14,500 lb. GVW		17D827M	
				17D827MH	
Rear					
Drum Brake Shoe	2023-16	w/ 14,500 lb. GVW		17792R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2023-16	w/ 14,500 lb. GVW	18B87830A	18B7830	
Front					
Disc Brake Rotor	2023-21	w/ 14,500 lb. GVW		18A82559	
	2020-16	w/ 14,500 lb. GVW	18A1696A	18A1696	
				18A82559	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2023-16	w/ 14,500 lb. GVW	Left Forward	18E1434	

Chevrolet – LCF 4500 (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	2023-16	w/ 14,500 lb. GVW	Left Rearward		18E1435	
			Right Rearward		18E1433	
	2021-16	w/ 14,500 lb. GVW	Right Forward		18E1432	

Chevrolet – LCF 4500HD

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2023-17	w/ 14,500 lb. GVW	Left		18FR2543	
					18R2543	
			Right		18FR2542	
					18R2542	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2023-17	w/ 14,500 lb. GVW			18J383908	
Rear						
Brake Hydraulic Hose	2023-17	w/ 14,500 lb. GVW	Center		18J383251	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-17	w/ 14,500 lb. GVW		17D825M	
				17D825MH	
Rear					
Drum Brake Shoe	2021-17	w/ 14,500 lb. GVW		17699R	

Rotors & Drums

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear						
Brake Drum	2021-17	w/ 14,500 lb. GVW			18B415	
Front						
Disc Brake Rotor	2023-17	w/ 14,500 lb. GVW		18A1448A	18A1448	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2021-17	w/ 14,500 lb. GVW	Left Forward	18E1443	
			Left Rearward	18E1438	
			Right Forward	18E1436	
			Right Rearward	18E1437	

Chevrolet – LCF 4500XD

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2023-17	w/ 16,000 lb. GVW	Left	18FR2443	
			Right	18FR2442	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2023-21	w/ 16,000 lb. GVW		18J383954	
	2020-17	12.6" Long		18J383954	
Rear					
Brake Hydraulic Hose	2023-17	w/ 16,000 lb. GVW		18J383251	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-17	w/ 16,000 lb. GVW		17D827M	
				17D827MH	
Rear					
Drum Brake Shoe	2021-17	w/ 16,000 lb. GVW		17792R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2021-17	w/ 16,000 lb. GVW	18B87830A	18B7830	
Front					
Disc Brake Rotor	2023-17	w/ 16,000 lb. GVW		18A82559	

Chevrolet – LCF 4500XD (Cont.)

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear						
Drum Brake Wheel Cylinder	2021-17	w/ 16,000 lb. GVW	Left Forward		18E1434	
			Left Rearward		18E1435	
			Right Forward		18E1432	
			Right Rearward		18E1433	

Chevrolet – LCF 5500HD

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2023-17		Left		18FR2443	
			Right		18FR2442	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2023-17				18J383954	
Rear						
Brake Hydraulic Hose	2023-22	Rear Drum Brakes	Center		18J383251	
	2021-17		Center		18J383251	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2021-17			17D827M	
				17D827MH	
Rear					
Drum Brake Shoe	2023-22	w/ 17,950 lb. GVW; Rear Drum Brakes		17792R	
	2021-17	w/ 17,950 lb. GVW		17792R	

Rotors & Drums

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear						
Brake Drum	2023-22	w/ 17,950 lb. GVW; Rear Drum Brakes		18B87830A	18B7830	
	2021-17	w/ 17,950 lb. GVW		18B87830A	18B7830	
Front						
Disc Brake Rotor	2023-17	w/ 17,950 lb. GVW		18A1696A	18A1696	
					18A82559	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2023-22	w/ 17,950 lb. GVW; Rear Drum Brakes	Left Forward	18E1434	
			Left Rearward	18E1435	
			Right Forward	18E1432	
			Right Rearward	18E1433	
	2021-17	w/ 17,950 lb. GVW	Left Forward	18E1434	
			Left Rearward	18E1435	
			Right Forward	18E1432	
			Right Rearward	18E1433	

Chevrolet – LCF 5500XD

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2021-17	19,500 lb. GVW	Left	18FR2443	
			Right	18FR2442	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2021-17	19,500 lb. GVW		18J383954	
Rear					
Brake Hydraulic Hose	2021-17	19,500 lb. GVW	Center	18J383251	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2021-17	19,500 lb. GVW		17D827M	
				17D827MH	
Rear					
Drum Brake Shoe	2021-17	19,500 lb. GVW		17833R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2021-17	19,500 lb. GVW	18B87832A	18B7832	

Chevrolet – LCF 5500XD (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-22	19,500 lb. GVW		18A82559	
	2021-17	19,500 lb. GVW	18A1696A	18A1696	
				18A82559	

Chevrolet – P30

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	1995	111-7/8in Length		18P1480	
		82-3/16in Length		18P1562	
		88-7/8in Length		18P1481	
		96-7/8in Length		18P1486	
		99-13/16in Length		18P1582	
	1990-88	102-3/16" Length		18P513	
		Except Motorhome Chassis; GM Brake Code JF9		18P834	
				18P836	
		Motorhome Chassis; With Dual Rear Wheels		18P513	
	1988	Except Motorhome Chassis; without Dual Rear Wheels		18P512	
	1988-84	GM Brake Code JB7,JB8,JD7; 84-1/4" Length		18P512	
	1987-85	87-7/16in Length		18P836	
	1987-84	GM Brake Code JB8; 102-3/16" Length		18P513	
	1987-82	91-7/16in Length; GM Brake Code JF9		18P834	
		with 106-13/16in Overall Length; GM Brake Code JF9		18P837	
	1983-82	105-11/16in Length; GM Brake Code JB8		18P835	
	1983-75	87-1/4in Length; GM Brake Code JB7,JB8,JD7		18P358	
Intermediate					
Parking Brake Cable	1998-96	36-5/8" Length		18P612	
		44-1/2in Length		18P576	
		67-3/4" Length		18P575	
		89" Length		18P574	
		90-3/8" Length		18P414	
	1998-94	48-1/2in Length		18P577	
		69 1/2" Long		18P413	
	1995-92	GM Brake Code JB8; 20.5" Length		18P1494	
	1993-85	178.0" Wheelbase; 89" Length		18P574	
		44-1/2in Length; GM Brake Code JB7,JB8,JD7		18P576	
		48-1/2in Length; GM Brake Code JB8		18P577	
		GM Brake Code JB7,JB8,JD7; 36-5/8" Length		18P612	

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Intermediate (Cont.)					
Parking Brake Cable	1993-85	GM Brake Code JB7,JB8,JD7; 67-3/4" Length		18P575	
	1993-84	GM Brake Code JB7,JB8,JD7; 69 1/2" Long		18P413	
	1984	GM Brake Code JB7,JB8,JD7; 45 1/2" Long		18P412	
		GM Brake Code JB8; 49-1/2" Length		18P415	
		GM Brake Code JB8; 90-3/8" Length		18P414	
		with 71-5/8in Overall Length; GM Brake Code JB8		18P301	
	1984-82	with 37.5in Overall Length; GM Brake Code JB7,JB8,JD7		18P440	
	1983-82	GM Brake Code JB8; 265" Length		18P401	
	1983-79	133.0" Wheelbase; 145-1/2in Length		18P404	
		137.0" Wheelbase; 153-1/2" Length		18P334	
		158.5" Wheelbase; with 196-1/2in Overall Length; GM Brake Code JB8		18P398	
	1983-75	157.0" Wheelbase; with 193-3/4in Overall Length; GM Brake Code JB8; GM Brake Code JB7		18P403	
Rear					
Parking Brake Cable	1999-97	14.90" Length; GM Brake Code JF9		18P2464	
	1998-94	55-1/2in Length; GM Brake Code JB8; without Dual Rear Wheels Left		18P427	
		85-1/2in Length; GM Brake Code JB8; With Dual Rear Wheels Right		18P745	
		88-1/4in Length; GM Brake Code JB8; without Dual Rear Wheels Right		18P755	
		with 51-5/8in Overall Length; GM Brake Code JB8; With Dual Rear Wheels Left		18P429	
	1996-95	without Cab; 14.90" Length; GM Brake Code JF9		18P2464	
	1996-93	52-5/16in Length; with Cab; GM Brake Code JF9		18P1488	
	1995	22-7/16in Length; with Power Parking Brake Left		18P1580	
	1994	without Cab; 14.90" Length; Uses 3 Prong Snap in Fittings; GM Brake Code JF9		18P2464	
	1993-90	58in Length; GM Brake Code JB7; GM Brake Code JD7 Left		18P433	
		62" Length Right		18P434	
	1993-88	88-1/4in Length; GM Brake Code JB8 Right		18P755	
	1993-87	85-1/2in Length; GM Brake Code JB8 Right		18P745	
	1993-85	53-3/4in Length; GM Brake Code JB7,JB8,JD7 Left		18P905	
	1993-84	with 51-5/8in Overall Length; GM Brake Code JB8 Left		18P429	
	1989-84	GM Brake Code JB7,JB8,JD7; 78-1/4" Length Right		18P428	
	1987-84	GM Brake Code JB8; 73-1/2" Length Right		18P430	

Chevrolet – P30 (Cont.)

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Parking Brake Cable	1987-79	with 15-1/8in Overall Length; GM Brake Code JF9		18P604	
	1984	55-1/2in Length; GM Brake Code JB7,JB8,JD7 Left		18P427	
		62" Length Right		18P508	
	1983-82	45-1/4in Length; GM Brake Code JB7		18P402	
	1983-75	44-1/4in Length; GM Brake Code JB6,JB7,JB8		18P152	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1999-97	Rear Disc; w/ Dual Piston Calipers		18FR1408	
				18R1408	
		w/ Rear Drum Brakes; w/ 3.38" Single Piston Rail Slide Bendix Calipers Left		18FR652	
				18FR652N	
				18R652	
				18FR651	
		Right		18FR651N	
				18R651	
				18FR650	
				18R650	
	1996-79	Floating Caliper Left		18FR649	
				18R649	
				18FR652	
				18FR652N	
		Right		18R652	
				18FR651	
				18FR651N	
				18R651	
	1978-77	GM Brake Code JB9; GM Brake Code JF9; w/ GM Brake Code JB8; w/ 3 3/8" Piston Left		18FR596	
				18R596	
		Right		18FR595	
				18FR686	
	1978-75	2-15/16" Caliper Bore; GM Brake Code JB7 Left		18R686	
				18FR685	
		Right		18R685	
				18FR596	
	1976-75	GM Brake Code JB9; w/ GM Brake Code JB8; w/ 3 3/8" Piston Left		18R596	
				18FR595	
		Right		18FR595	
Rear					
Disc Brake Caliper	1999-97			18FR1408	
				18R1408	
	1996-79	Left		18FR652	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Disc Brake Caliper	1996-79		Left		18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
					18R651	
	1978-77		Left		18FR596	
					18R596	
			Right		18FR595	
Front						
Disc Brake Caliper Bushing	1995-88	Standard Duty Brakes	Inner		18K1524	
			Outer		18K1525	
	1994-88	Front Disc; Rear Drum; with 13in x 2-1/2in Brakes	Outer		18K1525	
	1993	Front Disc; Rear Drum; with 13in x 2-1/2in Brakes	Inner		18K1524	
	1988	Front Disc; Rear Drum; with 13in x 2-1/2in Brakes	Inner		18K1524	
	1987	Front Disc; Rear Drum; with 13in x 2-1/2in Brakes; without Dual Rear Wheels	Outer		18K1525	
	1987-86	Front Disc; Rear Drum; with 13in x 2-1/2in Brakes; without Dual Rear Wheels	Inner		18K1524	
	1987-76	w/o JB8 Brakes	Inner		18K1524	
			Outer		18K1525	
	1986	Front Disc; Rear Drum; with 13in x 2-1/2in Brakes; with Single Rear Axle	Outer		18K1525	
	1985	Front Disc; Rear Drum; with 13in x 2-1/2in Brakes; without Dual Rear Wheels	Outer		18K1525	
	1984-83	Front Disc; Rear Drum; with 13in x 2-1/2in Brakes	Inner		18K1524	
			Outer		18K1525	
	1982-79	with 13in x 2-1/2in Brakes	Inner		18K1524	
			Outer		18K1525	
	1975	GM Brake Code JB7	Inner		18K1524	
			Outer		18K1525	
		with 13in x 2-1/2in Brakes; without Dual Rear Wheels	Inner		18K1524	
			Outer		18K1525	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	1999-97	23.88in Length; Motorhome Chassis; Stripped Chassis	Right		18J281	
		41in Length; Except Motorhome Chassis; Stripped Chassis	Right		18J4916	
		Except Motorhome Chassis; 21.61" Length; Stripped Chassis	Left		18J4919	
			Right		18J4918	

Chevrolet – P30 (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Hydraulic Hose	1999-97	Except Motorhome Chassis; 23.125" Length Left		18J2204	
		Except Motorhome Chassis; 23.156" Length; Stripped Chassis Right		18J2206	
		Except Motorhome Chassis; 35.55" Length; Stripped Chassis Left		18J4917	
		Except Motorhome Chassis; 35.83" Length; Stripped Chassis Left		18J4920	
		Except Motorhome Chassis; 36.14" Length; Stripped Chassis Right		18J4921	
	1999-96	Cab & Chassis; 24.31" Length Right		18J369	
	1999-95	Motorhome Chassis; 22.86" Length Left		18J435	
	1996	23.88in Length; Motorhome Chassis Right		18J281	
	1996-95	Except I-Beam Axle; Except Motorhome Chassis Left		18J2204	
		Right		18J2206	
		Except Motorhome Chassis; with Front I-Beam Axle Left		18J370	
	1994	Except I-Beam Axle Left		18J435	
		with 42.75in Overall Length; with Cast Valve; Forward Port Of Master Cylinder Master Cyl To Combination Valve		18J1113	
		with Front I-Beam Axle Left		18J370	
	1993-91	Front Disc; Rear Disc; with Front I-Beam Axle Left		18J370	
	1993-90	V6 4.3L 262cid; Front Disc; Rear Drum; with Front I-Beam Axle; without 11000lb Rear Axle; with 13in x 3-1/2in Brakes		18J370	
	1993-87	Front Disc; Rear Drum; Except I-Beam Axle; Except Motorhome Chassis; with 13in x 3-1/2in Brakes Left		18J2204	
	1993-86	Front Disc; Rear Drum; with 13in x 2-1/2in or 13in x 3-1/2in Brakes; Except I-Beam Axle; Motorhome Chassis Left		18J435	
	1993-85	Front Disc; Rear Disc; with Front I-Beam Axle Right		18J369	
		Front Disc; Rear Drum; Except I-Beam Axle; Except Motorhome Chassis; with 13in x 3-1/2in Brakes Right		18J2206	
		Front Disc; Rear Drum; with 13in x 2-1/2in or 13in x 3-1/2in Brakes; Except I-Beam Axle; Motorhome Chassis Right		18J281	
	1993-79	Front Disc; Rear Drum; with 13in x 2-1/2in Brakes; Except Motorhome Chassis Left		18J2038	
		Right		18J587	
	1989-86	Front Disc; Rear Disc; with Front I-Beam Axle Left		18J370	
	1989-85	Front Disc; Rear Drum; with Front I-Beam Axle; with 13in x 3-1/2in Brakes Left		18J370	
		Right		18J369	
	1985	Front Disc; Rear Drum; Except I-Beam Axle; Except Motorhome Chassis; with 13in x 3-1/2in Brakes Left		18J2204	

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Brake Hydraulic Hose	1985	Front Disc; Rear Drum; Except I-Beam Axle; Motorhome Chassis; with 13in x 2-1/2in Brakes; with 13in x 3-1/2in Brakes	Left		18J435	
	1984-81	Except Motorhome Chassis; with 13in x 3-1/2in Brakes	Left		18J2204	
			Right		18J2206	
		with 13-3/4in x 1-17/32in Brakes; Except Motorhome Chassis	Left		18J351	
			Right		18J354	
	1984-79	Motorhome Chassis	Left		18J280	
		with 20-5/8in Overall Length; Motorhome Chassis	Right		18J281	
		with 23-7/8in Overall Length; Motorhome Chassis	Right		18J1977	
	1980-79	with 13-3/4in x 1-17/32in Brakes; Except Motorhome Chassis; with 13in x 3-1/2in Brakes	Left		18J2204	
			Right		18J2206	
	1978-75	with Female Threads; with Hydro-Boost	Right		18J1977	
		with Hydro-Boost	Left		18J593	
		with Hydro-Boost; with Male Threads	Right		18J594	
		with Vacuum Booster	Left		18J2034	
			Right		18J2033	

Rear

Brake Hydraulic Hose	1999-98	Front Disc; Rear Drum; Motorhome Chassis	Center		18J1518	
	1999-97	Front Disc; Rear Disc	Left		18J1310	
			Right		18J1272	
	1999-94	Except Motorhome Chassis	Center		18J2119	
	1996-85	Front Disc; Rear Disc	Left		18J351	
			Right		18J354	
	1993-85	Front Disc; Rear Drum; with 13in x 2-1/2in or 13in x 3-1/2in Brakes	Center		18J2119	
	1984-80	Front Disc; Rear Drum; with 13in x 3-1/2in Brakes	Center		18J2119	
			Center		18J2119	
	1979-78	Front Disc; Rear Disc; 10-3/8in Length	Center		18J279	
		Front Disc; Rear Drum; 14-11/16" Length	Center		18J2119	
		Front Disc; Rear Drum; 14-11/16" Length	Center		18J2119	

Master Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1999-97	Rear Disc			18M949	
		Rear Drum			18M742	
	1996-95	Cab & Chassis; Rear Disc			18M949	

Chevrolet – P30 (Cont.)

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	1996-95	Rear Drum; Motorhome Chassis		18M742	
		Stripped Chassis; Rear Drum; w/ Forward Control Chassis; w/ 13" x 3 1/2" Rear Shoes, w/ JB8 Brake Code		18M230	
	1996-93	Rear Drum; w/ 13" X 2 1/2" Rear Brakes; w/ Single Rear Wheels (SRW); w/ Option Codes (JB7), (JD7)		18M230	
	1995	Cab & Chassis; Rear Drum; with Single Rear Wheels (SRW); w/ 13" x 3 1/2" Rear Brakes		18M1887	
		Stripped Chassis; Rear Disc; Motorhome Chassis		18M949	
		Stripped Chassis; Rear Disc; w/ Forward Control Chassis		18M1887	
	1994-93	Cab & Chassis; Rear Drum; w/ 13" x 3 1/2" Rear Brakes		18M1887	
				18M949	
		Stripped Chassis; Rear Disc		18M1887	
		Stripped Chassis; Rear Drum; w/ 13" x 3 1/2" Rear Brakes		18M230	
	1993-85	Rear Drum; GAS; w/ 13" X 2 1/2" Rear Brakes; GM Brake Code JB7		18M348	
	1992	Rear Drum; w/ 13" X 2 1/2" Rear Brakes; w/ Option Codes (JB7), (JD7); Hydroboost System; w/ Single Wire Bail For Reservoir		18M230	
		with Dual Wire Bail Master Cylinder Reservoir; w/ Rear Drum Brakes; w/ 13" X 2 1/2" Rear Brakes; w/ Option Codes (JB7), (JD7); Hydroboost System		18M229	
	1992-85	Rear Drum; w/ 13" x 3 1/2" Rear Brakes		18M230	
	1992-79	Rear Disc		18M1887	
	1991-85	Rear Drum; DIESEL; w/ 13" X 2 1/2" Rear Brakes		18M229	
	1984	Rear Drum; with 13in x 2-1/2in Brakes		18M229	
	1984-80	Rear Drum; Moraine Cylinder; w/ 13" x 3 1/2" Rear Shoes, w/ JB8, JD8 Brake Code		18M230	
	1984-79	Rear Drum; with 13in x 3-1/2in Brakes; w/ Bendix Master Cylinder		18M71	
	1982-79	Rear Drum; with 13in x 2-1/2in Brakes		18M229	
	1978-77	Front Disc; Rear Disc; Bore 34mm; Reservoir Cap Is Rectangular; without 15000lb Gross Vehicle Weight (GVW)		18M1887	
		Front Disc; Rear Drum; Bore 1-1/4in; Reservoir Cap Is Round In Front and Back		18M92	
		Front Disc; Rear Drum; Bore 1-15/16in; Reservoir Cap Is Rectangular		18M71	
	1976-75	Bore 1-1/4in; Reservoir Cap Is Round In Front and Back		18M92	
		Bore 1-15/16in; Reservoir Cap Is Rectangular		18M68	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1999-97	Front Disc; Rear Disc		17D184M	
				17D184MH	
		Front Disc; Rear Drum	14D149MX	17D149MH	
				17D149MX	
	1996		14D149MX	17D149MH	
				17D149MX	
	1995-79	Front Disc; Rear Disc	14D149MX	17D149MH	
				17D149MX	
		Front Disc; Rear Drum; w/ 13" X 3 1/2" Brake Drum	14D149MX	17D149MH	
				17D149MX	
		Front Disc; Rear Drum; with 13in x 2-1/2in Rear Drum	14D153MH	17D153MH	
			14D153MHF1		
	1978-75	OE Pad Material is Organic; with Hydro-Boost	14D149MX	17D149MH	
				17D149MX	
		with Vacuum Booster	14D52CH	17D52M	
			14D52CHF1	17D52MH	
			14D52M		
			14D52MH		
		with Vacuum Booster; 2nd Generation, Copper Free Friction Formula		17D52CHF1	
		with Vacuum Booster		17D52C	
	with Vacuum Booster; Friction Contains Copper		17D52CH		
Rear					
Disc Brake Pad Set	1999-97			17D184M	
				17D184MH	
	1996-79		14D149MX	17D149MH	
				17D149MX	
	1978-76	OE Pad Material is Organic	14D149MX	17D149MH	
				17D149MX	
Rear					
Drum Brake Shoe	1999-76	with 13in x 2-1/2in Brakes	14451R	17451R	
			R451		
		with 13in x 3-1/2in Brakes	14452R	17452R	
			R452		
	1976-75	with 15in x 4in Brakes		17427R	
	1975	with 13in x 3-1/2in Brakes		17418R	
Rotors & Drums					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	1999	with 13in x 3-1/2in Brakes; With Dual Rear Wheels	18B254A		

Chevrolet – P30 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Drum	1999	with 13in x 3-1/2in Brakes; without Dual Rear Wheels		18B253	
	1998	With Dual Rear Wheels	18B254A		
		with Single Rear Wheels (SRW); 10.50 Ring Gear		18B253	
		with Single Rear Wheels (SRW); Except 10.5" Ring Gear		18B111	
	1997-91	with 13in x 3-1/2in Brakes; With Dual Rear Wheels	18B254A		
	1997-85	with 13in x 3-1/2in Brakes; without Dual Rear Wheels		18B253	
	1997-75	with 13in x 2-1/2in Brakes; without Dual Rear Wheels		18B111	
	1990-78	With Dual Rear Wheels	18B254A		
	1984-79	with 13in x 3-1/2in Brakes; without Dual Rear Wheels		18B108	
	1977	with 13in x 3-1/2in Brakes; With Dual Rear Wheels	18B254A		
		with 13in x 3-1/2in Brakes; without Dual Rear Wheels		18B253	
	1976	With Dual Rear Wheels	18B254A		
	1975	with 13in x 3-1/2in Brakes; With Dual Rear Wheels	18B254A		
		with 13in x 3-1/2in Brakes; without Dual Rear Wheels		18B253	
Front					
Disc Brake Rotor	1999-97	Front Disc; Rear Disc	18A686A	18A686	
	1996-85		18A274A		
	1984-79	Rear Disc	18A274A		
	1978-76	with 13.75in x 1.53in Rear Drum; with 15in x 4in Rear Drum; Dana Axle	18A274A		
Rear					
Disc Brake Rotor	1999-97		18A717A	18A717	
	1996-75		18A230A		
Front					
Disc Brake Rotor and Hub Assembly	1999-97	Front Disc; Rear Drum; with 4,000lb Front Axle; with 4,600lb Front Axle; With Dual Rear Wheels; w/ Independent Front Suspension	18A617A	18A617	
		Front Disc; Rear Drum; with 4,400lb Front Axle; with Front I-Beam Axle; With Dual Rear Wheels	18A950A		
		Front Disc; Rear Drum; without Dual Rear Wheels	18A616A		
	1996-79	Except 5000lb I-Beam Front Axle; With Dual Rear Wheels; w/ 13" X 3 1/2" Brake Drum	18A97A	18A97	
	1995-75	w/ 13" X 3 1/2" Brake Drum; without Dual Rear Wheels	18A21A		
	1994-91	with 5000lb I-Beam Front Axle; With Dual Rear Wheels; w/ 13" X 3 1/2" Brake Drum	18A313A	18A313	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor and Hub Assembly	1994-85	with 13in x 2-1/2in Brakes; without Dual Rear Wheels	18A63A		
	1990-83	with 5000lb I-Beam Front Axle; with 13in x 3-1/2in Brakes; With Dual Rear Wheels	18A313A	18A313	
	1984-79	with 13in x 2-1/2in Rear Drum; without Dual Rear Wheels	18A63A		
	1978-75	without 11000lb Axle(s); With Dual Rear Wheels	18A97A	18A97	
	1976-75	11 5/32" X 2 3/4" Brake Shoe; without Dual Rear Wheels	18A63A		
		with 13in x 2-1/2in Brakes; without Dual Rear Wheels	18A63A		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	1999-91	with 13in x 3-1/2in Brakes; With Dual Rear Wheels		18E1362	
		with 13in x 3-1/2in Brakes; without Dual Rear Wheels		18E112	
	1999-83	with 13in x 2-1/2in Brakes		18E112	
	1990-81	with 13in x 3-1/2in Brakes		18E1362	
	1982-79	with 13in x 2-1/2in Brakes; without Dual Rear Wheels		18E112	
	1980-79	with 13-3/4in x 1-17/32in Brakes; with 13in x 3-1/2in Brakes		18E1362	
	1978	with 11000lb Axle(s); with 13-3/4in x 1-17/32in Brakes Left		18E82	
		Right		18E83	
	1978-76	with 13in x 2-1/2in Brakes; 1 1/16" Bore Diameter		18E112	
	1978-75	with 13in x 3-1/2in Brakes		18E1362	
		with 15in x 4in Brakes Left		18E82	
		Right		18E83	
	1975	Bore 1-1/8in; with 13in x 2-1/2in Brakes		18E113	

Chevrolet – P40
Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1984	Except BENDIX Master Cylinder; with Dual Hydraulic System		18M246	
	1983-80	Power Brakes; with Dual Hydraulic System; 1 3/4" Bore Diameter		18M52	
		with Hydraulic Booster; 1 3/4" Bore Diameter		18M246	

Chevrolet – P60

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1988	Except Bendix Booster		18M284	
		with BENDIX Booster		18M892	
	1987	Front Drum; Rear Drum		18M284	

Chevrolet – P6000

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1996-92	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
Rear					
Disc Brake Caliper	1996-92	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
Front					
Disc Brake Caliper Bushing	1996-92	FMSI Number: 7142-D225		18K1395	
Rear					
Disc Brake Caliper Bushing	1996-92	FMSI Number: 7142-D225		18K1395	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1996-92	1 3/4" Bore Diameter; w/ 8,000 lb Front Axle		18M838	
		Axle # FO50, FO70 With 1540S, 1540T, F155S Axle		18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1996-92	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Rear					
Disc Brake Pad Set	1996-92	w/ 2.88" Dual Piston Bendix Caliper		17D225M	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	1996-92	w/ 2.88" Dual Piston Bendix Caliper		17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Driveline					
Parking Brake Shoe	1996-92	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1996-92	5.41in Deep Pilot Hole; Except Tapped Holes For ABS Exciter Ring; Hat Shaped 5 Hole Rotor	18A177A	18A177	
		5.41in Deep Pilot Hole; Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1221	
Rear					
Disc Brake Rotor	1996-92	5.41in Deep Pilot Hole; Except Tapped Holes For ABS Exciter Ring; Hat Shaped 5 Hole Rotor	18A177A	18A177	
		5.41in Deep Pilot Hole; Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1221	

Chevrolet – Silverado 3500
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2007-01	137.0" Wheelbase		18P440	
	2006	157.5" Wheelbase		18P2609	
		185.5" Wheelbase		18P2610	
	2006-02	161.5" Wheelbase		18P303	
	2006-01	133.0" Wheelbase		18P440	
	2005-04	185.5" Wheelbase; with Wide Track Axle		18P303	
	2005-01	167.0" Wheelbase		18P2125	
	2003-01	157.5" Wheelbase		18P2609	
		185.5" Wheelbase		18P2610	
	2001	161.5" Wheelbase; Except Wide Track Axle		18P303	
Front					
Parking Brake Cable	2002-01			18P1449	
Rear					
Parking Brake Cable	2007-06	137.0" Wheelbase; Except Wide Track Axle	Left	18P96870	
			Right	18P96871	
		137.0" Wheelbase; with Wide Track Axle	Left	18P96854	

Chevrolet – Silverado 3500 (Cont.)

Cable (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Parking Brake Cable	2007-06	137.0" Wheelbase; with Wide Track Axle	Right		18P96855	
	2006	161.5" Wheelbase; Except Wide Track Axle	Left		18P96870	
			Right		18P96871	
		161.5" Wheelbase; with Wide Track Axle	Left		18P96854	
			Right		18P96855	
		185.5" Wheelbase; Except Wide Track Axle	Left		18P96870	
			Right		18P96871	
	2005-01	133.0" Wheelbase	Left		18P2615	
			Right		18P2613	
		137.0" Wheelbase; Except Wide Track Axle	Left		18P2622	
			Right		18P2611	
		137.0" Wheelbase; with Wide Track Axle	Left		18P2617	
			Right		18P2618	
		157.5" Wheelbase	Left		18P2616	
			Right		18P2613	
		161.5" Wheelbase; Except Wide Track Axle	Left		18P2622	
			Right		18P2611	
		161.5" Wheelbase; with Wide Track Axle	Left		18P2617	
			Right		18P2618	
		167.0" Wheelbase	Left		18P2616	
			Right		18P2613	
		185.5" Wheelbase; Except Wide Track Axle	Left		18P2622	
			Right		18P2611	
		185.5" Wheelbase; with Wide Track Axle	Left		18P2617	
			Right		18P2618	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2007-04	Original Part Design; With Dual Rear Wheels	Left		18R1996	
			Right		18R1995	
		With Dual Rear Wheels	Left		18FR1996	18R1996SV
					18FR1996C	
					18FR1996N	
					18R1996F1	
			Right		18FR1995	18R1995SV
					18FR1995C	
					18FR1995N	
					18R1995F1	
		with Single Rear Wheels (SRW)	Left		18FR1381	18R1381SV
					18FR1381C	
					18FR1381N	
					18R1381F1	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	2007-04	with Single Rear Wheels (SRW)	Right		18FR1380	18R1380SV
					18FR1380C	
					18FR1380N	
					18R1380F1	
		with Single Rear Wheels (SRW); Original Part Design	Left		18R1381	
			Right		18R1380	
	2003-01	Original Part Design	Left		18R1996	
			Right		18R1995	
			Left		18FR1996	18R1996SV
					18FR1996C	
					18FR1996N	
					18R1996F1	
			Right		18FR1995	18R1995SV
					18FR1995C	
				18FR1995N		
				18R1995F1		
Rear						
Disc Brake Caliper	2007	With Dual Rear Wheels	Left		18FR2007	
					18FR2007C	
					18R2007	
			Right		18FR2008	
					18FR2008C	
					18R2008	
		with Single Rear Wheels (SRW)	Left		18FR1378	18R1378PV
					18FR1378C	
					18FR1378N	
					18R1378	
					18R1378C	
			Right		18FR1379	18R1379PV
					18FR1379C	
					18FR1379N	
					18R1379	
					18R1379C	
	2006	w/ 12,000 lb. GVW	Left		18FR2007	
					18FR2007C	
					18R2007	
			Right		18FR2008	
					18FR2008C	
					18R2008	
		w/ 9,900 lb. GVW	Left		18FR1378	18R1378PV
					18FR1378C	
					18FR1378N	
					18R1378	

Chevrolet – Silverado 3500 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Rear (Cont.)							
Disc Brake Caliper	2006	w/ 9,900 lb. GVW	Left		18R1378C		
			Right		18FR1379	18R1379PV	
					18FR1379C		
					18FR1379N		
					18R1379		
					18R1379C		
	2005-04	4WD; w/ 12,000 lb. GVW	Left		18FR2007		
					18FR2007C		
					18R2007		
			Right		18FR2008		
					18FR2008C		
					18R2008		
		4WD; w/ 9,900 lb. GVW	Left		18FR1378	18R1378PV	
					18FR1378C		
					18FR1378N		
					18R1378		
					18R1378C		
				Right		18FR1379	18R1379PV
					18FR1379C		
					18FR1379N		
					18R1379		
					18R1379C		
			RWD; w/ 12,000 lb. GVW		Left		18FR2007
						18FR2007C	
		18R2007					
	Right			18FR2008			
				18FR2008C			
				18R2008			
	2003-01		Left		18FR2007		
					18FR2007C		
				18R2007			
Right				18FR2008			
				18FR2008C			
				18R2008			
Front							
Disc Brake Caliper Bushing	2012			18H1191			
	2006-01			18K1169			
Rear							
Disc Brake Caliper Bushing	2012	Single Rear Wheels		18H1191			
		With Dual Rear Wheels		18H1191			
Rear							
Disc Brake Caliper Set	2007	with Single Rear Wheels (SRW)				18FR1378KSD	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper Set	2006	w/ 9,900 lb. GVW			18FR1378KSD
	2005-04	4WD; w/ 9,900 lb. GVW			18FR1378KSD

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2007-01		Left		18J4316	
			Right		18J4317	
Rear						
Brake Hydraulic Hose	2007	9,900 lb. G.V.W.	Left		18J4227	
		GM Code JH6 (4 Wheel Disc Brakes, Hydro-Boost, 9,000LB.)	Right		18J4315	
		MEX; GM Code JH7 (Brake HYD Power, 4 Wheel Disc, 12,000 lbs.)	Right		18J381625	
	2007-04	w/ 12,000 lb. GVW	Left		18J1934	
	2006-04	w/ 12,000 lb. GVW	Right		18J381625	
		w/ 9,900 lb. GVW	Left		18J4227	
			Right		18J4315	
	2006-01		Center		18J1575	
	2003-01		Left		18J1934	
			Right		18J381625	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2007-03			18M2426	
	2002-01			18M1107	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2007-01	2nd Generation, Copper Free Friction Formula		17D784CHF1	
		Friction Contains Copper		17D784CH	
			14D784CH	17D784MH	17D784MHSV
		14D784CHF1	17D784MXH		
		14D784MH	17D784SDH		
Rear					
Disc Brake Pad Set	2010-04	2nd Generation, Copper Free Friction Formula; With Dual Rear Wheels		17D909CHF1	
		2nd Generation, Copper Free Friction Formula; without Dual Rear Wheels		17D785CHF1	
		Original Part Design; without Dual Rear Wheels		17D785MH	
		Revised F1 Part Design; without Dual Rear Wheels		17D785MHF1	

Chevrolet – Silverado 3500 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2010-04	Friction Contains Copper; without Dual Rear Wheels		17D785CH	
		Friction Contains Copper; With Dual Rear Wheels		17D909CH	
		With Dual Rear Wheels	14D909CH	17D909MH	
			14D909CHF1		
		without Dual Rear Wheels	14D785CH	17D785SDH	
			14D785CHF1		
			14D785MH		
	2003-01	2nd Generation, Copper Free Friction Formula		17D909CHF1	
		Friction Contains Copper		17D909CH	
			14D909CH	17D909MH	
			14D909CHF1		
Rear					
Parking Brake Shoe	2007-01		14771B	17771B	
			B771		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2018-15		18A2804A	18A2804	
			18A2804AC		
	2007	9,900 lb. G.V.W.	18A1206A	18A1206	
			18A1206AC		
		w/ 12,000 lb. GVW	18A1193A	18A1193	
			18A1193AC		
	2007-04	With Dual Rear Wheels	18A1193A	18A1193	
			18A1193AC		
		without Dual Rear Wheels	18A1206A	18A1206	
			18A1206AC	18A1206SD	
	2003-01		18A1193A	18A1193	
			18A1193AC		
Rear					
Disc Brake Rotor	2018-15	without Dual Rear Wheels	18A2805A	18A2805	
			18A2805AC		
	2007-04	With Dual Rear Wheels	18A1417A	18A1417	
			18A1417AC		
		without Dual Rear Wheels	18A926A	18A926	
			18A926AC	18A926SD	
	2003-01		18A1417A	18A1417	
			18A1417AC		

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2007	133.0" Wheelbase		18P440	
		137.0" Wheelbase		18P440	
		157.5" Wheelbase		18P2609	
		161.5" Wheelbase		18P303	
		167.0" Wheelbase		18P2125	
		185.5" Wheelbase		18P2610	
Rear					
Parking Brake Cable	2007	137.0" Wheelbase; Except Wide Track Axle	Left	18P96870	
			Right	18P96871	
		137.0" Wheelbase; with Wide Track Axle	Left	18P96854	
			Right	18P96855	
		161.5" Wheelbase; Except Wide Track Axle	Left	18P96870	
			Right	18P96871	
		161.5" Wheelbase; with Wide Track Axle	Left	18P96854	
			Right	18P96855	
		185.5" Wheelbase; Except Wide Track Axle	Left	18P96870	
			Right	18P96871	
		Extended Cab Pickup	Right	18P96982	
		Standard Cab Pickup	Right	18P96982	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2007	Original Part Design; With Dual Rear Wheels	Left		18R1996	
			Right		18R1995	
		With Dual Rear Wheels	Left		18FR1996	18R1996SV
					18FR1996C	
					18FR1996N	
					18R1996F1	
			Right		18FR1995	18R1995SV
					18FR1995C	
					18FR1995N	
					18R1995F1	
Rear						
Disc Brake Caliper	2007	w/ 12,000 lb. GVW	Left		18FR2007	
					18FR2007C	
					18R2007	
			Right		18FR2008	
					18FR2008C	
					18R2008	
		w/ 9,900 lb. GVW	Left		18FR1378	18R1378PV
					18FR1378C	
					18FR1378N	

Chevrolet – Silverado 3500 Classic (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Disc Brake Caliper	2007	w/ 9,900 lb. GVW	Left		18R1378	
					18R1378C	
			Right		18FR1379	18R1379PV
					18FR1379C	
					18FR1379N	
					18R1379	
	18R1379C					
Rear						
Disc Brake Caliper Set	2007	w/ 9,900 lb. GVW				18FR1378KSD

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2007	Left		18J4316	
		Right		18J4317	
Rear					
Brake Hydraulic Hose	2007	9,900 lb. G.V.W.	Left		18J4227
		GM Code JH7 (Brake HYD Power, 4 Wheel Disc, 12,000 lbs.)	Right		18J381625
		w/ 12,000 lb. GVW	Left		18J1934
			Right		18J4315

Master Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2007	Crew Cab Pickup; 4WD; w/ RPO Code JL1			18M2539	
		Crew Cab Pickup; 4WD; without Trailer Brake Control			18M391082	
		Crew Cab Pickup; RWD			18M2426	
		Extended Cab Pickup; w/ RPO Code JL1			18M2539	
		Extended Cab Pickup; without Trailer Brake Control			18M391082	
		Standard Cab Pickup			18M2426	

Pads & Shoes

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Pad Set	2007	2nd Generation, Copper Free Friction Formula			17D784CHF1	
		Friction Contains Copper			17D784CH	
				14D784CH	17D784MH	17D784MHSV
				14D784CHF1	17D784MXH	
				14D784MH	17D784SDH	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Pad Set	2007	2nd Generation, Copper Free Friction Formula; With Dual Rear Wheels		17D909CHF1	
		2nd Generation, Copper Free Friction Formula; without Dual Rear Wheels		17D785CHF1	
		Original Part Design; without Dual Rear Wheels		17D785MH	
		Revised F1 Part Design; without Dual Rear Wheels		17D785MHF1	
		Friction Contains Copper; without Dual Rear Wheels		17D785CH	
		Friction Contains Copper; With Dual Rear Wheels		17D909CH	
		With Dual Rear Wheels	14D909CH	17D909MH	
			14D909CHF1		
		without Dual Rear Wheels	14D785CH	17D785SDH	
			14D785CHF1		
		14D785MH			
Rear					
Parking Brake Shoe	2007		14771B	17771B	
			B771		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2007	9,900 lb. G.V.W.	18A1206A	18A1206	
			18A1206AC	18A1206SD	
		w/ 12,000 lb. GVW	18A1193A	18A1193	
			18A1193AC		
		With Dual Rear Wheels	18A1193A	18A1193	
			18A1193AC		
		without Dual Rear Wheels	18A1206A	18A1206	
			18A1206AC	18A1206SD	
Rear					
Disc Brake Rotor	2007	9,900 lb. G.V.W.	18A926A	18A926	
			18A926AC	18A926SD	
		w/ 12,000 lb. GVW	18A1417A	18A1417	
			18A1417AC		
		With Dual Rear Wheels	18A1417A	18A1417	
			18A1417AC		
		without Dual Rear Wheels	18A926A	18A926	
			18A926AC	18A926SD	

Chevrolet – Silverado 3500 HD

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2017-11	Crew Cab Pickup		18P97255	
	2015	Extended Cab Pickup		18P97254	
	2014	Standard Cab Pickup		18P97255	
	2013-12	Extended Cab Pickup		18P97254	
	2010-07	133.0" Wheelbase		18P440	
		137.0" Wheelbase		18P440	
		157.5" Wheelbase		18P2609	
		161.5" Wheelbase		18P303	
	2009-07	167.0" Wheelbase		18P2125	
Intermediate					
Parking Brake Cable	2017-16	Extended Cab Pickup		18P97254	
	2011	Extended Cab Pickup		18P97254	
Rear					
Parking Brake Cable	2018-15	Crew Cab Pickup; 158.1" Wheelbase	Left	18P97252	
		Extended Cab Pickup; 153.7" Wheelbase	Right	18P97251	
		Extended Cab Pickup; 158.1" Wheelbase	Left	18P97252	
		Extended Cab Pickup; 167.7" Wheelbase	Left	18P97252	
		Standard Cab Pickup; 158.1" Wheelbase	Left	18P97252	
	2018-11	Crew Cab Pickup; 153.7" Wheelbase	Right	18P97251	
		Crew Cab Pickup; 167.7" Wheelbase	Left	18P97252	
		Standard Cab Pickup; 153.7" Wheelbase	Right	18P97251	
		Standard Cab Pickup; 167.7" Wheelbase	Left	18P97252	
	2017-15	Crew Cab Pickup; 158.1" Wheelbase	Right	18P97253	
		Extended Cab Pickup; 133.6" Wheelbase	Left	18P97252	
			Right	18P97253	
		Extended Cab Pickup; 158.1" Wheelbase	Right	18P97253	
		Extended Cab Pickup; 167.7" Wheelbase	Right	18P97253	
		Standard Cab Pickup; 158.1" Wheelbase	Right	18P97253	
	2017-11	Crew Cab Pickup; 133.6" Wheelbase	Left	18P97252	
			Right	18P97253	
		Crew Cab Pickup; 167.7" Wheelbase	Right	18P97253	
		Standard Cab Pickup; 133.6" Wheelbase	Left	18P97252	
			Right	18P97253	
		Standard Cab Pickup; 167.7" Wheelbase	Right	18P97253	
	2014-11	Crew Cab Pickup; 153.7" Wheelbase	Left	18P97250	
		Standard Cab Pickup; 153.7" Wheelbase	Left	18P97250	
	2013-11	Crew Cab Pickup; 158.1" Wheelbase	Left	18P97252	
			Right	18P97253	
		Extended Cab Pickup; 133.6" Wheelbase	Left	18P97252	
			Right	18P97253	
		Extended Cab Pickup; 153.7" Wheelbase	Left	18P97250	
			Right	18P97251	
		Extended Cab Pickup; 158.1" Wheelbase	Left	18P97252	

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Parking Brake Cable	2013-11	Extended Cab Pickup; 158.1" Wheelbase	Right	18P97253	
		Extended Cab Pickup; 167.7" Wheelbase	Left	18P97252	
			Right	18P97253	
		Standard Cab Pickup; 158.1" Wheelbase	Left	18P97252	
			Right	18P97253	
	2010	Extended Cab Pickup; 157.5" Wheelbase	Left	18P97239	
			Right	18P97240	
	2009-07	137.0" Wheelbase; Except Wide Track Axle	Left	18P96870	
			Right	18P96871	
		137.0" Wheelbase; with Wide Track Axle	Left	18P96854	
			Right	18P96855	
		161.5" Wheelbase; Except Wide Track Axle	Left	18P96870	
			Right	18P96871	
		161.5" Wheelbase; with Wide Track Axle	Left	18P96854	
			Right	18P96855	
		167.0" Wheelbase	Right	18P96982	
		Crew Cab Pickup; 167.0" Wheelbase	Left	18P96981	
		Extended Cab Pickup; 157.5" Wheelbase	Left	18P96981	
		Standard Cab Pickup; 133.0" Wheelbase	Left	18P96980	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2019-11	Innovative dual-bleeder design can fit either left or right position without modification		18FR12463DN	
			Right	18R12463	
			Left	18R12464	
				18FR12464	
				18FR12464C	
			Right	18R12463	
				18FR12463C	
				18R12463C	
	2010-07	Original Part Design; With Dual Rear Wheels	Left	18R1996	
			Right	18R1995	
		With Dual Rear Wheels	Left	18FR1996	18R1996SV
				18FR1996C	
				18FR1996N	
				18R1996F1	
			Right	18FR1995	18R1995SV
				18FR1995C	
				18FR1995N	

Chevrolet – Silverado 3500 HD (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)							
Disc Brake Caliper	2010-07	With Dual Rear Wheels	Right		18R1995F1		
		with Single Rear Wheels (SRW)	Left		18FR1381	18R1381SV	
					18FR1381C		
					18FR1381N		
					18R1381F1		
			Right		18FR1380	18R1380SV	
					18FR1380C		
					18FR1380N		
				18R1380F1			
		with Single Rear Wheels (SRW); Original Part Design	Left		18R1381		
Right			18R1380				
Rear							
Disc Brake Caliper	2019-17	Innovative dual-bleeder design can fit either left or right position without modification; Single Rear Wheels	Left		18FR12465DN		
			Right		18FR12465DN		
		Single Rear Wheels	Left		18FR12466		
					18FR12466C		
					18R12466C		
			Right		18FR12465		
					18FR12465C		
					18R12465		
		Left		18FR12466N			
			Right		18FR12465N		
				Left		18R12466	
			2019-11	Innovative dual-bleeder design can fit either left or right position without modification; With Dual Rear Wheels			18FR12885DN
		Left				18FR12886C	
		With Dual Rear Wheels		Left		18FR12886C	
	Right				18FR12885C		
	2016-11	with Single Rear Wheels (SRW)	Left		18FR12466		
					18FR12466C		
					18R12466C		
			Right		18FR12465		
					18FR12465C		
					18R12465		
			with Single Rear Wheels (SRW); Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR12465DN	
				Right		18FR12465DN	
				with Single Rear Wheels (SRW)	Left		18FR12466N
			Right			18FR12465N	
		Left			18R12466		
		2010-07	w/ 12,000 lb. GVW	Left		18FR2007	
					18FR2007C		
					18R2007		
	Right				18FR2008		

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Disc Brake Caliper	2010-07	w/ 12,000 lb. GVW	Right		18FR2008C	
					18R2008	
		w/ 9,900 lb. GVW	Left		18FR1378	18R1378PV
					18FR1378C	
					18FR1378N	
					18R1378	
					18R1378C	
				Right		18FR1379
					18FR1379C	
				18FR1379N		
			18R1379			
			18R1379C			
Front						
Disc Brake Caliper Bushing	2017-12			18H1224		
	2011			18H1191		
Rear						
Disc Brake Caliper Bushing	2017-15			18H1224		
	2014-11			18H1191		
Rear						
Disc Brake Caliper Set	2010-07	w/ 9,900 lb. GVW				18FR1378KSD

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Brake Hydraulic Hose	2017-12	Right		18J4577		
	2017-11	Left		18J4576		
	2011	With Dual Rear Wheels	Right	18J4577		
		without Dual Rear Wheels	Right	18J4893		
	2010-07	Left		18J4892		
		Right		18J4893		
Rear						
Brake Hydraulic Hose	2019-17	Single Rear Wheels	Center		18J384351	
	2019-15	With Dual Rear Wheels	Left		18J383963	
			Right		18J383964	
	2019-11	with Single Rear Wheels (SRW)	Left		18J4759	
		without Dual Rear Wheels	Right		18J4760	
	2016	High Country; with Single Rear Wheels (SRW)	Center		18J384351	
		LTZ; with Single Rear Wheels (SRW)	Center		18J384351	
	2015	with Single Rear Wheels (SRW)	Center		18J384351	
	2014	with Single Rear Wheels (SRW)	Center		18J383482	
	2014-12	With Dual Rear Wheels; Cab & Chassis	Right		18J383964	

Chevrolet – Silverado 3500 HD (Cont.)

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Brake Hydraulic Hose	2014-12	With Dual Rear Wheels; Except Cab & Chassis	Left		18J383479	
			Right		18J383480	
	2014-11	Cab & Chassis; With Dual Rear Wheels	Center		18J383733	
		Crew Cab Pickup; With Dual Rear Wheels	Center		18J383734	
		Standard Cab Pickup; With Dual Rear Wheels	Center		18J383734	
		With Dual Rear Wheels; Cab & Chassis	Left		18J383963	
	2013	Crew Cab Pickup; with Single Rear Wheels (SRW)	Center		18J383482	
		Extended Cab Pickup; with Single Rear Wheels (SRW)	Center		18J383482	
		Standard Cab Pickup; with Single Rear Wheels (SRW)	Center		18J383482	
	2013-11	Extended Cab Pickup; With Dual Rear Wheels	Center		18J383734	
	2012-11	with Single Rear Wheels (SRW)	Center		18J383482	
	2011	Cab & Chassis; with Wide Track Axle; With Dual Rear Wheels	Right		18J383964	
			Left		18J383479	
			Right		18J383480	
	2010-07	w/ 12,000 lb. GVW	Left		18J383523	
			Right		18J383598	
		without Dual Rear Wheels	Left		18J4849	
			Right		18J4850	
			Center		18J4631	

Master Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2019-15				18M391534	
	2014	with Single Rear Wheels (SRW)			18M2568	
	2014-11	With Dual Rear Wheels; w/ Trailer Brake Control			18M2567	
		without Trailer Brake Control; With Dual Rear Wheels			18M2557	
	2013-11	without Dual Rear Wheels			18M2568	
	2010	Except Active Brake Control; without Trailer Brake Control			18M2567	
		with Active Brake Control; w/ Trailer Brake Control			18M2557	
		with Active Brake Control; without Trailer Brake Control			18M2568	
	2009	Except Active Brake Control; w/ Trailer Brake Control			18M2567	
		Except Active Brake Control; without Trailer Brake Control			18M2557	
	2008-07	w/ Trailer Brake Control			18M2539	
		without Trailer Brake Control			18M391082	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2024-20		14D2250CH	17D2250CH	
				17D2250SDH	
	2019-11	2nd Generation, Copper Free Friction Formula	14D1411CHF1	17D1411CHF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper	14D1411CH	17D1411CH	
				17D1411MH	17D1411MHSV
				17D1411SDH	
	2010-07	2nd Generation, Copper Free Friction Formula		17D784CHF1	
		Friction Contains Copper		17D784CH	
			14D784CH	17D784MH	17D784MHSV
			14D784CHF1	17D784MXH	
			14D784MH	17D784SDH	
Rear					
Disc Brake Pad Set	2022-20		14D2250ACH	17D2250ACH	
				17D2250ASDH	
	2019-11	2nd Generation, Copper Free Friction Formula	14D1411CHF1	17D1411CHF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper	14D1411CH	17D1411CH	
				17D1411MH	17D1411MHSV
				17D1411SDH	
	2010-07	2nd Generation, Copper Free Friction Formula; With Dual Rear Wheels		17D909CHF1	
		2nd Generation, Copper Free Friction Formula; without Dual Rear Wheels		17D785CHF1	
		Original Part Design; without Dual Rear Wheels		17D785MH	
		Revised F1 Part Design; without Dual Rear Wheels		17D785MHF1	
		Friction Contains Copper; without Dual Rear Wheels		17D785CH	
		Friction Contains Copper; With Dual Rear Wheels		17D909CH	
		With Dual Rear Wheels	14D909CH	17D909MH	
			14D909CHF1		
		without Dual Rear Wheels	14D785CH	17D785SDH	
			14D785CHF1		
		14D785MH			
Rear					
Parking Brake Shoe	2019-11			171050B	
	2009-07		14771B	17771B	
			B771		

Chevrolet – Silverado 3500 HD (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2024-11		18A2804A	18A2804	
			18A2804AC		
	2023-11		18A2804A	18A2804SD	
			18A2804AC		
	2010-07	With Dual Rear Wheels	18A1193A	18A1193	
			18A1193AC		
		without Dual Rear Wheels	18A1206A	18A1206	
			18A1206AC	18A1206SD	
Rear					
Disc Brake Rotor	2024-15	with Single Rear Wheels (SRW)	18A2805A	18A2805	
			18A2805AC		
	2023-22	with Dual Rear Wheels (DRW)	18A82636A	18A82636G	
	2023-15	with Single Rear Wheels (SRW)	18A2805A	18A2805SD	
			18A2805AC		
	2021-20	With Dual Rear Wheels	18A82636A	18A82636G	
	2019-16	With Dual Rear Wheels	18A81945A	18A81945	
			18A81945AC		
	2017-16	With Dual Rear Wheels	18A81945A	18A81945SD	
			18A81945AC		
	2015	From 08/2014; With Dual Rear Wheels	18A81945A	18A81945	
			18A81945AC	18A81945SD	
		To 08/2014; With Dual Rear Wheels	18A2797A	18A2797	
			18A2797AC	18A2797SD	
	2014-12	with Single Rear Wheels (SRW)		18A2805SD	
	2014-11	With Dual Rear Wheels	18A2797A	18A2797	
			18A2797AC	18A2797SD	
		without Dual Rear Wheels	18A2805A	18A2805	
			18A2805AC		
	2011	without Dual Rear Wheels	18A2805A	18A2805SD	
			18A2805AC		
	2010-07	With Dual Rear Wheels	18A1417A	18A1417	
			18A1417AC		
		without Dual Rear Wheels	18A926A	18A926	
			18A926AC	18A926SD	

Chevrolet – Silverado 4500 HD

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2021-19	Left		18FR12848N	
		Right		18FR12847N	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper	2021-19	Left		18FR12847N	
		Right		18FR12848N	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2020-19			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2022-19		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2022-19		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2022-19		18A2887A	18A2887	
Rear					
Disc Brake Rotor	2022-19		18A2887A	18A2887	

Chevrolet – Silverado 5500 HD

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2021-19		Left		18FR12848N
			Right		18FR12847N
Rear					
Disc Brake Caliper	2022-19		Left		18FR12847N
			Right		18FR12848N

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2020-19			18M391540	

Chevrolet – Silverado 5500 HD (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2022-19		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2022-19		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2022-19		18A2887A	18A2887	
Rear					
Disc Brake Rotor	2022-19		18A2887A	18A2887	

Chevrolet – Silverado 6500 HD

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2021-19	Left		18FR12848N	
		Right		18FR12847N	
Rear					
Disc Brake Caliper	2021-19	Left		18FR12847N	
		Right		18FR12848N	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2020-19			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2022-19		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2022-19		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2022-19		18A2887A	18A2887	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2022-19		18A2887A	18A2887	

Chevrolet – Suburban 3500 HD

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear						
Disc Brake Caliper	2016	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR12465DN	
			Right		18FR12465DN	
			Left		18FR12466N	
			Right		18FR12465N	
			Left		18R12466	
					18FR12466	
					18FR12466C	
					18R12466C	
			Right		18FR12465	
					18FR12465C	
				18R12465		
Front						
Disc Brake Caliper Bushing	2016			18H1224		
Rear						
Disc Brake Caliper Bushing	2016			18H1224		

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2019-16			18M391534	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-16	2nd Generation, Copper Free Friction Formula	14D1411CHF1	17D1411CHF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper	14D1411CH	17D1411CH	
				17D1411MH	17D1411MHSV
				17D1411SDH	
Rear					
Disc Brake Pad Set	2019-16	2nd Generation, Copper Free Friction Formula	14D1411CHF1	17D1411CHF1	

Chevrolet – Suburban 3500 HD (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2019-16	In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper	14D1411CH	17D1411CH	
				17D1411MH	17D1411MHSV
				17D1411SDH	
Rear					
Parking Brake Shoe	2019-16			171050B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-16		18A2804A	18A2804	
			18A2804AC	18A2804SD	
Rear					
Disc Brake Rotor	2019-16		18A2805A	18A2805	
			18A2805AC	18A2805SD	

Chevrolet – T6500

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2009-04	64mm 4 Piston Calipers	Left		18FR2502N	
					18R2502	
		Right		18FR2503N		
		70mm 4 Piston Calipers	Left		18FR2496	
					18FR2496N	
			Right		18FR2497	
					18FR2497N	
				18R2497		
	2002-97	w/ 2.50" Dual Piston Dayton Caliper			18FR814	
					18FR814N	
					18R814	
		w/ 2.88" Dual Piston Bendix Caliper			18FR813	
				18FR813N		
				18R813		
Rear						
Disc Brake Caliper	2009-04	64mm 4 Piston Calipers	Left		18FR2502N	
					18R2502	
		Right		18FR2503N		
		70mm 4 Piston Calipers	Left		18FR2496	
					18FR2496N	
			Right		18FR2497	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Disc Brake Caliper	2009-04	70mm 4 Piston Calipers	Right		18FR2497N	
					18R2497	
	2002-99	Steel Piston; w/ Dayton 70mm 4 Piston Caliper; 7/16" - 24 Inlet Thread	Left		18FR2495	
			Right		18FR2494	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper			18FR814	
					18FR814N	
					18R814	
		w/ 2.88" Dual Piston Bendix Caliper			18FR813	
					18FR813N	
					18R813	
Front						
Disc Brake Caliper Bushing	2002-97	w/ 2.88" Dual Piston Bendix Caliper			18K1395	
Rear						
Disc Brake Caliper Bushing	2002-97	w/ 2.88" Dual Piston Bendix Caliper			18K1395	
Front						
Disc Brake Caliper Piston	2002-97	4 Piston Caliper			18K2420	
Rear						
Disc Brake Caliper Piston	2002-97	4 Piston Caliper			18K2420	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2009-04	Hydraulic Brakes (JE3)	Right	18J384260	
	2002-97			18J1617	
Rear					
Brake Hydraulic Hose	2009-04	Except Low Profile Option; w/ 19,000 lb. Rear Axle	Left	18J4125	
			Right	18J4124	
		Low Profile Vehicle	Left	18J384013	
			Right	18J384012	
		RPO Code GSJ (21,000 Lb Air Suspension); RPO Code G40 (19,000 Lb Air Suspension)	Left	18J384345	
			Right	18J384346	
	2002-99	Except Low Profile Option; Dual Piston Caliper		18J1610	
		Low Profile; Dual Piston Caliper		18J1609	
	1998-97	Except Low Profile Option		18J1610	
		Low Profile		18J1609	

Chevrolet – T6500 (Cont.)

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-04			18M870	
	2002-97			18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-04		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2009-04		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2002-97	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
		w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	2009-04	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
	2002-97	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-04	Hat Shaped 10 Hole Rotor	18A2426A	18A2426	
	2002-97	Hat Shaped 10 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; w/ 2.88" Dual Piston Bendix Caliper		18A1222	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.88" Dual Piston Bendix Caliper		18A1221	
		Hat Shaped 5 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; w/ 2.50" Dual Piston Dayton Caliper	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.50" Dual Piston Dayton Caliper		18A1419	
Rear					
Disc Brake Rotor	2009-04	Hat Shaped 10 Hole Rotor	18A2426A	18A2426	
		U Shaped 10 Hole Rotor	18A2772A	18A2772	
	2002-98	4 Piston Caliper; Except Tapped Holes For ABS Exciter Ring	18A176A	18A176	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2002-98	4 Piston Caliper; Tapped Holes For ABS Exciter Ring	18A1220A	18A1220	
	2002-97	Hat Shaped 10 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; w/ 2.50" Dual Piston Dayton Caliper		18A809	
		Hat Shaped 10 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; w/ 2.88" Dual Piston Bendix Caliper		18A1222	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.50" Dual Piston Dayton Caliper		18A1420	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.88" Dual Piston Bendix Caliper		18A1221	
		Hat Shaped 5 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; w/ 2.50" Dual Piston Dayton Caliper	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.50" Dual Piston Dayton Caliper		18A1419	
		U Shaped 10 Hole Rotor; w/ 2.88" Dual Piston Bendix Caliper	18A692A		

Chevrolet – T7500
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	2002	70" Cable		18P97441	
		78" Cable		18P1498	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2009-04	64mm 4 Piston Calipers	Left	18FR2502N	
				18R2502	
		70mm 4 Piston Calipers	Right	18FR2503N	
			Left	18FR2496	
				18FR2496N	
			Right	18FR2497	
				18FR2497N	
				18R2497	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	

Chevrolet – T7500 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear						
Disc Brake Caliper	2009-04	64mm 4 Piston Calipers	Left		18FR2502N	
					18R2502	
		70mm 4 Piston Calipers	Right		18FR2503N	
			Left		18FR2496	
					18FR2496N	
			Right		18FR2497	
					18FR2497N	
					18R2497	
	2002-98	Steel Piston; w/ Dayton 70mm 4 Piston Caliper; 7/16" - 24 Inlet Thread	Left		18FR2495	
			Right		18FR2494	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper			18FR814	
					18FR814N	
					18R814	
		w/ 2.88" Dual Piston Bendix Caliper			18FR813	
					18FR813N	
					18R813	

Front

Disc Brake Caliper Bushing	2002-97	w/ 2.88" Dual Piston Bendix Caliper			18K1395	

Rear

Disc Brake Caliper Bushing	2002-97	w/ 2.88" Dual Piston Bendix Caliper			18K1395	

Front

Disc Brake Caliper Piston	2002-99	4 Piston Caliper			18K2420	

Rear

Disc Brake Caliper Piston	2002-99	4 Piston Caliper			18K2420	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2009-04	Hydraulic Brakes (JE3)	Right		18J384260	
	2002-97				18J1617	
Rear						
Brake Hydraulic Hose	2009-04	RPO Code GSJ (21,000 Lb Air Suspension); RPO Code G40 (19,000 Lb Air Suspension)	Left		18J384345	
			Right		18J384346	
		with Leaf Springs	Left		18J4125	
			Right		18J4124	
	2002-99	Except Low Profile Option; 4 Piston Caliper	Left		18J1616	
			Right		18J4482	
		Low Profile; 4 Piston Caliper	Left		18J1612	
			Right		18J1613	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2002-97	Except Low Profile Option		18J1610	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-04			18M870	
	2002-97			18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-04	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2009-04	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2002-98	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	2009-04	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
	2002-97	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-04	Hat Shaped 10 Hole Rotor	18A2426A	18A2426	
	2002-97	Hat Shaped 10 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; w/ 2.88" Dual Piston Bendix Caliper		18A1222	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.88" Dual Piston Bendix Caliper		18A1221	
		Hat Shaped 5 Hole Rotor; Except Tapped Holes For ABS Exciter Ring	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	

Chevrolet – T7500 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2009-04	Hat Shaped 10 Hole Rotor; 15,000lb or 19,000lb Axle	18A2426A	18A2426	
		U Shaped 10 Hole Rotor; w/ 21,000 lb. Rear Axle	18A2772A	18A2772	
	2002-98	Hat Shaped 10 Hole Rotor; 4 Piston Caliper; Except Tapped Holes For ABS Exciter Ring	18A176A	18A176	
		Hat Shaped 10 Hole Rotor; 4 Piston Caliper; Tapped Holes For ABS Exciter Ring	18A1220A	18A1220	
	2002-97	Hat Shaped 10 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; w/ 2.50" Dual Piston Dayton Caliper		18A809	
		Hat Shaped 10 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; w/ 2.88" Dual Piston Bendix Caliper		18A1222	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.50" Dual Piston Dayton Caliper		18A1420	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.88" Dual Piston Bendix Caliper		18A1221	
		Hat Shaped 5 Hole Rotor; Except Tapped Holes For ABS Exciter Ring	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
		U Shaped 10 Hole Rotor	18A692A		

Chevrolet – W3500 Tiltmaster

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2009-05	Left		18FR2543	
				18R2543	
		Right		18FR2542	
				18R2542	
	2004	Left		18FR2543	
				18R2543	
		Right		18FR2542	
				18R2542	
		Left		18FR2441	
				18R2440	
		Right		18R2440	
				18R2439	
	2003-98	Left		18FR2439	
				18R2438	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2003-98	DIESEL	Left	18R2439	
			Right	18FR2438	
		GAS; 57mm Dual Piston Caliper; w/ Caliper Casting # AD57T		18R2438	
			Left	18FR2441	
			Right	18FR2440	
				18R2440	
		GAS; w/ Caliper Casting # AD54T; w/ 54 mm Dual Piston Caliper	Left	18FR2439	
				18R2439	
			Right	18FR2438	
				18R2438	
	1997	DIESEL; To 12/1997	Left	18FR1401	
			Right	18FR1400	
		GAS; From 10/1997; 57mm Dual Piston Caliper; w/ Caliper Casting # AD57T	Left	18FR2441	
			Right	18FR2440	
				18R2440	
			Left	18FR2439	
		GAS; From 10/1997; w/ Caliper Casting # AD54T; w/ 54 mm Dual Piston Caliper		18R2439	
			Right	18FR2438	
		GAS; To 09/1997		18R2438	
			Left	18FR1401	
	1996-95		Right	18FR1400	
			Left	18FR1401	
			Right	18FR1400	
			Left	18FR1401	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2009-08			18J383908	
	2007	DIESEL		18J383908	
	2007-04	GAS; 15 1/2" Overall Length; 16" Wheels		18J4890	
		GAS; 16 1/4" Long; 16" Wheels		18J1424	
		GAS; with 19.5in Wheels; 11 7/8"		18J384163	
		GAS; with 19.5in Wheels; 16.5" Length		18J383929	
	2006-04	DIESEL; 13 3/8" Long		18J383908	
		DIESEL; 15 1/2" Overall Length		18J4890	
	2006-99	DIESEL; 16 1/4" Long		18J1424	
	2003-98	15 1/2" Overall Length		18J4890	
		16.5" Length		18J383929	
	1998	DIESEL; From 01/1998; 16 1/4" Long		18J1424	
	1997	DIESEL; To 12/1997		18J1424	
		GAS; From 10/1997; 15 1/2" Overall Length		18J4890	

Chevrolet – W3500 Tiltmaster (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Hydraulic Hose	1997	GAS; From 10/1997; 16.5" Length		18J383929	
		GAS; To 09/1997		18J1424	
	1996-95			18J1424	
Rear					
Brake Hydraulic Hose	2009-99			18J383251	
	1999-98	Center		18J383250	
	1997			18J383250	
	1996-95	Center		18J383250	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-98			18M391472	
	1997	From 11/97		18M391472	
	1995	To 10/1995		18M391472	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-98			17D825M	
				17D825MH	
	1997	DIESEL; To 12/1997		17D546M	
		GAS; From 10/1997		17D825M	
				17D825MH	
		GAS; To 09/1997		17D546M	
	1996-95			17D546M	
Rear					
Drum Brake Shoe	2009-02	320mm X 100mm Rear Brakes		17699R	
	2009-01	DIESEL; 320mm X 75mm Rear Brakes		17612R	
	2001	GAS; 320mm X 75mm Rear Brakes; To 6/01		17612R	
		GAS; From 07/2001; 320mm X 100mm Rear Brakes		17699R	
	2001-95	DIESEL; 320mm X 100mm Rear Brakes		17699R	
	2000-95	320mm X 75mm Rear Brakes		17612R	
Driveline					
Parking Brake Shoe	2009-95	GAS; 11" X 2" Driveline Parking Brake		17823B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2009-02	GAS		18B415	
	2009-95	DIESEL; 320mm X 100mm Rear Brakes		18B415	
		DIESEL; 320mm X 75mm Rear Brakes	18B87831A	18B7831	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Drum	2001-95	GAS	18B87831A	18B7831	
Front					
Disc Brake Rotor	2009-98		18A1448A	18A1448	
	1997	DIESEL; To 12/1997	18A479A	18A1449	
		GAS; To 09/1997	18A479A	18A1449	
	1996-95		18A479A	18A1449	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2009-04	DIESEL	Left Forward	18E1440	
			Left Rearward	18E1442	
			Right Forward	18E1439	
			Right Rearward	18E1441	
	2009-03	GAS	Left Forward	18E1443	
			Left Rearward	18E1438	
			Right Forward	18E1436	
			Right Rearward	18E1437	
	2003	DIESEL; From 3/03	Left Forward	18E1440	
			Left Rearward	18E1442	
			Right Forward	18E1439	
			Right Rearward	18E1441	
		DIESEL; Thru 2/03	Left Forward	18E408	
			Left Rearward	18E1430	
			Right Forward	18E406	
			Right Rearward	18E407	
		DIESEL; To 2/03	Right Forward	18E338	
	2002	DIESEL	Right Forward	18E406	
			Left Forward	18E427	
		GAS	Left Rearward	18E1431	

Chevrolet – W3500 Tiltmaster (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	2002	GAS	Right		18E780	
			Forward			
		GAS; From 4/02	Right		18E1437	
			Rearward			
		GAS; To 3/02	Right		18E781	
			Rearward			
	2002-01	DIESEL	Left		18E408	
			Forward			
			Left		18E1430	
			Rearward			
			Right		18E338	
			Forward			
			Right		18E407	
			Rearward			
	2001	GAS; To 6/01	Left		18E408	
			Forward			
			Left		18E1430	
			Rearward			
			Right		18E338	
			Forward			
			Right		18E407	
			Rearward			
	2001-95		Right		18E406	
	2000		Left		18E408	
			Forward			
			Left		18E1430	
			Rearward			
	2000-95		Right		18E338	
			Forward			
			Right		18E407	
			Rearward			
	1999	4-Wheel ABS	Left		18E1430	
			Rearward			
		4-Wheel ABS; GAS	Left		18E408	
			Forward			
		DIESEL	Left		18E408	
			Forward			
		Non-ABS; GAS; To 06/1999; 2 Required	Left		18E408	
	1998-95	2 Required	Left		18E408	

Chevrolet – W4500 Tiltmaster

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2010-05	GAS; 57mm Piston	Left		18FR2443	
			Right		18FR2442	
	2010-04	DIESEL; 54mm Piston	Left		18FR2543	
					18R2543	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2010-04	DIESEL; 54mm Piston	Right	18FR2542	
				18R2542	
	2004	GAS; 57mm Piston; From 7/04	Left	18FR2443	
			Right	18FR2442	
		GAS; 57mm Piston; To 6/04	Left	18FR2441	
			Right	18FR2440	
	2003-00	GAS; 57mm Piston		18R2440	
			Left	18FR2441	
			Right	18FR2440	
	2003-99	DIESEL		18R2440	
			Left	18FR2439	
				18R2439	
			Right	18FR2438	
	1999	4-Wheel ABS; GAS; with 363mm Diameter Rotor		18R2438	
			Left	18FR2441	
			Right	18FR2440	
				18R2440	
		GAS; To 1/99	Left	18FR2439	
				18R2439	
			Right	18FR2438	
				18R2438	
	1998	DIESEL; From 01/1998	Left	18FR2439	
				18R2439	
			Right	18FR2438	
				18R2438	
		GAS	Left	18FR2439	
				18R2439	
			Right	18FR2438	
				18R2438	
	1997	GAS; From 10/1997	Left	18FR2439	
				18R2439	
			Right	18FR2438	
				18R2438	
	1997-94		Left	18FR1401	
			Right	18FR1400	
	1993-88	Front Disc Brakes	Left	18FR1401	
			Right	18FR1400	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2010-08	GAS		18J384163	

Chevrolet – W4500 Tiltmaster (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Hydraulic Hose	2010-07	DIESEL		18J383908	
	2007-04	GAS; 16 1/4" Long		18J1424	
		GAS; 16" Wheels; 15 1/2" Overall Length		18J4890	
		GAS; with 19.5in Wheels; 11 7/8"		18J384163	
		GAS; with 19.5in Wheels; 16.5" Length		18J383929	
	2006-04	DIESEL; 13 1/2" Long		18J383908	
	2006-99	DIESEL; 16 1/4" Long		18J1424	
	2003-98	15 1/2" Overall Length		18J4890	
		16.5" Length		18J383929	
	1998	DIESEL; From 01/1998; 16 1/4" Long		18J1424	
	1997	DIESEL; To 12/1997		18J1424	
		GAS; To 09/1997		18J1424	
	1996-94			18J1424	
	1993-88	Front Disc Brakes		18J1424	
	1993-86	Front Drum Brakes		18J752	
Rear					
Brake Hydraulic Hose	2010-00			18J383251	
	1999-92	Center		18J383250	
	1999-86	Center		18J383251	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2010-98	DIESEL		18M391472	
	1995			18M391472	
	1994	Straight Truck - Low Tilt		18M480	
	1993-92	Stripped Chassis - Incomplete; Front Drum Brakes		18M768	
	1993-91	Front Drum Brakes; w/ 11,000 lb. GVW; w/ 13,000 lb. GVW		18M480	
		Straight Truck - Low Tilt; w/ 14,250 lb. GVW; Front Drum Brakes		18M767	
	1993-88	Straight Truck - Low Tilt; Front Disc Brakes		18M480	
	1991	Front Drum Brakes; Stripped Chassis		18M768	
	1990-86	Front Drum Brakes; w/ Cab & Chassis		18M482	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2010-00	GAS		17D827M	
				17D827MH	
	2010-99	DIESEL		17D825M	
				17D825MH	
	1999	GAS; w/ ABS Brakes		17D827M	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	1999	GAS; w/ ABS Brakes		17D827MH	
		Non-ABS; GAS; To 06/1999		17D826M	
	1998	DIESEL; From 01/1998		17D825M	
				17D825MH	
		GAS		17D826M	
	1997	DIESEL; To 12/1997		17D546M	
		GAS; From 10/1997		17D826M	
		GAS; To 09/1997		17D546M	
	1996-94			17D546M	
	1993-88	Front Disc Brakes		17D546M	
Front					
Drum Brake Shoe	1993-91	w/ 320mm X 100mm Brakes; w/ 14,250 lb. GVW		17699R	
Rear					
Drum Brake Shoe	2010-98	DIESEL; 320mm X 100mm Rear Brakes		17699R	
		GAS; with 320mm x 120mm Rear Brakes		17792R	
	2005-00	320mm X 75mm Rear Brakes		17612R	
	1997-89	320mm X 100mm Rear Brakes		17699R	
	1988	From 09/1988; 320mm X 100mm Rear Brakes		17699R	
Driveline					
Parking Brake Shoe	2010-95	GAS; 11" X 2" Driveline Parking Brake		17823B	
	1994-86	11" X 2" Driveline Parking Brake		17823B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Drum	1993-91	Except Flat Low Profile; w/ 11,000 lb. GVW; 320mm X 75mm Brakes	18B87831A	18B7831	
		Front Drum Brakes; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW		18B415	
	1990-87		18B87831A	18B7831	
Rear					
Brake Drum	2010-98	DIESEL		18B415	
		GAS	18B87830A	18B7830	
	1997-94	320mm X 100mm Rear Brakes		18B415	
	1996-95	320mm X 75mm Rear Brakes	18B87831A	18B7831	
	1994	From 09/1994; 320mm X 75mm Rear Brakes	18B87831A	18B7831	
		w/ 11,000 lb. GVW; To 8/94	18B87831A	18B7831	
		w/ 13,000 lb. GVW; w/ 14,250 lb. GVW		18B415	
	1993	Except Flat Low Profile; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW		18B415	
	1993-89	Except Flat Low Profile; w/ 11,000 lb. GVW; 320mm X 75mm Rear Brakes	18B87831A	18B7831	

Chevrolet – W4500 Tiltmaster (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Drum	1992-89	Except Flat Low Profile; Front Drum Brakes; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW		18B415	
	1988-87		18B87831A	18B7831	
Front					
Disc Brake Rotor	2010-07	DIESEL	18A1448A	18A1448	
	2010-00	GAS; with 363mm Diameter Rotor	18A1696A	18A1696	
	2005-98	DIESEL	18A1448A	18A1448	
	1999	GAS; Rotor Diameter 310mm; Non-ABS		18A1661	
		GAS; with 363mm Diameter Rotor; w/ ABS	18A1696A	18A1696	
	1998	GAS; Rotor Diameter 310mm		18A1661	
	1997	DIESEL; To 12/1997	18A479A		
		From 10/1997; Rotor Diameter 310mm; Gasoline Engine		18A1661	
		GAS; To 09/1997	18A479A		
	1996-88		18A479A		
	1987	From 08/1987	18A479A		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1993	Front Drum Brakes; w/o Bleeder Screw; Except 14,250 lb. GVW; To 11/93	Left Forward	18E361	
			Right Forward	18E360	
		Front Drum Brakes; w/o Bleeder Screw; w/ 14,250 lb. GVW; To 11/93	Left Rearward	18E401	
			Right Rearward	18E779	
		with Bleeder Screw; Front Drum Brakes; Except 14,250 lb. GVW; To 11/93	Left Rearward	18E363	
			Right Rearward	18E362	
		with Bleeder Screw; Front Drum Brakes; w/ 14,250 lb. GVW; To 11/93	Left Forward	18E403	
			Right Forward	18E402	
	1992	w/o Bleeder Screw; Except 14,250 lb. GVW	Left Forward	18E361	
			Right Forward	18E360	
		w/o Bleeder Screw; w/ 14,250 lb. GVW	Left Rearward	18E401	
			Right Rearward	18E779	
		with Bleeder Screw; Except 14,250 lb. GVW	Left Rearward	18E363	

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Drum Brake Wheel Cylinder	1992	with Bleeder Screw; Except 14,250 lb. GVW	Right Rearward		18E362	
		with Bleeder Screw; w/ 14,250 lb. GVW	Left Forward		18E403	
			Right Forward		18E402	
	1991	From 01/1991; w/o Bleeder Screw; Except 14,250 lb. GVW	Left Forward		18E361	
			Right Forward		18E360	
		From 01/1991; w/o Bleeder Screw; w/ 14,250 lb. GVW	Left Rearward		18E401	
			Right Rearward		18E779	
		with Bleeder Screw; From 01/1991; Except 14,250 lb. GVW	Left Rearward		18E363	
			Right Rearward		18E362	
		with Bleeder Screw; From 01/1991; w/ 14,250 lb. GVW	Left Forward		18E403	
			Right Forward		18E402	
	1990	w/o Bleeder Screw; To 12/90	Left Forward		18E361	
			Right Forward		18E360	
		with Bleeder Screw; To 12/90	Right Rearward		18E362	
	1990-87	with Bleeder Screw	Left Rearward		18E363	
	1989-87	w/o Bleeder Screw	Left Forward		18E361	
			Right Forward		18E360	
		with Bleeder Screw	Right Rearward		18E362	
Rear						
Drum Brake Wheel Cylinder	2010-04	DIESEL; w/o Bleeder Screw	Left Rearward		18E1438	
			Right Rearward		18E1437	
		DIESEL; with Bleeder Screw	Left Forward		18E1443	
			Right Forward		18E1436	
	2010-03	GAS; w/o Bleeder Screw	Left Rearward		18E1435	
			Right Rearward		18E1433	
		GAS; with Bleeder Screw	Left Forward		18E1434	

Chevrolet – W4500 Tiltmaster (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	2010-03	GAS; with Bleeder Screw	Right Forward		18E1432	
	2003	DIESEL; w/o Bleeder Screw; From 3/03	Left Rearward		18E1438	
			Right Rearward		18E1437	
		DIESEL; w/o Bleeder Screw; To 2/03	Left Forward		18E427	
			Right Rearward		18E781	
		DIESEL; with Bleeder Screw; From 3/03	Left Forward		18E1443	
			Right Forward		18E1436	
		DIESEL; with Bleeder Screw; To 2/03	Left Rearward		18E1431	
			Right Forward		18E780	
	2002	GAS; From 07/2002; w/o Bleeder Screw	Left Rearward		18E1435	
			Right Rearward		18E1433	
		GAS; Thru 6/02	Left Forward		18E1446	
		GAS; w/o Bleeder Screw; Thru 6/02	Right Rearward		18E1445	
		GAS; with Bleeder Screw; From 07/2002	Left Forward		18E1434	
			Right Forward		18E1432	
		GAS; with Bleeder Screw; Thru 6/02	Right Forward		18E1444	
		GAS; with Bleeder Screw; To 6/02	Left Rearward		18E1447	
	2002-00	DIESEL; w/o Bleeder Screw	Left Forward		18E427	
		DIESEL; with Bleeder Screw	Left Rearward		18E1431	
	2002-99	DIESEL; w/o Bleeder Screw	Right Rearward		18E781	
		DIESEL; with Bleeder Screw	Right Forward		18E780	
	2001-00	GAS	Left Forward		18E1446	
		GAS; with Bleeder Screw	Left Rearward		18E1447	
	2001-98	GAS; w/o Bleeder Screw	Right Rearward		18E1445	
		GAS; with Bleeder Screw	Right Forward		18E1444	
	1999	4-Wheel ABS; GAS	Left Forward		18E1446	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	1999	4-Wheel ABS; GAS; From 02/1999; with Bleeder Screw	Left Rearward	18E1447	
		DIESEL; From 01/1999; w/o Bleeder Screw	Left Forward	18E427	
		DIESEL; From 01/1999; with Bleeder Screw	Left Rearward	18E1431	
		Non-ABS; GAS; 2 Required	Left	18E1446	
	1999-98		Right Forward	18E406	
	1998	DIESEL; From 01/1998; To 12/1998; 2 Required; w/o Bleeder Screw	Left	18E427	
		DIESEL; From 01/1998; w/o Bleeder Screw	Right Rearward	18E781	
		DIESEL; with Bleeder Screw; From 01/1998	Right Forward	18E780	
		GAS; 2 Required	Left	18E1446	
	1997	DIESEL; To 12/1997; 2 Required; w/o Bleeder Screw; Except 14,250 lb. GVW	Left	18E408	
		DIESEL; To 12/1997; 2 Required; w/o Bleeder Screw; w/ 14,250 lb. GVW	Left	18E427	
		DIESEL; To 12/1997; w/o Bleeder Screw; Except 14,250 lb. GVW	Right Rearward	18E407	
		DIESEL; To 12/1997; w/o Bleeder Screw; w/ 14,250 lb. GVW	Right Rearward	18E781	
		DIESEL; with Bleeder Screw; To 12/1997; Except 14,250 lb. GVW	Right Forward	18E338	
		DIESEL; with Bleeder Screw; To 12/1997; w/ 14,250 lb. GVW	Right Forward	18E780	
		GAS; Except 13,250lbs GVW; 2 Required; w/o Bleeder Screw; To 09/97	Left	18E408	
		GAS; From 10/1997; 2 Required	Left	18E1446	
		GAS; From 10/1997; w/o Bleeder Screw	Right Rearward	18E1445	
		GAS; To 09/1997; Except 13,250lbs GVW; w/o Bleeder Screw	Right Rearward	18E407	
		GAS; To 09/1997; with 13,250lbs Gross Vehicle Weight (GVW); 2 Required; w/o Bleeder Screw	Left	18E427	
		GAS; To 09/1997; with 13,250lbs Gross Vehicle Weight (GVW); w/o Bleeder Screw	Right Rearward	18E781	
		GAS; with Bleeder Screw; From 10/1997	Right Forward	18E1444	
		GAS; with Bleeder Screw; To 09/1997; Except 13,250lbs GVW	Right Forward	18E338	
		GAS; with Bleeder Screw; To 09/1997; with 13,250lbs Gross Vehicle Weight (GVW)	Right Forward	18E780	
	1996	DIESEL; with Bleeder Screw; Except 14,250 lb. GVW	Right Forward	18E338	
	1996-95	DIESEL; 2 Required; w/o Bleeder Screw; Except 14,250 lb. GVW	Left	18E408	

Chevrolet – W4500 Tiltmaster (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	1996-95	DIESEL; 2 Required; w/o Bleeder Screw; w/ 14,250 lb. GVW	Left		18E427	
		DIESEL; w/o Bleeder Screw; Except 14,250 lb. GVW	Right Rearward		18E407	
		DIESEL; w/o Bleeder Screw; w/ 14,250 lb. GVW	Right Rearward		18E781	
		DIESEL; with Bleeder Screw; w/ 14,250 lb. GVW	Right Forward		18E780	
		GAS; Except 13,250lbs GVW; 2 Required; w/o Bleeder Screw	Left		18E408	
		GAS; Except 13,250lbs GVW; w/o Bleeder Screw	Right Rearward		18E407	
		GAS; with 13,250lbs Gross Vehicle Weight (GVW); 2 Required; w/o Bleeder Screw	Left		18E427	
		GAS; with 13,250lbs Gross Vehicle Weight (GVW); w/o Bleeder Screw	Right Rearward		18E781	
		GAS; with Bleeder Screw; Except 13,250lbs GVW	Right Forward		18E338	
		GAS; with Bleeder Screw; with 13,250lbs Gross Vehicle Weight (GVW)	Right Forward		18E780	
	1995	with Bleeder Screw; Except 14,250 lb. GVW	Right Forward		18E338	
	1994	2 Required; w/o Bleeder Screw; Except 13,000 lb. GVW; Except 14,250 lb. GVW; To 8/94	Left		18E408	
		2 Required; w/o Bleeder Screw; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW; To 8/94	Left		18E427	
		DIESEL; From 09/1994; 2 Required; w/o Bleeder Screw; Except 14,250 lb. GVW	Left		18E408	
		DIESEL; From 09/1994; w/o Bleeder Screw; Except 14,250 lb. GVW	Right Rearward		18E407	
		DIESEL; From 09/1994; w/o Bleeder Screw; w/ 14,250 lb. GVW	Right Rearward		18E781	
		DIESEL; with Bleeder Screw; From 09/1994; Except 14,250 lb. GVW	Right Forward		18E338	
		DIESEL; with Bleeder Screw; From 09/1994; w/ 14,250 lb. GVW	Right Forward		18E780	
		From 09/1994; 2 Required; w/o Bleeder Screw; w/ 14,250 lb. GVW	Left		18E427	
		GAS; From 09/1994; Except 13,250lbs GVW; 2 Required; w/o Bleeder Screw	Left		18E408	
		GAS; From 09/1994; Except 13,250lbs GVW; w/o Bleeder Screw	Right Rearward		18E407	
		GAS; From 09/1994; with 13,250lbs Gross Vehicle Weight (GVW); 2 Required; w/o Bleeder Screw	Left		18E427	
		GAS; From 09/1994; with 13,250lbs Gross Vehicle Weight (GVW); w/o Bleeder Screw	Right Rearward		18E781	
		GAS; with Bleeder Screw; From 09/1994; Except 13,250lbs GVW	Right Forward		18E338	
		GAS; with Bleeder Screw; From 09/1994; with 13,250lbs Gross Vehicle Weight (GVW)	Right Forward		18E780	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	1994	w/o Bleeder Screw; Except 13,000 lb. GVW; Except 14,250 lb. GVW; To 8/94	Right Rearward	18E407	
		w/o Bleeder Screw; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW; To 8/94	Right Rearward	18E781	
		with Bleeder Screw; Except 13,000 lb. GVW; Except 14,250 lb. GVW; To 8/94	Right Forward	18E338	
		with Bleeder Screw; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW; To 8/94	Right Forward	18E780	
	1993	2 Required; w/o Bleeder Screw; w/ 13,000 lb. GVW; To 11/93	Left	18E427	
		DIESEL; Except Bleeder Screw; Flat Low Profile	Right Rearward	18E783	
		DIESEL; Except Bleeder Screw; Flat Low Profile; 2 Required	Left	18E782	
		DIESEL; with Bleeder Screw; Flat Low Profile	Right Forward	18E784	
		Except Flat Low Profile; Front Disc Brakes; 2 Required; w/o Bleeder Screw; Except 13,000 lb. GVW; To 11/93	Left	18E408	
		Except Flat Low Profile; Front Disc Brakes; w/o Bleeder Screw; Except 13,000 lb. GVW; To 11/93	Right Rearward	18E407	
		Flat Low Profile; Front Drum Brakes; w/o Bleeder Screw; 2 Required; To 11/93	Left	18E359	
		Flat Low Profile; Front Drum Brakes; w/o Bleeder Screw; To 11/93	Right Rearward	18E358	
		From 12/1993; 2 Required; w/o Bleeder Screw; Except 13,000 lb. GVW; Except 14,250 lb. GVW	Left	18E408	
		From 12/1993; 2 Required; w/o Bleeder Screw; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW	Left	18E427	
		From 12/1993; w/o Bleeder Screw; Except 13,000 lb. GVW; Except 14,250 lb. GVW	Right Rearward	18E407	
		From 12/1993; w/o Bleeder Screw; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW	Right Rearward	18E781	
		Front Drum Brakes; w/o Bleeder Screw; 2 Required; w/ 14,250 lb. GVW; To 11/93	Left	18E422	
		Front Drum Brakes; w/o Bleeder Screw; w/ 14,250 lb. GVW; To 11/93	Right Rearward	18E404	
		w/o Bleeder Screw; w/ 13,000 lb. GVW; To 11/93	Right Rearward	18E781	
		with Bleeder Screw; Except Flat Low Profile; Front Disc Brakes; Except 13,000 lb. GVW	Right Forward	18E338	
		with Bleeder Screw; Flat Low Profile; Front Drum Brakes; To 11/93	Right Forward	18E357	
		with Bleeder Screw; From 12/1993; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW	Right Forward	18E780	
		with Bleeder Screw; Front Drum Brakes; w/ 14,250 lb. GVW; To 11/93	Right Forward	18E405	
		with Bleeder Screw; w/ 13,000 lb. GVW; To 11/93	Right Forward	18E780	

Chevrolet – W4500 Tiltmaster (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	1993-91	Except Flat Low Profile; Front Drum Brakes; 2 Required; w/o Bleeder Screw; Except 14,250 lb. GVW	Left		18E341	
		Except Flat Low Profile; Front Drum Brakes; Except 14,250 lb. GVW; w/o Bleeder Screw	Right Rearward		18E337	
		with Bleeder Screw; Except Flat Low Profile; Front Drum Brakes; Except 14,250 lb. GVW	Right Forward		18E336	
	1992	DIESEL; 2 Required; w/o Bleeder Screw; w/ 13,000 lb. GVW; From 8/92	Left		18E427	
		DIESEL; w/o Bleeder Screw; w/ 13,000 lb. GVW; From 8/92	Right Rearward		18E781	
		DIESEL; with Bleeder Screw; w/ 13,000 lb. GVW; From 8/92	Right Forward		18E780	
		Except Flat Low Profile; Front Disc Brakes; 2 Required; w/o Bleeder Screw; Except 13,000 lb. GVW; From 8/92	Left		18E408	
		Except Flat Low Profile; Front Disc Brakes; 2 Required; w/o Bleeder Screw; To 7/92	Left		18E408	
		Except Flat Low Profile; Front Disc Brakes; w/o Bleeder Screw; Except 13,000 lb. GVW; From 8/92	Right Rearward		18E407	
		Except Flat Low Profile; Front Disc Brakes; w/o Bleeder Screw; To 7/92	Right Rearward		18E407	
		w/o Bleeder Screw; 2 Required; w/ 14,250 lb. GVW	Left		18E422	
		w/o Bleeder Screw; w/ 14,250 lb. GVW	Right Rearward		18E404	
		with Bleeder Screw; Except Flat Low Profile; Front Disc Brakes; Except 13,000 lb. GVW; From 8/92	Right Forward		18E338	
		with Bleeder Screw; Except Flat Low Profile; Front Disc Brakes; To 7/92	Right Forward		18E338	
		with Bleeder Screw; w/ 14,250 lb. GVW	Right Forward		18E405	
	1992-91	Except Bleeder Screw; Flat Low Profile	Right Rearward		18E783	
		Except Bleeder Screw; Flat Low Profile; 2 Required	Left		18E782	
		with Bleeder Screw; Flat Low Profile	Right Forward		18E784	
	1992-89	Flat Low Profile; w/o Bleeder Screw	Right Rearward		18E358	
		Flat Low Profile; w/o Bleeder Screw; 2 Required	Left		18E359	
		with Bleeder Screw; Flat Low Profile	Right Forward		18E357	
	1991	From 01/1991; w/o Bleeder Screw; 2 Required; w/ 14,250 lb. GVW	Left		18E422	
		From 01/1991; w/o Bleeder Screw; w/ 14,250 lb. GVW	Right Rearward		18E404	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	1991	with Bleeder Screw; From 01/1991; w/ 14,250 lb. GVW	Right Forward	18E405	
	1991-89	Except Flat Low Profile; Front Disc Brakes; 2 Required; w/o Bleeder Screw	Left	18E408	
		Except Flat Low Profile; Front Disc Brakes; w/o Bleeder Screw	Right Rearward	18E407	
		with Bleeder Screw; Except Flat Low Profile; Front Disc Brakes	Right Forward	18E338	
	1990	Except Flat Low Profile; Front Drum Brakes; 2 Required; w/o Bleeder Screw; To 12/90	Left	18E341	
		Except Flat Low Profile; Front Drum Brakes; To 12/90; w/o Bleeder Screw	Right Rearward	18E337	
		with Bleeder Screw; Except Flat Low Profile; Front Drum Brakes; To 12/90	Right Forward	18E336	
	1990-89	DIESEL; Except Bleeder Screw; Flat Low Profile; Front Disc Brakes	Right Rearward	18E365	
		DIESEL; Flat Low Profile; with Bleeder Screw; Front Disc Brakes	Right Forward	18E364	
		Except Bleeder Screw; Flat Low Profile; Front Disc Brakes; 2 Required	Left	18E366	
	1989	Except Flat Low Profile; Front Drum Brakes; 2 Required; w/o Bleeder Screw	Left	18E341	
		Except Flat Low Profile; w/o Bleeder Screw	Right Rearward	18E337	
		with Bleeder Screw; Except Flat Low Profile; Front Drum Brakes	Right Forward	18E336	
	1988	Except Flat Low Profile; From 09/1988; Front Disc Brakes; 2 Required; w/o Bleeder Screw	Left	18E408	
		Except Flat Low Profile; From 09/1988; Front Disc Brakes; w/o Bleeder Screw	Right Rearward	18E407	
		Except Flat Low Profile; From 09/1988; Front Drum Brakes; 2 Required; w/o Bleeder Screw	Left	18E341	
		Except Flat Low Profile; From 09/1988; w/o Bleeder Screw	Right Rearward	18E337	
		Flat Low Profile; From 09/1988; w/o Bleeder Screw	Right Rearward	18E358	
		Flat Low Profile; From 09/1988; w/o Bleeder Screw; 2 Required	Left	18E359	
		Front Disc Brakes; 2 Required; w/o Bleeder Screw; To 8/88	Left	18E408	
		Front Disc Brakes; w/o Bleeder Screw; To 8/88	Right Rearward	18E407	
		Front Drum Brakes; 2 Required; w/o Bleeder Screw; To 8/88	Left	18E341	
		w/o Bleeder Screw; To 8/88	Right Rearward	18E337	
		with Bleeder Screw; Except Flat Low Profile; From 09/1988; Front Disc Brakes	Right Forward	18E338	
		with Bleeder Screw; Except Flat Low Profile; From 09/1988; Front Drum Brakes	Right Forward	18E336	

Chevrolet – W4500 Tiltmaster (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	1988	with Bleeder Screw; Flat Low Profile; From 09/1988	Right Forward		18E357	
		with Bleeder Screw; Front Disc Brakes; To 8/88	Right Forward		18E338	
		with Bleeder Screw; Front Drum Brakes; To 8/88	Right Forward		18E336	
	1987	From 08/1987; Front Disc Brakes; 2 Required; w/o Bleeder Screw	Left		18E408	
		From 08/1987; Front Disc Brakes; w/o Bleeder Screw	Right Rearward		18E407	
		Front Drum Brakes; 2 Required; w/o Bleeder Screw	Left		18E341	
		w/o Bleeder Screw	Right Rearward		18E337	
		with Bleeder Screw; From 08/1987; Front Disc Brakes	Right Forward		18E338	
		with Bleeder Screw; Front Drum Brakes	Right Forward		18E336	

Chevrolet – W5500 Tiltmaster

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2010-04		Left		18FR2443	
			Right		18FR2442	
	2003-00		Left		18FR2441	
	2003-99		Right		18FR2440	
					18R2440	
	1999	Front Disc Brakes	Left		18FR2441	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2010-08				18J384163	
	2007-05	12" Long			18J384163	
	2007-04	16 1/4" Long			18J383929	
	2003-00				18J383929	
	1999	Front Disc Brakes			18J383929	
	1998	Front Disc Brakes; From 01/98			18J383929	
Rear						
Brake Hydraulic Hose	2010-99				18J383251	
	2009-99		Center		18J383250	
	1998-88		Center		18J384266	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2010-00			17D827M	
				17D827MH	
	2004	DIESEL; Over 10,000 lb. GVW		17D825M	
				17D825MH	
	1999	Front Disc Brakes		17D827M	
				17D827MH	
1998	Front Disc Brakes		17D826M		
Rear					
Drum Brake Shoe	2010-00			17792R	
	1999	Front Disc Brakes		17792R	
	1999-98	Front Drum Brakes		17727R	
	1998	Front Disc Brakes; From 01/98		17792R	
	1997-95			17727R	
	1994	From 02/94		17727R	
		To 01/1994		17699R	
	1993-88			17699R	
Driveline					
Parking Brake Shoe	1994-88	w/ Manual Transmission		171009B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2010-98		18B87830A	18B7830	
	2004	with 320mm x 100mm Rear Brakes		18B415	
Front					
Disc Brake Rotor	2010-00		18A1696A	18A1696	
	1999	Front Disc Brakes	18A1696A	18A1696	
	1998			18A1661	

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1999-98	with Bleeder Screw; with Manual Adjusting Brakes; Front Drum Brakes	Left		18E352	
			Right		18E351	
	1997-94	with Bleeder Screw; with Manual Adjusting Brakes	Left		18E352	
			Right		18E351	
	1993-88	with Bleeder Screw	Left		18E352	
			Right		18E351	
Rear						
Drum Brake Wheel Cylinder	2009-04	w/o Bleeder Screw	Left Rearward		18E1435	
			Right Rearward		18E1433	

Chevrolet – W5500 Tiltmaster (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	2009-04	with Bleeder Screw	Left Forward		18E1434	
			Right Forward		18E1432	
	2003	w/o Bleeder Screw; From 1/03	Left Rearward		18E1435	
			Right Rearward		18E1433	
		with Bleeder Screw; From 1/03	Left Forward		18E1434	
			Right Forward		18E1432	
	2002	w/o Bleeder Screw; To 12/02	Left Forward		18E1446	
			Right Rearward		18E1445	
		with Bleeder Screw; To 12/02	Left Rearward		18E1447	
			Right Forward		18E1444	
	2001-00	w/o Bleeder Screw	Left Forward		18E1446	
			Right Rearward		18E1445	
		with Bleeder Screw	Left Rearward		18E1447	
			Right Forward		18E1444	
	1999	Front Disc Brakes; w/o Bleeder Screw	Left Forward		18E1446	
			Right Rearward		18E1445	
		with Bleeder Screw; From 01/1999	Left Rearward		18E1447	
		with Bleeder Screw; Front Disc Brakes	Right Forward		18E1444	
	1998	Front Disc Brakes; w/o Bleeder Screw; From 01/98	Right Rearward		18E1445	
		To 12/1998; Front Disc Brakes; w/o Bleeder Screw; 2 Required	Left Forward		18E1446	
		with Bleeder Screw; Front Disc Brakes; From 01/98	Right Forward		18E1444	
	1994	w/o Bleeder Screw; To 01/94	Left Rearward		18E356	
			Right Rearward		18E355	
		with Bleeder Screw; To 01/94	Left Forward		18E354	
			Right Forward		18E353	
	1993-88	w/o Bleeder Screw	Left Rearward		18E356	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	1993-88	w/o Bleeder Screw	Right Rearward	18E355	
		with Bleeder Screw	Left Forward	18E354	
			Right Forward	18E353	

Chevrolet – W5500HD Tiltmaster

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2009-04		Left	18FR2443	
			Right	18FR2442	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2009-04			18J384163	
Rear					
Brake Hydraulic Hose	2009-04		Center	18J383250	
				18J383251	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-04			17D827M	
				17D827MH	
Rear					
Drum Brake Shoe	2009-04	w/ 14.29" x 5.87" Brakes		17833R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2009-04		18B87832A	18B7832	
	2004	with 320mm x 100mm Rear Brakes		18B415	
			18B87832A	18B7833	
			18B87833A	18B7832	
				18B7833	
Front					
Disc Brake Rotor	2009-04		18A1696A	18A1696	

Chevrolet – W6500 Tiltmaster

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1992-90	Except Bleeder Screw; w/ 20,500 - 22,000 lb. GVW; 40mm Bore Diameter	Left		18E346	
			Right		18E345	

Chevrolet – W7500 Tiltmaster

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear						
Brake Hydraulic Hose	1996-87		Center		18J1506	

Dodge – D400

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Self-Adjuster Cable	1981	w/ 2 1/2" Wide Shoes		18K2357	
		w/ 3" Wide Shoes		18K2357	
		with 12in Brakes		18K2357	
	1980-78			18K2357	
Front					
Parking Brake Cable	1979	53 3/4" Long		18P97	
		81" Long		18P96	
Intermediate					
Parking Brake Cable	1979	18-3/8" Length		18P112	
		38 1/4" Long		18P91	
		42" Long		18P245	
		46-1/4" Length		18P109	
		70-1/8" Length		18P241	
Rear					
Parking Brake Cable	1979	Left		18P371	
		Right		18P367	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	1981-79		Left		18FR620	
					18FR620N	
					18R726	
			Right		18FR619	
					18FR619N	
					18R619	
					18R725	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	1981-79			18K1522	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1979	Outer		18J285	
Rear					
Brake Hydraulic Hose	1979	Center		18J221	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1980-79	with Aluminum Master Cylinder		18M118	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1981	OE Pad Material is Organic	14D269M	17D269MH	
		OE Pad Material is Organic; Revised F1 Part Design		17D269MF1	
		OE Pad Material is Organic		17D269C	
	1980		14D149MX	17D149MH	
				17D149MX	
	1979	OE Pad Material is Organic	14D149MX	17D149MH	
				17D149MX	
	1978		14D149MX	17D149MH	
Rear					
Drum Brake Shoe	1980-79		14314R	17314R	
			R358		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1981-79		18A33A		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	1981	with 12in x 2-1/2in Brakes; with 13in x 3in Brakes; 1 1/16" Bore Diameter	Left	18E180	

Dodge – D400 (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	1981	with 12in x 2-1/2in Brakes; with 13in x 3in Brakes; 1 1/16" Bore Diameter	Right		18E181	
	1981-79	with 10in x 2-1/2in Brakes; with 11in x 2-1/2in Brakes; 15/16" Bore Size			18E80	
		with 12in x 2-1/2in Brakes; with 13in x 3in Brakes; 1" Bore Diameter	Left		18E889	
			Right		18E855	
		with 12in x 2-1/2in Brakes; with 13in x 3in Brakes; 7/8" Bore Diameter	Left		18E1342	
			Right		18E1337	
	1980-79	with 12in x 2-1/2in Brakes; with 12in x 3in Brakes; 1 1/16" Bore Diameter	Left		18E926	
			Right		18E76	

Dodge – D450

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Self-Adjuster Cable	1981	w/ 2 1/2" Wide Shoes		18K2357	
		w/ 3" Wide Shoes		18K2357	
		with 12in Brakes		18K2357	
	1980-78			18K2357	
Front					
Parking Brake Cable	1979-78	53 3/4" Long		18P97	
		81" Long		18P96	
Intermediate					
Parking Brake Cable	1979-78	18-3/8" Length		18P112	
		38 1/4" Long		18P91	
		42" Long		18P245	
		46-1/4" Length		18P109	
		70-1/8" Length		18P241	
Rear					
Parking Brake Cable	1979-78	Left		18P371	
		Right		18P367	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	1981-78	Left			18FR620	
					18FR620N	
					18R726	
		Right			18FR619	
					18FR619N	
					18R619	
					18R725	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	1981-78			18K1522	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1979			18J285	
Rear					
Brake Hydraulic Hose	1979	Center		18J221	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1980-79	with Aluminum Cylinder		18M118	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1981			17D123M	
				17D123	
	1980-79	OE Pad Material is Organic	14D149MX	17D149MH	
				17D149MX	
	1978		14D149MX	17D149MH	
				17D149MX	
Rear					
Disc Brake Pad Set	1978		14D149MX	17D149MH	
				17D149MX	
Rear					
Drum Brake Shoe	1981-79		14314R	17314R	
			R358		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1981-78		18A33A		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	1981	with 12in x 2-1/2in Brakes; with 13in x 3in Brakes; 1 1/16" Bore Diameter	Left	18E180	

Dodge – D450 (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	1981	with 12in x 2-1/2in Brakes; with 13in x 3in Brakes; 1 1/16" Bore Diameter	Right		18E181	
	1981-78	with 10in x 2-1/2in Brakes; with 11in x 2-1/2in Brakes; 15/16" Bore Size			18E80	
		with 12in x 2-1/2in Brakes; with 13in x 3in Brakes; 1" Bore Diameter	Left		18E889	
			Right		18E855	
		with 12in x 2-1/2in Brakes; with 13in x 3in Brakes; 7/8" Bore Diameter	Left		18E1342	
			Right		18E1337	
	1980-78	with 12in x 2-1/2in Brakes; with 12in x 3in Brakes; 1 1/16" Bore Diameter	Left		18E926	
			Right		18E76	

Dodge – M300

Cable

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Self-Adjuster Cable	1974				18K2357	
	1973	Front Drum			18K2357	
	1972				18K2357	
Rear						
Drum Brake Self-Adjuster Cable	1974-72				18K2357	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	1974		Left		18FR572	
			Right		18FR571	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	1972-69		Lower		18J2072	
Rear						
Brake Hydraulic Hose	1972				18J4	
	1971-69	Front Disc; Rear Drum			18J35018	
		Front Drum; Rear Drum			18J4	

Master Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1972				18M15	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1974	Revised F1 Part Design		17D269MF1	
			14D269M	17D269C	
				17D269MH	
Front					
Drum Brake Shoe	1972		14314R	17314R	
			R358		
Rear					
Drum Brake Shoe	1972		14314R	17314R	
			R358		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1972-69	Left		18E25	
		Right		18E24	
	1968	Left		18E523	
		Right		18E522	
Rear					
Drum Brake Wheel Cylinder	1972-68	Left		18E771	
		Right		18E772	

Dodge – M350
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Parking Brake Cable	1974	44 3/4" Long		18P372	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1974	Left		18FR572	
		Right		18FR571	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Shoe	1974		14314R	17314R	
			R358		

Dodge – M375

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	1973-69	Left		18E726	
		Right		18E727	

Dodge – M400

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Self-Adjuster Cable	1974			18K2357	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1974	Left		18FR572	
		Right		18FR571	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1974			18M39013	

Dodge – MB300

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Self-Adjuster Cable	1973-72	Drum Brakes		18K2357	
	1971-70			18K2357	
Rear					
Drum Brake Self-Adjuster Cable	1974			18K2357	
	1973-70	w/ 2 1/2" Wide Shoes		18K2357	
		w/ 3" Wide Shoes		18K2357	
Rear					
Parking Brake Cable	1974	w/o School Bus Package	Left	18P372	
			Right	18P388	
		with School Bus Package	Left	18P369	
			Right	18P370	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1974			18J2031	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1974			18J151	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1974			18M48	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Shoe	1974	Motorhome Chassis	14314R	17314R	
			R358		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1974		18A33A		

Dodge – Ram 3500
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Self-Adjuster Cable	2003			18K2357	
	2002-01	Rear Drum		18K2357	
	2000			18K2357	
	1996-95	MEX		18H2114	
Center					
Parking Brake Cable	2010-06	39-1/8" Length		18P96937	
	2010-04	19-1/8" Length		18P1519	
	2008	with 15-1/8in Overall Length		18P96940	
	2002	15.1 in. Length		18P96723	
		35-1/8" Length		18P1518	
	2001	21-1/8" Length; To 7/4/00		18P2103	
		25in Length; To 7/4/00		18P1972	
		35-1/8" Length; From 7/5/00		18P1518	
		40-5/8" Length; To 7/4/00		18P2597	
		48-1/8" Length; To 7/4/00		18P2005	
	2001-00	4WD; 26-5/8" Length		18P2104	
	2000	21-1/8" Length		18P2103	
		25in Length		18P1972	
		40-5/8" Length		18P2597	

Dodge – Ram 3500 (Cont.)

Cable (Cont.)					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center (Cont.)					
Parking Brake Cable	2000	48-1/8" Length		18P2005	
Front					
Parking Brake Cable	2010-04	52in Length		18P2789	
	2003	52" Overall Length		18P2789	
	2002-00			18P2027	
	1999-95	88-15/16" Length		18P1522	
	1999-94	74-1/8" Length		18P1344	
Intermediate					
Parking Brake Cable	2003	19-1/8" Length		18P1519	
	2001	15.1 in. Length		18P96723	
	1999-97	15in Length		18P1692	
	1999-94	23-5.32in Length		18P1693	
	1996-95	55-3/4" Length		18P2812	
Rear					
Parking Brake Cable	2010	79-13/16" Length	Left	18P2693	
	2010-08	48-5/8" Length	Left	18P96938	
	2010-03	138-7/16" Length	Right	18P2807	
		60-5/16" Length	Left	18P2790	
	2008	121-1/4" Length	Right	18P96939	
	2008-03	119-13/16" Length	Right	18P2791	
		79-13/16" Length	Left	18P2693	
	2002	122" Long	Right	18P2838	
		45in Length	Left	18P2833	
	2002-01	104" Length	Right	18P96951	
		44 1/4" Long	Left	18P96722	
	2001	45in Length; From 7/5/00	Left	18P2833	
		53-3/16in Length; To 7/4/00	Left	18P2511	
		From 7/5/00; 122" Long	Right	18P2838	
		To 7/4/00; 101-1/2" Length	Right	18P2711	
		To 7/4/00; 55-3/16" Length	Left	18P2513	
		To 7/4/00; 98-5/8" Length	Right	18P2712	
	2000	101-1/2" Length	Right	18P2711	
		53-3/16in Length	Left	18P2511	
		55-3/16" Length	Left	18P2513	
		98-5/8" Length	Right	18P2712	
	1999-95	106-11/16" Length	Right	18P1614	
	1999-94	117-7/8" Length	Right	18P1694	
		118-7/8" Length	Right	18P1523	
		65-1/16" Length	Left	18P1520	
		71-1/2" Length	Left	18P1345	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2010-09		Left		18FR12276	
					18FR12276C	
					18FR12276N	
					18R12276	
			Right		18FR12275	
					18FR12275C	
					18FR12275N	
					18R12275	
	2008-03		Left		18FR2152	
					18FR2152C	
					18FR2152N	
					18R2152	
			Right		18FR2151	
					18FR2151C	
					18FR2151N	
					18R2151	
	2002-00		Left		18FR1809	
					18FR1809C	
					18R1809	
			Right		18FR1808	
					18FR1808C	
					18R1808	
	1999-94		Left		18FR982	
					18FR982C	
					18FR982N	
					18R982	
					18R982F1	
			Right		18FR981	
					18FR981C	
					18FR981N	
					18R981	
					18R981F1	
Rear						
Disc Brake Caliper	2010	with Single Rear Wheels (SRW); Innovative dual-bleeder design can fit either left or right position without modification	Right		18FR12277DN	
	2010-09	Innovative dual-bleeder design can fit either left or right position without modification; Dual Rear Wheels			18FR12279DN	
		With Dual Rear Wheels	Left		18R12280	
					18FR12280	
			Right		18FR12279	
				18R12279		
	with Single Rear Wheels (SRW)	Left		18FR12278		

Dodge – Ram 3500 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Disc Brake Caliper	2010-09	with Single Rear Wheels (SRW)	Left		18FR12278C	
					18R12278	
			Right		18FR12277	
					18FR12277C	
					18R12277	
		with Single Rear Wheels (SRW); Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR12277DN	
		with Single Rear Wheels (SRW)	Left		18FR12278N	
			Right		18FR12277N	
	2009	Innovative dual-bleeder design can fit either left or right position without modification; Single Rear Wheels	Right		18FR12277DN	
	2008	Single Rear Wheels	Right		18FR2238	
					18FR2238C	
					18FR2238N	
					18R2238	
	2008-06	with Single Rear Wheels (SRW)	Left		18FR2239	
					18FR2239C	
					18FR2239N	
					18R2239	
	2008-03	With Dual Rear Wheels	Right		18R2354	
			Left		18R2355	
					18FR2355	
					18FR2355C	
					18FR2355N	
			Right		18FR2354	
					18FR2354C	
					18FR2354N	
	2007-03	with Single Rear Wheels (SRW)	Right		18FR2238	
					18FR2238C	
					18FR2238N	
					18R2238	
	2005	Single Rear Wheels	Left		18FR2239	
					18FR2239C	
					18FR2239N	
					18R2239	
	2004-03	with Single Rear Wheels (SRW)	Left		18FR2239	
					18FR2239C	
					18FR2239N	
					18R2239	
	2002-01		Left		18FR1939	
					18R1939	
			Right		18FR1938	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2002-01	Right		18R1938	
Front					
Disc Brake Caliper	2010-09			18K1940	
Bushing	2008-00			18K16122	
Rear					
Disc Brake Caliper	2010-09			18K1184	
Bushing	2008-01			18K16122	
Front					
Disc Brake Caliper Set	2010-09				18FR12275KSD
Rear					
Disc Brake Caliper Set	2010	Single Rear Wheels			18FR12277KSD
	2010-09	With Dual Rear Wheels			18FR12279KSD
	2009	with Single Rear Wheels (SRW)			18FR12277KSD

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2010-08	4WD Left		18J4332	
	2010-03	4WD Left		18J4286	
		Right		18J4285	
		RWD Left		18J4278	
		Right		18J4277	
	2002-00	4WD Left		18J4251	
		Right		18J4250	
		RWD; INDEPENDENT Front Suspension Left		18J4320	
		Right		18J4319	
		RWD; Solid Front Axle Left		18J4251	
		Right		18J4250	
	1999	4WD; 2-Wheel ABS Left		18J3624	
		4WD; 4-Wheel ABS Left		18J1121	
	1999-98	RWD; 135.0" Wheelbase; 2-Wheel ABS Left		18J1651	
		RWD; 154.7" Wheelbase; 2-Wheel ABS Left		18J1651	
		Right		18J1162	
	1999-97	RWD; 135.0" Wheelbase; 2-Wheel ABS Right		18J1162	
		RWD; 139.0" Wheelbase; 2-Wheel ABS Left		18J3624	
		Right		18J1166	
		RWD; 163.0" Wheelbase; 2-Wheel ABS Left		18J3624	
		Right		18J1166	
		RWD; 4-Wheel ABS Left		18J1126	
		Right		18J1166	
	1999-94	4WD Right		18J1166	

Dodge – Ram 3500 (Cont.)

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)							
Brake Hydraulic Hose	1998	4WD	Left		18J3624		
	1997	RWD; 135.0" Wheelbase; 2-Wheel ABS; Bracket on Threaded End	Left		18J1161		
		RWD; 135.0" Wheelbase; 2-Wheel ABS; Except Bracket on Threaded End	Left		18J1651		
		RWD; 155.0" Wheelbase; 2-Wheel ABS	Right		18J1162		
		RWD; 155.0" Wheelbase; 2-Wheel ABS; Bracket on Threaded End	Left		18J1161		
		RWD; 155.0" Wheelbase; 2-Wheel ABS; Except Bracket on Threaded End	Left		18J1651		
	1997-94	4WD; Bracket on Threaded End	Left		18J3170		
		4WD; Except Bracket on Threaded End	Left		18J3624		
	1996	RWD; 135.0" Wheelbase	Left		18J1651		
	1996-94	RWD; 135.0" Wheelbase	Right		18J1162		
		RWD; 139.0" Wheelbase	Left		18J3170		
			Right		18J1166		
		RWD; 163.0" Wheelbase	Left		18J3170		
			Right		18J1166		
	1995	RWD; 135.0" Wheelbase; Bracket on Threaded End	Left		18J1161		
		RWD; 135.0" Wheelbase; Except Bracket on Threaded End	Left		18J1651		
	1994	RWD; 135.0" Wheelbase	Left		18J1161		
	Rear						
	Brake Hydraulic Hose	2010-08	2-Door; Standard Cab Pickup	Center		18J1953	
				Left		18J4897	
Right					18J4666		
4-Door; Extended Crew Cab Pickup			Center		18J1953		
			Left		18J4897		
			Right		18J4666		
2010-07		Cab & Chassis	Center		18J383945		
2009-08		4-Door; Crew Cab Pickup	Center		18J1953		
			Left		18J4897		
			Right		18J4666		
2007-03			Center		18J1953		
			Left		18J4897		
			Right		18J4666		
2002			Center		18J1946		
			Left		18J4907		
			Right		18J383648		
2001		Rear Disc	Center		18J1946		
			Left		18J4907		
			Right		18J383648		
		Rear Drum	Center		18J1660		

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2000	Center		18J1660	
	1999-98	Center		18J596	
	1997-94	Includes ABS Clips Center		18J650	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2010-09	with Hydraulic Booster		18M2656	
	2009-08	GAS; with Vacuum Booster		18M1257	
	2008	DIESEL; with Hydraulic Booster		18M2656	
	2007-05	DIESEL		18M2656	
	2007-03	GAS		18M1257	
	2004-03	DIESEL		18M1230	
	2002-01			18M1255	
	2000	From 7/5/00		18M1255	
		To 7/4/00		18M826	
	1999-98			18M826	
	1997	DIESEL		18M970	
		GAS		18M713	
	1996-95			18M713	
	1994			18M682	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2010-09		14D1399MH	17D1399MH	
			14D1399MHF1	17D1399MHF1	
				17D1399SDH	
	2008-03		14D965M	17D965MH	
			14D965MH	17D965MHF1	
	2002-00		14D821M	17D821M	
			14D821MH	17D821MH	
	1999-94	2nd Generation, Copper Free Friction Formula		17D459CHF1	
		Friction Contains Copper		17D459CH	
			14D459CH	17D459MH	
			14D459CHF1		
			14D459M		
			14D459MH		
Rear					
Disc Brake Pad Set	2010-09		14D1400MH	17D1400MH	
			14D1400MHF1	17D1400SDH	
	2008-01		14D702AM	17D702AMH	
			14D702AMH	17D702AMHF1	

Dodge – Ram 3500 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Shoe	2001-00		14583R	17583R	
			R583		
	1999-94		14452R	17452R	
			R452		
Rear					
Parking Brake Shoe	2010-06			17854B	
	2005-01		14771B	17771B	
			B771		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2001-00			18B423	
	1999-94			18B305	
Front					
Disc Brake Rotor	2010-09		18A2680A	18A2680	
			18A2680AC	18A2680SD	
	2008-03		18A1482A	18A1482	
			18A1482AC	18A1482SD	
	2002-00		18A1090A	18A1090	
			18A1090AC	18A1090SD	
	1999	4WD	18A558A	18A558	
			18A558AC	18A558SD	
	1998-94	Solid Front Axle	18A558A	18A558	
			18A558AC	18A558SD	
Rear					
Disc Brake Rotor	2010-09		18A2679A	18A2679	
			18A2679AC	18A2679SD	
	2008-03		18A1592A	18A1592	
			18A1592AC	18A1592SD	
	2002-01		18A1307A	18A1307	
			18A1307AC	18A1307SD	
Front					
Disc Brake Rotor and Hub Assembly	1999	RWD; 2-Wheel ABS	18A752A	18A752	
				18A752SD	
		RWD; 4-Wheel ABS	18A754A		
	1999-94	2-Wheel ABS; INDEPENDENT Front Suspension	18A752A	18A752	
				18A752SD	
		4-Wheel ABS; INDEPENDENT Front Suspension	18A754A		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2001-00	Left		18E889	
		Right		18E855	
	1999-94			18E112	

Dodge – Ram 3500 Van
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Self-Adjuster Cable	2003-98			18K2357	
	1999	with 11in Brakes		18H2114	
	1996	MEX		18H2114	
Center					
Parking Brake Cable	2001-00			18P2101	
Front					
Parking Brake Cable	2003	52" Overall Length		18P2789	
	2002-00			18P2027	
	2001-99			18P2015	
Intermediate					
Parking Brake Cable	2003	19-1/8" Length		18P1519	
	2001	15.1 in. Length		18P96723	
	1999			18P2101	
Rear					
Parking Brake Cable	2003	119-13/16" Length	Right	18P2791	
		138-7/16" Length	Right	18P2807	
		60-5/16" Length	Left	18P2790	
		79-13/16" Length	Left	18P2693	
	2001	104" Length	Right	18P96951	
		44 1/4" Long	Left	18P96722	
	2001-99	92-9/16in Length	Right	18P2041	
		93-1/4" Length	Right	18P2040	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2003	Left		18FR2152	
				18FR2152C	
				18FR2152N	
				18FR2353	
		Right		18R2152	
				18FR2151	
				18FR2151C	
				18FR2151N	

Dodge – Ram 3500 Van (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)						
Disc Brake Caliper	2003	Right		18FR2352		
				18R2151		
	2002-99	Left		18FR1484		
				18R1484		
		Right		18FR1483		
				18R1483		
	1998-96	Left		18FR982		
				18FR982C		
				18FR982N		
				18R982		
				18R982F1		
		Right		18FR981		
				18FR981C		
				18FR981N		
				18R981		
				18R981F1		
Rear						
Disc Brake Caliper	2003	Single Rear Wheels Left		18FR2239		
				18FR2239C		
				18FR2239N		
				18R2239		
		With Dual Rear Wheels Right		18R2354		
			Left	18R2355		
		Right		18FR1934		
				18FR1934N		
			Left		18FR1935	
					18FR1935N	
		With Dual Rear Wheels Left		18FR2355		
				18FR2355C		
				18FR2355N		
			Right		18FR2354	
					18FR2354C	
					18FR2354N	
		with Single Rear Wheels (SRW) Right		18FR2238		
				18FR2238C		
				18FR2238N		
				18R2238		
		Left		18FR1935C		
				18FR2385		
				18FR2385C		
				18FR2385N		
				18R1935		
			Right		18FR1934C	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2003	Right		18FR2384	
				18FR2384C	
				18FR2384N	
				18R1934	
	2002-01	Left		18FR1939	
				18R1939	
		Right		18FR1938	
				18R1938	
Front					
Disc Brake Caliper Bushing	2003-98			18K16122	
Rear					
Disc Brake Caliper Bushing	2003-01			18K16122	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2002-99	2-Wheel ABS Left		18J3544	
		4-Wheel ABS Left		18J1567	
		Right		18J1568	
Rear					
Brake Hydraulic Hose	2003	Center		18J1953	
		Left		18J4897	
		Right		18J4666	
	2002	w/ Dana Rear Axle Right		18J383648	
		Left		18J4907	
	2001-99	Left		18P2022	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2003-98			18M878	
	1997-96			18M472	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2003-98		14D655AM	17D655AM	
	1997-96	Revised F1 Part Design		17D269MF1	
			14D269M	17D269C	
				17D269MH	

Dodge – Ram 3500 Van (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Shoe	2003-98		14583R	17583R	
			R583		
Rear					
Parking Brake Shoe	2003-02		14771B	17771B	
			B771		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2003-99			18B410	
	1998-96			18B305	
Front					
Disc Brake Rotor	1997-96	w/ 4,000 lb. Axle; w/ 3800 lb. Axle	18A103A	18A103	
Front					
Disc Brake Rotor and Hub Assembly	2003-98		18A1087A	18A1087	
	1997-96	3600 lb. Axle; w/ 4 Wheel ABS Brakes	18A619A		
		w/ Rear Wheel ABS Brakes; 3600 Pound Axle	18A148A		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2003	with 12-1/4in x 3-1/2in Brakes	Left	18E431	
			Right	18E431	
	2002	with 11in x 2-1/2in Brakes; 1" Bore Diameter	Left	18E889	
			Right	18E855	
	2002-00	with 12-1/8in x 3-1/2in Brakes; 15/16" Bore Size		18E431	
	2001-00		Left	18E889	
			Right	18E855	
	1999	with 11in x 2-1/2in Brakes	Left	18E889	
			Right	18E855	
		with 12in x 2.5in Brakes		18E431	
	1998-96			18E112	

Dodge – Ram 4000

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Self-Adjuster Cable	2001-00			18K2357	
	1996-95	MEX		18H2114	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	2008-05			18K16122	
	2002-00			18K16122	
Rear					
Disc Brake Caliper Bushing	2008-05			18K16122	
	2002			18K16122	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2010-09		18A2680A	18A2680	
			18A2680AC		
	2008-05	Vehicle Sold In Mexico	18A1482A	18A1482	
			18A1482AC		
	2002-00	Vehicle Sold In Mexico	18A1090A	18A1090	
			18A1090AC		
	1999-98		18A558A	18A558	
			18A558AC		
Rear					
Disc Brake Rotor	2010-09		18A2679A	18A2679	
			18A2679AC		
	2008-05	Vehicle Sold In Mexico	18A1592A	18A1592	
			18A1592AC		
	2002-01	Vehicle Sold In Mexico	18A1307A	18A1307	
			18A1307AC		

Dodge – Ram 4500
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2010-08	39-1/8" Length		18P96937	
		with 15-1/8in Overall Length		18P96940	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2010-08	Innovative dual-bleeder design can fit either left or right position without modification	Left	18FR12599DN	
			Right	18FR12599DN	
			Left	18FR12600	
				18R12600	
			Right	18FR12599	
				18R12599	

Dodge – Ram 4500 (Cont.)

Calipers (Cont.)

Rear						
	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Disc Brake Caliper	2010-08	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR12599DN	
			Right		18FR12599DN	
			Left		18FR12600	
					18R12600	
			Right		18FR12599	
					18R12599	
Front						
Disc Brake Caliper Bushing	2010-08				18K1940	

Rear						
Disc Brake Caliper Bushing	2010-08				18K1940	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2010-08	Left		18J384273	
		Right		18J383629	
Rear					
Brake Hydraulic Hose	2010-08	Center		18J383607	
		Left		18J383650	
		Right		18J383651	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2010-08			17D1335MH	
				17D1335MHF1	
Rear					
Disc Brake Pad Set	2010-08			17D1335MH	
				17D1335MHF1	
Rear					
Parking Brake Shoe	2010-08			17847B	

Rotors & Drums

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Rotor	2010-08			18A2734A	18A2734	
Rear						
Disc Brake Rotor	2010-08			18A2812A	18A2812	
				18A2812AC		

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2010-08	39-1/8" Length		18P96937	
		with 15-1/8in Overall Length		18P96940	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2010-08	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR12599DN	
			Right		18FR12599DN	
			Left		18FR12600	
					18R12600	
			Right		18FR12599	
					18R12599	
Rear						
Disc Brake Caliper	2010-08	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR12599DN	
			Right		18FR12599DN	
			Left		18FR12600	
					18R12600	
			Right		18FR12599	
					18R12599	
Front						
Disc Brake Caliper Bushing	2010-08				18K1940	
Rear						
Disc Brake Caliper Bushing	2010-08				18K1940	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2010-08	Left		18J384273	
		Right		18J383629	
Rear					
Brake Hydraulic Hose	2010-08	Center		18J383607	
		Left		18J383650	
		Right		18J383651	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2010-08			17D1335MH	
				17D1335MHF1	

Dodge – Ram 5500 (Cont.)

Pads & Shoes (Cont.)

ACDelco Professional (Continued)					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Pad Set	2010-08			17D1335MH	
				17D1335MHF1	
Rear					
Parking Brake Shoe	2010-08			17847B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2010-08		18A2734A	18A2734	
Rear					
Disc Brake Rotor	2010-08		18A2812A	18A2812	
			18A2812AC		

Dodge – RM400

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1974-73	Left		18FR572	
		Right		18FR571	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1974	Power Brakes		18M39013	

Ford – C600

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1986-84	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1986-84	Front Disc; Rear Drum; 32.62 Length		18J394	
	1985-80	Front Drum; Rear Drum; Split System; w/ 15" X 3" Brakes	Lower	18J395	
	1983-80	Front Disc; Rear Drum; Single System; 7/16" - 24 Thread		18J24	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Hydraulic Hose	1983-80	Front Disc; Rear Drum; Split System; w/ 14" Brakes; 7/16" - 24 Thread		18J24	
		Front Disc; Rear Drum; Split System; with 15in Brakes	Upper	18J18	
		Front Disc; Rear Drum; Split System; with 15in Brakes; 7/16" - 24 Thread	Lower	18J24	
		Front Disc; Rear Drum; with 3/8in x 16 Threads; Single System		18J77	
		Front Disc; Rear Drum; with 3/8in x 16 Threads; Split System; with 15in Brakes	Lower	18J77	
Rear					
Brake Hydraulic Hose	1983-80	Front Disc; Rear Drum; 21.19in Length; 7/16in - 20 Threaded Inlet		18J84	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1986-84	with 6000lb & 7000lb Front Axle; with Hydro-Boost; with Split Hydro-Max; 1 3/4" Bore Diameter		18M315	
	1983-80	Single Hydraulic System; without 18500lb Rear Axle; without 22000lb Rear Axle; 1 1/2" Bore Diameter		18M6	
		with 18500lb or 22000lb Rear Axle; Single Hydraulic System; with Vacuum Booster; 1 3/4" Bore Diameter		18M7	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1986-84	2.50" Dual Piston Caliper		17D224M	
				17D224MH	
		Optional		17D236M	
Front					
Drum Brake Shoe	1983-80	w/ 14" X 2 1/2" Brakes		17361R	
		w/ 15" X 3" Brakes		17321R	
Rear					
Drum Brake Shoe	1986-84	Optional; with 15in x 6in Brakes		17543R	
		with 15in x 5in Brakes		17542R	
	1983-80	with 15in x 6in Brakes		17381R	
		with 15in x 7in Brakes		17383R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1986-84	Hat Shaped 6 Hole Rotor; 14-3/4" Diameter Brake Rotor		18A178	

Ford – C600 (Cont.)

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front							
Drum Brake Wheel Cylinder	1982-80	Bore 1-1/8in; with 15in Front Brakes; with 6000lb & 7000lb Front Axle	Left Lower		18E52		
			Right Lower		18E53		
		Bore 1-1/8in; with 15in Front Brakes; with 6000lb & 7000lb Front Axle; Single Hydraulic System	Left Upper		18E90		
			Right Upper		18E91		
		Bore 1-1/8in; with 15in Front Brakes; with 6000lb & 7000lb Front Axle; with Dual Hydraulic System	Left Upper		18E78		
			Right Upper		18E79		
		w/ 14" X 2 1/2" Brakes; w/ 6,000 lb. Axle; 1 3/32" Bore Size	Left		18E61		
			Right		18E62		
Rear							
Drum Brake Wheel Cylinder	1986-84	with 15in x 5in Rear Brakes; Expander Assembly; When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced; 1 3/4" Bore Diameter	Left Rearward		18E418		
			Right Rearward		18E419		
		with 15in x 5in Rear Brakes; When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced; 1 3/4" Bore Diameter	Left Forward		18E278		
			Right Forward		18E277		
		with 15in x 6in Rear Brakes; Expander Assembly; 1 5/8" Bore Diameter	Left Rearward		18E418		
			Right Rearward		18E419		
		with 15in x 6in Rear Brakes; 1 5/8" Bore Diameter	Right Forward		18E279		
			Left Forward		18E280		
		1982-80	with 15000lb Axle(s); with 15in x 5in Brakes; 1 1/2" Bore Diameter			18E67	
			with 17,500lb Rear Axle; with 15in x 6in Brakes; 1 5/8" Bore Diameter			18E23	

Ford – C700

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	1986-84	2.88 Dual Piston Dayton Caliper w/ 2.50" Dual Piston Dayton Caliper			18FR815	
					18FR814	
					18FR814N	
					18R814	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	1986-84	32.62 Length			18J394	

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Brake Hydraulic Hose	1983-80	Front Disc; Rear Drum; 25-7/8in Length; Split System; with 15in Brakes	Lower		18J77	
		Front Disc; Rear Drum; Single System			18J24	
		Front Disc; Rear Drum; Split System; w/ 14" Brakes			18J24	
		Front Disc; Rear Drum; Split System; with 15in Brakes	Upper		18J18	
		Front Disc; Rear Drum; Split System; with 15in Brakes; 15-3/8" Length	Lower		18J24	
		Front Drum; Rear Drum; Single System			18J396	
		Front Drum; Rear Drum; with Dual Hydraulic System	Lower		18J395	
			Upper		18J396	
Rear						
Brake Hydraulic Hose	1986-84				18J893	
	1983-80	Front Drum; Rear Drum; Single Hydraulic System			18J84	
		Front Drum; Rear Drum; with Dual Hydraulic System; Forward Port			18J84	
		Front Drum; Rear Drum; with Dual Hydraulic System; Rearward Position			18J75	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1986-84	with 6000lb & 7000lb Front Axle; with Hydro-Boost; with Split Hydro-Max; 2" Bore		18M315	
	1980	Front Disc; Rear Drum; Power Brakes; Except 18500lb or 22000lb Rear Axle; Single Hydraulic System; with Vacuum Booster; 1 1/2" Bore Diameter		18M6	
		Front Disc; Rear Drum; Power Brakes; with 18500lb or 22000lb Rear Axle; Single Hydraulic System; with Vacuum Booster; 1 3/4" Bore Diameter		18M7	
		Front Drum; Rear Drum; Manual Brakes; Single Hydraulic System; 1 1/2" Bore Diameter		18M6	
		Front Drum; Rear Drum; with Dual Vacuum Brakes		18M349	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1986-84	2.50" Dual Piston Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Dayton Caliper		17D236M	
Front					
Drum Brake Shoe	1983-80			17321R	

Ford – C700 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Shoe	1986-84	with 15in x 6in Brakes		17543R	
	1983-80	with 15in x 6in Brakes		17381R	
		with 15in x 7in Brakes		17383R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1986-84	Hat Shaped 6 Hole Rotor		18A178	
		U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		
		U Shaped 6 Hole Rotor; 8-3/4" Bolt Circle	18A341A		

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1983-80	Bore 1-1/8in	Left Lower		18E52	
			Right Lower		18E53	
		Bore 1-1/8in; Single Hydraulic System; w/ 15" X 3" Brakes	Left Upper		18E90	
			Right Upper		18E91	
		Bore 1-1/8in; with Dual Hydraulic System; w/ 15" X 3" Brakes	Left Upper		18E78	
			Right Upper		18E79	
Rear						
Drum Brake Wheel Cylinder	1983-80	with 15in x 7in Brakes; with 15in x 6in Brakes; 1 3/4" Bore Diameter; w/ 18,500 lb. Axle			18E26	
		with 17500lb Axle(s); with 15in x 5in Brakes; 1 5/8" Bore Diameter			18E70	
		with 17500lb Axle(s); with 15in x 6in Brakes; 1 5/8" Bore Diameter			18E23	

Ford – C7000

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	1983-80	with Dual Hydraulic System	Lower		18J395	
			Upper		18J396	
Rear						
Brake Hydraulic Hose	1986-84				18J893	
	1983-80	Single Hydraulic System			18J84	
		with Dual Hydraulic System; Rearward Position			18J75	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1986-84			18M315	
	1983-80			18M6	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1986-84	2.50" Dual Piston Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Caliper		17D236M	
Front					
Drum Brake Shoe	1983-80			17321R	
Rear					
Drum Brake Shoe	1986-84	with 15in x 6in Brakes		17543R	
	1983-80	with 15in x 6in Brakes		17381R	
		with 15in x 7in Brakes		17383R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1986-84	Hat Shaped 6 Hole Rotor		18A178	
		U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		

Ford – C800
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1986-84	2.88 Dual Piston Dayton Caliper		18FR815	
		w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1986-84			18J394	
	1985-80	Split System; w/ 15" X 3" Brakes	Left Upper	18J391	
			Lower	18J395	
Rear					
Brake Hydraulic Hose	1989-84			18J893	

Ford – C800 (Cont.)

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1986-84	with 6000lb & 7000lb Front Axle; with Hydro-Boost; with Split Hydro-Max; 1 3/4" Bore Diameter		18M315	
	1983-81	With Power Brakes; Single System; with Vacuum Booster; 18500 & 22000 # Rear Axle		18M7	
	1983-80	Single System; without 18500lb Rear Axle; without 22000lb Rear Axle; with Vacuum Booster		18M6	
		with 15in Front Brakes; 6000lb or 7000lb Front Axle with 18500lb Rear Axle; with Dual Hydraulic Cylinder		18M176	
		with 15in Front Brakes; 6000lb or 7000lb or 9000lb Front Axle with 17500lb Rear Axle; with Dual Hydraulic Cylinder		18M176	
		with Dual Hydraulic Cylinder; w/ 14" Brakes		18M175	
	1982-80	with 15in Front Brakes; 7000lb Front Axle With 22000lb Rear Axle; with Dual Hydraulic Cylinder		18M178	
		with 15in Front Brakes; 9000lb Front Axle with 18500lb or 22000lb Rear Axle; with Dual Hydraulic Cylinder		18M178	
	1980	Power Brakes; with 18500lb or 22000lb Rear Axle; Single System; with Vacuum Booster		18M7	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1989-84	2.50" Dual Piston Caliper		17D224M	
				17D224MH	
	1989-80	w/ 2.88" Dual Piston Dayton Caliper		17D236M	
	1983			17D171M	
Front					
Drum Brake Shoe	1984-80			17321R	
Rear					
Drum Brake Shoe	1986-85	with 15in x 6in Brakes		17543R	
	1984	Front Disc; Optional		17543R	
		Front Drum		17381R	
		Front Drum; Optional		17383R	
		Optional		17383R	
	1983	Primary		17381R	
	1982-80	with 15in x 6in Brakes		17381R	
		with 15in x 7in Brakes		17383R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1989-84	Hat Shaped 6 Hole Rotor		18A178	
	1986-84	U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		
		U Shaped 6 Hole Rotor; 8-3/4" Bolt Circle	18A341A		

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1982-80	Bore 1-1/4in	Left Lower		18E71	
			Right Lower		18E72	
		Bore 1-1/4in; Except Bleeder Screw	Left Upper		18E92	
			Right Upper		18E93	
		Bore 1-1/4in; with Bleeder Screw	Left Upper		18E94	
			Right Upper		18E95	
		Bore 1-1/8in	Left Lower		18E52	
			Right Lower		18E53	
		Bore 1-1/8in; Except Bleeder Screw	Left Upper		18E90	
			Right Upper		18E91	
		Bore 1-1/8in; with Bleeder Screw	Left Upper		18E78	
			Right Upper		18E79	
Rear						
Drum Brake Wheel Cylinder	1986-84	When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced	Left Forward		18E278	
			Right Forward		18E277	
	1982-80	1 3/4" Bore Diameter			18E26	

Ford – C8000
Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1990-84			18J893	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1990-88	w/o Split Hydro-Vac		18M315	
		with Split Hydro-Max		18M312	
	1986-84	w/o Split Hydro-Vac		18M315	

Ford – C8000 (Cont.)

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	1986-84	with Split Hydro-Max		18M312	
	1983-81			18M6	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1990-84	2.50" Dual Piston Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Caliper		17D236M	
	1984-83			17D171M	
Front					
Drum Brake Shoe	1984-80			17321R	
Rear					
Drum Brake Shoe	1984	Front Disc; with 15in x 6in Brakes		17543R	
		Front Drum		17381R	
		Front Drum; Optional		17383R	
	1983	Optional		17383R	
		Primary		17381R	
	1982-80	with 15in x 6in Brakes		17381R	
		with 15in x 7in Brakes		17383R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1990-84	Hat Shaped 6 Hole Rotor		18A178	
		U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		
	1989-84	U Shaped 6 Hole Rotor; 8-3/4" Bolt Circle	18A341A		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	1989-84	When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced	Left Forward	18E278	
			Right Forward	18E277	

Ford – C900

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1981	15" X 5" Rear Brakes; w/ 15" X 6" or 15" X 7" Brakes; 32000, 34000 # Rear Axle		18J381201	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1990-86			18M315	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1990-86			17D379M	
Rear					
Drum Brake Shoe	1990-88			17543R	

Ford – CF7000
Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1995-90	32.62 Length		18J394	
Rear					
Brake Hydraulic Hose	1997-90	30.5" Length		18J1419	
	1995-90	20.25in Length		18J893	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1997-92	Manual Brakes		18M470	
	1990-86			18M315	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1997-86	w/ 2.87" Dual Piston Varga Caliper		17D379M	
	1995	w/ 2.88" Dual Piston Dayton Caliper		17D236M	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Drum	1997	with 1.265in Bolt Diameter; with 12000lb & 14600lb Front Axle; with 16-1/2in x 5in Brakes; with 8.78in Diameter Hub Hole; with 16in x 5in Brakes; w/ ABS Brakes		18B327	
	1997-93	with 1.28in Bolt Diameter; with 10 Bolt Hole Mounting; with 12000lb Axle(s); with 8.78in Diameter Hub Hole; with 16in x 5in Brakes; w/ ABS Brakes		18B313	
	1996-93	with 1.265in Bolt Diameter; with 12000lb & 14600lb Front Axle; with 16.5in x 5in Brakes; with 8.78in Diameter Hub Hole; with 16in x 5in Brakes; w/ ABS Brakes		18B327	

Ford – CF7000 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Drum	1996-93	with 1.265in Bolt Diameter; with 16.5in x 5in Brakes; with 8.78in Diameter Hub Hole; with 10 Bolt Holes; w/ ABS Brakes; 12,000 Pound Axle		18B327	
	1992-90	Non-ABS; with 16.5in x 5in Brakes; 20in and 22in Spoke Wheels; 12,000 Pound Axle		18B312	
Front					
Disc Brake Rotor	1996-90	U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		
		U Shaped 6 Hole Rotor; 8-3/4" Bolt Circle	18A341A		

Ford – CF8000

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1997-95	w/ 2.88" Dual Piston Dayton Caliper		17D236M	
	1997-87	w/ 2.87" Dual Piston Varga Caliper		17D379M	
Rear					
Disc Brake Pad Set	1989-87			17D224M	
				17D224MH	
Rear					
Drum Brake Shoe	1997-88			17543R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Drum	1995-93	with 1.265in Bolt Diameter; with 12000lb & 14600lb Front Axle; with 16.5in x 5in Brakes; with 8.78in Diameter Hub Hole; with 16in x 5in Brakes		18B327	
	1994-93	with 1.28in Bolt Diameter; with 12000lb Axle(s); with 16.5in x 5in Brakes; with 8.78in Diameter Hub Hole; with 10 Bolt Holes		18B313	
	1992-90	with 12000lb Axle(s); with 16.5in x 5in Brakes; 20in and 22in Spoke Wheels		18B312	
Rear					
Brake Drum	1995-94	Front Drum; with 16.5in x 7in Brakes; with 21000lb or 23000lb Rear Axle; with 10 Bolt Holes		18B350	
	1995-91	Front Drum; with 16.5in x 7in Brakes; with 17500lb or 19000lb Rear Axle; with 8 Bolt Holes		18B351	
	1995-90	Front Drum; with 15in x 7in Rear Brakes; 20in Spoke Wheels; w/ 23,000 lb. GVW		18B391	
	1993	Front Drum; with 16.5in x 7in Brakes; with 21000lb or 23000lb Rear Axle; Thru 12/1992; with 10 Bolt Holes		18B349	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1997-87	U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		
	1990-87	with 15.38in Diameter Rotor; with 6.61in Overall Height; U Shaped 10 Hole Rotor		18A965	

Ford – CT8000
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1989			17D236M	
	1988	w/ Varga Caliper		17D379M	
		with Dayton Brakes		17D236M	
	1987-85			17D236M	

Ford – E-450 Econoline Super Duty
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	2001	Except Stripped Chassis		18P1859	
Rear					
Parking Brake Cable	2001-00	Left		18P2060	
		Right		18P1957	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2002-00	Left		18FR1148	18R1148SV
				18FR1148C	
				18FR1148N	
				18R1148	
		Right		18FR1147	18R1147SV
				18FR1147C	
	18FR1147N				
Rear					
Disc Brake Caliper	2002-00	Left		18FR810	
				18FR810C	
				18FR810N	
				18R810	
		Right		18FR809	
				18FR809C	
				18FR809N	
				18R809	

Ford – E-450 Econoline Super Duty (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	2002-00			18K16122	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2002-00	Left		18J1226	
		Right		18J1199	
Rear					
Brake Hydraulic Hose	2002-00	Left		18J1532	
		Right		18J1533	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2002-00			18M1281	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2002		14D655CH	17D655MH	
			14D655M		
			14D655MH		
	2001-00	Except Mounting Clip Attached to Outboard Front Pad	14D655M	17D655MH	
			14D655MH		
			14D655CH		
	1999	Mounting Clip Attached to Outboard Front Pad	14D411M	17D411M	
			14D655CH	17D655MH	
			14D655M		
14D655MH					
Rear					
Disc Brake Pad Set	2002-00		14D411M	17D411M	
Driveline					
Parking Brake Shoe	2001-00	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
Rear					
Parking Brake Shoe	2001-00	Drum In Hat Parking Brake		17772B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2002	with 6,340lb Axle(s); 8 Mounting Holes	18A933A	18A933	
			18A933AC		

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2002	with 8,000lb Rear Axle; 8 Mounting Holes	18A960A	18A960	
			18A960AC		
		With Dual Rear Wheels; 8 Mounting Holes; 11,000 Pound Rear Axle	18A881A	18A881	
			18A881AC		
	2001-00	Drum In Hat Parking Brake; With Dual Rear Wheels	18A960A	18A960	
			18A960AC		
		Metric Bolt Circle; without Dual Rear Wheels	18A934A	18A934	
			18A934AC	18A934SD	
		Standard Bolt Circle; without Dual Rear Wheels	18A933A	18A933	
			18A933AC		
		with Driveline Mounted Parking Brake; With Dual Rear Wheels	18A881A	18A881	
			18A881AC		
Front					
Disc Brake Rotor and Hub Assembly	2002-00	With Dual Rear Wheels	18A724A	18A724	
			18A724AC		
		without Dual Rear Wheels	18A723A	18A723	
			18A723AC		

Ford – E-450 Super Duty
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2016-15	with 17.9in Length; w/ 158" Wheelbase		18P97271	
		with 37in Wheelbase; 37" Length		18P96897	
	2013-08	158.0" Wheelbase; 36-7/8" Length		18P1787	
		176.0" Wheelbase; 37" Length		18P96897	
		Base; 158.0" Wheelbase; 17.90" Length		18P97271	
Front					
Parking Brake Cable	2015	Except Stripped Chassis		18P1861	
	2014-10	74-13/16" Length		18P1861	
	2009-08	73.88" Length		18P1861	
	2007	Base; Except Stripped Chassis; From 1/15/07		18P97307	
		Base; Except Stripped Chassis; To 1/15/07		18P97307	
	2007-06	Base; Stripped Chassis		18P97308	
	2006	with Transmission Mounted Parking Brake		18P1859	
		without Driveline Mounted Parking Brake		18P1861	
	2005	w/o Transmission Mounted Parking Brake		18P1861	
		with Transmission Mounted Parking Brake		18P97307	
	2004-03	with Transmission Mounted Parking Brake		18P1859	
		without Driveline Mounted Parking Brake		18P1861	

Ford – E-450 Super Duty (Cont.)

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Intermediate					
Parking Brake Cable	2019-18	w/ 158.0" Wheelbase		18P97271	
		w/ 176.0" Wheelbase		18P96897	
	2017	w/ 158" Wheelbase		18P97271	
		w/ 176" Wheelbase		18P96897	
Rear					
Parking Brake Cable	2019-08	Right		18P96915	
	2015-08	Left		18P96896	
	2007	Except Cutaway Chassis	Left	18P97295	
			Right		18P2688

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	2022-21	Left		18R2666	18R2666SV	
				18FR2666		
				18FR2666C		
				18FR2666N		
		Right		18FR2665	18R2665SV	
				18FR2665C		
				18FR2665N		
				18R2665		
		2019-08	Left		18R2666	18R2666SV
					18FR2666	
					18FR2666C	
					18FR2666N	
	Right			18FR2665	18R2665SV	
				18FR2665C		
				18FR2665N		
				18R2665		
	2007-03	Left		18FR1148	18R1148SV	
				18FR1148C		
				18FR1148N		
				18R1148		
		Right		18FR1147	18R1147SV	
				18FR1147C		
				18FR1147N		
Rear						
Disc Brake Caliper	2022-21	Left		18FR2674		
				18FR2674C		
				18R2674		
		Right		18FR2673		
				18FR2673C		
				18R2673		

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2019-08	Left		18FR2674	
				18FR2674C	
				18R2674	
		Right		18FR2673	
				18FR2673C	
				18R2673	
	2007-03	Left		18FR810	
				18FR810C	
				18FR810N	
				18R810	
		Right		18FR809	
				18FR809C	
			18FR809N		
			18R809		

Rear					
Disc Brake Caliper Bushing	2017-11			18H1224	
	2010-08			18K1933	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Brake Hydraulic Hose	2022	Left		18J383314		
		Right		18J383439		
	2017-08	Left		18J383314		
		Right		18J383439		
	2007-06	Left		18J4508		
		Right		18J4527		
	2005-03	Left		18J1226		
		Right		18J1199		
Rear						
Brake Hydraulic Hose	2018-17	w/ Electronic Stability Control	Left		18J384411	
	2017-15	w/ 7,800 Lb GVW	Left		18J4238	
	2017-08		Right		18J383922	
	2014-09	with 7800lb Axle(s)	Left		18J4238	
		without 7800lb Axle(s)	Left		18J1601	
	2008		Left		18J1601	
	2007-06		Center		18J1225	
	2007-04		Left		18J382951	
			Right		18J382952	

Ford – E-450 Super Duty (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2005-03	Center		18J4244	
	2003	Left		18J1532	
		Right		18J1533	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2016-11			18M2575	
	2010-09	V10 6.8L 415cid		18M2575	
		V8 5.4L 330cid		18M2575	
	2008			18M2710	
	2007-03			18M2742	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-21		14D1328MH	17D1328MH	17D1328MHSV
			14D1328MHF1	17D1328MXH	
	2019-08		14D1328MH	17D1328MH	17D1328MHSV
			14D1328MHF1	17D1328MXH	
	2007-03		14D655CH	17D655MH	
			14D655M		
14D655MH					
Rear					
Disc Brake Pad Set	2023-21			17D1330MH	
				17D1330MXH	
				17D1330SDH	
	2019-08			17D1330MH	
				17D1330MXH	
				17D1330SDH	
2007-03		14D411M	17D411M		
Driveline					
Parking Brake Shoe	2006-04	with Transmission Mounted Parking Brake		17646B	
Rear					
Parking Brake Shoe	2023-21			17952B	
	2019-08			17952B	
	2006-03	without Driveline Mounted Parking Brake	B771	17771B	
			14771B		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2023-21		18A2654A	18A2654	
	2019-08		18A2654A	18A2654	
	2007-03		18A881A	18A881	
			18A881AC		
Front					
Disc Brake Rotor and Hub Assembly	2023-21		18A2599A	18A2599	
			18A2599AC		
	2019-15		18A2599A	18A2599	
			18A2599AC		
	2014-13	with Single Rear Wheels (SRW)	18A2581A	18A2581	
			18A2581AC		
	2014-08	With Dual Rear Wheels	18A2599A	18A2599	
			18A2599AC		
	2012-08	without Dual Rear Wheels	18A2581A	18A2581	
			18A2581AC		
	2007		18A724A	18A724	
			18A724AC		
	2006-03	With Dual Rear Wheels	18A724A	18A724	
			18A724AC		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2006-03	With Dual Rear Wheels	Left	18E857	
			Right	18E89	

Ford – E-550 Econoline Super Duty
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2002	Left		18FR1430	
				18FR1430C	
				18FR1430N	
				18R1430	
		Right		18FR1429	
				18FR1429C	
				18FR1429N	
				18R1429	
Rear					
Disc Brake Caliper	2002	Left		18FR1430	
				18FR1430C	
				18FR1430N	

Ford – E-550 Econoline Super Duty (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2002		Left	18R1430	
			Right	18FR1429	
				18FR1429C	
				18FR1429N	
				18R1429	
Front					
Disc Brake Caliper Bushing	2002			18K16121	
Rear					
Disc Brake Caliper Bushing	2002			18K16121	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	2002	Center		18J2016	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2002	w/o Cruise Control		18M887	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2002		14D777M	17D777MH	
Rear					
Disc Brake Pad Set	2002		14D777M	17D777MH	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2002		18A956A	18A956	
			18A956AC		

Ford – E-550 Super Duty

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2003		Left	18FR1430	
				18FR1430C	
				18FR1430N	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2003		Left	18R1430	
			Right	18FR1429	
				18FR1429C	
				18FR1429N	
				18R1429	
Rear					
Disc Brake Caliper	2003		Left	18FR1430	
				18FR1430C	
				18FR1430N	
				18R1430	
			Right	18FR1429	
				18FR1429C	
				18FR1429N	
				18R1429	
Front					
Disc Brake Caliper Bushing	2003			18K16121	
Rear					
Disc Brake Caliper Bushing	2003			18K16121	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2003	Left		18J383684	
		Right		18J383683	
Rear					
Brake Hydraulic Hose	2003	Center		18J2016	
		Left		18J383810	
		Right		18J383809	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2003	w/o Cruise Control		18M887	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2003		14D777M	17D777MH	
Rear					
Disc Brake Pad Set	2003		14D777M	17D777MH	

Ford – E-550 Super Duty (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2003	Rotor Diameter 14.53in	18A1194A	18A1194	
			18A1194AC		
Rear					
Disc Brake Rotor	2003		18A956A	18A956	
			18A956AC		

Ford – Econoline Super Duty

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Parking Brake Cable	1999	Except Stripped Chassis		18P1859		
	1998-96	90-7/8" Length		18P2627		
Intermediate						
Parking Brake Cable	1998-96	17-1/16" Length		18P1974		
		29" Length		18P1790		
		55" Length		18P1788		
		66-15/16in Length		18P1791		
Rear						
Parking Brake Cable	1999	Left		18P2060		
		Right		18P1957		
	1998-96	102-3/8" Length	Right		18P1957	
		104-1/4" Length	Left		18P2060	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1999-96	Left		18FR1148	18R1148SV
				18FR1148C	
				18FR1148N	
				18R1148	
		Right		18FR1147	18R1147SV
				18FR1147C	
	18FR1147N				
Rear					
Disc Brake Caliper	1999-96	Left		18FR810	
				18FR810C	
				18FR810N	
				18R810	
		Right		18FR809	
				18FR809C	
				18FR809N	
	18R809				

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	1999-97			18K16122	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1999	Left		18J1226	
	1999-96	Right		18J1199	
	1998-96	2-Wheel ABS	Left	18J2047	
		4-Wheel ABS	Left	18J1226	
Rear					
Brake Hydraulic Hose	1999-96	Left		18J1532	
		Right		18J1533	
	1998-96	Center		18J4244	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1999			18M1281	
	1998-97			18M766	
	1996	w/o Hydroboost; Cargo Van Only; Passenger Van; Cruise Control		18M676	
		w/o Hydroboost; Cargo Van Only; Passenger Van; w/o Cruise Control		18M1755	
		w/o Hydroboost; Cruise Control; Stripped Chassis; Cutaway Chassis		18M678	
		w/o Hydroboost; w/o Cruise Control; Stripped Chassis; Cutaway Chassis		18M353	
		with Hydro-Boost		18M766	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1999-96	Except Mounting Clip Attached to Outboard Front Pad	14D655M	17D655MH	
			14D655MH		
			14D655CH		
		Mounting Clip Attached to Outboard Front Pad	14D411M	17D411M	
Rear					
Disc Brake Pad Set	1999-96		14D411M	17D411M	
Driveline					
Parking Brake Shoe	1999-96	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
Rear					
Parking Brake Shoe	1999-96	Drum In Hat Parking Brake		17772B	

Ford – Econoline Super Duty (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	1999-96	Drum In Hat Parking Brake; With Dual Rear Wheels	18A960A	18A960	
			18A960AC		
		Standard Bolt Circle; without Dual Rear Wheels	18A933A	18A933	
			18A933AC		
		with Driveline Mounted Parking Brake; With Dual Rear Wheels	18A881A	18A881	
			18A881AC		
Front					
Disc Brake Rotor and Hub Assembly	1999	With Dual Rear Wheels	18A724A	18A724	
			18A724AC		
		without Dual Rear Wheels	18A723A	18A723	
			18A723AC		
	1998-96	2-Wheel ABS; With Dual Rear Wheels	18A725A	18A725	
		2-Wheel ABS; without Dual Rear Wheels	18A722A	18A722	
		4-Wheel ABS; With Dual Rear Wheels	18A724A	18A724	
			18A724AC		
		4-Wheel ABS; without Dual Rear Wheels	18A723A	18A723	
			18A723AC		

Ford – F-350

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Self-Adjuster Cable	1972-68	Drum Brakes		18K2357	
	1967			18K2357	
Rear					
Drum Brake Self-Adjuster Cable	2009-99			18K2357	
	1998	MEX		18K2357	
	1997-96	Single Rear Wheels		18K2357	
	1997-87	with 12in Brakes		18K2357	
		With Dual Rear Wheels		18K2357	
	1995	with Single Rear Wheels (SRW)		18K2357	
	1994-89	Single Rear Wheels		18K2357	
	1988-87	with Single Rear Wheels (SRW)		18K2357	
	1986-67			18K2357	
Front					
Parking Brake Cable	1997-92			18P1664	
	1991-84	110-5/8" Length		18P537	
		112-1/2" Length		18P539	
		88-5/8" Length		18P536	
	1991-80	124-3/8" Length		18P447	
	1983-80	110-7/8" Length		18P321	
		112-3/4" Length		18P318	

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Parking Brake Cable	1983-80	88-1/2" Length		18P323	
	1979	4WD; 108in Length		18P87	
	1979-78	100" Long		18P86	
	1978	108in Length		18P87	
	1975	89-3/8" Length		18P2395	
Intermediate					
Parking Brake Cable	1997-96	59-1/8" Length		18P1777	
		75-3/16" Length		18P1783	
		77-1/8" Length		18P1778	
		88-1/2" Length		18P2624	
	1997-94	36-15/16" Length		18P1786	
		53-1/8" Length		18P1776	
Rear					
Parking Brake Cable	1997-92	100-1/4" Length	Right	18P1249	
		67-5/8" Length	Left	18P1250	
	1995-92	64in Length	Left	18P1248	
		96 3/4" Overall Length	Right	18P1247	
	1991-87	63-5/8" Length	Left	18P743	
	1991-80	67-1/8" Length	Left	18P900	
		96in Length	Right	18P387	
		99-1/2" Length	Right	18P901	
	1986	63-5/8" Length; From 2/86	Left	18P743	
		Thru 2/86; 61-3/4" Length	Left	18P386	
	1985-80	61-3/4" Length	Left	18P386	
	1979-78	65-1/2" Length	Left	18P376	
	1977	74in Length	Right	18P385	
		with 81-1/2in Overall Length	Left	18P378	
	1975	76-1/4" Length		18P2002	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1997-95	Left		18FR1148	18R1148SV
				18FR1148C	
				18FR1148N	
				18R1148	
		Right		18FR1147	18R1147SV
				18FR1147C	
				18FR1147N	
	1994-88	Left		18FR1054	
				18FR1054C	
				18FR1054N	
				18R1054	

Ford – F-350 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	1994-88		Right		18FR1053	
					18FR1053C	
					18FR1053N	
					18R1053	
	1987-86		Left		18FR802	
					18R802	
			Right		18FR801	
					18R801	
	1985-80	4WD; Dual Piston Caliper; Except 5000 Pound Axle	Left		18FR798	
					18R798	
			Right		18FR797	
					18R797	
		RWD; Dual Piston Caliper	Left		18FR798	
					18R798	
			Right		18FR797	
					18R797	
	1979-76		Left		18FR796	
					18R796	
			Right		18FR795	
					18R795	
	1975		Left		18FR1982	
			Right		18FR1983	
	1971-68		Left		18FR1985	
					18R1985	
			Right		18FR1984	

Front

Disc Brake Caliper Bushing	2014-11				18K1934	
	2009-99				18K16216	
	1998	MEX			18K16122	
	1997-95				18K16122	

Rear

Disc Brake Caliper Bushing	2014-11				18K1934	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	1997-95	4WD	Left		18J1170	
			Right		18J1171	
		RWD	Left		18J1197	
			Right		18J2048	
	1994-90	4WD	Left		18J2875	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Hydraulic Hose	1994-90	4WD Right		18J2293	
		RWD Left		18J2874	
		Right		18J141	
	1989-87	4WD		18J2293	
		RWD		18J141	
	1986-85	4WD; w/ Monobeam Front Axle		18J2293	
		RWD; w/ Monobeam Front Axle		18J141	
	1984-80	4WD; with Twin I-Beam Axle		18J2293	
		RWD; with Twin I-Beam Axle		18J141	
	1979	4WD Right		18J102	
		RWD		18J81	
	1978			18J81	
				18J81	
				18J81	
	1977-76	From Chassis # A75001		18J81	
		To Chassis # A75000 Left		18J86	
		Right		18J87	
	1975	To Chassis # X30001 Left		18J1823	
		Right		18J1824	
	1972	Front Disc Brakes; 20-1/4" Length; Rear Drum Brakes		18J1834	
	1971-70			18J1801	
	1969	Front Disc Brakes; RWD		18J1834	
		Front Drum Brakes		18J3725	
		To Serial # H10000; Front Disc Brakes; RWD		18J1801	
	1968			18J1801	
	1967	Front Disc Brakes		18J1801	
		Front Drum Brakes		18J3725	
	1966-65			18J3725	
	1964-62			18J36511	
	1961	From 2/2/61		18J36511	
Rear					
Brake Hydraulic Hose	1997-92	4WD Center		18J954	
		RWD Center		18J3062	
	1991-89	Center		18J646	
	1988	From 1/88 Center		18J646	
		Thru 1/88 Center		18J194	
	1987	4WD; with Twin I-Beam Axle Center		18J194	
	1986-85	19.25" Length Center		18J404	
		19.62in Length Center		18J410	
	1984-80	4WD; with Twin I-Beam Axle Center		18J194	
		RWD; with Twin I-Beam Axle Center		18J2065	
	1979	4WD Center		18J111	
		RWD Center		18J110	

Ford – F-350 (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	1979-78	58in Length Right		18P375	
		59-1/2in Length Right		18P381	
		66-7/8" Length Left		18P382	
	1978	Center		18J110	
	1977-76	Center		18J48	
	1975	21" Long Center		18J48	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1997-96	4WD; Cruise Control; without Dual Rear Wheels		18M781	
		4WD; w/o Cruise Control; without Dual Rear Wheels		18M782	
		Cruise Control; With Dual Rear Wheels		18M762	
		RWD; 133.0" Wheelbase; DIESEL; Cruise Control; without Dual Rear Wheels		18M781	
		RWD; 133.0" Wheelbase; DIESEL; w/o Cruise Control; without Dual Rear Wheels		18M782	
		RWD; GAS; Cruise Control; without Dual Rear Wheels		18M762	
		RWD; GAS; w/o Cruise Control; without Dual Rear Wheels		18M2443	
		With Dual Rear Wheels; w/o Cruise Control		18M2443	
	1995-94	2-Door; Cab & Chassis; RWD; DIESEL; Cruise Control; without Dual Rear Wheels		18M676	
		2-Door; Cab & Chassis; RWD; DIESEL; w/o Cruise Control; without Dual Rear Wheels		18M1755	
		2-Door; Cab & Chassis; RWD; GAS; Cruise Control; without Dual Rear Wheels		18M678	
		2-Door; Cab & Chassis; RWD; GAS; w/o Cruise Control; without Dual Rear Wheels		18M353	
		2-Door; Extended Cab Pickup; RWD; DIESEL; Cruise Control; without Dual Rear Wheels		18M676	
		2-Door; Extended Cab Pickup; RWD; DIESEL; w/o Cruise Control; without Dual Rear Wheels		18M1755	
		2-Door; Extended Cab Pickup; RWD; GAS; Cruise Control; without Dual Rear Wheels		18M678	
		2-Door; Extended Cab Pickup; RWD; GAS; w/o Cruise Control; without Dual Rear Wheels		18M353	
		2-Door; Standard Cab Pickup; RWD; DIESEL; Cruise Control; without Dual Rear Wheels		18M676	
		2-Door; Standard Cab Pickup; RWD; DIESEL; w/o Cruise Control; without Dual Rear Wheels		18M1755	
		2-Door; Standard Cab Pickup; RWD; GAS; Cruise Control; without Dual Rear Wheels		18M678	

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	1995-94	2-Door; Standard Cab Pickup; RWD; GAS; w/o Cruise Control; without Dual Rear Wheels		18M353	
		4-Door; Crew Cab Pickup; RWD; with 9200lb Axle(s); w/o Cruise Control; without Dual Rear Wheels		18M353	
		4-Door; Crew Cab Pickup; RWD; with 9200lb Gross Vehicle Weight (GVW); Cruise Control; without Dual Rear Wheels		18M678	
		4WD; Cruise Control; without Dual Rear Wheels		18M676	
		4WD; w/o Cruise Control; without Dual Rear Wheels		18M1755	
		Cruise Control; With Dual Rear Wheels		18M678	
		With Dual Rear Wheels; w/o Cruise Control		18M353	
	1993	4-Door; Crew Cab Pickup; RWD; DIESEL; with 9200lb Gross Vehicle Weight (GVW); without Dual Rear Wheels		18M1753	
		4-Door; Crew Cab Pickup; RWD; DIESEL; without 9200lb Gross Vehicle Weight (GVW); without Dual Rear Wheels		18M1755	
		4WD; DIESEL; without Dual Rear Wheels		18M1755	
		4WD; GAS; without Dual Rear Wheels		18M1755	
		RWD; GAS; without Dual Rear Wheels		18M1753	
		With Dual Rear Wheels		18M1753	
	1992-90	4WD; With Dual Rear Wheels		18M353	
		4WD; without Dual Rear Wheels		18M1753	
		RWD; DIESEL; with 9200lb Gross Vehicle Weight (GVW)		18M353	
		RWD; DIESEL; without 9200lb Gross Vehicle Weight (GVW)		18M1753	
		RWD; GAS		18M353	
	1989-88	DIESEL; w/o Cruise Control		18M1755	
	1989-87	GAS; w/o Cruise Control; without Dual Rear Wheels		18M1753	
	1987	DIESEL		18M353	
	1986-84			18M236	
	1983-80			18M115	
	1979	4WD		18M196	
		RWD		18M97	
	1978-77			18M97	
	1976			18M69	
	1975	Front Disc; Rear Drum; Power Brakes		18M1061	
	1971-68	w/ Manual Brakes		18M36356	
	1967			18M36355	
	1966-63	w/ Manual Brakes; 4 Bolt Mounting		18M9	
		w/ Manual Brakes; w/ 2 Bolt Mounting		18M36433	

Ford – F-350 (Cont.)

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	1965	With Power Brakes		18M36433	
	1959-57			18M22976	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2014			17D1333MH	
				17D1333SDH	
	1997-95		14D655CH	17D655MH	
			14D655M		
			14D655MH		
	1994-92		14D450M	17D450M	
			14D450M	17D450MH	
	1991	From 4/91	14D450M	17D450M	
				17D450MH	
		To 03/1991	14D120M	17D120M	
	1990-76		14D120M	17D120M	

Rear

Disc Brake Pad Set	2014	MEX		17D1334MH	
				17D1334MHF1	
				17D1334SDH	

Rear

Drum Brake Shoe	1997-87	without Dual Rear Wheels	14314R		
		With Dual Rear Wheels	14583R	17583R	
			R583		
		without Dual Rear Wheels	R358	17314R	
	1986-80		14314R	17314R	
			R358		
	1979	4WD	14316B	17316R	
			B316L		
		RWD	14314R	17314R	
			R358		
	1978-75		14314R	17314R	
			R358		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	1997-87	with 12-1/8in x 3-1/2in Brakes; With Dual Rear Wheels		18B170	
	1997-85	with 5.31in Wide Drums; with 12in x 3in Brakes; without Dual Rear Wheels		18B141	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Drum	1989-85	with 4.95in Wide Drums; with 12in x 3in Brakes; without Dual Rear Wheels		18B42	
	1989-80	with 7.05in Wide Drums; with 12in x 3in Brakes; With Dual Rear Wheels		18B52	
	1986-85	with 6.27in Wide Drums; with 12in x 3in Brakes; With Dual Rear Wheels		18B175	
	1984	without Dual Rear Wheels		18B42	
	1983	Thru 2/83; without Dual Rear Wheels		18B42	
	1982-80	without Dual Rear Wheels		18B42	
	1979	2-Door; Cab & Chassis; RWD		18B52	
		2-Door; Extended Cab Pickup; RWD		18B42	
		2-Door; Standard Cab Pickup; RWD		18B52	
		4WD		18B17	
	1978-77	2-Door; Extended Cab Pickup		18B42	
	1978-75	2-Door; Cab & Chassis		18B52	
		2-Door; Standard Cab Pickup		18B52	
	1976-75	4-Door; Crew Cab Pickup		18B42	
Front					
Disc Brake Rotor	1997-96	4WD; With Dual Rear Wheels	18A958A		
		4WD; without Dual Rear Wheels	18A674A	18A674	
	1995	4WD; Front Disc; Rear Drum; With Dual Rear Wheels	18A958A		
		4WD; Front Disc; Rear Drum; with Single Rear Wheels (SRW)	18A674A	18A674	
	1994-91	4WD; Front Disc; Rear Drum; With Dual Rear Wheels	18A272A		
		4WD; Front Disc; Rear Drum; without Dual Rear Wheels	18A88A	18A88	
		RWD; Front Disc; Rear Drum; With Dual Rear Wheels	18A46A		
	1990-86	4WD; With Dual Rear Wheels	18A272A		
	1990-85	4WD; without Dual Rear Wheels	18A88A	18A88	
	1990-79	RWD; With Dual Rear Wheels	18A46A		
	1986-85	RWD; with 5000lb Gross Vehicle Weight (GVW)	18A88A	18A88	
	1984-79	4WD	18A88A	18A88	
	1978-76	With Dual Rear Wheels	18A46A		
	1975	With Dual Rear Wheels	18A1346A		
	1974	RWD; With Dual Rear Wheels	18A1346A		
	1973-68	With Dual Rear Wheels	18A1346A		
Rear					
Disc Brake Rotor	2012-11		18A2582A	18A2582	
			18A2582AC		
	2009-06		18A2582A	18A2582	
			18A2582AC		
	2005-98	RWD	18A960A	18A960	

Ford – F-350 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2005-98	RWD	18A960AC		
Front					
Disc Brake Rotor and Hub Assembly	1997-96	RWD; without Dual Rear Wheels	18A722A	18A722	
	1997-95	RWD; With Dual Rear Wheels	18A749A		
	1995	RWD; with Single Rear Wheels (SRW)	18A722A	18A722	
	1994-91	RWD; Front Disc; Rear Drum; without Dual Rear Wheels	18A428A		
	1990-86	RWD; without Dual Rear Wheels	18A428A		
	1987-80	4WD; w/ 1/2" Studs; Except 5000 Pound Axle		18A1085	
		4WD; with 5000lb Axle(s); with 9/16in Studs	18A532A		
	1985-80	RWD; without Dual Rear Wheels	18A64A	18A64	
	1974	with Single Rear Wheels (SRW)		18A1656	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	1997-95	with 12in x 3in Brakes; without Dual Rear Wheels	Left	18E1133	
			Right	18E433	
	1997-90	With Dual Rear Wheels	Left	18E857	
			Right	18E89	
	1994-93	with 12in x 3in Brakes; without Dual Rear Wheels	Left	18E97	
			Right	18E96	
	1992-84	with 12in x 3in Brakes; without Dual Rear Wheels	Left	18E969	
			Right	18E960	
	1989-87	with 12-1/8in x 3-1/2in Brakes; With Dual Rear Wheels	Left	18E857	
			Right	18E89	
	1989-84	with 12in x 3in Brakes; With Dual Rear Wheels	Left	18E40	
			Right	18E41	
	1983-82		Left	18E969	
			Right	18E960	
	1981-80	w/o School Bus Package	Left	18E926	
			Right	18E76	
		with School Bus Package	Left	18E969	
			Right	18E960	
	1979	with 12in x 2-1/2in Brakes	Left	18E969	
			Right	18E960	
	1979-75	with 12in x 3in Brakes	Left	18E926	
			Right	18E76	

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2016	Lariat; 161.8" Wheelbase		18P2874	
		Lariat; 176.2" Wheelbase		18P2876	
	2016-15	Platinum; 172.4" Wheelbase		18P2939	
	2016-12	King Ranch; 172.4" Wheelbase		18P2939	
		Lariat; 141.8" Wheelbase		18P2942	
		Lariat; 158.0" Wheelbase		18P2938	
		Lariat; 172.4" Wheelbase		18P2939	
		XL; 137.0" Wheelbase		18P2937	
		XL; 141.0" Wheelbase		18P2873	
		XL; 141.8" Wheelbase		18P2942	
		XL; 158.0" Wheelbase		18P2938	
		XL; 161.8" Wheelbase		18P2874	
		XL; 164.8" Wheelbase		18P2875	
		XL; 172.4" Wheelbase		18P2939	
		XL; 176.2" Wheelbase		18P2876	
		XLT; 137.0" Wheelbase		18P2937	
		XLT; 141.0" Wheelbase		18P2873	
		XLT; 141.8" Wheelbase		18P2942	
		XLT; 158.0" Wheelbase		18P2938	
		XLT; 161.8" Wheelbase		18P2874	
		XLT; 164.8" Wheelbase		18P2875	
		XLT; 172.4" Wheelbase		18P2939	
		XLT; 176.2" Wheelbase		18P2876	
	2015	Lariat; 185.8" Wheelbase		18P2941	
		Lariat; 200.2" Wheelbase		18P2940	
	2011	141.0" Wheelbase		18P2873	
		161.8" Wheelbase		18P2874	
		164.8" Wheelbase		18P2875	
		172.4" Wheelbase		18P2939	
		176.2" Wheelbase		18P2876	
	2010	137.0" Wheelbase		18P97040	
		141.8" Wheelbase		18P97025	
		156.2" Wheelbase		18P97042	
		158.0" Wheelbase		18P97043	
		165.0" Wheelbase		18P97027	
		172.4" Wheelbase		18P97044	
		w/ 186" Wheelbase		18P97037	
		w/ 200" Wheelbase		18P97038	
	2009	141.8" Wheelbase		18P97457	
	2008	158.0" Wheelbase		18P96894	
		Crew Cab Pickup; 162.0" Wheelbase		18P97026	
		Crew Cab Pickup; 176.0" Wheelbase		18P97028	
		FX4; 156.2" Wheelbase		18P97273	

Ford – F-350 Super Duty (Cont.)

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center (Cont.)					
Parking Brake Cable	2008	FX4; 172.4" Wheelbase		18P97274	
		King Ranch; 156.2" Wheelbase		18P97273	
		King Ranch; 172.4" Wheelbase		18P97274	
		Lariat; 156.2" Wheelbase		18P97273	
		Lariat; 172.4" Wheelbase		18P97274	
		XL; 156.2" Wheelbase		18P97273	
		XL; 172.4" Wheelbase		18P97274	
		XLT; 156.2" Wheelbase		18P97273	
		XLT; 172.4" Wheelbase		18P97274	
	2007-06	156.2" Wheelbase; 55.3in Length		18P97267	
		172.4" Wheelbase; 82.7in Length		18P97266	
		Lariat; 141.8" Wheelbase; 40.7in Length		18P97265	
		Lariat; 158.0" Wheelbase; 68.2in Length		18P97264	
		XL; 141.8" Wheelbase; 40.7in Length		18P97265	
		XL; 158.0" Wheelbase; 68.2in Length		18P97264	
		XLT; 141.8" Wheelbase; 40.7in Length		18P97265	
		XLT; 158.0" Wheelbase; 68.2in Length		18P97264	
	2007-05	137.0" Wheelbase; 47.3in Length		18P97263	
	2005	158.0" Wheelbase; 68.2in Length		18P97264	
	2004-99	126-15/16" Length		18P2680	
		64-5/16" Length		18P2713	
		67-3/8" Length		18P2710	
		69-1/4" Length		18P2683	
		83 5/8" Overall Length		18P2714	
		85-7/8" Length		18P95851	
		88-1/4in Length		18P2708	
		91-1/4" Length		18P2709	
Front					
Parking Brake Cable	2016-10			18P96922	
	2009	From 11/17/08		18P96922	
		To 11/17/2008		18P97282	
	2008			18P97282	
	2007-05			18P96890	
	2004	Except Transmission Mounted Parking Brakes		18P97278	
		with Transmission Mounted Parking Brake		18P1859	
	2003			18P97278	
2002-99			18P2087		
Intermediate					
Parking Brake Cable	2009	4-Door; Extended Cab Pickup; 81.8" Bed		18P97041	
	2007-05	109.1in Length		18P96985	
		109.7in Length		18P96987	
		111.8in Length		18P96986	

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Intermediate (Cont.)					
Parking Brake Cable	2004-99	w/ 172" Wheelbase		18P95852	
	2000	100-1/8" Length		18P95852	
Rear					
Parking Brake Cable	2016-13	4WD; Except Cab & Chassis Left		18P97657	
		Cab & Chassis Left		18P97655	
		RWD; Except Cab & Chassis Left		18P97658	
	2016-12	Cab & Chassis Right		18P2842	
		Crew Cab Pickup Right		18P2839	
		Extended Cab Pickup Right		18P2839	
		Standard Cab Pickup Right		18P2839	
	2012	King Ranch; 4WD Left		18P2841	
		King Ranch; RWD Left		18P2840	
		Lariat; Cab & Chassis Left		18P2843	
		Lariat; Crew Cab Pickup; 4WD Left		18P2841	
		Lariat; Crew Cab Pickup; RWD Left		18P2840	
		Lariat; Extended Cab Pickup; 4WD Left		18P2841	
		Lariat; Extended Cab Pickup; RWD Left		18P2840	
		XL; Cab & Chassis Left		18P2843	
		XL; Crew Cab Pickup; 4WD Left		18P2841	
		XL; Crew Cab Pickup; RWD Left		18P2840	
		XL; Extended Cab Pickup; 4WD Left		18P2841	
		XL; Extended Cab Pickup; RWD Left		18P2840	
		XL; Standard Cab Pickup; 4WD Left		18P2841	
		XL; Standard Cab Pickup; RWD Left		18P2840	
		XLT; Cab & Chassis Left		18P2843	
		XLT; Crew Cab Pickup; 4WD Left		18P2841	
		XLT; Crew Cab Pickup; RWD Left		18P2840	
		XLT; Extended Cab Pickup; 4WD Left		18P2841	
		XLT; Extended Cab Pickup; RWD Left		18P2840	
		XLT; Standard Cab Pickup; 4WD Left		18P2841	
		XLT; Standard Cab Pickup; RWD Left		18P2840	
	2011	4WD; with Wide Frame Left		18P2841	
		RWD; with Wide Frame Left		18P2840	
		with Narrow Frame Left		18P2843	
		with Narrow Frame; 99-1/2" Length Right		18P2842	
		with Wide Frame; 96-1/2" Length Right		18P2839	
	2010	4WD Left		18P97303	
		RWD Left		18P97302	
	2010-08	Crew Cab Pickup Right		18P97298	
		Extended Cab Pickup Right		18P97298	
		Lariat; Cab & Chassis Right		18P97410	
		Standard Cab Pickup Right		18P97298	
		XL; Cab & Chassis Right		18P97410	

Ford – F-350 Super Duty (Cont.)

Cable (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Parking Brake Cable	2010-08	XLT; Cab & Chassis	Right		18P97410	
	2009-08	4WD	Left		18P97297	
		Cab & Chassis	Left		18P97411	
		RWD	Left		18P97299	
	2007	Cab & Chassis; 140.8" Wheelbase; To 12/17/06	Right		18P97458	
		Cab & Chassis; 162.0" Wheelbase; To 12/17/06	Right		18P97458	
		Cab & Chassis; 165.0" Wheelbase; To 12/17/06	Right		18P97458	
		Cab & Chassis; 176.0" Wheelbase; To 12/17/06	Right		18P97458	
	2007-06	4WD; 76-1/2" Length	Left		18P96917	
	2007-05	110-5/8" Length	Right		18P96921	
		4WD; 87-3/4" Length	Left		18P96919	
		99-3/8" Length	Right		18P96920	
		RWD; 73-1/4" Length	Left		18P96916	
		RWD; 84-1/2" Length	Left		18P96918	
	2006	Cab & Chassis; 140.8" Wheelbase	Right		18P97458	
	2005	Cab & Chassis; 141.0" Wheelbase	Right		18P97458	
		Cab & Chassis; 162.0" Wheelbase	Right		18P97458	
		Cab & Chassis; 165.0" Wheelbase	Right		18P97458	
		Cab & Chassis; 176.0" Wheelbase	Right		18P97458	
	2004-03	with Dual Rear Wheels (DRW)	Left		18P97305	
		with Single Rear Wheels (SRW)	Left		18P2515	
			Right		18P2925	
	2002-01	90in Length	Right		18P2925	
		With Dual Rear Wheels; Except Self-Leveling Suspension	Left		18P97305	
	2002-99	78.06in Length	Left		18P2515	
	2001	Lariat; Cab & Chassis; Except Self-Leveling Suspension	Right		18P97289	
		XL; Cab & Chassis; Except Self-Leveling Suspension	Right		18P97289	
		XLT; Cab & Chassis; Except Self-Leveling Suspension	Right		18P97289	
	2000	Lariat; Cab & Chassis; From 12/5/99; Except Self-Leveling Suspension	Right		18P97289	
		With Dual Rear Wheels; From 1/4/00; Except Self-Leveling Suspension	Left		18P97305	
		XL; Cab & Chassis; From 12/5/99; Except Self-Leveling Suspension	Right		18P97289	
		XLT; Cab & Chassis; From 12/5/99; Except Self-Leveling Suspension	Right		18P97289	
	1999	75-3/4in Length	Left		18P2523	
		87-15/16" Length	Right		18P2522	
		92-3/4" Length	Right		18P2524	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2022	RWD; with Single Rear Wheels (SRW); w/ Twin I Beam Suspension	Left		18FR12594	
					18FR12594C	
					18FR12594N	
					18R12594	
			Right		18FR12593	
					18FR12593C	
					18FR12593N	
					18R12593	
	2021-13		Left		18FR12594	
					18FR12594C	
					18FR12594N	
					18R12594	
			Right		18FR12593	
					18FR12593C	
					18FR12593N	
					18R12593	
	2012-05	Single Rear Wheels	Left		18FR2535	
					18FR2535C	
					18FR2535N	
					18R2535	
			Right		18FR2534	
					18FR2534C	
					18FR2534N	
					18R2534	
		With Dual Rear Wheels	Left		18FR2176	
					18FR2176C	
					18FR2176N	
					18R2176	
			Right		18FR2175	
					18FR2175C	
					18FR2175N	
					18R2175	
	2004-99		Left		18FR1292	
					18FR1292C	
					18FR1292N	
					18R1292	
			Right		18FR1291	
					18FR1291C	
					18FR1291N	
					18R1291	
Rear						

Ford – F-350 Super Duty (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Disc Brake Caliper	2022	RWD; with Single Rear Wheels (SRW); Innovative dual-bleeder design can fit either left or right position without modification; w/ Twin I Beam Suspension	Left		18FR12595DN	
			Right		18FR12595DN	
		RWD; with Single Rear Wheels (SRW); w/ Twin I Beam Suspension	Left		18FR12596N	
					18FR12596	
					18FR12596C	
					18R12596	
			Right		18FR12595	
					18FR12595C	
					18FR12595N	
					18R12595	
	2021-14	Innovative dual-bleeder design can fit either left or right position without modification; Single Rear Wheels	Left		18FR12595DN	
			Right		18FR12595DN	
		Single Rear Wheels	Left		18FR12596	
					18FR12596C	
					18R12596	
			Right		18FR12595	
					18FR12595C	
					18FR12595N	
					18R12595	
			Left		18FR12596N	
	2021-13	Innovative dual-bleeder design can fit either left or right position without modification; Dual Rear Wheels	Left		18FR12883DN	
			Right		18FR12883DN	
	2013	From 10/22/2012; Innovative dual-bleeder design can fit either left or right position without modification; Single Rear Wheels	Left		18FR12595DN	
			Right		18FR12595DN	
		From 10/22/2012; Single Rear Wheels	Left		18FR12596	
					18FR12596C	
					18R12596	
			Right		18FR12595	
					18FR12595C	
					18FR12595N	
					18R12595	
			Left		18FR12596N	
		Innovative dual-bleeder design can fit either left or right position without modification; Thru 10/21/12; Single Rear Wheels	Left		18FR2617DN	
			Right		18FR2617DN	
		Thru 10/21/12; Single Rear Wheels	Left		18FR2618	
					18FR2618C	
					18FR2618N	
					18R2618	
		with Single Rear Wheels (SRW); Thru 10/21/12	Right		18FR2617N	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2013	with Single Rear Wheels (SRW); Thru 10/21/12	Right	18FR2617	
				18FR2617C	
				18R2617	
	2012	with Single Rear Wheels (SRW)	Right	18FR2617	
				18FR2617C	
				18R2617	
				18FR2617N	
	2012-08	Innovative dual-bleeder design can fit either left or right position without modification; Single Rear Wheels	Left	18FR2617DN	
			Right	18FR2617DN	
		Single Rear Wheels	Left	18FR2618	
				18FR2618C	
				18FR2618N	
				18R2618	
	2012-05	With Dual Rear Wheels	Left	18FR2178	
				18FR2178C	
				18FR2178N	
				18R2178	
			Right	18FR2177	
				18FR2177C	
				18FR2177N	
				18R2177	
	2011-08	Single Rear Wheels	Right	18FR2617	
				18FR2617C	
				18R2617	
				18FR2617N	
	2007-05	Single Rear Wheels	Right	18FR2179	
				18FR2179C	
				18FR2179N	
				18R2179	
		with Single Rear Wheels (SRW)	Left	18FR2180	
				18FR2180C	
				18FR2180N	
				18R2180	
	2004-01		Left	18FR1405	
				18FR1405C	
				18FR1405N	
				18R1405	
			Right	18FR1293	
				18FR1293C	
				18FR1293N	
				18R1293	
	2000	From 12/99	Left	18FR1405	

Ford – F-350 Super Duty (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Disc Brake Caliper	2000	From 12/99	Left		18FR1405C	
					18FR1405N	
					18R1405	
			Right		18FR1293	
					18FR1293C	
					18FR1293N	
	1999	To 12/99	Left		18R1293	
					18FR1293	
					18FR1293C	
					18FR1293N	
			Right		18R1293	
					18FR1293	
				18FR1293C		
				18FR1293N		
			18R1293			
Front						
Disc Brake Caliper Bushing	2021-06			18K1934		
	2005	Single Rear Wheels		18K1934		
	2004-03			18K16208		
	2002-01			18K16216		
	2000			18K16208		
	1999			18K16216		
Rear						
Disc Brake Caliper Bushing	2021-08			18K1934		
	2007-05	Single Rear Wheels		18K1184		
		With Dual Rear Wheels		18K1934		
		without Dual Rear Wheels		18K1184		
	2004-99			18K1436		
Front						
Disc Brake Caliper Set	2016-13				18FR12593KSD	
Rear						
Disc Brake Caliper Set	2016-14	Single Rear Wheels			18FR12595KSD	
	2013	From 10/22/2012; Single Rear Wheels			18FR12595KSD	
Hoses						
	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2016-13	4WD	Left		18J383849	
			Right		18J383850	
		RWD	Left		18J383830	
			Right		18J383831	

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Brake Hydraulic Hose	2012-11	4WD	Left		18J383717	
			Right		18J383718	
	2012-08	RWD	Left		18J4236	
			Right		18J4237	
	2010	4WD	Left		18J4234	
			Right		18J4235	
	2009-08	4WD; 21.50" Length	Left		18J4234	
			Right		18J4235	
		4WD; 30" Length	Left		18J4766	
			Right		18J4767	
	2007-05	4WD	Left		18J4753	
			Right		18J4754	
		RWD	Left		18J4217	
			Right		18J4218	
	2004-99	4WD; 4-Wheel ABS; Automatic Locking Hubs	Left		18J1552	
		4WD; 4-Wheel ABS; Manual Locking Hubs	Left		18J2061	
		4WD; Automatic Locking Hubs	Right		18J1551	
		4WD; Manual Locking Hubs	Right		18J2062	
		RWD	Right		18J1549	
		RWD; 2-Wheel ABS	Left		18J1579	
		RWD; 4-Wheel ABS	Left		18J1550	
	2001-99	4WD; 2-Wheel ABS; Automatic Locking Hubs	Left		18J1553	
		4WD; 2-Wheel ABS; Manual Locking Hubs	Left		18J1488	
Rear						
Brake Hydraulic Hose	2016	King Ranch; With Dual Rear Wheels	Center		18J383481	
		Lariat; Cab & Chassis; With Dual Rear Wheels	Left		18J4551	
			Right		18J4511	
		Lariat; Cab & Chassis; without Dual Rear Wheels	Left		18J382936	
			Right		18J4550	
		Lariat; Crew Cab Pickup; With Dual Rear Wheels	Center		18J383481	
		Lariat; Extended Cab Pickup; With Dual Rear Wheels	Center		18J383481	
		Platinum; With Dual Rear Wheels	Center		18J383481	
		XL; Cab & Chassis; With Dual Rear Wheels	Left		18J4551	
			Right		18J4511	
		XL; Cab & Chassis; without Dual Rear Wheels	Left		18J382936	
			Right		18J4550	
		XL; Crew Cab Pickup; With Dual Rear Wheels	Center		18J383481	
		XL; Extended Cab Pickup; With Dual Rear Wheels	Center		18J383481	

Ford – F-350 Super Duty (Cont.)

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Brake Hydraulic Hose	2016	XL; Standard Cab Pickup; With Dual Rear Wheels	Center		18J383481	
		XLT; Cab & Chassis; With Dual Rear Wheels	Left		18J4551	
			Right		18J4511	
		XLT; Cab & Chassis; without Dual Rear Wheels	Left		18J382936	
			Right		18J4550	
		XLT; Crew Cab Pickup; With Dual Rear Wheels	Center		18J383481	
	2015-14	Single Rear Wheels	Center		18J384465	
	2015-13	10.25" Length	Right		18J383771	
	2015-11	10.120" Length	Left		18J382936	
		8.62" Length	Right		18J4511	
		8.750" Length	Left		18J4551	
		With Dual Rear Wheels; Except Cab & Chassis	Center		18J383481	
	2013-11	with Single Rear Wheels (SRW)	Center		18J384465	
	2012-11	8.60in Length	Left		18J4549	
	2012-05	10.25" Length	Right		18J4550	
	2010-08	4WD; 21.81" Length	Center		18J4385	
		4WD; 25.25in Length	Center		18J4383	
		RWD; 19.81" Length	Center		18J4384	
		RWD; 21.12in Length	Center		18J4382	
	2010-05	9.625" Length	Left		18J4638	
		9.650in Length	Right		18J4531	
		9.88" Length	Left		18J4544	
	2007-05	4WD; With Dual Rear Wheels	Center		18J4385	
		4WD; without Dual Rear Wheels	Center		18J4383	
		RWD; With Dual Rear Wheels	Center		18J4384	
		RWD; without Dual Rear Wheels	Center		18J4382	
	2004-01	2-Door; Cab & Chassis	Left		18J4502	
		2-Door; Cab & Chassis; With Dual Rear Wheels	Right		18J4511	
		2-Door; Cab & Chassis; without Dual Rear Wheels	Right		18J4515	
		2-Door; Standard Cab Pickup	Left		18J4525	
		4-Door; Cab & Chassis	Left		18J4502	
		4-Door; Cab & Chassis; With Dual Rear Wheels	Right		18J4511	
		4-Door; Cab & Chassis; without Dual Rear Wheels	Right		18J4515	
		4-Door; Crew Cab Pickup	Left		18J4525	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2004-01	4-Door; Extended Cab Pickup Left		18J4525	
	2004-99	2-Door; Cab & Chassis; 4WD Center		18J1543	
		2-Door; Cab & Chassis; RWD Center		18J1541	
		2-Door; Standard Cab Pickup Right		18J4511	
		2-Door; Standard Cab Pickup; 4WD Center		18J1540	
		2-Door; Standard Cab Pickup; RWD Center		18J1539	
		4-Door; Cab & Chassis; 4WD Center		18J1543	
		4-Door; Cab & Chassis; RWD Center		18J1541	
		4-Door; Crew Cab Pickup Right		18J4511	
		4-Door; Crew Cab Pickup; 4WD Center		18J1540	
		4-Door; Crew Cab Pickup; RWD Center		18J1539	
		4-Door; Extended Cab Pickup Right		18J4511	
		4-Door; Extended Cab Pickup; 4WD Center		18J1540	
		4-Door; Extended Cab Pickup; RWD Center		18J1539	
	2000	2-Door; Cab & Chassis; From 12/7/99 Left		18J4502	
		2-Door; Cab & Chassis; From 12/7/99; without Dual Rear Wheels Right		18J4515	
		2-Door; Cab & Chassis; Thru 12/6/99 Left		18J4614	
		2-Door; Cab & Chassis; With Dual Rear Wheels; From 12/7/99 Right		18J4511	
		2-Door; Standard Cab Pickup; From 12/20/99 Left		18J4525	
		2-Door; Standard Cab Pickup; Thru 12/19/99 Left		18J382946	
		4-Door; Cab & Chassis; From 12/7/99 Left		18J4502	
		4-Door; Cab & Chassis; From 12/7/99; without Dual Rear Wheels Right		18J4515	
		4-Door; Cab & Chassis; Thru 12/6/99 Left		18J4614	
		4-Door; Cab & Chassis; With Dual Rear Wheels; From 12/7/99 Right		18J4511	
		4-Door; Crew Cab Pickup; From 12/20/99 Left		18J4525	
		4-Door; Crew Cab Pickup; Thru 12/19/99 Left		18J382946	
		4-Door; Extended Cab Pickup; From 12/20/99 Left		18J4525	
		4-Door; Extended Cab Pickup; Thru 12/19/99 Left		18J382946	
	1999	2-Door; Cab & Chassis Left		18J4614	
		2-Door; Standard Cab Pickup Left		18J382946	
		4-Door; Cab & Chassis Left		18J4614	
		4-Door; Crew Cab Pickup Left		18J382946	
		4-Door; Extended Cab Pickup Left		18J382946	

Ford – F-350 Super Duty (Cont.)

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2016-13	with Hydro-Boost; with Trailer Sway Control		18M391497	
		with Hydro-Boost; without Trailer Sway Control		18M391498	
		with Vacuum Booster		18M391496	
	2012	with Hydro-Boost		18M2623	
	2012-11	with Vacuum Booster		18M2622	
	2011	with Hydro-Boost; with Trailer Sway Control		18M2623	
		without Trailer Sway Control; with Hydro-Boost		18M2627	
	2010	Except Integrated Brake Control; with Vacuum Booster; Integrated Brake Control		18M2513	
	2010-09	with Hydraulic Booster; Integrated Brake Control		18M2514	
		with Vacuum Booster; Integrated Brake Control		18M2512	
	2009-08	Except Integrated Brake Control; with Vacuum Booster		18M2513	
	2008	with Hydro-Boost		18M2516	
		with Vacuum Booster; Integrated Brake Control; From 12/3/07		18M2512	
	2007-05	DIESEL; without Towing Package		18M2505	
		GAS; Except Integrated Brake Control; with Vacuum Booster		18M2474	
		GAS; Integrated Brake Control; with Vacuum Booster		18M2489	
	2004-99	Cruise Control		18M886	
		w/o Cruise Control		18M887	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2022-13			17D1680MH	
				17D1680MHF1	
				17D1680SDH	
	2012-11	With Dual Rear Wheels		17D1333MH	
				17D1333SDH	
		without Dual Rear Wheels	14D1333AMH	17D1333AMH	
				17D1333ASDH	
	2010	With Dual Rear Wheels	14D1069M	17D1069M	
			14D1069MH	17D1069MH	
				17D1069SDH	
		without Dual Rear Wheels		17D1333MH	
				17D1333SDH	
	2009			17D1333MH	
				17D1333SDH	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2008	From 7/30/07		17D1333MH	
				17D1333SDH	
		Thru 7/29/07	14D1069M	17D1069M	
			14D1069MH	17D1069MH	
	2007-05			17D1069SDH	
			14D1069M	17D1069M	
			14D1069MH	17D1069MH	
				17D1069SDH	
	2004-99	2nd Generation, Copper Free Friction Formula	14D824CHF1	17D824CHF1	
		Friction Contains Copper	14D824CH	17D824CH	
			14D824M	17D824MH	
			14D824MH	17D824MHF1	
Rear					
Disc Brake Pad Set	2022-13			17D1691MH	
				17D1691MHF1	
				17D1691SDH	
	2012-09			17D1334MH	
				17D1334MHF1	
				17D1334SDH	
	2008	From 7/30/07		17D1334MH	
				17D1334MHF1	
				17D1334SDH	
		Thru 7/29/07	14D1067M	17D1067MH	
			14D1067MH	17D1067MHF1	
	2007-05	With Dual Rear Wheels	14D1067M		
		without Dual Rear Wheels	14D1068M	17D1068M	
		With Dual Rear Wheels	14D1067MH	17D1067MH	
				17D1067MHF1	
		without Dual Rear Wheels	14D1068MH	17D1068MH	
				17D1068MHF1	
	2004-99	2nd Generation, Copper Free Friction Formula	14D757CHF2	17D757CHF2	
		Friction Contains Copper	14D757CHF1	17D757CHF1	
			14D757CH	17D757CH	
			14D757M	17D757MH	
			14D757MH	17D757MHF1	
Rear					
Parking Brake Shoe	2021-13			171043B	
	2012-11	With Dual Rear Wheels		17854B	
		without Dual Rear Wheels		17990B	
	2010-05			17854B	
	2004-99		14771B	17771B	
			B771		

Ford – F-350 Super Duty (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2022-17	4WD	18A81016A	18A81016	
			18A81016AC	18A81016SD	
	2022-14	RWD; with Single Rear Wheels (SRW)	18A81778A	18A81778	
			18A81778AC	18A81778SD	
	2022-13	RWD; With Dual Rear Wheels	18A81785A	18A81785	
			18A81785AC		
	2016	4WD; DIESEL; w/ Wide Track Front Suspension		18A1799SD	
		4WD; DIESEL; w/o Wide Track Front Suspension	18A81016A	18A81016	
			18A81016AC	18A81016SD	
		4WD; FLEX	18A81016A	18A81016	
			18A81016AC	18A81016SD	
	2015	V8 6.2L 6210cc 379cid; 4WD; with 8 Bolt Holes	18A81016A	18A81016	
			18A81016AC	18A81016SD	
		V8 6.7L 6651cc 406cid; 4WD; with 10 Bolt Holes		18A1799SD	
		V8 6.7L 6651cc 406cid; 4WD; with 8 Bolt Holes	18A81016A	18A81016	
			18A81016AC	18A81016SD	
	2014-13	4WD	18A81016A	18A81016	
			18A81016AC	18A81016SD	
	2013	King Ranch; RWD; with Single Rear Wheels (SRW)	18A81778A	18A81778	
			18A81778AC	18A81778SD	
		Lariat; RWD; with Single Rear Wheels (SRW)	18A81778A	18A81778	
			18A81778AC	18A81778SD	
		V8 6.2L 6210cc 379cid; Platinum; RWD; with Single Rear Wheels (SRW)	18A81778A	18A81778	
			18A81778AC	18A81778SD	
		XL; RWD; with Single Rear Wheels (SRW)	18A81778A	18A81778	
			18A81778AC	18A81778SD	
		XLT; RWD; with Single Rear Wheels (SRW)	18A81778A	18A81778	
			18A81778AC	18A81778SD	
	2012-11	4WD; With Dual Rear Wheels	18A1840A	18A1840	
			18A1840AC	18A1840SD	
	2012-09	4WD; without Dual Rear Wheels	18A1708A	18A1708	
			18A1708AC	18A1708SD	
	2010-09	With Dual Rear Wheels	18A1840A	18A1840	
			18A1840AC	18A1840SD	
	2008	4WD; with Single Rear Wheels (SRW)	18A1708A	18A1708	
			18A1708AC	18A1708SD	
	2008-05	4WD; With Dual Rear Wheels	18A1840A	18A1840	
			18A1840AC	18A1840SD	
	2007-06	4WD; without Dual Rear Wheels	18A1708A	18A1708	
			18A1708AC	18A1708SD	
	2005	4WD; with Single Rear Wheels (SRW)	18A1708A	18A1708	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2005	4WD; with Single Rear Wheels (SRW)	18A1708AC	18A1708SD	
	2004	4WD; with 13.03in Diameter Rotor	18A968A	18A968	
			18A968AC	18A968SD	
	2003	4WD; Rotor Diameter 13.03in; w/ 3.73, 4.10, 4.30 Gear Ratio	18A968A	18A968	
			18A968AC	18A968SD	
	2003-00	RWD; w/ I-Beam Suspension	18A932A	18A932	
	2002-01	4WD; Rotor Diameter 13.03in; Except 4.88 & 5.38 Gear Ratio	18A968A	18A968SD	
			18A968AC		
	2002-00	4WD; Rotor Diameter 13.03in; Except 4.88 & 5.38 Gear Ratio	18A968A	18A968	
			18A968AC		
	2000	4WD; Rotor Diameter 13.03in; w/ 3.73, 4.10, 4.30 Gear Ratio		18A968SD	
	1999	4WD; Rotor Diameter 13.03in; From 03/22/1999; 3.73 Gear Ratio; w/ 4.10 Gear Ratio; w/ 4.30 Gear Ratio	18A968A	18A968	
			18A968AC		
		4WD; Rotor Diameter 13.03in; From 03/22/1999; w/ 3.73, 4.10, 4.30 Gear Ratio		18A968SD	
		4WD; To 03/22/1999; 3.73 Gear Ratio; w/ 4.10 Gear Ratio; w/ 4.30 Gear Ratio	18A916A	18A916	
		4WD; To 03/22/1999; 4.88 Gear Ratio; w/ 5.38 Ratio	18A932A	18A932	
		RWD; To 03/22/1999; w/ I-Beam Suspension	18A932A	18A932	
Rear					
Disc Brake Rotor	2022-16	With Dual Rear Wheels	18A81018A	18A81018	
				18A81018SD	
		with Single Rear Wheels (SRW)	18A81017A	18A81017	
			18A81017AC	18A81017SD	
	2016-15	Cab & Chassis	18A2435A	18A2435	
			18A2435AC		
	2015	Extended Cab Pickup; With Dual Rear Wheels	18A81018A	18A81018	
				18A81018SD	
		Extended Cab Pickup; with Single Rear Wheels (SRW)	18A81017A	18A81017	
			18A81017AC	18A81017SD	
		Standard Cab Pickup; With Dual Rear Wheels	18A81018A	18A81018	
				18A81018SD	
	2014-13	With Dual Rear Wheels	18A81017A	18A81017	
			18A81017AC	18A81017SD	
		with Single Rear Wheels (SRW)			
	2012	without Dual Rear Wheels		18A2330SD	
	2012-05	With Dual Rear Wheels	18A1822A	18A1822	
			18A1822AC		

Ford – F-350 Super Duty (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2012-05	with Single Rear Wheels (SRW)	18A2330A	18A2330	
			18A2330AC		
	2011	with Single Rear Wheels (SRW)	18A2330A	18A2330SD	
			18A2330AC		
	2010-09	without Dual Rear Wheels		18A2330SD	
	2008-05	with Single Rear Wheels (SRW)	18A2330A	18A2330SD	
			18A2330AC		
	2004-99	With Dual Rear Wheels	18A959A	18A959	
			18A959AC		
		without Dual Rear Wheels	18A934A	18A934	
			18A934AC	18A934SD	
Front					
Disc Brake Rotor and Hub Assembly	2013	V8 6.7L 6651cc 406cid; Platinum; RWD; with Single Rear Wheels (SRW)	18A2615A	18A2615	
			18A2615AC		
	2012-08	RWD; With Dual Rear Wheels	18A2614A	18A2614	
			18A2614AC		
		RWD; without Dual Rear Wheels	18A2615A	18A2615	
			18A2615AC		
	2007-06	RWD; without Dual Rear Wheels	18A2346A	18A2346	
			18A2346AC	18A2346SD	
	2007-05	RWD; With Dual Rear Wheels	18A1821A	18A1821	
	2005	RWD; with Single Rear Wheels (SRW)	18A2346A	18A2346	
			18A2346AC	18A2346SD	
	2004	RWD; 4-Wheel ABS; without Dual Rear Wheels	18A1676A	18A1676	
		RWD; With Dual Rear Wheels		18A1629	
	2003	RWD; With Dual Rear Wheels; w/ Twin I-Beam Suspension		18A1629	
		RWD; with Single Rear Wheels (SRW); w/ I-Beam Suspension	18A930A		
		V10 6.8L 415cid; RWD; with Single Rear Wheels (SRW); w/ Twin I-Beam Suspension	18A1676A	18A1676	
		V8 5.4L 330cid; RWD; with Single Rear Wheels (SRW); w/ Twin I-Beam Suspension	18A1676A	18A1676	
		V8 7.3L 445cid; RWD; with Single Rear Wheels (SRW); w/ Twin I-Beam Suspension	18A1676A	18A1676	
	2003-01	RWD; 2-Wheel ABS; without Dual Rear Wheels	18A931A	18A931	
	2002-01	RWD; 4-Wheel ABS; with Twin I-Beam Axle; without Dual Rear Wheels	18A930A		
		RWD; with Twin I-Beam Axle; With Dual Rear Wheels	18A957A	18A957	
	2000	RWD; 2-Wheel ABS; with Single Rear Wheels (SRW); w/ Twin I-Beam Suspension	18A931A	18A931	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor and Hub Assembly	2000	RWD; 4-Wheel ABS; with Single Rear Wheels (SRW); w/ Twin I-Beam Suspension	18A930A		
		RWD; w/ Twin I-Beam Suspension; With Dual Rear Wheels	18A957A	18A957	
	1999	RWD; w/ Twin I-Beam Suspension	18A957A	18A957	

Ford – F-450 Super Duty
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2016	XL; 140.8" Wheelbase		18P2873	
		XLT; 140.8" Wheelbase		18P2873	
	2016-15	XL; 185.8" Wheelbase		18P2941	
		XLT; 185.8" Wheelbase		18P2941	
	2016-14	Lariat; 188.8" Wheelbase		18P2871	
		XL; 188.8" Wheelbase		18P2871	
		XLT; 188.8" Wheelbase		18P2871	
	2016-12	XL; 161.8" Wheelbase		18P2874	
		XL; 164.8" Wheelbase		18P2875	
		XL; 176.2" Wheelbase		18P2876	
		XL; 200.2" Wheelbase		18P2940	
		XL; 200.8" Wheelbase		18P2872	
		XLT; 161.8" Wheelbase		18P2874	
		XLT; 164.8" Wheelbase		18P2875	
		XLT; 176.2" Wheelbase		18P2876	
		XLT; 200.2" Wheelbase		18P2940	
		XLT; 200.8" Wheelbase		18P2872	
	2016-11	172.4" Wheelbase		18P2939	
	2014-12	XL; 140.8" Wheelbase		18P2873	
		XLT; 140.8" Wheelbase		18P2873	
	2011	185.8" Wheelbase		18P2941	
		200.2" Wheelbase		18P2940	
		200.8" Wheelbase		18P2872	
	2010	172.4" Wheelbase		18P97036	
		186.0" Wheelbase		18P97039	
		186.0" Wheelbase; From 02/22/2010		18P2941	
	2010-08	189.0" Wheelbase		18P97029	
		200.0" Wheelbase		18P97030	
		201.0" Wheelbase		18P97031	
	2008	156.2" Wheelbase		18P97273	
		172.4" Wheelbase		18P97274	
	2007-05	Lariat; 165.0" Wheelbase; 73.6in Length		18P97269	

Ford – F-450 Super Duty (Cont.)

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center (Cont.)					
Parking Brake Cable	2007-05	Lariat; 176.0" Wheelbase; 85.0in Length		18P97268	
		XL; 165.0" Wheelbase; 73.6in Length		18P97269	
		XL; 176.0" Wheelbase; 85.0in Length		18P97268	
		XLT; 165.0" Wheelbase; 73.6in Length		18P97269	
		XLT; 176.0" Wheelbase; 85.0in Length		18P97268	
	2004-00	189.0" Wheelbase; Except Trans Mounted Parking Brakes		18P97259	
		200.0" Wheelbase; Except Trans Mounted Parking Brakes		18P97260	
	2004-99	126-15/16" Length		18P2680	
		67-3/8" Length		18P2710	
	2003-99	64-5/16" Length		18P2713	
		69-1/4" Length		18P2683	
		83 5/8" Overall Length		18P2714	
		85-7/8" Length		18P95851	
		88-1/4in Length		18P2708	
		91-1/4" Length		18P2709	
	2000	201.0" Wheelbase; Except Trans Mounted Parking Brakes		18P2680	
Front					
Parking Brake Cable	2016-09			18P96922	
	2008			18P97282	
	2007			18P96922	
	2006-05	41.0in Length		18P97280	
	2005	87.625in Length		18P1859	
	2004	87-3/4" Length		18P1859	
	2004-03	40.4" Long		18P97278	
	2003	41.312in Length		18P2087	
	2002-99	41-5/16" Length		18P2087	
	2000	87-5/8in Length		18P1859	
Intermediate					
Parking Brake Cable	2014-13	XL; Center; 185.8" Wheelbase		18P2941	
		XLT; Center; 185.8" Wheelbase		18P2941	
	2007-05	109.1in Length		18P96985	
		109.7in Length		18P96987	
		111.8in Length		18P96986	
		w/ 141" Wheelbase		18P97318	
Rear					
Parking Brake Cable	2016-13	RWD; Except Cab & Chassis	Left	18P97658	
	2015-14	Base; Cab & Chassis	Right	18P2844	
		Lariat; Cab & Chassis	Right	18P2844	
		XL; Cab & Chassis	Right	18P2844	
		XLT; Cab & Chassis	Right	18P2844	
	2015-13	Cab & Chassis	Left	18P2845	

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Parking Brake Cable	2014	Base; Except Cab & Chassis	Right	18P2839	
		King Ranch	Right	18P2839	
		Lariat; Except Cab & Chassis	Right	18P2839	
		Platinum	Right	18P2839	
		XL; Except Cab & Chassis	Right	18P2839	
		XLT; Except Cab & Chassis	Right	18P2839	
	2014-13	4WD; Except Cab & Chassis	Left	18P97657	
	2013	Lariat; Cab & Chassis - Extended Cab	Right	18P2844	
		XL; Cab & Chassis - Extended Cab	Right	18P2844	
		XLT; Cab & Chassis - Extended Cab	Right	18P2844	
	2013-12	King Ranch; Crew Cab Pickup	Right	18P2839	
		Lariat; Crew Cab Pickup	Right	18P2839	
		XL; Crew Cab Pickup	Right	18P2839	
		XLT; Crew Cab Pickup	Right	18P2839	
	2012	Lariat; Cab & Chassis - Crew Cab	Right	18P2839	
		Lariat; Cab & Chassis - Extended Cab	Right	18P2839	
		XL; Cab & Chassis - Crew Cab	Right	18P2839	
		XL; Cab & Chassis - Extended Cab	Right	18P2839	
		XLT; Cab & Chassis - Crew Cab	Right	18P2839	
		XLT; Cab & Chassis - Extended Cab	Right	18P2839	
	2012-11	with Narrow Frame	Left	18P2845	
		with Wide Frame	Left	18P2841	
	2011	with Narrow Frame	Right	18P2844	
		with Wide Frame	Right	18P2839	
	2010-09		Right	18P97301	
				18P97300	
	2008	4 X 2; Except Cab & Chassis	Left	18P97299	
		4 X 4; Except Cab & Chassis	Left	18P97297	
		Cab & Chassis	Left	18P97411	
	2007-05		Left	18P97291	
			Right	18P97292	
	2004	78-1/16" Length; without Dual Rear Wheels	Left	18P2515	
		With Dual Rear Wheels	Left	18P2523	
		with Transmission Mounted Parking Brake	Right	18P2767	
		without Driveline Mounted Parking Brake	Right	18P2524	
	2004-03	Lariat; Except Transmission Mounted Parking Brakes	Right	18P97289	
		XL; Except Transmission Mounted Parking Brakes	Right	18P97289	
		XLT; Except Transmission Mounted Parking Brakes	Right	18P97289	
	2004-02	Except Trans Mounted Parking Brakes	Left	18P97305	
	2003-00	78-1/16" Length	Left	18P2515	

Ford – F-450 Super Duty (Cont.)

Cable (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Parking Brake Cable	2002-99	92-3/4" Length	Right		18P2524	
	2001	Lariat; Except Transmission Mounted Parking Brakes	Right		18P97289	
		XL; Except Transmission Mounted Parking Brakes	Right		18P97289	
		XLT; Except Transmission Mounted Parking Brakes	Right		18P97289	
	2001-00	Except Trans Mounted Parking Brakes; From 1/4/00	Left		18P97305	
	2000	75-3/4in Length	Left		18P2523	
		Lariat; Cab & Chassis; From 12/5/99; Except Transmission Mounted Parking Brakes	Right		18P97289	
		XL; Cab & Chassis; From 12/5/99; Except Transmission Mounted Parking Brakes	Right		18P97289	
		XLT; Cab & Chassis; From 12/5/99; Except Transmission Mounted Parking Brakes	Right		18P97289	
	2000-99	87-15/16" Length	Right		18P2522	
	1999	With Dual Rear Wheels	Left		18P2523	
		without Dual Rear Wheels	Left		18P2515	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2016	King Ranch	Left		18FR12594	
					18FR12594C	
					18FR12594N	
					18R12594	
			Right		18FR12593	
					18FR12593C	
					18FR12593N	
					18R12593	
		Lariat; Cab & Chassis - Crew Cab	Left		18FR2182	
					18FR2182C	
					18R2182	
			Right		18FR2181	
					18FR2181C	
					18R2181	
			Left		18FR2182N	
			Right		18FR2181N	
		Lariat; Cab & Chassis - Extended Cab	Left		18FR2182	
					18FR2182C	
					18R2182	
			Right		18FR2181	
					18FR2181C	
					18R2181	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2016	Lariat; Cab & Chassis - Extended Cab	Right	18R2181	
			Left	18FR2182N	
			Right	18FR2181N	
		Lariat; Crew Cab Pickup	Left	18FR12594	
				18FR12594C	
				18FR12594N	
				18R12594	
			Right	18FR12593	
				18FR12593C	
				18FR12593N	
				18R12593	
			Left	18FR12594	
				18FR12594C	
				18FR12594N	
				18R12594	
			Right	18FR12593	
				18FR12593C	
				18FR12593N	
				18R12593	
		Platinum	Left	18FR12594	
				18FR12594C	
				18FR12594N	
				18R12594	
			Right	18FR12593	
				18FR12593C	
				18FR12593N	
				18R12593	
		XL; Cab & Chassis - Crew Cab	Left	18FR2182	
				18FR2182C	
				18R2182	
			Right	18FR2181	
				18FR2181C	
				18R2181	
			Left	18FR2182N	
			Right	18FR2181N	
		XL; Cab & Chassis - Extended Cab	Left	18FR2182	
				18FR2182C	
				18R2182	
			Right	18FR2181	
				18FR2181C	
				18R2181	
			Left	18FR2182N	
			Right	18FR2181N	
			Left	18FR12594	
				18FR12594C	
				18FR12594N	
				18R12594	
			Right	18FR12593	
				18FR12593C	
				18FR12593N	
				18R12593	

Ford – F-450 Super Duty (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	2016	XLT; Cab & Chassis - Extended Cab	Left		18FR2182	
					18FR2182C	
					18R2182	
			Right		18FR2181	
					18FR2181C	
					18R2181	
		XLT; Crew Cab Pickup	Left		18FR2182N	
					18FR2181N	
			Right		18FR12594	
					18FR12594C	
					18FR12594N	
					18R12594	
					18FR12593	
					18FR12593C	
					18FR12593N	
					18R12593	
	2015-14	with 8 Lug Wheels	Left		18FR12594	
					18FR12594C	
					18FR12594N	
					18R12594	
			Right		18FR12593	
					18FR12593C	
					18FR12593N	
					18R12593	
	2015-11	with 10 Lug Wheels	Left		18FR2182	
					18FR2182C	
					18R2182	
			Right		18FR2181	
					18FR2181C	
					18R2181	
		with 10 Lug Wheels; Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR2181DN	
			Right		18FR2181DN	
		with 10 Lug Wheels	Left		18FR2182N	
			Right		18FR2181N	
	2013	Exc. 10 Lug Wheels	Left		18FR12594	
					18FR12594C	
					18FR12594N	
					18R12594	
			Right		18FR12593	
					18FR12593C	
					18FR12593N	
					18R12593	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2012-11	with 8 Lug Wheels	Left	18FR2176	
				18FR2176C	
				18FR2176N	
				18R2176	
			Right	18FR2175	
				18FR2175C	
				18FR2175N	
				18R2175	
	2010		Left	18FR2182N	
				18FR2182	
				18FR2182C	
				18R2182	
	2010-05	Innovative dual-bleeder design can fit either left or right position without modification	Left	18FR2181DN	
			Right	18FR2181DN	
			Right	18FR2181N	
				18FR2181	
				18FR2181C	
				18R2181	
	2009	with 10 Lug Wheels	Left	18FR2182	
				18FR2182C	
				18R2182	
				18FR2182N	
	2008-05		Left	18FR2182N	
				18FR2182	
				18FR2182C	
				18R2182	
	2004-01		Left	18FR1429	
				18FR1429C	
				18FR1429N	
				18R1429	
			Right	18FR1430	
				18FR1430C	
				18FR1430N	
				18R1430	
	2000	From 3/29/00	Right	18FR1430	
				18FR1430C	
				18FR1430N	
				18R1430	
		To 3/29/00	Left	18FR1430	
				18FR1430C	
				18FR1430N	
				18R1430	

Ford – F-450 Super Duty (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	2000	To 3/29/00	Right		18FR1429	
					18FR1429C	
					18FR1429N	
					18R1429	
	1999		Left		18FR1430	
					18FR1430C	
					18FR1430N	
					18R1430	
			Right		18FR1429	
					18FR1429C	
					18FR1429N	
					18R1429	
	1998-97		Left		18FR810	
					18FR810C	
					18FR810N	
					18R810	
			Right		18FR809	
					18FR809C	
					18FR809N	
					18R809	
Rear						
Disc Brake Caliper	2016	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR2181DN	
			Right		18FR2181DN	
			Left		18FR2182N	
			Right		18FR2181N	
			Left		18FR2182	
					18FR2182C	
					18R2182	
			Right		18FR2181	
					18FR2181C	
					18R2181	
	2015-11	with 10 Lug Wheels	Left		18FR2182	
					18FR2182C	
					18R2182	
			Right		18FR2181	
					18FR2181C	
					18R2181	
		with 10 Lug Wheels; Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR2181DN	
			Right		18FR2181DN	
		with 10 Lug Wheels	Left		18FR2182N	
			Right		18FR2181N	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Disc Brake Caliper	2014-13	with 8 Lug Wheels; Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR12883DN	
			Right		18FR12883DN	
	2012-11	with 8 Lug Wheels	Left		18FR2178	
					18FR2178C	
					18FR2178N	
					18R2178	
			Right		18FR2177	
					18FR2177C	
					18FR2177N	
					18R2177	
	2010-05	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR2181DN	
			Right		18FR2181DN	
			Left		18FR2182N	
			Right		18FR2181N	
			Left		18FR2182	
					18FR2182C	
					18R2182	
			Right		18FR2181	
					18FR2181C	
					18R2181	
	2004-01		Right		18FR1430	
					18FR1430C	
					18FR1430N	
					18R1430	
	2004-99		Left		18FR1429	
					18FR1429C	
					18FR1429N	
					18R1429	
	2000	From 3/29/00	Right		18FR1430	
					18FR1430C	
					18FR1430N	
					18R1430	
		To 3/29/00	Right		18FR1429	
					18FR1429C	
					18FR1429N	
					18R1429	
	1999		Right		18FR1429	
					18FR1429C	
					18FR1429N	
					18R1429	
	1998-97		Left		18FR810	
					18FR810C	

Ford – F-450 Super Duty (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	1998-97	Left		18FR810N	
				18R810	
		Right		18FR809	
				18FR809C	
				18FR809N	
				18R809	
Front					
Disc Brake Caliper Bushing	2021-17			18K1940	
	2016-15	Cab & Chassis - Crew Cab		18K16121	
	2016-14	Crew Cab Pickup		18K1934	
	2015	Extended Cab Pickup		18K1934	
	2013	King Ranch		18K1934	
		Lariat; Cab & Chassis		18K16121	
				18K1934	
			Platinum		18K1934
		XL; Cab & Chassis		18K16121	
				18K1934	
		XLT; Cab & Chassis		18K16121	
				18K1934	
		2013-11	with 10 Lug Wheels		18K16121
	with 8 Lug Wheels			18K1934	
	2012-11	Single Rear Wheels		18K1934	
		With Dual Rear Wheels		18K16121	
	2010-99			18K16121	
	Rear				
Disc Brake Caliper Bushing	2021-17			18K1940	
	2016			18K16121	
	2015	Cab & Chassis - Crew Cab		18K16121	
		Extended Cab Pickup		18K1934	
	2015-14	Crew Cab Pickup		18K1934	
	2013	King Ranch		18K1934	
		Lariat; Cab & Chassis		18K16121	
				18K1934	
			Platinum		18K1934
		XL; Cab & Chassis		18K16121	
				18K1934	
		XLT; Cab & Chassis		18K16121	
				18K1934	
		2013-11	with 10 Lug Wheels		18K16121
	with 8 Lug Wheels			18K1934	
	2012-11	Single Rear Wheels		18K1934	
		With Dual Rear Wheels		18K16121	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper Bushing	2010-99			18K16121	
Front					
Disc Brake Caliper Set	2016	King Ranch			18FR12593KSD
		Lariat; Crew Cab Pickup			18FR12593KSD
		Platinum			18FR12593KSD
		XL; Crew Cab Pickup			18FR12593KSD
		XL; Crew Cab Pickup			18FR12593KSD
	2015-13	Exc. 10 Lug Wheels			18FR12593KSD

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2016	Crew Cab Pickup; 4 X 4; w/ Extended Axle (Fatboy)	Left	18J383860	
	2016-13	Cab & Chassis - Conventional	Left	18J383849	
			Right	18J383850	
		Cab & Chassis - Crew Cab	Left	18J383849	
			Right	18J383850	
		Cab & Chassis - Extended Cab	Left	18J383849	
			Right	18J383850	
		Crew Cab Pickup; 4 X 4; w/ Extended Axle (Fatboy)	Right	18J383861	
		Crew Cab Pickup; w/o Extended Axle (Fatboy)	Left	18J383719	
			Right	18J383720	
	2015	Extended Cab Pickup; 4 X 4; w/ Extended Axle (Fatboy)	Left	18J383860	
			Right	18J383861	
		Extended Cab Pickup; w/o Extended Axle (Fatboy)	Left	18J383719	
			Right	18J383720	
	2014-13	Crew Cab Pickup; 4 X 4; w/ Extended Axle (Fatboy)	Left	18J383860	
	2012-11	Cab & Chassis - Conventional	Left	18J383717	
			Right	18J383718	
		Cab & Chassis - Crew Cab	Left	18J383717	
			Right	18J383718	
		Cab & Chassis - Extended Cab	Left	18J383717	
			Right	18J383718	
		Crew Cab Pickup	Left	18J383719	
			Right	18J383720	
	2011	with Wide Track Front Suspension	Left	18J383723	
			Right	18J383724	
	2010	Cab & Chassis - Conventional; From 02/22/2010	Left	18J383717	
			Right	18J383718	

Ford – F-450 Super Duty (Cont.)

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Brake Hydraulic Hose	2010	Cab & Chassis - Crew Cab; From 02/22/2010	Left		18J383717	
			Right		18J383718	
		Cab & Chassis - Extended Cab; From 02/22/2010	Left		18J383717	
			Right		18J383718	
		Crew Cab Pickup; From 02/22/2010	Left		18J383719	
	Right			18J383720		
	2009-08		Left		18J4240	
			Right		18J4241	
	2007	From 12/18/06	Left		18J4240	
			Right		18J4241	
	2007-06	To 12/17/06	Left		18J4219	
			Right		18J4220	
	2005		Left		18J4219	
			Right		18J4220	
	2004-03	4 X 2	Left		18J1555	
			Right		18J1554	
		4 X 4; Except Electronic Transfer Case & Automatic Locking Hubs	Left		18J1555	
			Right		18J1554	
	2002-99		Left		18J1555	
			Right		18J1554	
	1998-97		Left		18J883	
			Right		18J880	
Rear						
Brake Hydraulic Hose	2016-15	Crew Cab Pickup	Right		18J384444	
	2016-11	Cab & Chassis - Conventional	Left		18J383483	
			Right		18J383484	
		Cab & Chassis - Crew Cab	Left		18J383483	
			Right		18J383484	
		Cab & Chassis - Extended Cab	Left		18J383483	
			Right		18J383484	
		Crew Cab Pickup	Center		18J383481	
	Left			18J4551		
	2015	Extended Cab Pickup	Center		18J383481	
			Left		18J4551	
			Right		18J384444	
	2015-11	Cab & Chassis - Conventional	Center		18J384465	
		Cab & Chassis - Crew Cab	Center		18J384465	
		Cab & Chassis - Extended Cab	Center		18J384465	
	2014-11	Crew Cab Pickup	Right		18J4511	
	2012	10.25" Length	Right		18J4550	
	2010	Cab & Chassis - Conventional; From 02/22/2010	Center		18J384465	
			Left		18J383483	

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Brake Hydraulic Hose	2010	Cab & Chassis - Conventional; From 02/22/2010	Right		18J383484	
		Cab & Chassis - Conventional; To 02/12/2010	Center		18J4221	
			Right		18J383550	
		Cab & Chassis - Crew Cab; From 02/22/2010	Center		18J384465	
			Left		18J383483	
			Right		18J383484	
		Cab & Chassis - Crew Cab; To 02/12/2010	Center		18J4221	
			Right		18J383550	
		Cab & Chassis - Extended Cab; From 02/22/2010	Center		18J384465	
			Left		18J383483	
			Right		18J383484	
		Cab & Chassis - Extended Cab; To 02/12/2010	Center		18J4221	
			Right		18J383550	
		Crew Cab Pickup; From 02/22/2010	Center		18J383481	
			Left		18J4551	
			Right		18J4511	
		Crew Cab Pickup; To 02/12/2010	Center		18J4672	
			Left		18J383721	
			Right		18J383722	
	2010-07	Cab & Chassis	Left		18J4639	
	2009-08	Crew Cab Pickup	Center		18J4672	
			Left		18J383721	
			Right		18J383722	
	2009-05	Cab & Chassis - Conventional	Center		18J4221	
			Right		18J383550	
		Cab & Chassis - Crew Cab	Center		18J4221	
			Right		18J383550	
		Cab & Chassis - Extended Cab	Center		18J4221	
			Right		18J383550	
	2007	Pickup Body	Center		18J4672	
			Right		18J383722	
		Pickup Body; SRW	Left		18J4544	
		with Dual Rear Wheels (DRW); Pickup Body	Left		18J383721	
	2006-05		Left		18J4639	
	2004	Load Level System	Left		18J383312	
	2004-03	Commercial Stripped Chassis	Right		18J383311	
		Stripped & Commercial Chassis	Left		18J4639	
	2004-02	Except Load Level System	Left		18J4386	
			Right		18J4387	
		Load Level System	Right		18J4389	
	2004-99		Center		18J384087	

Ford – F-450 Super Duty (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2003-02	Load Level System	Left	18J4388	
	2001-99		Left	18J4386	
			Right	18J4387	
	1998-97		Center	18J1425	
			Left	18J1341	
			Right	18J1339	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2016-13	with Hydro-Boost		18M2623	
		with Vacuum Booster		18M391496	
	2012-11	with Hydro-Boost; with Trailer Sway Control		18M2627	
		with Vacuum Booster		18M2622	
		without Trailer Sway Control; with Hydro-Boost		18M2623	
	2010	Except Integrated Brake Control; To 02/12/2010		18M2516	
		Integrated Brake Control; To 02/12/2010		18M2514	
		with Hydro-Boost; with Trailer Sway Control; From 02/22/2010		18M2627	
		without Trailer Sway Control; with Hydro-Boost; From 02/22/2010		18M2623	
	2009-08	Except Integrated Brake Control		18M2516	
		Integrated Brake Control		18M2514	
	2007	DIESEL; Except Integrated Brake Control; From 12/18/06		18M2516	
		DIESEL; Integrated Brake Control; From 12/18/06		18M2514	
		GAS; Except Integrated Brake Control; From 12/18/06; To 11/07		18M2513	
		GAS; Integrated Brake Control; From 12/18/06; To 11/07		18M2512	
	2007-06	DIESEL; Except Integrated Brake Control; To 12/17/06		18M2505	
		DIESEL; Integrated Brake Control; To 12/17/06		18M2504	
		GAS; Except Integrated Brake Control; To 12/17/06		18M2474	
		GAS; Integrated Brake Control; To 12/17/06		18M2489	
	2005	DIESEL; Except Integrated Brake Control		18M2505	
		DIESEL; Integrated Brake Control		18M2504	
		GAS; Except Integrated Brake Control		18M2474	
		GAS; Integrated Brake Control		18M2489	
	2004-99	Cruise Control		18M886	
		Except Cruise Control		18M887	

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	1998-97	Except Cruise Control		18M484	
		with Cruise Control		18M766	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2022-17			17D2018MH	
	2016-13	Pickup Body; w/ 8 Lug Wheels		17D1680MH	
				17D1680MHF1	
				17D1680SDH	
	2016-12	with 10 Lug Wheels; Cab & Chassis	14D1066M	17D1066MH	
				17D1066SDH	
	2012	Pickup Body; w/ 8 Lug Wheels	14D1069MH	17D1069MH	
				17D1069SDH	
			14D1069M	17D1069M	
	2011-10	From 02/22/2010; Pickup Body; w/ 8 Lug Wheels	14D1069MH	17D1069MH	
			14D1069M	17D1069SDH	
		with 10 Lug Wheels; From 02/22/2010; Cab & Chassis	14D1066M	17D1066MH	
				17D1066SDH	
	2010	with 10 Lug Wheels; To 02/12/2010; Cab & Chassis	14D1066M	17D1066MH	
				17D1066SDH	
	2009-05		14D1066M	17D1066MH	
				17D1066SDH	
	2004-99		14D777M	17D777MH	
	1998-97		14D411M	17D411M	
Rear					
Disc Brake Pad Set	2022-17			17D2018MH	
	2016-13	Pickup Body; w/ 8 Lug Wheels		17D1691MH	
				17D1691MHF1	
				17D1691SDH	
	2016-12	with 10 Lug Wheels; Cab & Chassis	14D1066M	17D1066MH	
				17D1066SDH	
	2012	Pickup Body; w/ 8 Lug Wheels		17D1334MH	
				17D1334MHF1	
				17D1334SDH	
	2011-10	From 02/22/2010; Pickup Body; w/ 8 Lug Wheels		17D1334MH	
				17D1334MHF1	
				17D1334SDH	
		with 10 Lug Wheels; From 02/22/2010; Cab & Chassis	14D1066M	17D1066MH	
				17D1066SDH	
	2010	with 10 Lug Wheels; To 02/12/2010; Cab & Chassis	14D1066M	17D1066MH	

Ford – F-450 Super Duty (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2010	with 10 Lug Wheels; To 02/12/2010; Cab & Chassis		17D1066SDH	
	2009-05		14D1066M	17D1066MH	
				17D1066SDH	
	2004-99		14D777M	17D777MH	
	1998-97		14D411M	17D411M	
Driveline					
Parking Brake Shoe	2004-99	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
Rear					
Parking Brake Shoe	2020-15			17847B	
	2014-13	Cab & Chassis - Conventional		17847B	
		Cab & Chassis - Crew Cab		17847B	
		Cab & Chassis - Extended Cab		17847B	
		Crew Cab Pickup		171043B	
	2012	with 8 Lug Wheels		17854B	
	2012-05	with 10 Lug Wheels		17847B	
	2011-10	with 8 Lug Wheels; To 02/12/2010		17854B	
	2004-99	Drum In Hat Parking Brake		17772B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2022-19		18A82089A	18A82089	
	2018	4 X 4	18A82089A	18A82089	
	2017		18A82089A	18A82089	
	2016-14	with 8 Lug Wheels	18A81016A	18A81016SD	
			18A81016AC		
	2016-13	with 8 Lug Wheels	18A81016A	18A81016	
			18A81016AC		
	2016-09	with 10 Lug Wheels	18A1799A	18A1799SD	
			18A1799AC		
	2016-05	with 10 Lug Wheels	18A1799A	18A1799	
			18A1799AC		
	2013	Cab & Chassis - Crew Cab		18A81016SD	
		Cab & Chassis - Extended Cab		18A81016SD	
	2012-11	with 8 Lug Wheels	18A1840A	18A1840	
			18A1840AC	18A1840SD	
	2010	with 8 Lug Wheels; From 02/22/2010	18A1840A	18A1840	
			18A1840AC		
		with 8 Lug Wheels; To 02/12/2010	18A1708A	18A1708	
	2009-05	with 8 Lug Wheels	18A1708A	18A1708	
			18A1708AC		

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2008-07			18A1799SD	
	2006-05	with 10 Lug Wheels	18A1799A	18A1799SD	
			18A1799AC		
	2004-03	4 X 4; Rotor Diameter 13.03in; Except 4.88 & 5.38 Gear Ratio	18A968A	18A968SD	
			18A968AC		
	2004-02		18A1194A	18A1194	
			18A1194AC		
	2004-01	4 X 4; Rotor Diameter 13.03in; Except 4.88 & 5.38 Gear Ratio	18A968A	18A968	
			18A968AC		
	2002-01	4 X 4; Except 4.88 & 5.38 Gear Ratio		18A968SD	
	2002-99	4 X 4	18A932A	18A932	
	2001-99	4 X 2	18A1194A	18A1194	
			18A1194AC		
	2000	4 X 4; Except 4.88 & 5.38 Gear Ratio; After 03/99		18A968SD	
		4 X 4; Rotor Diameter 13.03in; Except 4.88 & 5.38 Gear Ratio; After 03/99	18A968A	18A968	
			18A968AC		
	2000-99	4 X 4; To 03/1999; Except 4.88 & 5.38 Gear Ratio	18A916A	18A916	
	1999	4 X 4; Rotor Diameter 13.03in; After 03/99; Except 4.88 & 5.38 Gear Ratio	18A968A	18A968	
			18A968AC	18A968SD	
	1998-97		18A462A	18A462	
Rear					
Disc Brake Rotor	2022-17		18A82158A	18A82158	
	2016-10	with 10 Lug Wheels	18A2435A	18A2435	
			18A2435AC		
	2015-13	with 8 Lug Wheels; Pickup Body	18A81018A	18A81018	
		With Dual Rear Wheels		18A81018SD	
	2012-11	with 8 Lug Wheels	18A1822A	18A1822	
			18A1822AC		
	2010	with 8 Lug Wheels; From 02/22/2010	18A1822A	18A1822	
			18A1822AC		
	2009-05		18A2435A	18A2435	
			18A2435AC		
	2004-02	Hat Shaped 10 Hole Rotor; Non-ABS	18A956A	18A956	
			18A956AC		
		Hat Shaped 10 Hole Rotor; with ABS Ring		18A1688	
	2001-99	Hat Shaped 10 Hole Rotor	18A956A	18A956	
			18A956AC		
	1998-97		18A462A	18A462	

Ford – F-500

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1977-75			18J77	
Rear					
Brake Hydraulic Hose	1977-75			18J84	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1977-75	Power Brakes; Single Hydraulic System; w/ 2 Bolt Mounting; 1" Bore Diameter		18M51	
		Power Brakes; with 18,500lb Rear Axle; with 4 Bolt Mounting; Single Hydraulic System; 1 3/4" Bore Diameter		18M54	
		Power Brakes; with 4 Bolt Mounting; Single Hydraulic System; without 18500lb Rear Axle; 1 1/2" Bore Diameter		18M58	
		Power Brakes; with Dual Hydraulic System; 3/8in-16 Secondary Outlet Thread; w/ 2 Bolt Mounting; 1" Bore Diameter		18M228	
		Power Brakes; with Dual Hydraulic System; 7/16in-24 Secondary Outlet Thread; w/ 2 Bolt Mounting; 1" Bore Diameter		18M39	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Shoe	1977	w/ 14" X 2 1/4" Brakes		17361R	
	1976-75	w/ 14" X 2 1/2" Brakes		17361R	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1977-75	w/ 14" X 2 1/2" Brakes; 1 3/32" Bore Size	Left	18E61	
			Right	18E62	
Rear					
Drum Brake Wheel Cylinder	1977-75	1 1/2" Bore Diameter		18E67	

Ford – F-53 Motorhome Chassis

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	2000-99			18P2087	
	1997			18P2628	
	1996-93			18P1369	

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Parking Brake Cable	1992			18P1264	
	1991-90			18P923	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	2021-11	73mm Dual Piston Calipers; 24,000-26,000 lb. GVW		18FR1514		
				18FR1514N		
				18R1514		
	2009-08	73mm Dual Piston Calipers; 24,000-26,000 lb. GVW		18FR1514		
				18FR1514N		
				18R1514		
	2006	Left		18FR1430		
				18FR1430C		
				18FR1430N		
				18R1430		
			Right		18FR1429	
					18FR1429C	
					18FR1429N	
					18R1429	
		Left		18FR1430		
				18FR1430C		
				18FR1430N		
				18R1430		
			Right		18FR1429	
					18FR1429C	
					18FR1429N	
					18R1429	
	1997-88	Left		18FR810		
				18FR810C		
				18FR810N		
				18R810		
		Right		18FR809		
				18FR809C		
				18FR809N		
				18R809		
Rear						
Disc Brake Caliper	2021-11	24,000-26,000 lb. GVW; w/ 66mm Dual Piston Caliper		18FR1515		
				18FR1515N		
				18R1515		
	2009-08	24,000-26,000 lb. GVW; w/ 66mm Dual Piston Caliper		18FR1515		

Ford – F-53 Motorhome Chassis (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2009-08	24,000-26,000 lb. GVW; w/ 66mm Dual Piston Caliper		18FR1515N	
				18R1515	
	2006	Left		18FR1429	
				18FR1429C	
				18FR1429N	
				18R1429	
		Right		18FR1430	
				18FR1430C	
				18FR1430N	
				18R1430	
	2004-01	Left		18FR1429	
				18FR1429C	
				18FR1429N	
				18R1429	
		Right		18FR1430	
				18FR1430C	
				18FR1430N	
				18R1430	
	2000	Left		18FR1429	
				18FR1429C	
				18FR1429N	
				18R1429	
		Right		18FR1430	
				18FR1430C	
				18FR1430N	
				18R1430	
	1999			18FR1429	
				18FR1429C	
				18FR1429N	
				18R1429	
	1997-88	Left		18FR810	
				18FR810C	
				18FR810N	
				18R810	
		Right		18FR809	
				18FR809C	
				18FR809N	
				18R809	
Front					
Disc Brake Caliper Bushing	2017-14	w/ D786 Pad; 24,000-26,000 lb. GVW		18K1167	
	2017-11	w/ D1066 Pad; 16,000 - 22,000 lb. GVW		18K16121	
	2013-11	73mm Dual Piston Calipers; w/ D786 Pad; 24,000-26,000 lb. GVW		18K1167	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper Bushing	2013-11	w/ D786 Pad; w/ 66mm Dual Piston Caliper; 24,000-26,000 lb. GVW		18K1167	
	2009-08	24000lb to 26000lb GVW		18K1167	
		73mm Dual Piston Calipers; w/ D786 Pad; 24,000-26,000 lb. GVW		18K1167	
		w/ D1066 Pad; 16,000 - 22,000 lb. GVW		18K16121	
		w/ D786 Pad; w/ 66mm Dual Piston Caliper; 24,000-26,000 lb. GVW		18K1167	
	2007-06			18K16121	
	2004-99			18K16121	
Rear					
Disc Brake Caliper Bushing	2017-14	w/ D786 Pad; 24,000-26,000 lb. GVW		18K1167	
	2017-11	w/ D1066 Pad; 16,000 - 22,000 lb. GVW		18K16121	
	2013-11	73mm Dual Piston Calipers; w/ D786 Pad; 24,000-26,000 lb. GVW		18K1167	
		w/ D786 Pad; w/ 66mm Dual Piston Caliper; 24,000-26,000 lb. GVW		18K1167	
	2009-08	24000lb to 26000lb GVW		18K1167	
		73mm Dual Piston Calipers; w/ D786 Pad; 24,000-26,000 lb. GVW		18K1167	
		w/ D1066 Pad; 16,000 - 22,000 lb. GVW		18K16121	
		w/ D786 Pad; w/ 66mm Dual Piston Caliper; 24,000-26,000 lb. GVW		18K1167	
	2007-06			18K16121	
	2004-99			18K16121	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2020-12	24,000-26,000 lb. GVW	Left	18J383977	
			Right	18J383976	
	2013-11	16,000 - 22,000 lb. GVW	Left	18J384089	
	2012-11	16,000 - 22,000 lb. GVW	Right	18J384090	
	2009-08	16,000 - 22,000 lb. GVW	Left	18J384089	
			Right	18J384090	
	2009-07	24,000-26,000 lb. GVW	Left	18J383977	
			Right	18J383976	
	2007-06		Left	18J384089	
			Right	18J384090	
	2004		Left	18J384089	
			Right	18J384090	
	2003-99		Left	18J1547	
			Right	18J1548	
	1997		Left	18J1376	

Ford – F-53 Motorhome Chassis (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Hydraulic Hose	1997	Right		18J1362	
	1996-88	Left		18J881	
		Right		18J880	
Rear					
Brake Hydraulic Hose	2019-15	10.40" Long Left		18J383950	
		8" Long Left		18J384462	
		w/ Hydro-Max; 10.120" Length Right		18J384461	
		w/ Hydro-Max; 11.60" Long Right		18J384017	
	2018-17	Center		18J384052	
	2016-13	20,500 to 26,000 lb. GVW Center		18J384052	
		w/ 16,000 lb. GVW Center		18J384087	
		w/ 16,000 to 20,000 lb. Axle Center		18J384053	
	2016-11	Lower; 24000 Thru 26000 Lb GVW Left		18J383982	
		Right		18J384010	
	2012-11	Center		18J384088	
	2009-06	Center		18J384088	
	2004	Center		18J384088	
	2003-01	Center		18J383978	
	2001-99	15,500 lb. Gross Vehicle Weight; w/ 18,000 lb. GVW		18J1542	
		with 20500lb Gross Vehicle Weight (GVW)		18J1544	
	1997-92	Center		18J1198	
		Right		18J1335	
	1997-89	Left		18J1340	
	1991-89	Center		18J656	
		Right		18J1336	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2020-16	with Cast Iron Cylinder; w/ Hydro-Max; 19,500 Lb. 20,500 Lb. or 22,000 Lb. GVW		18M885	
	2020-13	with Aluminum Cylinder; w/ Hydro-Max; 24,000 & 26000 lb. GVW.		18M391540	
	2015-13	with Cast Iron Cylinder; w/ Hydro-Max; w/ 20,500 or 22,000 or 24,000 or 26,000 lb. GVW		18M885	
	2014-11	w/ Hydro-Boost; 15,700 Lb or 16,000 Lb or 18,000 Lb or 19,500 Lb GVW		18M886	
	2012-11	w/ Hydro-Max; w/ 20,500 or 22,000 or 24,000 or 26,000 lb. GVW		18M885	
	2009-06	w/ Hydro-Boost; 15,700 Lb or 16,000 Lb or 18,000 Lb or 19,500 Lb GVW		18M886	
		w/ Hydro-Max; w/ 20,500 or 22,000 or 24,000 or 26,000 lb. GVW		18M885	
	2004	w/ Hydro-Boost; 15,700 Lb or 16,000 Lb or 18,000 Lb or 19,500 Lb GVW		18M886	

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	2004	w/ Hydro-Max; w/ 20,500 or 22,000 or 24,000 or 26,000 lb. GVW		18M885	
	2003-99	Cruise Control; 15,500 to 18,000 Lb. GVW		18M886	
		w/ 20,500 lb. GVW		18M885	
		w/o Cruise Control; 15,500 to 18,000 Lb. GVW		18M887	
	1997-88	Cruise Control		18M766	
		Except Cruise Control		18M484	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020	To 01/06/2020; 16,000 - 22,000 lb. GVW; w/o Wear Sensors	14D1066M	17D1066MH	
				17D1066SDH	
		To 01/06/2020; 24,000-26,000 lb. GVW		17D786AM	
				17D786AMH	
	2019-18	16,000 - 22,000 lb. GVW; w/o Wear Sensors	14D1066M	17D1066MH	
				17D1066SDH	
		24,000-26,000 lb. GVW		17D786AM	
				17D786AMH	
				17D786AMH	
	2017	24000 Thru 26000 Lb GVW		17D786AM	
				17D786AMH	
	2017-11	16,000 - 22,000 lb. GVW	14D1066M	17D1066MH	
				17D1066SDH	
	2016-11	24,000 & 26000 lb. GVW.		17D786AM	
				17D786AMH	
	2009	24,000 & 26000 lb. GVW.		17D786AM	
				17D786AMH	
	2009-08	16,000 - 22,000 lb. GVW	14D1066M	17D1066MH	
				17D1066SDH	
	2008	24,000-26,000 lb. GVW		17D786AM	
				17D786AMH	
	2007-06		14D1066M	17D1066MH	
				17D1066SDH	
	2004	To 12/04	14D777M	17D777MH	
	2003-99		14D777M	17D777MH	
	1997-88		14D411M	17D411M	
Rear					
Disc Brake Pad Set	2022-21	16,000 - 22,000 lb. GVW; Electronic Wear Sensor		17D786AM	
				17D786AMH	
	2022-18	24,000-26,000 lb. GVW	14D786M	17D786MH	
			14D786MH	17D786MHF1	
	2020	To 01/06/2020; 16,000 - 22,000 lb. GVW; Electronic Wear Sensor		17D1066ASDH	

Ford – F-53 Motorhome Chassis (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2020	To 01/06/2020; 16,000 - 22,000 lb. GVW; w/o Wear Sensors	14D1066M	17D1066MH	
				17D1066SDH	
	2019-18	16,000 - 22,000 lb. GVW; Electronic Wear Sensor		17D1066ASDH	
			14D1066M	17D1066MH	
	2017	24000 Thru 26000 Lb GVW		17D1066SDH	
			14D786M	17D786MH	
	2017-11	16,000 - 22,000 lb. GVW	14D786MH	17D786MHF1	
			14D1066M	17D1066MH	
	2016	24,000-26,000 lb. GVW		17D1066SDH	
			14D786M	17D786MH	
	2015-11	24,000 & 26000 lb. GVW.	14D786MH	17D786MHF1	
			14D786M	17D786MH	
	2009-08	16,000 - 22,000 lb. GVW	14D786MH	17D786MHF1	
			14D1066M	17D1066MH	
	2007-06	24,000 & 26000 lb. GVW.		17D1066SDH	
			14D786M	17D786MH	
	2004-99		14D786MH	17D786MHF1	
			14D777M	17D777MH	
	1997-88		14D777M	17D777MH	
			14D411M	17D411M	

Driveline

Parking Brake Shoe	2021-16	12" X 3" Driveline Parking Brake		17980B	
	2015-11	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
	2009-06	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
	2004-99	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
	1997-90	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rear

Parking Brake Shoe	2021-16	Drum In Hat Parking Brake		17847B	
	2007-06	Drum In Hat Parking Brake		17772B	
	2004-99	Drum In Hat Parking Brake		17772B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020	with Cast In ABS Exciter; To 01/06/2020; 24,000-26,000 lb. GVW	18A1429A	18A1429	
	2019-11	Under 24,000 Lb. GVW	18A956A	18A956	
			18A956AC		
		with Cast In ABS Exciter; 24,000-26,000 lb. GVW	18A1429A	18A1429	
	2009	Under 24,000 Lb. GVW	18A956A	18A956	
			18A956AC		

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2009-08	with Cast In ABS Exciter; 24,000-26,000 lb. GVW	18A1429A	18A1429	
	2008	From 11/2007; Under 24,000 Lb. GVW	18A956A	18A956	
			18A956AC		
	2007-06		18A956A	18A956	
			18A956AC		
	2004-99		18A956A	18A956	
			18A956AC		
1997-88		18A462A	18A462		
Rear					
Disc Brake Rotor	2022-11	with Cast In ABS Exciter; 24,000-26,000 lb. GVW	18A1839A	18A1839	
	2020	To 01/06/2020; w/ 16,000 - 19,500 lb. GVW	18A956A	18A956	
			18A956AC		
			with ABS Ring; To 01/06/2020; w/ 20,500 - 22,000 lb. GVW		18A1688
	2020-15	24,000-26,000 lb. GVW		18A82056	
	2019-16	w/ 16,000 - 19,500 lb. GVW	18A956A	18A956	
			18A956AC		
			with ABS Ring; w/ 20,500 - 22,000 lb. GVW		18A1688
	2015-11	with ABS Ring; Under 24,000 Lb. GVW		18A1688	
	2009-08	with ABS Ring; Under 24,000 Lb. GVW		18A1688	
		with Cast In ABS Exciter; 24,000-26,000 lb. GVW	18A1839A	18A1839	
	2007-06	Non-ABS	18A956A	18A956	
			18A956AC		
			with ABS Ring		18A1688
	2004-02	Non-ABS	18A956A	18A956	
			18A956AC		
			with ABS Ring		18A1688
	2001-99		18A956A	18A956	
			18A956AC		
	1997-88		18A462A	18A462	

Ford – F-550 Super Duty
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2016-13	Lariat; 188.8" Wheelbase		18P2871	
		XL; 188.8" Wheelbase		18P2871	
		XL; 188.8" Wheelbase		18P2871	
	2016-12	Lariat; 140.8" Wheelbase		18P2873	
		Lariat; 161.8" Wheelbase		18P2874	

Ford – F-550 Super Duty (Cont.)

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center (Cont.)					
Parking Brake Cable	2016-12	Lariat; 164.8" Wheelbase		18P2875	
		Lariat; 176.2" Wheelbase		18P2876	
		Lariat; 185.8" Wheelbase		18P2941	
		Lariat; 200.2" Wheelbase		18P2940	
		Lariat; 200.8" Wheelbase		18P2872	
		XL; 140.8" Wheelbase		18P2873	
		XL; 161.8" Wheelbase		18P2874	
		XL; 164.8" Wheelbase		18P2875	
		XL; 176.2" Wheelbase		18P2876	
		XL; 185.8" Wheelbase		18P2941	
		XL; 200.2" Wheelbase		18P2940	
		XL; 200.8" Wheelbase		18P2872	
		XLT; 140.8" Wheelbase		18P2873	
		XLT; 161.8" Wheelbase		18P2874	
		XLT; 164.8" Wheelbase		18P2875	
		XLT; 176.2" Wheelbase		18P2876	
		XLT; 185.8" Wheelbase		18P2941	
		XLT; 200.2" Wheelbase		18P2940	
		XLT; 200.8" Wheelbase		18P2872	
	2011	140.8" Wheelbase		18P2873	
		161.8" Wheelbase		18P2874	
		164.8" Wheelbase		18P2875	
		176.2" Wheelbase		18P2876	
		188.8" Wheelbase		18P2871	
		200.2" Wheelbase		18P2940	
		200.8" Wheelbase		18P2872	
	2010-08	165.0" Wheelbase		18P97034	
		189.0" Wheelbase		18P97029	
		200.0" Wheelbase		18P97030	
		201.0" Wheelbase		18P97031	
	2009-08	162.0" Wheelbase		18P97033	
	2008	141.0" Wheelbase		18P97032	
		176.0" Wheelbase		18P97035	
		186.0" Wheelbase		18P97039	
	2007-05	Lariat; 165.0" Wheelbase; 73.6in Length		18P97269	
		Lariat; 176.0" Wheelbase; 85.0in Length		18P97268	
		XL; 165.0" Wheelbase; 73.6in Length		18P97269	
		XL; 176.0" Wheelbase; 85.0in Length		18P97268	
		XLT; 165.0" Wheelbase; 73.6in Length		18P97269	
		XLT; 176.0" Wheelbase; 85.0in Length		18P97268	
	2004	165.0" Wheelbase		18P2767	
	2004-02	189.0" Wheelbase; Except Trans Mounted Brake		18P97259	

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center (Cont.)					
Parking Brake Cable	2004-02	200.0" Wheelbase; Except Trans Mounted Brake		18P97260	
	2004-00	141.0" Wheelbase		18P2710	
		201.0" Wheelbase		18P2680	
	2003-00	165.0" Wheelbase		18P2709	
	2001-00	189.0" Wheelbase		18P97259	
		200.0" Wheelbase		18P97260	
Front					
Parking Brake Cable	2016-12	Lariat		18P96922	
		XL		18P96922	
		XLT		18P96922	
	2011-07			18P96922	
	2006	41.0in Length		18P97280	
	2005	41" Overall Length		18P97280	
	2005-04	87-3/4" Length		18P1859	
	2004-03	40.4" Long		18P97278	
	2003	87.625in Length		18P1859	
	2002	with Transmission Mounted Parking Brake		18P1859	
		without Driveline Mounted Parking Brake		18P2087	
	2001-99			18P2087	
Intermediate					
Parking Brake Cable	2007-05	w/ 141" Wheelbase		18P97318	
Rear					
Parking Brake Cable	2016-12	Lariat	Left	18P2845	
			Right	18P2844	
		XL	Left	18P2845	
			Right	18P2844	
		XLT	Left	18P2845	
			Right	18P2844	
	2011		Left	18P2845	
			Right	18P2844	
	2010-08	71.5in Length	Left	18P97301	
			Right	18P97301	
		98.3in Length	Left	18P97300	
			Right	18P97300	
	2007-05		Left	18P97291	
			Right	18P97292	
	2004	Except Trans Mounted Parking Brakes; With Dual Rear Wheels	Left	18P97305	
			Right	18P97304	
		Lariat; Except Load Level System; Except Trans Mounted Parking Brakes	Left	18P2515	
			Right	18P97304	

Ford – F-550 Super Duty (Cont.)

Cable (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Parking Brake Cable	2004	XLT; Except Load Level System; Except Trans Mounted Parking Brakes	Right		18P97304	
	2003	Except Trans Mounted Parking Brakes	Left		18P97305	
		Lariat; Except Transmission Mounted Parking Brakes	Right		18P97289	
		XL; Except Transmission Mounted Parking Brakes	Right		18P97289	
		XLT; Except Transmission Mounted Parking Brakes	Right		18P97289	
	2002	Except Self-Leveling Suspension	Left		18P97305	
	2002-01	Lariat; Except Self-Leveling Suspension	Right		18P97304	
		XL; Except Self-Leveling Suspension	Right		18P97304	
		XLT; Except Self-Leveling Suspension	Right		18P97304	
	2001	with Automatic Leveling System	Left		18P97305	
	2001-00	From 1/4/00; Except Self-Leveling Suspension	Left		18P97305	
	2000	Lariat; From 1/4/00; Except Self-Leveling Suspension	Right		18P97304	
		To 01/04/2000; Except Self-Leveling Suspension	Left		18P2523	
			Right		18P2767	
		XL; From 1/4/00; Except Self-Leveling Suspension	Right		18P97304	
		XLT; From 1/4/00; Except Self-Leveling Suspension	Right		18P97304	
	1999		Left		18P2523	
			Right		18P2767	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2016-05	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR2181DN	
			Right		18FR2181DN	
			Left		18FR2182N	
			Right		18FR2181N	
			Left		18FR2182	
					18FR2182C	
					18R2182	
			Right		18FR2181	
					18FR2181C	
					18R2181	
	2004-01		Left		18FR1429	
					18FR1429C	
					18FR1429N	
					18R1429	
			Right		18FR1430	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	2004-01		Right		18FR1430C	
					18FR1430N	
					18R1430	
	2000	From 3/29/00	Left		18FR1429	
					18FR1429C	
					18FR1429N	
					18R1429	
			Right		18FR1430	
					18FR1430C	
					18FR1430N	
					18R1430	
		To 3/29/00	Left		18FR1430	
					18FR1430C	
					18FR1430N	
					18R1430	
			Right		18FR1429	
					18FR1429C	
					18FR1429N	
					18R1429	
	1999	Left		18FR1430		
				18FR1430C		
				18FR1430N		
				18R1430		
		Right		18FR1429		
				18FR1429C		
				18FR1429N		
				18R1429		
Rear						
Disc Brake Caliper	2016-05	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR2181DN	
			Right		18FR2181DN	
			Left		18FR2182N	
			Right		18FR2181N	
			Left		18FR2182	
					18FR2182C	
					18R2182	
			Right		18FR2181	
					18FR2181C	
					18R2181	
	2004-99		Left		18FR1429	
					18FR1429C	
					18FR1429N	
					18R1429	
			Right		18FR1430	

Ford – F-550 Super Duty (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2004-99	Right		18FR1430C	
				18FR1430N	
				18R1430	
Front					
Disc Brake Caliper Bushing	2016-99			18K16121	
Rear					
Disc Brake Caliper Bushing	2016-99			18K16121	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2016-13		Left		18J383849	
			Right		18J383850	
	2012-11		Left		18J383717	
			Right		18J383718	
	2010	From 02/22/2010	Left		18J383717	
			Right		18J383718	
		To 02/12/2010	Left		18J4240	
			Right		18J4241	
	2009-08		Left		18J4240	
			Right		18J4241	
	2007	From 12/18/06	Left		18J4240	
			Right		18J4241	
	2007-06	To 12/17/06	Left		18J4219	
			Right		18J4220	
	2005		Left		18J4219	
			Right		18J4220	
	2004-99		Left		18J1555	
			Right		18J1554	
Rear						
Brake Hydraulic Hose	2016-11		Left		18J383483	
			Right		18J383484	
	2015-11		Center		18J383481	
	2015-04	39" Long			18J384419	
	2010	From 02/22/2010	Center		18J383481	
			Left		18J383483	
			Right		18J383484	
		To 02/12/2010	Center		18J4221	
			Left		18J4639	
			Right		18J383550	
	2009-05		Center		18J4221	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2009-05	Left		18J4639	
		Right		18J383550	
	2004	Except Load Level System Left		18J4639	
		w/o Load Leveling Suspension Right		18J383928	
	2004-02	w/ Load Leveling Left		18J383935	
		Right		18J383937	
	2004-99	Center		18J1544	
	2003-02	Except Load Level System Left		18J4390	
		Right		18J4391	
	2001-99	Left		18J4390	
		Right		18J4391	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2016-13			18M2623	
	2012-11	with Trailer Sway Control		18M2623	
		without Trailer Sway Control		18M2627	
	2010	DIESEL; Except Integrated Brake Control; with Hydraulic Booster; To 02/12/2010		18M2516	
		DIESEL; with Hydraulic Booster; Integrated Brake Control; To 02/12/2010		18M2514	
		GAS; with Vacuum Booster; Except Integrated Brake Control; To 02/12/2010		18M2513	
		GAS; with Vacuum Booster; Integrated Brake Control; To 02/12/2010		18M2512	
		with Trailer Sway Control; From 02/22/2010		18M2623	
		without Trailer Sway Control; From 02/22/2010		18M2627	
	2009-08	DIESEL; Except Integrated Brake Control; with Hydraulic Booster		18M2516	
		DIESEL; with Hydraulic Booster; Integrated Brake Control		18M2514	
		GAS; with Vacuum Booster; Except Integrated Brake Control		18M2513	
		GAS; with Vacuum Booster; Integrated Brake Control		18M2512	
	2007	DIESEL; Except Integrated Brake Control; with Hydraulic Booster; From 12/18/06		18M2516	
		DIESEL; with Hydraulic Booster; Integrated Brake Control; From 12/18/06		18M2514	
		GAS; with Vacuum Booster; Except Integrated Brake Control; From 12/18/06		18M2513	
		GAS; with Vacuum Booster; Integrated Brake Control; From 12/18/06		18M2512	
	2006-05	DIESEL; with Hydraulic Booster; Integrated Brake Control		18M2504	

Ford – F-550 Super Duty (Cont.)

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	2006-05	DIESEL; with Hydraulic Booster; w/o Brake Control Valve		18M2505	
		GAS; with Vacuum Booster; Integrated Brake Control		18M2489	
		GAS; with Vacuum Booster; w/o Brake Control Valve		18M2474	
	2004-99	Cruise Control		18M886	
		w/o Cruise Control		18M887	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2022-17			17D2018MH	
	2016-05		14D1066M	17D1066MH	
				17D1066SDH	
	2004-99		14D777M	17D777MH	
Rear					
Disc Brake Pad Set	2022-17			17D2018MH	
	2016-05		14D1066M	17D1066MH	
				17D1066SDH	
	2004-99		14D777M	17D777MH	
Driveline					
Parking Brake Shoe	2004-99	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
Rear					
Parking Brake Shoe	2020-15			17847B	
	2012-08			17847B	
	2004-99	Drum In Hat Parking Brake		17772B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2022-17		18A82089A	18A82089	
	2016-05		18A1799A	18A1799	
			18A1799AC	18A1799SD	
	2004-02		18A1194A	18A1194	
			18A1194AC		
	2001-99	4WD	18A932A	18A932	
		RWD	18A1194A	18A1194	
18A1194AC					
Rear					
Disc Brake Rotor	2022-17		18A82158A	18A82158	
	2016-05		18A2435A	18A2435	
			18A2435AC		

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2004-02	w/ ABS		18A1688	
		w/o ABS	18A956A	18A956	
			18A956AC		
	2001-99		18A956A	18A956	
			18A956AC		

Ford – F-59 Commercial Stripped Chassis
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	1994-90			18P922	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	2021-11	73mm Dual Piston Calipers; 24,000-26,000 lb. GVW		18FR1514		
				18FR1514N		
				18R1514		
	1997-88	Left		18FR810		
				18FR810C		
				18FR810N		
				18R810		
			Right		18FR809	
					18FR809C	
				18FR809N		
				18R809		
		Rear				
Disc Brake Caliper	2021-11	24,000-26,000 lb. GVW; w/ 66mm Dual Piston Caliper		18FR1515		
				18FR1515N		
				18R1515		
	1997-88	Left		18FR810		
				18FR810C		
				18FR810N		
				18R810		
			Right		18FR809	
					18FR809C	
				18FR809N		
				18R809		
		Front				
Disc Brake Caliper Bushing	2017-11			18K16121		

Ford – F-59 Commercial Stripped Chassis (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper Bushing	2017-11			18K16121	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Brake Hydraulic Hose	2020-11	24,000-26,000 lb. GVW	Left		18J383977	
			Right		18J383976	
	1997		Left		18J1376	
			Right		18J1362	
	1996-88		Left		18J881	
			Right		18J880	
Rear						
Brake Hydraulic Hose	2019-15	10.40" Long	Left		18J383950	
		8" Long	Left		18J384462	
		w/ Hydro-Max; 10.120" Length	Right		18J384461	
		w/ Hydro-Max; 11.60" Long	Right		18J384017	
	2018		Center		18J384052	
	2017	w/ Hydro-Max	Center		18J384052	
		with Hydro-Boost	Center		18J384053	
	2016-13	20,500 to 26,000 lb. GVW	Center		18J384052	
		w/ 16,000 to 20,000 lb. Axle	Center		18J384053	
	2016-11	Lower; 24000 Thru 26000 Lb GVW	Left		18J383982	
			Right		18J384010	
		w/ 16,000 lb. GVW	Center		18J384077	
	2012-11	w/ 20,500 lb. GVW; w/ 23,000 lb. GVW	Center		18J384088	
	1994-92		Center		18J1198	
			Right		18J1335	
	1994-89		Left		18J1340	
	1991-89		Center		18J656	
			Right		18J1336	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2020-16	with Cast Iron Cylinder; w/ Hydro-Max; 19,500 Lb. 20,500 Lb. or 22,000 Lb. GVW		18M885	
	2020-13	with Aluminum Cylinder; w/ Hydro-Max; 24,000 & 26000 lb. GVW.		18M391540	
	2015-13	with Cast Iron Cylinder; w/ Hydro-Max; w/ 20,500 or 22,000 or 24,000 or 26,000 lb. GVW		18M885	
	2012-11	w/ Hydro-Max; w/ 20,500 or 22,000 or 24,000 or 26,000 lb. GVW		18M885	
	1997-88	Cruise Control		18M766	

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	1997-88	Except Cruise Control		18M484	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020	To 01/06/2020; 16,000 - 22,000 lb. GVW; w/o Wear Sensors	14D1066M	17D1066MH	
				17D1066SDH	
		To 01/06/2020; 24,000 & 26000 lb. GVW.		17D786AM	
				17D786AMH	
		with Wear Sensors; To 01/06/2020; 16,000 - 22,000 lb. GVW		17D1066BSDH	
	2019-18	16,000 - 22,000 lb. GVW; w/o Wear Sensors	14D1066M	17D1066MH	
				17D1066SDH	
		with Wear Sensors; 16,000 - 22,000 lb. GVW		17D1066BSDH	
	2019-11	24,000 & 26000 lb. GVW.		17D786AM	
				17D786AMH	
	2017-11	16,000 - 22,000 lb. GVW	14D1066M	17D1066MH	
				17D1066SDH	
	1997-88		14D411M	17D411M	
Rear					
Disc Brake Pad Set	2021-11	24,000-26,000 lb. GVW	14D786M	17D786MH	
			14D786MH	17D786MHF1	
	2020	To 01/06/2020; 16,000 - 22,000 lb. GVW; w/o Wear Sensors	14D1066M	17D1066MH	
				17D1066SDH	
		with Wear Sensors; To 01/06/2020; 16,000 - 22,000 lb. GVW		17D1066ASDH	
	2019-18	16,000 - 22,000 lb. GVW; w/o Wear Sensors	14D1066M	17D1066MH	
				17D1066SDH	
		with Wear Sensors; 16,000 - 22,000 lb. GVW		17D1066ASDH	
	2017-11	16,000 - 22,000 lb. GVW	14D1066M	17D1066MH	
				17D1066SDH	
	1997-88		14D411M	17D411M	
Driveline					
Parking Brake Shoe	2021-16	12" X 3" Driveline Parking Brake		17980B	
	1997-90	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
Rear					
Parking Brake Shoe	2021-16	Drum In Hat Parking Brake		17847B	

Ford – F-59 Commercial Stripped Chassis (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020	with Cast In ABS Exciter; To 01/06/2020; 24,000-26,000 lb. GVW	18A1429A	18A1429	
	2019-11	Under 24,000 Lb. GVW	18A956A	18A956	
			18A956AC		
		with Cast In ABS Exciter; 24,000-26,000 lb. GVW	18A1429A	18A1429	
	1997-88		18A462A	18A462	
Rear					
Disc Brake Rotor	2022-11	with Cast In ABS Exciter; 24,000-26,000 lb. GVW	18A1839A	18A1839	
	2020	From 01/06/2020; 24,000-26,000 lb. GVW		18A82056	
		To 01/06/2020; w/ 16,000 - 19,500 lb. GVW	18A956A	18A956	
			18A956AC		
		with ABS Ring; To 01/06/2020; w/ 20,500 - 22,000 lb. GVW		18A1688	
	2019-16	w/ 16,000 - 19,500 lb. GVW	18A956A	18A956	
			18A956AC		
		with ABS Ring; w/ 20,500 - 22,000 lb. GVW		18A1688	
	2015-11	with ABS Ring; Under 24,000 Lb. GVW		18A1688	
	1997-88		18A462A	18A462	

Ford – F-600

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1994-84	2.88 Dual Piston Dayton Caliper		18FR815	
		w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1994-86	32.62 Length		18J394	
	1985-84	Front Disc; Rear Drum; 32.62 Length		18J394	
	1985-80	Front Drum; Rear Drum; w/ 5,500 lb. Axle		18J393	
		Front Drum; Rear Drum; with 6000lb & 7000lb Front Axle; Single System	Left	18J314	
			Right	18J389	
		Front Drum; Rear Drum; with 6000lb & 7000lb Front Axle; Split System	Left Upper	18J391	
			Lower	18J388	
			Right Lower	18J389	

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Brake Hydraulic Hose	1985-80	Front Drum; Rear Drum; with 6000lb & 7000lb Front Axle; Split System	Right Upper		18J392	
		Front Drum; Rear Drum; with 9,000lb Front Axle; Single System	Left		18J385	
			Right Upper		18J384	
			Front Drum; Rear Drum; with 9,000lb Front Axle; Split System	Left Upper		18J385
		Lower			18J387	
		Right Lower			18J386	
		Right Upper		18J384		
	1983-80	Front Disc; Rear Drum; Single System; w/ 5,500 lb. Axle			18J393	
		Front Disc; Rear Drum; Split System	Left		18J388	
			Right Front		18J392	
			Right Rear		18J389	
		Front Disc; Rear Drum; Split System; without Monobeam Axle(s)			18J391	
	Rear					
Brake Hydraulic Hose	1994-84				18J893	
	1983-80	Single System; w/ 5,500 lb. Axle; w/ 7,000 lb. Axle; w/ 6,000 lb. Axle			18J84	
		Split System; Forward Port			18J84	
		Split System; Rearward Position			18J75	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1994-84	Supplied without Check Valve		18M315	
	1980	Front Disc; Rear Drum; Power Brakes; GAS; with Single System Hydro-Vac; with Vacuum Booster		18M249	
		Front Drum; Rear Drum; Manual Brakes; GAS; 1 1/2" Bore Diameter		18M249	
	1979			18M58	
	1972-70	w/ 1" Master Cylinder Bore		18M51	
		with 14in x 4in Front Brakes; with Dual System Hydro-Vac		18M181	
		with Dual System Hydro-Vac; w/ 15" X 3" Front Brakes		18M22	
				18M36127	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1994-90	w/ 2.88" Dual Piston Dayton Caliper		17D236M	
	1994-84	2.50" Dual Piston Caliper		17D224M	
				17D224MH	

Ford – F-600 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	1988-84	w/ 2.88" Dual Piston Dayton Caliper		17D236M	
Front					
Drum Brake Shoe	1983-80	w/ 14" X 2 1/2" Brakes		17361R	
		w/ 15" X 3" Brakes		17321R	
Rear					
Drum Brake Shoe	1994-84	with 15in x 5in Brakes		17542R	
		with 15in x 6in Brakes		17543R	
	1983-80	with 15in x 6in Brakes		17381R	
		with 15in x 7in Brakes		17383R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Drum	1994-93	with 8 Bolt Holes; with 15in x 4in Brakes; w/ 7,000 lb. Front Axle		18B309	
	1991	with 10 Bolt Holes; with 15in x 4in Brakes		18B307	
Front					
Disc Brake Rotor	1994	From 11/1993; Hat Shaped; 10 Hole Rotor	18A1220A	18A1220	
	1994-84	U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		
		U Shaped 6 Hole Rotor; 8-3/4" Bolt Circle	18A341A		
	1993	Hat Shaped 6 Hole Rotor; To 10/1993		18A178	
	1993-84	Hat Shaped; 10 Hole Rotor	18A1220A	18A1220	
	1992-84	Hat Shaped 6 Hole Rotor		18A178	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1983-80	1 3/32" Bore Size; w/ 14" Brakes; w/ 5,500 lb. Axle	Left	18E215	
			Right	18E216	
		Bore 1-1/8in; with 15in Front Brakes; with 6000lb & 7000lb Front Axle; Single Hydraulic System; w/ 7,500 lb. Front Axle	Left Lower	18E52	
			Left Upper	18E90	
			Right Lower	18E53	
			Right Upper	18E91	
			Left Upper	18E78	
			Right Upper	18E79	
		w/ 14" X 2 1/2" Brakes; w/ 6,000 lb. Axle; 1 3/32" Bore Size	Left	18E61	
			Right	18E62	
	1971	w/ 14" x 2 1/2" Front Brakes; 1 1/16" Bore Diameter; Bendix Brakes	Left	18E574	
			Right	18E575	

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear						
Drum Brake Wheel Cylinder	1994-84	with 15in x 5in Rear Brakes; with 15in x 6in Rear Brakes; Expander Assembly; When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced; 1 3/4" Bore Diameter	Left Rearward		18E418	
			Right Rearward		18E419	
		with 15in x 5in Rear Brakes; with 15in x 6in Rear Brakes; 1 5/8" Bore Diameter	Right Forward		18E279	
			Left Forward		18E280	
		with 15in x 5in Rear Brakes; with 15in x 6in Rear Brakes; When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced; 1 3/4" Bore Diameter	Left Forward		18E278	
			Right Forward		18E277	
	1989-84	with 15in x 4in Brakes; 1 1/2" Bore Diameter			18E67	
	1983-80	with 13000lb Axle(s); with 15in x 5in Rear Brakes; with 15,000lb Rear Axle; w/ 15" x 4" Rear Brakes; 1 1/2" Bore Diameter			18E67	
		with 15in x 5in Rear Brakes; with 17,500lb Rear Axle; 1 5/8" Bore Diameter			18E70	
		with 15in x 6in Rear Brakes; with 17,500lb Rear Axle; 1 1/2" Bore Diameter			18E73	
	1970	with 15in x 4in Brakes; Lower; 1 1/2" Bore Diameter; Bendix Brakes			18E594	
		with 15in x 4in Brakes; Upper; 1 1/2" Bore Diameter; Bendix Brakes			18E599	

Ford – F-650
Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2021	70mm 4 Piston Calipers; To 3/21	Left		18FR12845N	
			Right		18FR12846N	
	2019-15	64mm 4 Piston Calipers	Left		18FR12847N	
			Right		18FR12848N	
		70mm 4 Piston Calipers	Left		18FR12845N	
			Right		18FR12846N	
	2013-09	64mm 4 Piston Calipers	Left		18FR12847N	
			Right		18FR12848N	
		70mm 4 Piston Calipers	Left		18FR12845N	
			Right		18FR12846N	
	2008-04	73mm Bosch Caliper			18FR1514	
					18FR1514N	
					18R1514	
		w/ 66mm Bosch Dual Piston Caliper			18FR1515	
					18FR1515N	
					18R1515	

Ford – F-650 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	2003-00	Caliper Inlet With Tube Seat; 70mm 4 Piston Calipers	Left		18FR2497	
					18FR2497N	
					18R2497	
		Right		18FR2496		
				18FR2496N		
Rear						
Disc Brake Caliper	2023-21	70mm 4 Piston Calipers	Left		18FR12846N	
			Right		18FR12845N	
	2019-15	64mm 4 Piston Calipers	Left		18FR12847N	
			Right		18FR12848N	
		70mm 4 Piston Calipers	Left		18FR12846N	
			Right		18FR12845N	
	2013-09	64mm 4 Piston Calipers	Left		18FR12847N	
			Right		18FR12848N	
		70mm 4 Piston Calipers	Left		18FR12846N	
			Right		18FR12845N	
	2008-04	73mm Bosch Caliper			18FR1514	
					18FR1514N	
					18R1514	
		w/ 66mm Bosch Dual Piston Caliper			18FR1515	
					18FR1515N	
					18R1515	
	2003-00	64mm 4 Piston Calipers; 17,000 - 19,000 lb. Axle	Left		18FR2503N	
			Right		18FR2502N	
					18R2502	
		Caliper Inlet With Tube Seat; 70mm 4 Piston Calipers	Left		18FR2497	
					18FR2497N	
					18R2497	
			Right		18FR2496	
					18FR2496N	
		w/ 2.50" Dual Piston Dayton Caliper			18FR814	
				18FR814N		
				18R814		
Front						
Disc Brake Caliper Piston	2002-00	70mm 4 Piston Calipers			18K2420	
Rear						
Disc Brake Caliper Piston	2002-00	70mm 4 Piston Calipers			18K2420	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2015	38" Long; Except Low Profile		18J383377	
		4 Piston Caliper; 35" Long		18J383918	
		Low Profile; 33" Long		18J383375	
		w/ 15N1T Front Axle	Left	18J384417	
	2013	w/ 15N1T Front Axle	Right	18J384417	
			Left	18J384417	
			Right	18J384417	
			Left	18J384417	
	2013-09	4 Piston Caliper; 35" Long		18J383918	
	2013-04	Low Profile; 33" Long		18J383375	
	2013-03	38" Long; Except Low Profile		18J383377	
Rear					
Brake Hydraulic Hose	2015	39" Long		18J382796	
		43" Long		18J383911	
	2013-04	39" Long		18J382796	
		43" Long		18J383911	
	2003-00		Inner	18J384419	
			Right Lower	18J384418	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2022-21			18M391540	
	2019-16			18M391540	
	2015	Bosch Cylinder Casting Number 2239045		18M391540	
	2013-04	Bosch Cylinder Casting Number 2239045		18M391540	
	2003-00			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-21		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2019-15		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2013-09		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2008-04	73mm Bosch Caliper		17D786AM	
				17D786AMH	
		w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
	2003-00		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	

Ford – F-650 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Pad Set	2023-21		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2019-15		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2013-09		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2008-04	73mm Bosch Caliper		17D786AM	
				17D786AMH	
		w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
	2003-00	4 Piston Dayton Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
		w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Driveline					
Parking Brake Shoe	2023-21	12" X 3" Driveline Parking Brake		17980B	
	2019-15	12" X 3" Driveline Parking Brake		17980B	
	2013-00	12" X 3" Driveline Parking Brake		17980B	
	2003-00	w/ Automatic Transmission; w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-21		18A2887A	18A2887	
	2019-15		18A2887A	18A2887	
	2013-09		18A2887A	18A2887	
	2008-04	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
	2003-00	Hat Shaped 10 Hole Rotor		18A2436	
Rear					
Disc Brake Rotor	2023-21		18A2887A	18A2887	
	2019-15		18A2887A	18A2887	
	2013-09		18A2887A	18A2887	
	2008-04	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
	2003-00	Hat Shaped 10 Hole Rotor; 17,000 - 19,000 lb. Axle		18A2411	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2003-00	U Shaped 10 Hole Rotor; w/ 21,000 to 23,000 lb Rear Axle		18A8554	

Ford – F-700
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1998-84	2.88 Dual Piston Dayton Caliper		18FR815	
		w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1998-86	32.62 Length		18J394	
	1985-84	Front Disc; Rear Drum; 32.62 Length		18J394	
	1985-80	Front Drum; Rear Drum; w/ 5,500 lb. Axle		18J393	
		Front Drum; Rear Drum; with 6000lb & 7000lb Front Axle; Single Hydraulic System	Left	18J388	
			Right	18J389	
		Front Drum; Rear Drum; with 6000lb & 7000lb Front Axle; Split System	Left Upper	18J391	
			Lower	18J388	
			Right Lower	18J389	
			Right Upper	18J392	
		Front Drum; Rear Drum; with 9000lb GVW Front Axle; Single System	Left	18J385	
			Right	18J384	
		Front Drum; Rear Drum; with 9000lb GVW Front Axle; Split System	Left Upper	18J385	
			Lower	18J387	
			Right Lower	18J386	
			Right Upper	18J384	
	1983-80	Front Disc; Rear Drum; Single System; w/ 5,500 lb. Axle		18J393	
		Front Disc; Rear Drum; Split System	Right Front	18J392	
			Right Rear	18J389	
		Front Disc; Rear Drum; Split System; without Monobeam Axle(s)		18J391	
		Front Disc; Rear Drum; with 6000lb & 7000lb Front Axle; Single System	Left	18J388	
			Right	18J389	
	1979-77	Single Hydraulic System; 4WD		18J555	
	1976-73	with 15in Brakes; Dual Hydraulic System; 4WD; To Serial # Q30,000	Left	18J552	

Ford – F-700 (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Hydraulic Hose	1976-73	with 15in Brakes; Dual Hydraulic System; 4WD; To Serial # Q30,000	Right	18J552	
Rear					
Brake Hydraulic Hose	1998-84			18J893	
	1983-80			18J84	
	1979-77	4WD; Dual Hydraulic System	Center	18J555	
	1976-73	with 15in Brakes; Located On Master Cylinder; 4WD; w/ 14" Brakes		18J555	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1998-84	Supplied without Check Valve		18M315	
	1983	Power Brakes; with Dual Hydraulic Cylinder; with Hydraulic Booster		18M317	
	1983-80	Power Brakes; Single Hydraulic System; with Vacuum Booster		18M249	
	1982-80	Power Brakes; with Hydraulic Booster; Dual Brake System		18M317	
	1979-77	with 1-1/2in Master Cylinder Bore; with Single System Hydro-Vac		18M58	
	1979-73	with 14in x 2-1/2in Front Brakes; with Dual System Hydro-Vac		18M181	
		with Dual System Hydro-Vac; w/ 15" X 3" Front Brakes		18M22	
	1975-73	From Serial # Q2001; 1 1/2" Bore Diameter		18M58	
		To Serial # Q2000; 1 1/2" Bore Diameter		18M36127	
	1970	with Single System Hydro-Vac; w/ 1 3/4" Master Cylinder Bore		18M36177	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1998-84	2.50" Dual Piston Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Dayton Caliper		17D236M	
Front					
Drum Brake Shoe	1983-80			17321R	
Rear					
Drum Brake Shoe	1998-94	with 15in x 5in Brakes		17542R	
	1998-89	with 15in x 6in Rear Brakes		17543R	
	1988-84	with 15in x 6in Brakes		17543R	
	1983-80	with 15in x 6in Brakes		17381R	
		with 15in x 7in Brakes		17383R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Drum	1998-93	with 1.265in Bolt Diameter; with 12000lb & 14600lb Front Axle; with 16.5in x 5in Brakes; with 8.78in Diameter Hub Hole; with 16in x 5in Brakes; w/ ABS Brakes		18B327	
		with 1.265in Bolt Diameter; with 16.5in x 5in Brakes; with 8.78in Diameter Hub Hole; with 10 Bolt Holes; w/ ABS Brakes; 12,000 Pound Axle		18B327	
		with 1.28in Bolt Diameter; with 10 Bolt Hole Mounting; with 12000lb Axle(s); with 8.78in Diameter Hub Hole; with 16in x 5in Brakes; w/ ABS Brakes		18B313	
		with 1.28in Bolt Diameter; with 10000lb & 12000lb Front Axle; with 8.78in Diameter Hub Hole; BSN Wheels; with 10 Bolt Holes; with 15in x 4in Brakes		18B348	
		with 8 Bolt Holes; with 15in x 4in Brakes; w/ 7,000 lb. Front Axle		18B309	
	1998-92	Non-ABS; with .858in Bolt Diameter; with 10000lb & 12000lb Front Axle; with 8.378in Diameter Hub Hole; BSN Wheels; with 10 Bolt Holes; with 15in x 4in Brakes		18B311	
	1993-91	with 10 Bolt Holes; with 15in x 4in Brakes		18B307	
	1992	with 1.28in Bolt Diameter; with 10000lb & 12000lb Front Axle; with 8.78in Diameter Hub Hole; BSN Wheels; From 04/1992; with 10 Bolt Holes; with 15in x 4in Brakes		18B348	
	1992-90	Non-ABS; with 16.5in x 5in Brakes; 20in and 22in Spoke Wheels; 12,000 Pound Axle		18B312	

Rear

Brake Drum	1998-90	with 15in x 7in Brakes; w/ 23,000 lb. GVW		18B391	

Front

Disc Brake Rotor	1998-94	with 14.75in Diameter Rotor; Hat Shaped; 10 Hole Rotor		18A691	
	1998-84	U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		
		U Shaped 6 Hole Rotor; 8-3/4" Bolt Circle	18A341A		
	1997-84	with 15.37in Diameter Rotor; with 3.40in Overall Height; Stepped Hat 10 Hole Rotor		18A1414	
	1993	with 14.75in Diameter Rotor; From 11/1993; Hat Shaped; 10 Hole Rotor		18A691	
	1993-84	Hat Shaped 6 Hole Rotor		18A178	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1983-80	Bore 1-1/4in; Single Hydraulic System	Left Upper	18E92	
			Right Upper	18E93	
		Bore 1-1/4in; with Dual Hydraulic Cylinder	Left Lower	18E71	
			Left Upper	18E94	

Ford – F-700 (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Drum Brake Wheel Cylinder	1983-80	Bore 1-1/4in; with Dual Hydraulic Cylinder	Right Lower		18E72	
			Right Upper		18E95	
		Bore 1-1/8in	Left Lower		18E52	
			Right Lower		18E53	
		Bore 1-1/8in; Single Hydraulic System	Left Upper		18E90	
			Right Upper		18E91	
		Bore 1-1/8in; with Dual Hydraulic Cylinder	Left Upper		18E78	
			Right Upper		18E79	
Rear						
Drum Brake Wheel Cylinder	1998-91	Expander Assembly; with 15in x 7in Brakes; with 15in x 6in Brakes; 1 5/8" Bore Diameter	Left Rearward		18E418	
			Right Rearward		18E419	
		with 15in x 7in Brakes; with 15in x 6in Brakes; 1 5/8" Bore Diameter	Left Forward		18E280	
	1998-84	Expander Assembly; When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced; with 15in x 5in Brakes; 1 3/4" Bore Diameter	Left Rearward		18E418	
			Right Rearward		18E419	
		When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced; with 15in x 5in Brakes; 1 3/4" Bore Diameter	Left Forward		18E278	
			Right Forward		18E277	
		with 15in x 7in Brakes; with 15in x 6in Brakes; 1 5/8" Bore Diameter	Right Forward		18E279	
	1989-84	Expander Assembly; with 15in x 7in Brakes; with 15in x 6in Brakes; 1 5/8" Bore Diameter	Left Rearward		18E418	
			Right Rearward		18E419	
		with 15in x 7in Brakes; with 15in x 6in Brakes; 1 5/8" Bore Diameter	Left Forward		18E280	
	1983-80	with 15in x 5in Brakes; 1 5/8" Bore Diameter			18E70	
		with 15in x 7in Brakes; with 15in x 6in Brakes; 1 1/2" Bore Diameter			18E73	

Ford – F-7000

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	1987-84	w/ 2.50" Dual Piston Dayton Caliper			18FR814	
					18FR814N	
					18R814	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper	1987-84	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1979-77	Located at Master Cylinder; 2wd; Dual Hydraulic System		18J555	
		Single Hydraulic System; 4WD		18J555	
	1976-73	with 15in Brakes; Dual Hydraulic System; 4WD; To Serial # Q30,000	Left	18J552	
			Right	18J552	
Rear					
Brake Hydraulic Hose	1987-84			18J893	
	1976-73	4WD; Dual Hydraulic System	Center	18J555	
		Located at Master Cylinder; with 15in Brakes; 4WD; w/ 14" Brakes		18J555	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1987-84			18M315	
	1970			18M36127	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1987-84	2.50" Dual Piston Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Caliper		17D236M	
Rear					
Drum Brake Shoe	1987-84	with 15in x 6in Brakes		17543R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1987-84	Hat Shaped 6 Hole Rotor		18A178	
		U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		

Ford – F-750

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2021	To 3/21	Left		18FR12845N	
			Right		18FR12846N	
	2019-16		Left		18FR12845N	
			Right		18FR12846N	
	2015	70mm 4 Piston Calipers	Left		18FR12845N	
			Right		18FR12846N	
	2013-09	70mm 4 Piston Calipers	Left		18FR12845N	
			Right		18FR12846N	
	2008-04	73mm Dual Piston Calipers			18FR1514	
					18FR1514N	
					18R1514	
		w/ 66mm Dual Piston Pin Slide Caliper			18FR1515	
					18FR1515N	
					18R1515	
	2003-00	Caliper Inlet With Tube Seat; 70mm 4 Piston Calipers	Left		18FR2497	
					18FR2497N	
					18R2497	
			Right		18FR2496	
					18FR2496N	
Rear						
Disc Brake Caliper	2022-21		Left		18FR12846N	
			Right		18FR12845N	
	2019-16		Left		18FR12846N	
			Right		18FR12845N	
	2015	64mm 4 Piston Calipers	Left		18FR12847N	
			Right		18FR12848N	
		70mm 4 Piston Calipers	Left		18FR12846N	
			Right		18FR12845N	
	2013-09	64mm 4 Piston Calipers	Left		18FR12847N	
			Right		18FR12848N	
		70mm 4 Piston Calipers	Left		18FR12846N	
			Right		18FR12845N	
	2008-04	73mm Dual Piston Calipers			18FR1514	
					18FR1514N	
					18R1514	
		w/ 66mm Dual Piston Pin Slide Caliper			18FR1515	
					18FR1515N	
					18R1515	
	2003-00	64mm 4 Piston Calipers	Left		18FR2503N	
			Right		18FR2502N	
					18R2502	
		Caliper Inlet With Tube Seat; 70mm 4 Piston Calipers	Left		18FR2497	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Disc Brake Caliper	2003-00	Caliper Inlet With Tube Seat; 70mm 4 Piston Calipers	Left		18FR2497N	
					18R2497	
			Right		18FR2496	
				18FR2496N		
		w/ 2.50" Dual Piston Dayton Caliper		18FR814		
				18FR814N		
				18R814		
Front						
Disc Brake Caliper Bushing	2008-04	66mm Or 73mm Dual Piston Pin Slide Caliper			18K1167	
Rear						
Disc Brake Caliper Bushing	2008-04	66mm Or 73mm Dual Piston Pin Slide Caliper			18K1167	
Front						
Disc Brake Caliper Piston	2002-00	70mm 4 Piston Calipers			18K2420	
Rear						
Disc Brake Caliper Piston	2002-00	70mm 4 Piston Calipers			18K2420	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2015	4 Piston Caliper; 35" Long		18J383918	
		w/ Wide Track Front Suspension		18J384417	
	2013	w/ Wide Track Front Suspension		18J384417	
	2013-09	4 Piston Caliper; 35" Long		18J383918	
	2008-03	38" Long; Except Low Profile		18J383377	
Rear					
Brake Hydraulic Hose	2015	39" Long		18J382796	
		43" Long		18J383911	
	2013-04	39" Long		18J382796	
		43" Long		18J383911	
	2003-00	Inner		18J384419	
		Right Lower		18J384418	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2019-16			18M391540	
	2015	Bosch Cylinder Casting Number 2239045		18M391540	
	2013-04	Bosch Cylinder Casting Number 2239045		18M391540	
	2003-00			18M391540	

Ford – F-750 (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2022-21		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2019-15		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2013-09		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2008-04	73mm Bosch Caliper		17D786AM	
				17D786AMH	
		w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
2003-00		14D1032MH	17D1032MH		
		14D1032MX	17D1032MX		
Rear					
Disc Brake Pad Set	2022-21		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2019-15		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2013-09		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2008-04	73mm Bosch Caliper		17D786AM	
				17D786AMH	
		w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
	2003-00	Meritor 4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
		w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Driveline					
Parking Brake Shoe	2022-21	12" X 3" Driveline Parking Brake		17980B	
	2019-15	12" X 3" Driveline Parking Brake		17980B	
	2013-00	12" X 3" Driveline Parking Brake		17980B	
	2003-00	w/ Automatic Transmission; w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2022-21		18A2887A	18A2887	
	2019-15		18A2887A	18A2887	
	2013-09		18A2887A	18A2887	
	2008-04	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2008-04	Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
	2003-00	Hat Shaped 10 Hole Rotor		18A2436	
Rear					
Disc Brake Rotor	2022-21		18A2887A	18A2887	
	2019-15		18A2887A	18A2887	
	2013-09		18A2887A	18A2887	
	2008-04	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
	2003-00	Hat Shaped 10 Hole Rotor; w/ 17,000 to 19,000 lb. Axle		18A2411	
		U Shaped 10 Hole Rotor; w/ 21,000 to 23,000 lb Rear Axle		18A8554	

Ford – F-800
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1999-84	2.88 Dual Piston Dayton Caliper		18FR815	
		w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
	1980			18FR815	
Rear					
Disc Brake Caliper	1980			18FR815	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1999-84			18J394	
	1983	Front Disc; Rear Drum		18J394	
		Front Drum; Rear Drum; Single System; w/ 7,000 lb. Axle	Left	18J388	
			Right	18J389	
		Front Drum; Rear Drum; Single System; w/ 9,000 lb. Axle	Left	18J385	
			Right	18J384	
		Front Drum; Rear Drum; Split System; w/ 9,000 lb. Axle	Left Upper	18J385	
			Lower	18J387	
			Right Lower	18J386	
			Right Upper	18J384	
	1982-81	Split System; w/ 9,000 lb. Axle	Left Upper	18J385	

Ford – F-800 (Cont.)

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Brake Hydraulic Hose	1982-81	Split System; w/ 9,000 lb. Axle	Lower		18J387	
			Right Lower		18J386	
			Right Upper		18J384	
	1982-80	Single System; w/ 7,000 lb. Axle	Left		18J388	
			Right		18J389	
		Single System; w/ 9,000 lb. Axle	Left		18J385	
			Right		18J384	
	1980	Split System; Lower; w/ 9,000 lb. Axle	Right		18J386	
					18J387	
		Split System; Upper; w/ 9,000 lb. Axle	Left		18J385	
Right			18J384			
Rear						
Brake Hydraulic Hose	1999-90				18J893	
	1989-88	Single Rear Wheel Axle			18J893	
	1987-84				18J893	
	1983-80	Single System			18J84	
		Split System; Forward Port			18J84	
		Split System; Rearward Position			18J75	

Master Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1999-84	Supplied without Check Valve; 2.50" Dual Piston Caliper; 1 3/4" Bore Diameter			18M315	
		Supplied without Check Valve; w/ 2.88" Dual Piston Caliper; 2" Bore Diameter			18M312	
	1980	Power Brakes; with Hydraulic Booster; with Split Hydro-Max			18M317	
		Power Brakes; with Single System Hydro-Vac			18M249	
		Power Brakes; with Vacuum Booster			18M249	

Pads & Shoes

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Pad Set	1999-84	2.50" Dual Piston Caliper			17D224M	
					17D224MH	
	1999-83	w/ 2.88" Dual Piston Dayton Caliper			17D236M	
Front						
Drum Brake Shoe	1984-80				17321R	
Rear						
Drum Brake Shoe	1998-85	with 15in x 6in Brakes			17543R	
	1984	Front Disc			17543R	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Shoe	1984	Front Drum		17381R	
		Front Drum; Optional		17383R	
	1983-80	with 15in x 6in Brakes		17381R	
		with 15in x 7in Brakes		17383R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Drum	1995-93	with 10 Bolt Holes; with 16.5in x 6in Brakes		18B347	
	1995-90	with 6 Bolt Holes; with 16.5in x 6in Brakes		18B315	
Rear					
Brake Drum	1998-90	with 15in x 7in Rear Brakes; 20in Spoke Wheels; w/ 23,000 lb. GVW		18B391	
Front					
Disc Brake Rotor	1999-95	with 15.37in Diameter Rotor; with 3.40in Overall Height; Hat Shaped; 10 Hole Rotor	18A1220A	18A1220	
	1999-94	with 14.75in Diameter Rotor; Hat Shaped; 10 Hole Rotor		18A691	
	1999-84	U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		
		U Shaped 6 Hole Rotor; 8-3/4" Bolt Circle	18A341A		
	1994	with 15.37in Diameter Rotor; with 3.40in Overall Height; From 11/1993; Hat Shaped; 10 Hole Rotor	18A1220A	18A1220	
	1993	with 15.37in Diameter Rotor; with 3.40in Overall Height; Hat Shaped; 10 Hole Rotor	18A1220A	18A1220	
	1993-84	Hat Shaped 6 Hole Rotor		18A178	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1983-81	Bore 1-1/8in	Left Lower	18E52	
			Right Lower	18E53	
		Bore 1-1/8in; Single Hydraulic System; w/ 15" X 3" Brakes	Left Upper	18E90	
			Right Upper	18E91	
		Bore 1-1/8in; with Dual Hydraulic System; w/ 15" X 3" Brakes	Left Upper	18E78	
			Right Upper	18E79	
	1980	1 1/8" Bore Diameter	Left Lower	18E52	
			Right Lower	18E53	
		Single Hydraulic System; w/ 15" X 3" Brakes; 1 1/8" Bore Diameter	Left Upper	18E90	
			Right Upper	18E91	

Ford – F-800 (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Drum Brake Wheel Cylinder	1980	with Dual Hydraulic System; w/ 15" X 3" Brakes; 1 1/8" Bore Diameter	Left Upper		18E78	
			Right Upper		18E79	
Rear						
Drum Brake Wheel Cylinder	1998	Expander Assembly; When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced; with 15in x 5in Brakes; 1 3/4" Bore Diameter	Left Rearward		18E418	
			Right Rearward		18E419	
		Expander Assembly; with 15in x 7in Brakes; with 15in x 6in Brakes; 1 5/8" Bore Diameter	Left Rearward		18E418	
			Right Rearward		18E419	
	1998-84	When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced	Left Forward		18E278	
			Right Forward		18E277	
	1996	Expander Assembly; with 15in x 7in Brakes; with 15in x 5in Brakes; with 15in x 6in Brakes; 1 3/4" Bore Diameter; 1 5/8" Bore Diameter	Left Rearward		18E418	
			Right Rearward		18E419	
	1990	with 15in x 7in Brakes; with 15in x 6in Brakes	Right Forward		18E279	
			Left Forward		18E280	
	1983-80	with 15in x 5in Brakes	Left		18E70	
			Right		18E70	
		with 15in x 7in Brakes; with 15in x 6in Brakes	Left		18E73	
			Right		18E73	

Ford – F-8000

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear						
Brake Hydraulic Hose	1987-84				18J893	

Master Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1987-84	with Dual System Hydro-Max			18M315	
	1983				18M36127	

Pads & Shoes

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Pad Set	1987-83	2.50" Dual Piston Caliper			17D224M	
					17D224MH	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	1987-83	w/ 2.88" Dual Piston Caliper		17D236M	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1987-84	Hat Shaped 6 Hole Rotor		18A178	
		U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	1987-84	When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced	Left Forward	18E278	
			Right Forward	18E277	

Ford – F-Super Duty
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Parking Brake Cable	1997			18P1954		
	1996-92			18P1665		
	1991-88			18P921		
Intermediate						
Parking Brake Cable	1997-96	53-1/8" Length		18P1776		
		59-1/8" Length		18P1777		
		75-3/16" Length		18P1783		
		77-1/8" Length		18P1778		
		88-1/2" Length		18P2624		
		without Ambulance Package; 36-15/16" Length		18P1786		
Rear						
Parking Brake Cable	1997	with Transmission Mounted Parking Brake	Right		18P2767	
	1997-96		Left		18P1250	
	1996		Right		18P1249	
	1995-92	with Ambulance Package	Left		18P1250	
			Right		18P1249	
		without Ambulance Package	Left		18P1248	
			Right		18P1247	
	1991-90	with Ambulance Package	Left		18P900	
			Right		18P901	
		without Ambulance Package	Left		18P743	
		Right		18P387		

Ford – F-Super Duty (Cont.)

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1997-88	Left		18FR810	
				18FR810C	
				18FR810N	
				18R810	
		Right		18FR809	
				18FR809C	
				18FR809N	
				18R809	
Rear					
Disc Brake Caliper	1997-88	Left		18FR810	
				18FR810C	
				18FR810N	
				18R810	
		Right		18FR809	
				18FR809C	
				18FR809N	
				18R809	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	1997	30.375in Length	Right		18J1362	
	1997-96	with 15.77in Overall Length; 2 Threaded Port(s)	Left		18J1376	
	1997-88	23.71" Overall Length	Left		18J883	
		26.30" Length	Right		18J880	
	1995-88	1 Threaded Port(s); 24.625in Length	Left		18J881	
Rear						
Brake Hydraulic Hose	1997	16.32" Length	Center		18J1425	
	1997-92	11.15" Length	Left		18J1341	
		17-1/2in Length	Center		18J1198	
		47-1/2" Length	Right		18J1334	
		48-1/2in Length	Right		18J1335	
	1997-89	12.120" Length	Left		18J1340	
	1997-88	11.30" Long	Right		18J1339	
	1996-92	20.5" Length	Center		18J953	
	1991-89	17-1/4in Length	Center		18J656	
		47-1/2" Length	Right		18J1336	
	1991-88	21" Long	Center		18J882	
		26.30" Length	Left		18J880	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1997-88	Cruise Control		18M766	
		Except Cruise Control		18M484	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1997-88		14D411M	17D411M	
Rear					
Disc Brake Pad Set	1997-88		14D411M	17D411M	
Driveline					
Parking Brake Shoe	1997-88	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1997-88		18A462A	18A462	
Rear					
Disc Brake Rotor	1997-88		18A462A	18A462	

Ford – FT800
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1990-88	2.88 Dual Piston Dayton Caliper		18FR815	
		w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
	1986-84	2.88 Dual Piston Dayton Caliper		18FR815	
		w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1990			18J394	
	1985-84	with 6000lb & 7000lb Front Axle; Single System	Left	18J388	
			Right	18J389	
		with 6000lb & 7000lb Front Axle; Split System	Lower	18J388	
			Right Lower	18J389	
		with 9000lb GVW Front Axle; Single System	Left	18J385	

Ford – FT800 (Cont.)

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)							
Brake Hydraulic Hose	1985-84	with 9000lb GVW Front Axle; Single System	Right		18J384		
		with 9000lb GVW Front Axle; Split System	Left Upper		18J385		
			Right Upper		18J384		
	1985-83	Split System; Lower; To 9000 GVW	Right		18J386		
					18J387		
		Split System; Upper; w/ 6,000 - 7,000 lb. Front Axle	Left		18J391		
			Right		18J392		
		w/ 5,500 lb. Axle			18J393		
	1983	Front Disc; Rear Drum; Single System	Left		18J388		
			Right		18J389		
		Front Disc; Rear Drum; Split System	Left Front		18J391		
			Left Rear		18J388		
			Right Front		18J392		
			Right Rear		18J389		
		Single System; To 9000 GVW	Left		18J385		
		Single System; w/ 6,000 - 7,000 lb. Front Axle	Left		18J388		
			Right		18J389		
		Single System; w/ 9,000 lb. GVW	Right		18J384		
		Split System; Lower; w/ 6,000 - 7,000 lb. Front Axle	Right		18J389		
					18J388		
		Split System; Upper; To 9000 GVW	Left		18J385		
	Split System; Upper; w/ 9,000 lb. GVW	Right		18J384			
	Rear						
	Brake Hydraulic Hose	1990				18J893	
1983		Front Disc; Rear Drum; Regular Cab; Split System; Super Cab			18J84		
		Front Disc; Rear Drum; Single System			18J84		

Master Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1990-88	Power Brakes; with Hydraulic Booster; with Split Hydro-Max; 2" Bore			18M312	
	1986-83	Power Brakes; with Hydraulic Booster; with Split Hydro-Max; 2" Bore			18M312	
	1983	Power Brakes; with Hydraulic Booster; with Split Hydro-Max; 1 3/4" Bore Diameter			18M317	
		Power Brakes; with Vacuum Booster			18M249	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1990-88	2.50" Dual Piston Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Dayton Caliper		17D236M	
	1986-83	2.50" Dual Piston Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Dayton Caliper		17D236M	
Front					
Drum Brake Shoe	1984-83			17321R	
Rear					
Drum Brake Shoe	1984	Front Disc; Optional		17543R	
		Front Drum		17381R	
	1984-83	Front Drum; Optional		17383R	
	1983	Front Drum; Primary		17381R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1990-88	Hat Shaped 6 Hole Rotor		18A178	
		U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		
		U Shaped 6 Hole Rotor; 8-3/4" Bolt Circle	18A341A		
	1986-84	U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		
		U Shaped 6 Hole Rotor; 8-3/4" Bolt Circle	18A341A		
	1986-83	Hat Shaped 6 Hole Rotor		18A178	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	1990-88	Left Forward		18E278	
		Right Forward		18E277	
	1986-84	Left Forward		18E278	
		Right Forward		18E277	

Ford – FT8000
Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1987-83			18J893	

Ford – FT8000 (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1987-83	2.50" Dual Piston Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Caliper		17D236M	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1987-83	Hat Shaped 6 Hole Rotor		18A178	
		U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		

Ford – FT900

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1998-90			18J893	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1998-85	w/ 2.88" Dual Piston Caliper		17D236M	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1998-85	U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		

Ford – L800

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1984	2.88 Dual Piston Dayton Caliper		18FR815	
		w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1984	Forward Port; From Serial # Q30001; Split System; w/ 15" X 3" Brakes		18J394	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Hydraulic Hose	1983-80	with 15in Brakes; Dual Hydraulic System	Left	18J330	
			Right	18J330	
			Left	18J390	
			Right	18J390	
Rear					
Brake Hydraulic Hose	1985-84			18J893	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1984	Power Brakes; with Hydraulic Booster; with Split Hydro-Max		18M315	
	1983-80	Manual Brakes; Single Hydraulic System; with 15in Brakes		18M177	
		Power Brakes; 6000lb or 7000lb or 9000lb Front Axle with 17500lb or 18500lb Rear Axle; with Hydraulic Booster; with 15in Brakes		18M176	
		Power Brakes; 7000lb or 9000lb Front Axle with 18500lb or 22000lb Rear Axle; with Hydraulic Booster; with 15in Brakes		18M178	
		Power Brakes; with Dual Hydraulic System; w/ 14" Brakes		18M175	
	1980	Manual Brakes; 6000lb or 7000lb or 9000lb Front Axle with 17500lb or 18500lb Rear Axle; with Dual Hydraulic Cylinder		18M176	
		Manual Brakes; 7000lb or 9000lb Front Axle with 18500lb or 22000lb Rear Axle; with Dual Hydraulic Cylinder		18M178	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1985-84	2.50" Dual Piston Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Caliper		17D236M	
Front					
Drum Brake Shoe	1984-80			17321R	
Rear					
Drum Brake Shoe	1984	Front Disc		17543R	
		Front Drum		17381R	
		Front Drum; Optional		17383R	
	1983-81	with 15in x 6in Brakes		17381R	
		with 15in x 7in Brakes		17383R	
	1980	Optional		17383R	
		Primary		17381R	

Ford – L800 (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1985-84	Hat Shaped 6 Hole Rotor		18A178	
		U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		
	1984	U Shaped 6 Hole Rotor; 8-3/4" Bolt Circle	18A341A		

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front							
Drum Brake Wheel Cylinder	1983-81	Bore 1-1/4in; Single System; w/ 15" X 3" Brakes	Left Lower		18E71		
			Left Upper		18E92		
			Right Lower		18E72		
			Right Upper		18E93		
		Bore 1-1/8in; Single System; w/ 15" X 3" Brakes	Left Upper		18E90		
			Right Upper		18E91		
		Bore 1-1/8in; w/ 15" X 3" Brakes	Left Lower		18E52		
			Right Lower		18E53		
		Bore 1-1/8in; with Dual Hydraulic Cylinder; w/ 15" X 3" Brakes	Left Upper		18E78		
			Right Upper		18E79		
		1983-80	w/ 14" X 2 1/2" Brakes; w/ 6,000 lb. Axle; 1 3/32" Bore Size	Left		18E61	
				Right		18E62	
	1980	Single System; w/ 15" X 3" Brakes; 1 1/4" Bore Diameter	Left Lower		18E71		
			Left Upper		18E92		
			Right Lower		18E72		
			Right Upper		18E93		
		Single System; w/ 15" X 3" Brakes; 1 1/8" Bore Diameter	Left Upper		18E90		
			Right Upper		18E91		
		w/ 15" X 3" Brakes; 1 1/8" Bore Diameter	Left Lower		18E52		
			Right Lower		18E53		
		with Dual Hydraulic Cylinder; w/ 15" X 3" Brakes; 1 1/8" Bore Diameter	Left Upper		18E78		
			Right Upper		18E79		
Rear							
Drum Brake Wheel Cylinder	1984	Expander Assembly; When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced; with 15in x 5in Brakes; 1 3/4" Bore Diameter	Left Rearward		18E418		
			Right Rearward		18E419		
		Expander Assembly; with 15in x 7in Brakes; with 15in x 6in Brakes; 1 5/8" Bore Diameter	Left Rearward		18E418		

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	1984	Expander Assembly; with 15in x 7in Brakes; with 15in x 6in Brakes; 1 5/8" Bore Diameter	Right Rearward	18E419	
		with Dual Hydraulic Cylinder; When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced; with 15in x 5in Brakes; 1 3/4" Bore Diameter	Left Forward	18E278	
			Right Forward	18E277	
		with Dual Hydraulic Cylinder; with 15in x 7in Brakes; with 15in x 6in Brakes; 1 5/8" Bore Diameter	Right Forward	18E279	
			Left Forward	18E280	
	1983-81	with 15in x 5in Brakes; 1 5/8" Bore Diameter; Kelsey Hayes Brakes		18E70	
	1983-80	w/ 16" X 6" Brakes; 1 3/4" Bore Diameter		18E26	
		with 15in x 6in Brakes; 1 5/8" Bore Diameter		18E23	
		with 15in x 7in Brakes; with 15in x 6in Brakes; 1 3/4" Bore Diameter; 34000 # Axle; w/ 18,500 lb. Axle		18E26	
	1980	with 15in x 5in Brakes; Kelsey Hayes Brakes; 1 5/8" Bore Diameter		18E70	

Ford – L8000
Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1988-84			18J893	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1988-84	with Dual System Hydro-Max		18M315	
	1983-81	with 14 X 2-1/2in Front Brakes; with Dual System Hydro-Vac		18M181	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1988-85	w/ 2.88" Dual Piston Caliper		17D236M	
	1988-84	2.50" Dual Piston Caliper		17D224M	
				17D224MH	
	1984	w/ 2.88" Dual Piston Dayton Caliper		17D236M	

Ford – L8000 (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1988-84	Hat Shaped 6 Hole Rotor		18A178	

Ford – L8000F

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1994-87			18J893	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1994-87	2.50" Dual Piston Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Caliper		17D236M	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1994-87	Hat Shaped 6 Hole Rotor		18A178	
		U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		

Ford – L9000

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1983-81	Left		18J390	
Rear					
Brake Hydraulic Hose	1994-84			18J893	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1994-84	2.50" Dual Piston Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Caliper		17D236M	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1994-84	Hat Shaped 6 Hole Rotor		18A178	
		U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		

Ford – LCF
Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2010-06		Left		18FR2182N	
			Right		18FR2181N	
			Left		18FR2182	
					18FR2182C	
					18R2182	
			Right		18FR2181	
					18FR2181C	
					18R2181	
	2007-06	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR2181DN	
			Right		18FR2181DN	
Rear						
Disc Brake Caliper	2010-06		Left		18FR2182N	
			Right		18FR2181N	
			Left		18FR2182	
					18FR2182C	
					18R2182	
			Right		18FR2181	
					18FR2181C	
					18R2181	
	2007-06	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR2181DN	
			Right		18FR2181DN	

Front					
Disc Brake Caliper Bushing	2010-06			18K16121	
Rear					
Disc Brake Caliper Bushing	2010-06			18K16121	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2010-06	Right		18J383949	
Rear					
Brake Hydraulic Hose	2010-06	25" Long		18J383931	

Ford – LCF (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2010-06	41" Long		18J382796	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2010-06		14D1066M	17D1066MH	
				17D1066SDH	
Rear					
Disc Brake Pad Set	2010-06		14D1066M	17D1066MH	
				17D1066SDH	
Rear					
Parking Brake Shoe	2010-08			17854B	
	2007-06			17847B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2010-06		18A2435A	18A2435	
			18A2435AC		
Rear					
Disc Brake Rotor	2010-06		18A2435A	18A2435	
			18A2435AC		

Ford – LN600

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	1983-81	with 89-1/2in Overall Length		18P1041	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1985-84	2.88 Dual Piston Dayton Caliper		18FR815	
		w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	1985-80	Front Drum; Rear Drum; Split System	Lower		18J395	
	1983-80	Front Disc; Rear Drum; Split System; w/ 14" Brakes; 7/16" - 24 Thread			18J24	
		Front Disc; Rear Drum; Split System; with 15in Brakes	Upper		18J18	
		Front Disc; Rear Drum; Split System; with 15in Brakes; 7/16" - 24 Thread			18J24	
		Front Disc; Rear Drum; with 3/8in x 16 Threads; Split System; w/ 14" Brakes	Left		18J77	
			Right		18J77	
		Front Disc; Rear Drum; with 3/8in x 16 Threads; Split System; with 15in Brakes	Lower		18J77	
Rear						
Brake Hydraulic Hose	1985-84				18J893	
	1983-80	Single Hydraulic System			18J84	
		Split System	Lower		18J75	
			Upper		18J84	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1985-84	Power Brakes; with Hydro-Boost; with Split Hydro-Max		18M315	
	1983-80	Single Hydraulic System; w/ 2 Bolt Mounting; 31/32" Bore Size		18M40	
		with 14in x 2-1/2in Front Brakes; with 4 Bolt Mounting; with Dual Hydraulic System; 1 3/4" Bore Diameter		18M175	
		with 4 Bolt Mounting; 9000lb Front Axle With 18500lb Rear Axle; with Dual Hydraulic System; w/ 15" X 3" Front Brakes; 1 3/4" Bore Diameter		18M176	
		with 4 Bolt Mounting; with Dual Hydraulic System; Except 9000lb Front Axle With 18500lb Rear Axle; w/ 15" X 3" Front Brakes; 1 3/4" Bore Diameter		18M178	
		with Dual Hydraulic System; 3/8in-16 Secondary Outlet Thread; w/ 2 Bolt Mounting; 1" Bore Diameter		18M228	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1985-84	2.50" Dual Piston Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Dayton Caliper		17D236M	
Front					
Drum Brake Shoe	1983	with 14in x 2-1/2in Front Brakes		17361R	
	1983-80	w/ 14" X 2 1/2" Brakes		17361R	
		w/ 15" X 3" Brakes		17321R	

Ford – LN600 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Shoe	1985-84	with 15in x 5in Brakes		17542R	
		with 15in x 6in Rear Brakes; Optional		17543R	
	1983-80	with 15in x 6in Brakes		17381R	
		with 15in x 7in Brakes		17383R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1985-84	Hat Shaped 6 Hole Rotor		18A178	
		U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		
		U Shaped 6 Hole Rotor; 8-3/4" Bolt Circle	18A341A		

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1983	w/ 14" Brakes; w/ 5,500 lb. Axle; 1 3/32" Bore Size	Left		18E215	
			Right		18E216	
	1982-80	Bore 1-1/8in; with 15in Front Brakes; with 6000lb & 7000lb Front Axle	Left Lower		18E52	
			Right Lower		18E53	
		Bore 1-1/8in; with 15in Front Brakes; with 6000lb & 7000lb Front Axle; Single Hydraulic System	Left Upper		18E90	
			Right Upper		18E91	
		Bore 1-1/8in; with 15in Front Brakes; with 6000lb & 7000lb Front Axle; with Dual Hydraulic System	Left Upper		18E78	
			Right Upper		18E79	
	with 5000lb Axle(s); w/ 14" Brakes; w/ 5,500 lb. Axle; w/ 6,000 lb. Axle; 1 3/32" Bore Size	Left		18E215		
		Right		18E216		
Rear						
Drum Brake Wheel Cylinder	1985-84	Expander Assembly; with 15in x 7in Brakes; with 15in x 6in Brakes; 1 5/8" Bore Diameter	Left Rearward		18E418	
			Right Rearward		18E419	
		with 15in x 5in Rear Brakes; Expander Assembly; When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced; 1 3/4" Bore Diameter	Left Rearward		18E418	
			Right Rearward		18E419	
		with 15in x 5in Rear Brakes; When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced; 1 3/4" Bore Diameter	Left Forward		18E278	
			Right Forward		18E277	
		with 15in x 7in Brakes; with 15in x 6in Brakes; 1 5/8" Bore Diameter	Right Forward		18E279	
			Left Forward		18E280	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	1982-80	with 15in x 5in Rear Brakes; with 15,000lb Rear Axle; 1 1/2" Bore Diameter		18E67	
		with 15in x 5in Rear Brakes; with 17,500lb Rear Axle; 1 5/8" Bore Diameter		18E70	
		with 17,500lb Rear Axle; with 15in x 6in Brakes; 1 5/8" Bore Diameter		18E23	

Ford – LN700
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	1983-81	with 89-1/2in Overall Length		18P1041	
	1983-80	78-7/8" Length		18P121	
		82-1/4" Length		18P1040	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1985-84	2.88 Dual Piston Dayton Caliper		18FR815	
		w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	1985-80	Front Drum; Rear Drum; Split System	Lower		18J395	
	1983-80	Front Disc; Rear Drum; 25-7/8in Length; Split System; with 15in Brakes	Lower		18J77	
		Front Disc; Rear Drum; Split System; w/ 14" Brakes			18J24	
		Front Disc; Rear Drum; Split System; with 15in Brakes	Upper		18J18	
		Front Disc; Rear Drum; Split System; with 15in Brakes; 15-3/8" Length	Lower		18J24	
Rear						
Brake Hydraulic Hose	1986-84				18J893	
	1983-80	Single Hydraulic System			18J84	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1985-84	Front Disc; Rear Drum; with Dual Hydraulic System		18M315	
	1983-80	Single Hydraulic System; w/ 2 Bolt Mounting; 31/32" Bore Size		18M40	

Ford – LN700 (Cont.)

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	1983-80	with 14in x 2-1/2in Front Brakes; with 4 Bolt Mounting; with Dual Hydraulic System; 1 3/4" Bore Diameter		18M175	
		with 4 Bolt Mounting; 9000lb Front Axle With 18500lb Rear Axle; with Dual Hydraulic System; w/ 15" X 3" Front Brakes; 1 3/4" Bore Diameter		18M176	
		with 4 Bolt Mounting; with Dual Hydraulic System; Except 9000lb Front Axle With 18500lb Rear Axle; w/ 15" X 3" Front Brakes; 1 3/4" Bore Diameter		18M178	
		with Dual Hydraulic System; 3/8in-16 Secondary Outlet Thread; w/ 2 Bolt Mounting; 1" Bore Diameter		18M228	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1986	w/ 2.88" Dual Piston Caliper		17D236M	
	1986-84	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
	1985-84	w/ 2.88" Dual Piston Dayton Caliper		17D236M	
Front					
Drum Brake Shoe	1983-80	Optional		17321R	
Rear					
Drum Brake Shoe	1985-84	with 15in x 6in Brakes		17543R	
	1983-80	with 15in x 6in Brakes		17381R	
		with 15in x 7in Brakes		17383R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1986-84	Hat Shaped 6 Hole Rotor; w/ 2.50" Dual Piston Dayton Caliper		18A178	
		U Shaped 6 Hole Rotor; w/ 2.88" Dual Piston Caliper; 11-1/4" Bolt Circle	18A179A		
	1985-84	U Shaped 6 Hole Rotor; 8-3/4" Bolt Circle	18A341A		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	1985-84	Expander Assembly; When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced; 1 3/4" Bore Diameter	Left Rearward	18E418	
			Right Rearward	18E419	
		1 5/8" Bore Diameter	Right Forward	18E279	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	1985-84	1 5/8" Bore Diameter	Left Forward	18E280	
		When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced; 1 3/4" Bore Diameter	Left Forward	18E278	
			Right Forward	18E277	

Ford – LN7000
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1997-95	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
	1997-84	2.88 Dual Piston Dayton Caliper		18FR815	
	1990-84	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1997-84			18J893	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1991-84	with Dual System Hydro-Max		18M315	
	1983-81	Single Hydraulic System; w/ 2 Bolt Mounting; 31/32" Bore Size		18M40	
		with Dual Hydraulic System; 3/8in-16 Secondary Outlet Thread; w/ 2 Bolt Mounting; 1" Bore Diameter		18M228	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1997-84	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Caliper		17D236M	
Front					
Drum Brake Shoe	1983-81			17321R	

Ford – LN7000 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Shoe	1997-84	with 15in x 6in Brakes		17543R	
	1983-81	with 15in x 6in Brakes		17381R	
		with 15in x 7in Brakes		17383R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Drum	1997-93	with 1.265in Bolt Diameter; with 12000lb & 14600lb Front Axle; with 16.5in x 5in Brakes; with 8.78in Diameter Hub Hole; with 16in x 5in Brakes; w/ ABS Brakes		18B327	
		with 1.28in Bolt Diameter; with 10 Bolt Hole Mounting; with 12000lb Axle(s); with 8.78in Diameter Hub Hole; with 16in x 5in Brakes; w/ ABS Brakes		18B313	
		with 1.28in Bolt Diameter; with 10000lb & 12000lb Front Axle; with 8.78in Diameter Hub Hole; BSN Wheels; with 10 Bolt Holes; with 15in x 4in Brakes		18B348	
		with 8 Bolt Holes; with 15in x 4in Brakes; w/ 7,000 lb. Front Axle		18B309	
	1997-92	Non-ABS; with .858in Bolt Diameter; with 10000lb & 12000lb Front Axle; with 8.378in Diameter Hub Hole; BSN Wheels; with 10 Bolt Holes; with 15in x 4in Brakes		18B311	
	1992	with 1.28in Bolt Diameter; with 10000lb & 12000lb Front Axle; with 8.78in Diameter Hub Hole; BSN Wheels; From 04/1992; with 10 Bolt Holes; with 15in x 4in Brakes		18B348	
	1992-90	Non-ABS; with 12000lb Axle(s); with 16.5in x 5in Brakes; 20in and 22in Spoke Wheels		18B312	
Rear					
Brake Drum	1995-90	Front Drum; Rear Drum; 20in Spoke Wheels; with 15in x 7in Brakes; w/ 23,000 lb. GVW		18B391	
Front					
Disc Brake Rotor	1997-84	Hat Shaped 6 Hole Rotor; w/ 2.50" Dual Piston Dayton Caliper		18A178	
		U Shaped 6 Hole Rotor; 8-3/4" Bolt Circle; w/ 2.88" Dual Piston Caliper	18A341A		
		U Shaped 6 Hole Rotor; w/ 2.88" Dual Piston Caliper; 11-1/4" Bolt Circle	18A179A		

Ford – LN800

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1984	2.88 Dual Piston Dayton Caliper		18FR815	
		w/ 2.50" Dual Piston Dayton Caliper		18FR814	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	1984	w/ 2.50" Dual Piston Dayton Caliper		18FR814N	
				18R814	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1984			18J394	
	1983-80	Left		18J390	
		Right		18J390	
Rear					
Brake Hydraulic Hose	1985-84			18J893	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1984	Power Brakes; with Hydraulic Booster; with Split Hydro-Max		18M315	
	1983-80	Power Brakes; 6000lb or 7000lb or 9000lb Front Axle with 17500lb or 18500lb Rear Axle; with Split Hydro-Max; with 15in Brakes; 1 3/4" Bore Diameter		18M176	
		Power Brakes; 7000lb or 9000lb Front Axle with 18500lb or 22000lb Rear Axle; with 15in Brakes; 1 3/4" Bore Diameter		18M178	
		Power Brakes; Single Hydraulic System; with 15in Brakes; 1 3/4" Bore Diameter		18M177	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1985	w/ 2.88" Dual Piston Caliper		17D236M	
	1985-84	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
	1984	w/ 2.88" Dual Piston Dayton Caliper		17D236M	
Front					
Drum Brake Shoe	1984-80			17321R	
Rear					
Drum Brake Shoe	1984	Front Disc		17543R	
		Front Drum		17381R	
		Front Drum; Optional		17383R	
	1983-80	with 15in x 6in Brakes		17381R	
		with 15in x 7in Brakes		17383R	

Ford – LN800 (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1985-84	Hat Shaped 6 Hole Rotor; w/ 2.50" Dual Piston Dayton Caliper		18A178	
		U Shaped 6 Hole Rotor; w/ 2.88" Dual Piston Caliper; 11-1/4" Bolt Circle	18A179A		
	1984	U Shaped 6 Hole Rotor; 8-3/4" Bolt Circle	18A341A		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	1984	When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced	Left Forward	18E278	
			Right Forward	18E277	

Ford – LN8000

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1993-84	15" X 5" Rear Brakes; 15" X 6" Rear Brakes; 6,700 lb. Front Axle		18FR814	
				18FR814N	
				18R814	
		with 15in x 7in Brakes; with 15in x 6in Brakes; w/ 8,000, 9,000, 9,500 & 12,000 lb. Front Axle		18FR815	
		with 15in x 7in Brakes; with 15in x 6in Brakes; w/ ATE Calipers; w/ 8,000 lb Front Axle; w/ 9,000 lb Front Axle; w/ 12,000 lb. Front Axle		18FR815	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1995-90	with Hydraulic Brake System		18J394	
	1983-81	Left		18J390	
		Right		18J390	
Rear					
Brake Hydraulic Hose	1997-84			18J893	
	1983-81			18J381231	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1983-81			18M181	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1997-84	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Caliper		17D236M	
Front					
Drum Brake Shoe	1984-81			17321R	
Rear					
Drum Brake Shoe	1997-85	with 15in x 6in Brakes		17543R	
	1984	Front Disc		17543R	
		Front Drum		17381R	
		Front Drum; Optional		17383R	
	1983	Optional		17383R	
		Primary		17381R	
	1982-81	with 15in x 6in Brakes		17381R	
		with 15in x 7in Brakes		17383R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Drum	1993	with 1.265in Bolt Diameter; with 12000lb & 14600lb Front Axle; with 16.5in x 5in Brakes; with 8.78in Diameter Hub Hole; with 16in x 5in Brakes		18B327	
		with 1.28in Bolt Diameter; with 10000lb & 12000lb Front Axle; with 8.78in Diameter Hub Hole; with 10 Bolt Holes; with 15in x 4in Brakes; BSN Steel Wheels		18B348	
		with 1.28in Bolt Diameter; with 12000lb Axle(s); with 16.5in x 5in Brakes; with 8.78in Diameter Hub Hole; with 10 Bolt Holes		18B313	
		with 8 Bolt Holes; Steel Disc Wheels; with 15in x 4in Brakes; w/ 7,000 lb. Front Axle		18B309	
	1993-92	with .858in Bolt Diameter; with 10000lb & 12000lb Front Axle; with 8.378in Diameter Hub Hole; with 10 Bolt Holes; with 15in x 4in Brakes; BSN Steel Wheels		18B311	
	1992	with 1.28in Bolt Diameter; with 10000lb & 12000lb Front Axle; with 8.78in Diameter Hub Hole; From 04/1992; with 10 Bolt Holes; with 15in x 4in Brakes; BSN Steel Wheels		18B348	
	1992-90	with 12000lb Axle(s); with 16.5in x 5in Brakes; 20in and 22in Spoke Wheels		18B312	
Rear					
Brake Drum	1993-90	Front Drum; with 15in x 7in Rear Brakes; 20in Spoke Wheels; w/ 23,000 lb. GVW		18B391	
Front					
Disc Brake Rotor	1997-84	Hat Shaped 6 Hole Rotor; w/ 2.50" Dual Piston Dayton Caliper		18A178	

Ford – LN8000 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	1997-84	U Shaped 6 Hole Rotor; 8-3/4" Bolt Circle; w/ 2.88" Dual Piston Caliper	18A341A		
		U Shaped 6 Hole Rotor; w/ 2.88" Dual Piston Caliper; 11-1/4" Bolt Circle	18A179A		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	1990-84	When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced	Left Forward	18E278	
			Right Forward	18E277	

Ford – LN9000

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1997-84			18J893	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1997-84	2.50" Dual Piston Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Caliper		17D236M	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1997-84	Hat Shaped 6 Hole Rotor		18A178	
		U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle; w/ 2.88" Dual Piston Caliper	18A179A		

Ford – LNT800

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1983-81	Forward Port; w / Hydraulic Brake System; From Serial Number Q30001		18J397	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1984	2.50" Dual Piston Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Caliper		17D236M	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1984	Hat Shaped 6 Hole Rotor		18A178	
		U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle; w/ 2.88" Dual Piston Caliper	18A179A		

Ford – LNT8000
Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1989-84	with Tandem Rear Axle; Primary		18J893	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1989-84	2.50" Dual Piston Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Caliper		17D236M	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1989-84	Hat Shaped 6 Hole Rotor		18A178	
		U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		

Ford – LNT9000
Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1995-90	with Hydro-Boost		18J1195	
	1983-81	Left		18J381206	
Rear					
Brake Hydraulic Hose	1997-84	with Tandem Rear Axle; Primary		18J893	
	1983-81	15" X 5" Rear Brakes; w/ 15" X 6" or 15" X 7" Rear Shoes; 32000, 34000 # Rear Axle		18J381201	

Ford – LNT9000 (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1997-84	w/ 2.88" Dual Piston Caliper		17D236M	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1997-84	U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		

Ford – LT8000

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1988-84	w/ 2.88" Dual Piston Caliper		17D236M	

Ford – LT9000

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1995-90	with Hydro-Boost		18J1195	
	1983-81	Left		18J381206	
				18J390	
		Right		18J390	
Rear					
Brake Hydraulic Hose	1990	with Tandem Rear Axle; Primary		18J893	
	1989-84			18J773	
	1983-81	15" X 5" Rear Brakes; w/ 15" X 6" or 15" X 7" Rear Shoes; 32000, 34000 # Rear Axle		18J381201	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1994-84	w/ 2.88" Dual Piston Caliper		17D236M	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1990	U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		

Hoses					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1992-91			18J773	
	1990-84	with Tandem Rear Axle; Primary		18J893	

Pads & Shoes					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1994-84	w/ 2.88" Dual Piston Caliper		17D236M	

Rotors & Drums					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1987-84	U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		

Ford – LTS8000

Hoses					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1989			18J773	

Ford – LTS9000

Hoses					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1983-82	Left		18J390	
		Right		18J390	
Rear					
Brake Hydraulic Hose	1992-88			18J773	
	1987	with Tandem Rear Axle; Primary		18J773	
	1986-84			18J773	

Ford – M-450

Hoses					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1974			18J77	
Rear					
Brake Hydraulic Hose	1974	Forward Port		18J84	
		Rear Port		18J75	

Ford – M-450 (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Shoe	1974			17361R	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1974	w/ 14" X 2 1/2" Brakes; 1 3/32" Bore Size	Left	18E61	
			Right	18E62	
Rear					
Drum Brake Wheel Cylinder	1974	1 1/2" Bore Diameter		18E67	

Ford – P-400

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Self-Adjuster Cable	1976-75			18K2357	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1976-75			18J78	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Shoe	1976-75	with 12in x 2-1/2in Brakes	14316B	17316R	
			B316L		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1976-75	Left		18E566	
		Right		18E567	
Rear					
Drum Brake Wheel Cylinder	1976-75	with 12in x 2-1/2in Brakes	Left	18E1330	
			Right	18E1324	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1977-75	Outer		18J79	
Rear					
Brake Hydraulic Hose	1977-75	Rear Port; Outer		18J75	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1977-75	Power Brakes; Bore 1-1/4in		18M5	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Shoe	1977-76	w/ 14" X 2 1/4" Brakes		17361R	
	1975	w/ 14" X 2 1/2" Brakes		17361R	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1977-75	15/16" Bore Size	Left	18E35	
			Right	18E36	
Rear					
Drum Brake Wheel Cylinder	1977-75	1 1/2" Bore Diameter	Lower	18E68	
			Upper	18E69	

Freightliner – 108SD
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-12	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2019-12	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-12	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Freightliner – 108SD (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2018-12	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2019-12	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2018-12	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Freightliner – 114SD

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-12	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2019-12	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-12	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2018-12	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2019-12	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2018-12	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Freightliner – 122SD

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-14	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2019-14	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2019-14	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-14	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2018-14	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2019-14	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2018-14	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Freightliner – Argosy
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2015-08	Bendix ESD225 ADB Caliper		17D1441MHD	
Rear					
Disc Brake Pad Set	2015-08	Bendix ESD225 ADB Caliper		17D1441MHD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2015-05	Bendix ESD225 ADB Caliper		18A82481	

Freightliner – B2
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2017-05	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper; w/ Casting # 4153222		18FR1514	
				18FR1514N	
				18R1514	

Freightliner – B2 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper	2017-05	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	
	w/ 73mm Bosch Pin Slider Caliper; w/ Casting # 4153222			18FR1514	
				18FR1514N	
				18R1514	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	2010-05	38" Long		18J383376	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2016-05			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2018-05	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2019-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2018-05	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	

Driveline

Parking Brake Shoe	2019-05	12" X 3" Driveline Parking Brake		17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-05	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2019-05	Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes	18A2663A	18A2663	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2018-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2019-05	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes	18A2663A	18A2663	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
		U Shaped 10 Hole Rotor; 21mm Bolt Holes	18A80922A	18A80922	
		U Shaped 10 Hole Rotor; 27mm Bolt Holes	18A80923A	18A80923	
	2018-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Freightliner – Business Class M2
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2012-04	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper; w/ Casting # 4153222		18FR1514	
				18FR1514N	
				18R1514	
Rear					
Disc Brake Caliper	2012-04	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper; w/ Casting # 4153222		18FR1514	

Freightliner – Business Class M2 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2012-04	w/ 73mm Bosch Pin Slider Caliper; w/ Casting # 4153222		18FR1514N	
				18R1514	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	2010-04	38" Long		18J383376	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2012-04	2" Bore Diameter		18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2012-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2012-04	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2012-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2012-04	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	

Driveline

Parking Brake Shoe	2012-04	12" X 3" Driveline Parking Brake		17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2012-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2012-04	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2012-04	Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes	18A2663A	18A2663	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
Rear					
Disc Brake Rotor	2012-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2012-04	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes	18A2663A	18A2663	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
		U Shaped 10 Hole Rotor; 21mm Bolt Holes	18A80922A	18A80922	
		U Shaped 10 Hole Rotor; with 1.059in Stud Holes; w/ Hydraulic Brakes	18A80923A	18A80923	

Freightliner – Cascadia

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2021-08	Bendix ESD225 ADB Caliper		17D1441MHD	
	2020-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Meritor EX225 L2 ADB Caliper - 216mm Pad		17D1370MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2021-08	Bendix ESD225 ADB Caliper		17D1441MHD	
	2020-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Meritor EX225 L2 ADB Caliper - 216mm Pad		17D1370MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Freightliner – Cascadia (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2021-08	Bendix ESD225 ADB Caliper		18A82481	
		Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2021-08	Bendix ESD225 ADB Caliper		18A82481	
		Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Freightliner – Century Class

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2011-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Meritor EX225 L2 ADB Caliper - 216mm Pad		17D1370MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2011-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Meritor EX225 L2 ADB Caliper - 216mm Pad		17D1370MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

Front					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Disc Brake Rotor	2011-05	Bendix ESD225 ADB Caliper		18A82481	
		Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2011-05	Bendix ESD225 ADB Caliper		18A82481	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2011-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Freightliner – Classic

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2001	BOSCH Cylinder Casting # 2234930		18M1203	
		BOSCH Cylinder Casting # 2234931		18M1112	
		BOSCH Cylinder Casting # 2236176		18M910	
		BOSCH Cylinder Casting # 2239045		18M885	
		BOSCH Cylinder Casting # 2260593		18M1113	

Freightliner – Classic XL

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2001	BOSCH Cylinder Casting # 2234930		18M1203	
		BOSCH Cylinder Casting # 2234931		18M1112	
		BOSCH Cylinder Casting # 2236176		18M910	
		BOSCH Cylinder Casting # 2239045		18M885	
		BOSCH Cylinder Casting # 2260593		18M1113	

Freightliner – Columbia

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2018-05	Bendix ESD225 ADB Caliper		17D1441MHD	
		Meritor EX225 L2 ADB Caliper - 216mm Pad		17D1370MHD	
Rear					
Disc Brake Pad Set	2020-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2018-05	Bendix ESD225 ADB Caliper		17D1441MHD	
		Meritor EX225 L2 ADB Caliper - 216mm Pad		17D1370MHD	

Freightliner – Columbia (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-05	Bendix ESD225 ADB Caliper		18A82481	
		Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2020-05	Bendix ESD225 ADB Caliper		18A82481	
		Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Freightliner – Coronado

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Meritor EX225 L2 ADB Caliper - 216mm Pad		17D1370MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2019-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Meritor EX225 L2 ADB Caliper - 216mm Pad		17D1370MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

Front					
Disc Brake Rotor	2020-05	Bendix ESD225 ADB Caliper		18A82481	
		Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2020-05	Bendix ESD225 ADB Caliper		18A82481	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2020-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Freightliner – FC70

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2001-99	BOSCH Cylinder Casting # 2234930		18M1203	
		BOSCH Cylinder Casting # 2234931		18M1112	
		BOSCH Cylinder Casting # 2236176		18M910	
		BOSCH Cylinder Casting # 2239045		18M885	
		BOSCH Cylinder Casting # 2260593		18M1113	

Freightliner – FL360

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2012-10			18A2575	
Rear					
Disc Brake Rotor	2012-10			18A2555	

Freightliner – FL50

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2005-95	64mm 4 Piston Calipers	Right	18FR2502N	
				18R2502	
		70mm 4 Piston Calipers	Left	18FR2497	
				18FR2497N	
				18R2497	
			Right	18FR2496	
				18FR2496N	
				18FR1330	
		Except Threaded Holes For Brake Hose Bracket; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330N	
				18FR2189	
				18FR2189N	
				18R2189	
		Threaded Holes For Brake Hose Bracket; w/ 2.88" Dual Piston Bendix Caliper		18FR813	

Freightliner – FL50 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)						
Disc Brake Caliper	2005-95	Threaded Holes For Brake Hose Bracket; w/ 2.88" Dual Piston Bendix Caliper		18FR813N		
				18R813		
Rear						
Disc Brake Caliper	2005-95	64mm 4 Piston Calipers	Right		18FR2502N	
					18R2502	
		70mm 4 Piston Calipers	Left		18FR2497	
					18FR2497N	
					18R2497	
			Right		18FR2496	
					18FR2496N	
		Except Threaded Holes For Brake Hose Bracket; w/ 2.60" Dual Piston Bendix Rail Slide Caliper			18FR1330	
					18FR1330N	
		Threaded Holes For Brake Hose Bracket; w/ 2.88" Dual Piston Bendix Caliper			18FR813	
					18FR813N	
					18R813	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2005-99	2" Bore; Bosch Cylinder Casting Number 2239045		18M885	
		w/ Bosch Cylinder Casting # 2236176; 1 3/4" Bore Diameter; w/ Reservoir		18M910	
		with Remote Reservoir; w/ Bosch Cylinder Casting # 2234931; 1 3/4" Bore Diameter		18M1112	
	2001-99	BOSCH Cylinder Casting # 2234930		18M1203	
		BOSCH Cylinder Casting # 2260593		18M1113	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2005-95	w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 4 Piston Calipers	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2005-95	w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 4 Piston Calipers	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline					
Parking Brake Shoe	2005-95	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2005-98	Hat Shaped 10 Hole Rotor; 4 Piston Caliper	18A2426A	18A2426	
		w/ Dual Piston Calipers	18A1429A	18A1429	
Rear					
Disc Brake Rotor	2005-98	Hat Shaped 10 Hole Rotor; 3.21" Overall Height; w/ Dual Piston Calipers	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4 Piston Caliper	18A2426A	18A2426	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height; w/ Dual Piston Calipers	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes; 3.50" Overall Height; w/ Dual Piston Calipers		18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes; 3.50" Overall Height; w/ Dual Piston Calipers	18A2951A	18A2951	
		U Shaped 10 Hole Rotor; 4 Piston Caliper	18A2772A	18A2772	

Freightliner – FL60
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2005-91	64mm 4 Piston Calipers	Left		18FR2503N
			Right		18FR2502N
		70mm 4 Piston Calipers	Left		18R2502
					18FR2497
					18FR2497N
			Right		18R2497
					18FR2496
					18FR2496N
		Except Threaded Holes For Brake Hose Bracket; w/ 2.60" Dual Piston Bendix Rail Slide Caliper			18FR1330
					18FR1330N
		Threaded Holes For Brake Hose Bracket; w/ 2.60" Dual Piston Bendix Rail Slide Caliper; w/ Air Suspension			18FR2189
					18FR2189N
					18R2189
		Threaded Holes For Brake Hose Bracket; w/ 2.88" Dual Piston Bendix Caliper			18FR813
					18FR813N
					18R813

Freightliner – FL60 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper	2005-91	64mm 4 Piston Calipers	Left	18FR2503N	
			Right	18FR2502N	
		70mm 4 Piston Calipers	Left	18R2502	
				18FR2497	
				18FR2497N	
			Right	18R2497	
				18FR2496	
				18FR2496N	
		Except Threaded Holes For Brake Hose Bracket; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330	
				18FR1330N	
		Threaded Holes For Brake Hose Bracket; w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2005-99	2" Bore; Bosch Cylinder Casting Number 2239045		18M885	
		w/ Bosch Cylinder Casting # 2236176; 1 3/4" Bore Diameter; w/ Reservoir		18M910	
		with Remote Reservoir; w/ Bosch Cylinder Casting # 2234931; 1 3/4" Bore Diameter		18M1112	
	2001-99	BOSCH Cylinder Casting # 2234930		18M1203	
		BOSCH Cylinder Casting # 2260593		18M1113	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2005-91	w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 4 Piston Calipers	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2005-91	w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 4 Piston Calipers	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline					
Parking Brake Shoe	2005-91	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2005-98	Hat Shaped 10 Hole Rotor; 4 Piston Caliper	18A2426A	18A2426	
		w/ Dual Piston Calipers	18A1429A	18A1429	
Rear					
Disc Brake Rotor	2005-98	Hat Shaped 10 Hole Rotor; 3.21" Overall Height; w/ Dual Piston Calipers	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4 Piston Caliper	18A2426A	18A2426	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height; w/ Dual Piston Calipers	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes; 3.50" Overall Height; w/ Dual Piston Calipers		18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes; 3.50" Overall Height; w/ Dual Piston Calipers	18A2951A	18A2951	
		U Shaped 10 Hole Rotor; 4 Piston Caliper	18A2772A	18A2772	

Freightliner – FL70
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2005-91	64mm 4 Piston Calipers	Left		18FR2503N
			Right		18FR2502N
					18R2502
		70mm 4 Piston Calipers	Left		18FR2497
					18FR2497N
					18R2497
			Right		18FR2496
					18FR2496N
		Except Threaded Holes For Brake Hose Bracket; w/ 2.60" Dual Piston Bendix Rail Slide Caliper			18FR1330
					18FR1330N
		Threaded Holes For Brake Hose Bracket; w/ 2.60" Dual Piston Bendix Rail Slide Caliper; w/ Air Suspension			18FR2189
					18FR2189N
					18R2189
		Threaded Holes For Brake Hose Bracket; w/ 2.88" Dual Piston Bendix Caliper			18FR813
					18FR813N
					18R813

Freightliner – FL70 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper	2005-91	64mm 4 Piston Calipers	Left	18FR2503N	
			Right	18FR2502N	
		70mm 4 Piston Calipers	Left	18R2502	
				18FR2497	
				18FR2497N	
			Right	18R2497	
				18FR2496	
				18FR2496N	
		Except Threaded Holes For Brake Hose Bracket; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330	
				18FR1330N	
		Threaded Holes For Brake Hose Bracket; w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2005-99	2" Bore; Bosch Cylinder Casting Number 2239045		18M885	
		w/ Bosch Cylinder Casting # 2236176; 1 3/4" Bore Diameter; w/ Reservoir		18M910	
		with Remote Reservoir; w/ Bosch Cylinder Casting # 2234931; 1 3/4" Bore Diameter		18M1112	
	2001-99	BOSCH Cylinder Casting # 2234930		18M1203	
		BOSCH Cylinder Casting # 2260593		18M1113	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2005-91	w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 4 Piston Calipers	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2005-91	w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 4 Piston Calipers	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline					
Parking Brake Shoe	2005-91	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2005-98	Hat Shaped 10 Hole Rotor; 4 Piston Caliper	18A2426A	18A2426	
		w/ Dual Piston Calipers	18A1429A	18A1429	
Rear					
Disc Brake Rotor	2005-98	Hat Shaped 10 Hole Rotor; 3.21" Overall Height; w/ Dual Piston Calipers	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4 Piston Caliper	18A2426A	18A2426	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height; w/ Dual Piston Calipers	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes; 3.50" Overall Height; w/ Dual Piston Calipers		18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes; 3.50" Overall Height; w/ Dual Piston Calipers	18A2951A	18A2951	
		U Shaped 10 Hole Rotor; 4 Piston Caliper	18A2772A	18A2772	

Freightliner – M2
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2017-05	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper; w/ Casting # 4153222		18FR1514	
				18FR1514N	
				18R1514	
Rear					
Disc Brake Caliper	2017-05	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper; w/ Casting # 4153222		18FR1514	
				18FR1514N	
				18R1514	

Freightliner – M2 (Cont.)

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	2010-05	38" Long		18J383376	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2016-05	2" Bore Diameter		18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2018-05	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2019-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2018-05	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	

Driveline

Parking Brake Shoe	2020-05	12" X 3" Driveline Parking Brake		17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-05	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes	18A2663A	18A2663	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2018-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2020-19	U Shaped 10 Hole Rotor; 27mm Bolt Holes	18A80923A	18A80923	
	2020-05	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes	18A2663A	18A2663	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
		U Shaped 10 Hole Rotor; 21mm Bolt Holes	18A80922A	18A80922	
	2018-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; with 1.059in Stud Holes; w/ Hydraulic Brakes	18A80923A	18A80923	

Freightliner – M2 100
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2010-03	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper; w/ Casting # 4153222		18FR1514	
				18FR1514N	
				18R1514	
Rear					
Disc Brake Caliper	2010-03	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper; w/ Casting # 4153222		18FR1514	
				18FR1514N	
				18R1514	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	2010-03	38" Long		18J383376	

Freightliner – M2 100 (Cont.)

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2010-03	2" Bore Diameter		18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty

Front

Disc Brake Pad Set	2010-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2010-03	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	

Rear

Disc Brake Pad Set	2010-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2010-03	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	

Driveline

Parking Brake Shoe	2010-02	12" X 3" Driveline Parking Brake		17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty

Front

Disc Brake Rotor	2010-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2010-03	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes	18A2663A	18A2663	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	

Rear

Disc Brake Rotor	2010-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2010-03	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes	18A2663A	18A2663	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
		U Shaped 10 Hole Rotor; 21mm Bolt Holes	18A80922A	18A80922	
		U Shaped 10 Hole Rotor; with 1.059in Stud Holes; w/ Hydraulic Brakes	18A80923A	18A80923	

Freightliner – M2 106
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2017-03	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper; w/ Casting # 4153222		18FR1514	
				18FR1514N	
				18R1514	
Rear					
Disc Brake Caliper	2017-03	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper; w/ Casting # 4153222		18FR1514	
				18FR1514N	
				18R1514	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	2010-03	38" Long		18J383376	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2016-03	2" Bore Diameter		18M391540	

Freightliner – M2 106 (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2018-03	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2019-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2018-03	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2020-02	12" X 3" Driveline Parking Brake		17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2020-03	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes	18A2663A	18A2663	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
	2018-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2020-19	U Shaped 10 Hole Rotor; 27mm Bolt Holes	18A80923A	18A80923	
	2020-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2020-03	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes	18A2663A	18A2663	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2020-03	U Shaped 10 Hole Rotor; 21mm Bolt Holes	18A80922A	18A80922	
	2018-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
	2018-03	U Shaped 10 Hole Rotor; with 1.059in Stud Holes; w/ Hydraulic Brakes	18A80923A	18A80923	

Freightliner – M2 112
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2017-03	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper; w/ Casting # 4153222		18FR1514	
				18FR1514N	
				18R1514	
Rear					
Disc Brake Caliper	2017-03	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper; w/ Casting # 4153222		18FR1514	
				18FR1514N	
				18R1514	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	2010-03	38" Long		18J383376	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2016-03	2" Bore Diameter		18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2018-03	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	

Freightliner – M2 112 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2018-03	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2019-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2018-03	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2020-03	12" X 3" Driveline Parking Brake		17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2020-03	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes	18A2663A	18A2663	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
	2018-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2020-19	U Shaped 10 Hole Rotor; 27mm Bolt Holes	18A80923A	18A80923	
	2020-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2020-03	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes	18A2663A	18A2663	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
		U Shaped 10 Hole Rotor; 21mm Bolt Holes	18A80922A	18A80922	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2018-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
	2018-03	U Shaped 10 Hole Rotor; with 1.059in Stud Holes; w/ Hydraulic Brakes	18A80923A	18A80923	

Freightliner – M2 T
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2010-06	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper; w/ Casting # 4153222		18FR1514	
				18FR1514N	
				18R1514	
Rear					
Disc Brake Caliper	2010-06	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper; w/ Casting # 4153222		18FR1514	
				18FR1514N	
				18R1514	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	2010-06	38" Long		18J383376	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2010-06			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2010-06	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	

Freightliner – M2 T (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Pad Set	2010-06	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2010-06	12" X 3" Driveline Parking Brake		17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2010-06	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes	18A2663A	18A2663	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
Rear					
Disc Brake Rotor	2010-06	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes	18A2663A	18A2663	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
		U Shaped 10 Hole Rotor; 21mm Bolt Holes	18A80922A	18A80922	
		U Shaped 10 Hole Rotor; 27mm Bolt Holes	18A80923A	18A80923	

Freightliner – MB Line

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2022-19	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	
	2022-07	w/ 73mm Bosch Pin Slider Caliper		18FR1514	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2022-07	w/ 73mm Bosch Pin Slider Caliper		18FR1514N	
				18R1514	
	2018-07	w/ 66mm Bosch Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
	2006-95	Except Threaded Holes For Brake Hose Bracket; 2.60" Dual Piston Rail Slide Bendix Caliper		18FR1330	
				18FR1330N	
		Threaded Holes For Brake Hose Bracket; 2.60" Dual Piston Rail Slide Bendix Caliper		18FR1330	
				18FR1330N	
		Threaded Holes For Brake Hose Bracket; w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	

Rear

Disc Brake Caliper	2022-19	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	
	2022-07	w/ 73mm Bosch Pin Slider Caliper		18FR1514	
				18FR1514N	
				18R1514	
	2018-07	w/ 66mm Bosch Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
	2006-95	Except Threaded Holes For Brake Hose Bracket; 2.60" Dual Piston Rail Slide Bendix Caliper		18FR1330	
				18FR1330N	
		Threaded Holes For Brake Hose Bracket; w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2022-07	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	2006-95	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		2.88" Dual Piston Rail Slide Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2022-07	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	

Freightliner – MB Line (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2022-07	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	2006-95	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		2.88" Dual Piston Rail Slide Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	2022-95	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

Rotors & Brakes					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2022-95	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes		18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
Rear					
Disc Brake Rotor	2022-95	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes		18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	

Freightliner – MB60

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1995-92	Except Threaded Holes For Brake Hose Bracket; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330	
				18FR1330N	
		Threaded Holes For Brake Hose Bracket; w/ 2.60" Dual Piston Bendix Rail Slide Caliper; w/ Air Suspension		18FR2189	
				18FR2189N	
		Threaded Holes For Brake Hose Bracket; w/ 2.88" Dual Piston Bendix Caliper		18R2189	
				18FR813	
				18FR813N	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	1995-92	Threaded Holes For Brake Hose Bracket; w/ 2.88" Dual Piston Bendix Caliper		18R813	
Rear					
Disc Brake Caliper	1995-92	Except Threaded Holes For Brake Hose Bracket; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330	
				18FR1330N	
		Threaded Holes For Brake Hose Bracket; w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1995-92	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	1995-92	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	1995-92	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1995-92	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes		18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
Rear					
Disc Brake Rotor	1995-92	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes		18A82030	

Freightliner – MB60 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	1995-92	Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	

Freightliner – MB70

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1995-92	Except Threaded Holes For Brake Hose Bracket; 2.60" Dual Piston Rail Slide Bendix Caliper		18FR1330	
				18FR1330N	
		Threaded Holes For Brake Hose Bracket; 2.60" Dual Piston Rail Slide Bendix Caliper		18FR1330	
				18FR1330N	
		Threaded Holes For Brake Hose Bracket; w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
		18R813			
Rear					
Disc Brake Caliper	1995-92	Except Threaded Holes For Brake Hose Bracket; 2.60" Dual Piston Rail Slide Bendix Caliper		18FR1330	
				18FR1330N	
		Threaded Holes For Brake Hose Bracket; w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
		18R813			

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1995-92	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	1995-92	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	1995-92	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1995-92	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	1995-92	Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes		18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
Rear					
Disc Brake Rotor	1995-92	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes		18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	

Freightliner – MC Line
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2018-05	w/ 66mm Bosch Pin Slider Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper		18FR1514	
				18FR1514N	
				18R1514	
	2001	w/ 66mm Bosch Pin Slider Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper		18FR1514	
				18FR1514N	
			18R1514		
Rear					
Disc Brake Caliper	2018-05	w/ 66mm Bosch Pin Slider Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper		18FR1514	
				18FR1514N	
				18R1514	
	2001	w/ 66mm Bosch Pin Slider Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper		18FR1514	

Freightliner – MC Line (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2001	w/ 73mm Bosch Pin Slider Caliper		18FR1514N	
				18R1514	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2018-05	w/ Fluid Level Sensor		18M391540	
		w/o Low Fluid Level Sensor		18M885	
	2001	w/ Fluid Level Sensor		18M391540	
		w/o Low Fluid Level Sensor		18M885	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2018-05	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	2001	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2018-05	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	2001	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2018-05	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
	2001	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2018-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2018-05	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes		18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
	2001	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes		18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
Rear					
Disc Brake Rotor	2018-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes		18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
	2001	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes		18A82030	
Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes		18A2951A	18A2951		

Freightliner – MCL

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2014	w/ 66mm Bosch Pin Slider Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper		18FR1514	

Freightliner – MCL (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2014	w/ 73mm Bosch Pin Slider Caliper		18FR1514N	
				18R1514	
	2011	w/ 66mm Bosch Pin Slider Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper		18FR1514	
				18FR1514N	
				18R1514	
Rear					
Disc Brake Caliper	2014	w/ 66mm Bosch Pin Slider Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper		18FR1514	
				18FR1514N	
				18R1514	
	2011	w/ 66mm Bosch Pin Slider Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper		18FR1514	
				18FR1514N	
				18R1514	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2014	w/ Fluid Level Sensor		18M391540	
		w/o Low Fluid Level Sensor		18M885	
	2011	w/ Fluid Level Sensor		18M391540	
		w/o Low Fluid Level Sensor		18M885	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2014	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	2011	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2014	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2014	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	2011	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2014	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
	2011	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2014	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes		18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
	2011	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes		18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
Rear					
Disc Brake Rotor	2014	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	

Freightliner – MCL (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2014	Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes		18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
	2011	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes		18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	

Freightliner – MT35

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	2009-06	w/ 66mm Bosch Dual Piston Caliper		18FR1515		
				18FR1515N		
				18R1515		
		w/ 73mm Bosch Pin Slider Caliper		18FR1514		
				18FR1514N		
				18R1514		
		2005-97	2.60" Dual Piston Rail Slide Bendix Caliper		18FR2189	
					18FR2189N	
					18R2189	
	Single Piston Bendix Caliper; w/ M10 x 1.5 Caliper Inlet		Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
					18R651	
	w/ 2.50" Dual Piston Dayton Caliper		18FR814			
			18FR814N			
			18R814			
Rear						
Disc Brake Caliper	2009-06	w/ 66mm Bosch Dual Piston Caliper		18FR1515		
				18FR1515N		
				18R1515		
		w/ 73mm Bosch Pin Slider Caliper		18FR1514		

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2009-06	w/ 73mm Bosch Pin Slider Caliper		18FR1514N	
				18R1514	
	2005-97	2.60" Dual Piston Rail Slide Bendix Caliper		18FR2189	
				18FR2189N	
				18R2189	
				18FR652	
		Single Piston Bendix Caliper; w/ M10 x 1.5 Caliper Inlet	Left	18FR652N	
				18R652	
			Right	18FR651	
				18FR651N	
				18R651	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-06	w/ Fluid Level Sensor		18M391540	
		w/o Low Fluid Level Sensor		18M885	
	2005-97			18M484	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-06	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	2005-97	Bendix Calipers		17D184M	
				17D184MH	
		w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Rear					
Disc Brake Pad Set	2009-06	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	2005-97	Bendix Calipers		17D184M	
				17D184MH	
		w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Driveline					
Parking Brake Shoe	2009-06	12" X 3" Driveline Parking Brake		17980B	
	2005-97	w/ 9" x 3" Driveline Parking Brake Shoe		17646B	

Freightliner – MT35 (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-06	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
	2009-97	Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes; 15" Rotor Diameter	18A2663A	18A2663	
				18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes; 3.5" Overall Height	18A2951A	18A2951	
Rear					
Disc Brake Rotor	2009-06	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
	2009-97	Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes; 15" Rotor Diameter	18A2663A	18A2663	
				18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes; 3.5" Overall Height	18A2951A	18A2951	

Freightliner – MT45

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	2021-06	w/ 73mm Bosch Pin Slider Caliper		18FR1514		
				18FR1514N		
				18R1514		
	2020-06	w/ 66mm Bosch Dual Piston Caliper		18FR1515		
				18FR1515N		
				18R1515		
	2005-98	2.60" Dual Piston Rail Slide Bendix Caliper		18FR2189		
				18FR2189N		
				18R2189		
		Single Piston Bendix Caliper; w/ M10 x 1.5 Caliper Inlet	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
					18R651	
		w/ 2.50" Dual Piston Dayton Caliper		18FR814		
				18FR814N		
				18R814		
Rear						
Disc Brake Caliper	2021-06	w/ 73mm Bosch Pin Slider Caliper		18FR1514		
				18FR1514N		
				18R1514		
	2020-06	w/ 66mm Bosch Dual Piston Caliper		18FR1515		
				18FR1515N		

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Rear (Cont.)						
Disc Brake Caliper	2020-06	w/ 66mm Bosch Dual Piston Caliper		18R1515		
	2005-98	2.60" Dual Piston Rail Slide Bendix Caliper		18FR2189		
				18FR2189N		
				18R2189		
		Single Piston Bendix Caliper; w/ M10 x 1.5 Caliper Inlet	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
					18R651	
Front						
Disc Brake Caliper Bushing	2008-07	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167		
Rear						
Disc Brake Caliper Bushing	2008-07	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167		

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2019-98	w/ Fluid Level Sensor		18M391540	
		w/o Low Fluid Level Sensor		18M885	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2021-06	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	2005-98	Bendix Calipers		17D184M	
				17D184MH	
		w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Rear					
Disc Brake Pad Set	2021-06	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	2005-98	Bendix Calipers		17D184M	
				17D184MH	
		w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	

Freightliner – MT45 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline					
Parking Brake Shoe	2019-06	12" X 3" Driveline Parking Brake		17980B	
	2005-98	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-98	Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes; 15" Rotor Diameter	18A2663A	18A2663	
	2019-06	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
	2019-98	Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes; 15" Rotor Diameter	18A2663A	18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes; 3.5" Overall Height	18A2951A	18A2951	
Rear					
Disc Brake Rotor	2020-98	Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes; 15" Rotor Diameter	18A2663A	18A2663	
	2019-06	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
	2019-98	Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes; 15" Rotor Diameter	18A2663A	18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes; 3.5" Overall Height	18A2951A	18A2951	

Freightliner – MT55

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2019-04	w/ 66mm Bosch Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper		18FR1514	
				18FR1514N	
				18R1514	
	2003-99	2.60" Dual Piston Rail Slide Bendix Caliper		18FR2189	
				18FR2189N	
				18R2189	
Rear					
Disc Brake Caliper	2019-04	w/ 66mm Bosch Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper		18FR1514	
				18FR1514N	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2019-04	w/ 73mm Bosch Pin Slider Caliper		18R1514	
	2003-99	2.60" Dual Piston Rail Slide Bendix Caliper		18FR2189	
				18FR2189N	
				18R2189	
Front					
Disc Brake Caliper Bushing	2019-04	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
Rear					
Disc Brake Caliper Bushing	2019-04	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2019-99	w/ Fluid Level Sensor		18M391540	
		w/o Low Fluid Level Sensor		18M885	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-04	w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
			14D786M	17D786MH	
			14D786MH	17D786MHF1	
	2003-99	w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2019-04	w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
			14D786M	17D786MH	
			14D786MH	17D786MHF1	
	2003-99	w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	2019-04	12" X 3" Driveline Parking Brake		17980B	
	2003-99	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Freightliner – MT55 (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-04	Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes		18A82030	
	2019-99	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
Rear					
Disc Brake Rotor	2019-99	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes		18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	

Freightliner – S2

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2011	w/ 73mm Bosch Pin Slider Caliper		18FR1514	
				18FR1514N	
				18R1514	
	2009-07	w/ 73mm Bosch Pin Slider Caliper		18FR1514	
				18FR1514N	
				18R1514	
Rear					
Disc Brake Caliper	2011	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper		18FR1514	
				18FR1514N	
				18R1514	
	2009-07	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper		18FR1514	
				18FR1514N	
				18R1514	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2011			18M391540	

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	2009-07			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2011	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	2009-07	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2011	w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	2009-07	w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	2007	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2011		18A1429A	18A1429	
	2009-07		18A1429A	18A1429	
Rear					
Disc Brake Rotor	2011		18A1429A	18A1429	
	2009-07		18A1429A	18A1429	

Freightliner – S2C
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2022-13	w/ 73mm Bosch Pin Slider Caliper		18FR1514	
				18FR1514N	
				18R1514	
Rear					
Disc Brake Caliper	2022-13	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	

Freightliner – S2C (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2022-13	w/ 73mm Bosch Pin Slider Caliper		18FR1514	
				18FR1514N	
				18R1514	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2022-17	w/ Hydraulic Disc Brakes		18M391540	
	2016-13			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2022-13	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2022-18	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	
			14D786MH	17D786MHF1	
	2022-13	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2022-17	w/ Hydraulic Disc Brakes	18A1429A	18A1429	
	2022-13	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2016-13		18A1429A	18A1429	
Rear					
Disc Brake Rotor	2022-17	w/ Hydraulic Disc Brakes	18A1429A	18A1429	
	2022-13	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2016-13		18A1429A	18A1429	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2022-14	w/ 73mm Bosch Pin Slider Caliper		18FR1514	
				18FR1514N	
				18R1514	
Rear					
Disc Brake Caliper	2022-14	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper		18FR1514	
				18FR1514N	
				18R1514	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2022-17	w/ Hydraulic Disc Brakes		18M391540	
	2016-14			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2022-14	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2022-18	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	
			14D786MH	17D786MHF1	
	2022-14	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2022-17	w/ Hydraulic Disc Brakes	18A1429A	18A1429	
	2022-14	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2016-14		18A1429A	18A1429	

Freightliner – S2G (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2022-17	w/ Hydraulic Disc Brakes	18A1429A	18A1429	
	2022-14	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2016-14		18A1429A	18A1429	

Freightliner – S2RV

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-18	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2019-18	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Freightliner – XB Line

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2015-09	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2005	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2015-09	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2005	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2015-09	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2005	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2015-09	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2005	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Freightliner – XB Raised Rail
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2008-07	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2008-07	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2008-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2008-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Freightliner – XB Straight Rail
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2022-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2022-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Freightliner – XB Straight Rail (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2022-08	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2022-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2022-08	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2022-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Freightliner – XBA

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-18	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2016-15	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2019-18	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2016-15	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-18	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2016-15	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2019-18	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2019-18	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2016-15	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Freightliner – XC
Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2005	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2005	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Freightliner – XC Formed Rail
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2007-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2007-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2007-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2007-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Freightliner – XC Lowered Rail

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2018-07	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2018-07	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2018-07	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2018-07	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Freightliner – XC Modular Rail

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2018-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2018-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-08	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2018-08	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2020-08	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2018-08	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Freightliner – XC Raised Rail

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2018-06	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2018-06	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-06	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2018-06	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2019-06	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2018-06	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Freightliner – XC Straight Rail

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2018-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2018-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Freightliner – XC Straight Rail (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2018-07	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2019-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2018-07	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Gillig – City Transit

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2008-07	U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H3 ADB Caliper - 247mm Pad		18A82480	
Rear					
Disc Brake Rotor	2008-07	U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H3 ADB Caliper - 247mm Pad		18A82480	

Gillig – Low Floor

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2017-07	Meritor EX225 H3 ADB Caliper - 247mm Pad		17D1323MHD	
Rear					
Disc Brake Pad Set	2017-07	Meritor EX225 H3 ADB Caliper - 247mm Pad		17D1323MHD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2017-07	U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H3 ADB Caliper - 247mm Pad		18A82480	
Rear					
Disc Brake Rotor	2017-07	U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H3 ADB Caliper - 247mm Pad		18A82480	

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	2000	2-Door; Cab & Chassis; 131.5" Wheelbase		18P1591	
		2-Door; Cab & Chassis; 155.5" Wheelbase		18P1611	
		2-Door; Cab & Chassis; 159.5" Wheelbase		18P1611	
	2000-99	4-Door; Crew Cab Pickup; 154.5" Wheelbase		18P2039	
		4-Door; Crew Cab Pickup; 168.5" Wheelbase		18P1559	
	2000-95	2-Door; Extended Cab Pickup		18P1611	
		2-Door; Standard Cab Pickup		18P1591	
	1999-95	4-Door; Cab & Chassis		18P1559	
	1998-96	4-Door; Crew Cab Pickup		18P1559	
	1996-95	2-Door; Cab & Chassis; 131.5" Wheelbase		18P1591	
		2-Door; Cab & Chassis; 155.5" Wheelbase		18P1611	
	1995	4-Door; Crew Cab Pickup		18P1589	
	1994	131.5" Wheelbase; Cable with Non-Removable Molded Pad Cover		18P1591	
		131.5" Wheelbase; Cable with Removable Rubber Pad Cover		18P911	
		155.5" Wheelbase; Cable with Non-Removable Molded Pad Cover		18P1611	
		155.5" Wheelbase; Cable with Removable Rubber Pad Cover		18P1051	
		168.5" Wheelbase; Cable with Non-Removable Molded Pad Cover		18P1559	
		168.5" Wheelbase; Cable with Removable Rubber Pad Cover		18P976	
	1993-92	168.5" Wheelbase		18P976	
	1993-90	131.5" Wheelbase		18P911	
		155.5" Wheelbase		18P1051	
	1991-90	135.5" Wheelbase		18P911	
	1990	159.5" Wheelbase		18P1051	
	1989-88	With Dual Rear Wheels		18P1610	
		without Dual Rear Wheels		18P911	
	1986-84	117" Length		18P431	
		122" Long		18P426	
		89-1/8in Length		18P421	
		93" Length		18P432	
	1983-79	50" Length		18P356	
	1980-79	66in Length		18P751	
Intermediate					
Parking Brake Cable	1983-79	134-1/4" Length		18P276	
		142-1/2in Length		18P399	
		190-1/2" Length		18P397	
		200" Length		18P405	

GMC – C3500 (Cont.)

Cable (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear						
Parking Brake Cable	2000-97	2-Door; Standard Cab Pickup; With Dual Rear Wheels	Right		18P1030	
		2-Door; Standard Cab Pickup; without Dual Rear Wheels	Right		18P1807	
	2000-96	2-Door; Extended Cab Pickup	Left		18P1816	
		2-Door; Standard Cab Pickup	Left		18P1816	
	2000-95	4-Door; Crew Cab Pickup	Left		18P2036	
	2000-92	2-Door; Cab & Chassis	Left		18P2037	
		2-Door; Cab & Chassis; Except RPO Code Wide Track Axle	Right		18P1807	
		2-Door; Cab & Chassis; RPO Code GTY Wide Track Axle	Right		18P2038	
		2-Door; Extended Cab Pickup	Right		18P1030	
		4-Door; Crew Cab Pickup	Right		18P1031	
	1999-95	4-Door; Cab & Chassis	Left		18P2036	
	1999-92	4-Door; Cab & Chassis	Right		18P1031	
	1996-92	2-Door; Standard Cab Pickup	Right		18P1030	
	1995	2-Door; Standard Cab Pickup	Left		18P1054	
	1995-92	2-Door; Extended Cab Pickup	Left		18P1054	
	1994-92	2-Door; Standard Cab Pickup	Left		18P1319	
		4-Door; Cab & Chassis; Except RPO Code G80 Limited Slip Rear Axle	Left		18P1027	
		4-Door; Cab & Chassis; RPO Code G80 Limited Slip Rear Axle	Left		18P1361	
		4-Door; Crew Cab Pickup; Except RPO Code G80 Limited Slip Rear Axle	Left		18P1027	
		4-Door; Crew Cab Pickup; RPO Code G80 Limited Slip Rear Axle	Left		18P1361	
	1991-90	131.5" Wheelbase; Both Ends Are Button Type; 86-1/2" Length	Left		18P1054	
		131.5" Wheelbase; Both Ends Are Button Type; 87-1/2" Length	Right		18P1319	
		131.5" Wheelbase; One End Button Type & The Other End Is Threaded; 104" Length	Right		18P1047	
		131.5" Wheelbase; One End Button Type & The Other End Is Threaded; 105in Length	Left		18P1030	
		135.5" Wheelbase	Left		18P1319	
		135.5" Wheelbase; Except Wide Track Axle	Right		18P1320	
		135.5" Wheelbase; with Wide Track Axle	Right		18P1318	
		155.5" Wheelbase; Both Ends Are Button Type; 86-1/2" Length	Left		18P1054	
		155.5" Wheelbase; Both Ends Are Button Type; 87-1/2" Length	Right		18P1319	
		155.5" Wheelbase; One End Button Type & The Other End Is Threaded; 104" Length	Right		18P1047	
		155.5" Wheelbase; One End Button Type & The Other End Is Threaded; 105in Length	Left		18P1030	
	1990	131.5" Wheelbase; 2nd Design	Left		18P1030	

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Parking Brake Cable	1990	155.5" Wheelbase; 2nd Design	Left	18P1030	
		159.5" Wheelbase	Left	18P1319	
		159.5" Wheelbase; Except Wide Track Axle	Right	18P1320	
		159.5" Wheelbase; with Wide Track Axle	Right	18P1318	
	1989-88		Left	18P1587	
			Right	18P2001	
	1986-84	55-1/2in Length	Left	18P427	
		73-1/2" Length	Right	18P430	
		78-1/4" Length	Right	18P428	
		with 51-5/8in Overall Length	Left	18P429	
	1983-81	44-1/4in Length		18P152	
		45-1/4in Length		18P402	
	1980-79			18P152	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2000-90	Single Rear Wheels	Left	18FR742	
				18FR742C	
				18FR742N	
				18R742	
				18R742F1	
			Right	18FR741	
				18FR741C	
				18FR741N	
				18R741	
				18R741F1	
		With Dual Rear Wheels	Left	18FR982	
				18FR982C	
				18FR982N	
				18R982	
				18R982F1	
			Right	18FR981	
				18FR981C	
				18FR981N	
				18R981	
				18R981F1	
	1989-88		Left	18FR742	
				18FR742C	
				18FR742N	
				18R742	
				18R742F1	
			Right	18FR741	

GMC – C3500 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	1989-88		Right		18FR741C	
					18FR741N	
					18R741	
					18R741F1	
	1986-79	w/ 13" x 3.5" Brakes	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
					18R651	
	1985-79	13" X 2-1/2" Brakes	Left		18FR650	
					18R650	
			Right		18FR649	
					18R649	

Front

Disc Brake Caliper Bushing	2000-96	SRW			18K1524	
	2000-90	without Dual Rear Wheels			18K1524	
	1995-90	Single Rear Wheels			18K1524	
	1989-88				18K1524	
	1985-79	with 13in x 2-1/2in Brakes	Inner		18K1524	
			Outer		18K1525	
	1979	GM Brake Code JB7	Inner		18K1524	
			Outer		18K1525	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2000-95	without Dual Rear Wheels	Left		18J1089	
			Right		18J2045	
	2000-90	With Dual Rear Wheels	Left		18J785	
			Right		18J771	
	1994-93	without Dual Rear Wheels	Left		18J675	
			Right		18J674	
	1992-90	without Dual Rear Wheels	Left		18J1089	
			Right		18J2045	
	1989-88	without Dual Rear Wheels	Left		18J675	
			Right		18J674	
	1986-85		Left		18J2204	
			Right		18J2206	
	1984-79	with 13in x 2-1/2in Brakes	Left		18J2038	
			Right		18J587	
		with 13in x 3-1/2in Brakes	Left		18J2204	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Hydraulic Hose	1984-79	with 13in x 3-1/2in Brakes Right		18J2206	
Rear					
Brake Hydraulic Hose	2000-95	17.75in Length Center		18J2064	
	2000-90	22.375in Length Center		18J784	
		22.25" Length Center		18J1279	
	1992-90	17.75in Length Center		18J2064	
	1989-88	Center		18J2064	
	1986-79	Center		18J2119	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2000-94			18M742	
	1993-90	With Dual Rear Wheels		18M422	
		without Dual Rear Wheels		18M364	
	1989-88			18M364	
	1986-84			18M230	
	1983	with 13in x 3-1/2in Brakes; w/ Stamping # 1605 on Master Cylinder		18M71	
		with 13in x 3-1/2in Brakes; w/ Stamping # 1925 on Master Cylinder		18M230	
	1982-79	with 13in x 3-1/2in Brakes		18M71	
	1980-79	with 13in x 2-1/2in Brakes		18M229	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2000-90	2nd Generation, Copper Free Friction Formula; With Dual Rear Wheels		17D459CHF1	
		2nd Generation, Copper Free Friction Formula; without Dual Rear Wheels		17D370CHF1	
		Friction Contains Copper; without Dual Rear Wheels		17D370CH	
		Friction Contains Copper; With Dual Rear Wheels		17D459CH	
		With Dual Rear Wheels	14D459CH	17D459MH	
			14D459CHF1		
			14D459M		
			14D459MH		
		without Dual Rear Wheels	14D370CH	17D370MH	
			14D370CHF1		
			14D370CHF2		
			14D370MH		
	1989-88	2nd Generation, Copper Free Friction Formula		17D370CHF1	

GMC – C3500 (Cont.)



Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	1989-88	Friction Contains Copper		17D370CH	
			14D370CH	17D370MH	
			14D370CHF1		
			14D370CHF2		
	14D370MH				
	1986-79	w/ 13" X 3 1/2" Brake Drum	14D149MX	17D149MH	
				17D149MX	
		with 13in x 2-1/2in Rear Drum	14D153MH	17D153MH	
14D153MHF1					
Rear					
Disc Brake Pad Set	2000-95	RWD		17D184M	
				17D184MH	
	1994	Early Design	14D149MX	17D149MH	
				17D149MX	
		Late Design	14D792CHF1	17D792CH	
			14D792MH	17D792MH	
		Late Design; 2nd Generation, Copper Free Friction Formula		17D792CHF2	
		Late Design	14D792CH		
			14D792M		
		Late Design; Friction Contains Copper		17D792CHF1	
		Late Design		17D792M	
	1993-91		14D149MX	17D149MH	
				17D149MX	
Rear					
Drum Brake Shoe	2000-90		14452R	17452R	
			R452		
	1989-88	without Dual Rear Wheels	14451R		
		With Dual Rear Wheels	14452R	17452R	
			R452		
		without Dual Rear Wheels	R451	17451R	
	1986-79	with 13in x 2-1/2in Rear Drum	14451R	17451R	
			R451		
		with 13in x 3-1/2in Brakes	14452R	17452R	
			R452		
Rotors & Drums					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2000-98	With Dual Rear Wheels	18B254A		
		without Dual Rear Wheels	18B277A	18B277	
	1997-92	131.5" Wheelbase; with 9000lb & 9200lb GVW	18B277A	18B277	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Drum	1997-92	155.5" Wheelbase; with 9000lb & 9200lb GVW	18B277A	18B277	
		with 11000lb Gross Vehicle Weight (GVW); With Dual Rear Wheels; w/ 12,000 lb. GVW	18B254A		
	1991	with 13in x 2-1/2in Brakes; without Dual Rear Wheels		18B111	
		with 13in x 3-1/2in Brakes; without Dual Rear Wheels		18B253	
	1991-90	with 13in x 3-1/2in Brakes; With Dual Rear Wheels	18B254A		
	1990	with 13in x 2-1/2in Brakes; RPO Y06 or Y07 9.5in Ring Gear; with 9.5in Diameter Ring Gear; without Dual Rear Wheels		18B111	
	1989-88	with 6-3/8in Wide Drums; without Dual Rear Wheels	18B147A	18B147	
		With Dual Rear Wheels	18B254A		
	1986-79	with 13in x 3-1/2in Brakes; without Dual Rear Wheels		18B108	
		With Dual Rear Wheels	18B254A		
	1984-79	with 13in x 2-1/2in Brakes; without Dual Rear Wheels		18B111	

Front

Disc Brake Rotor and Hub Assembly	2000-95	With Dual Rear Wheels	18A874A	18A874	
			18A874AC		
		without Dual Rear Wheels	18A507A	18A507	
			18A507AC		
	1994-90	With Dual Rear Wheels	18A452A		
	1994-88	without Dual Rear Wheels	18A269A		
	1989-88	With Dual Rear Wheels	18A297A	18A297	
	1986-79	w/ 13" X 3 1/2" Brake Drum; With Dual Rear Wheels	18A97A	18A97	
		w/ 13" X 3 1/2" Brake Drum; without Dual Rear Wheels	18A21A		
	1985-79	with 13in x 2-1/2in Rear Drum	18A63A		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2000-88	With Dual Rear Wheels		18E1362	
		without Dual Rear Wheels		18E112	
	1986-79	With Dual Rear Wheels		18E1362	
		without Dual Rear Wheels		18E112	

GMC – C3500HD

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	2002-94			18P1449	
	1993-91			18P1322	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front							
Disc Brake Caliper	2002-95	Single Piston Caliper	Left		18FR652		
					18FR652N		
					18R1010		
					18R652		
		Right		18FR651			
				18FR651N			
				18R1009			
				18R651			
	2002-94	Dual Piston Caliper			18FR1408		
					18R1408		
	1994	From VIN # RJ514540; Single Piston Caliper	Left		18R1010		
			Right		18R1009		
	1993-91	Single Piston Caliper	Left		18FR652		
					18FR652N		
					18R652		
			Right		18FR651		
					18FR651N		
					18R651		
Rear							
Disc Brake Caliper	2002-95	Dual Piston Caliper	Left		18FR1408		
					18R1408		
				Right		18FR1408	
						18R1408	
		Single Piston Caliper	Left		18FR652		
					18FR652N		
					18R1010		
					18R652		
			Right		18FR651		
					18FR651N		
					18R1009		
					18R651		
	1994	From VIN # RJ514540; Single Piston Caliper	Left		18R1010		
			Right		18R1009		
	1993-91	Single Piston Caliper	Left		18FR652		
					18FR652N		
					18R652		

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	1993-91	Single Piston Caliper	Right	18FR651	
				18FR651N	
				18R651	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2002-91		Left		18J823	
			Right		18J822	
	1992	Rear Drum Brakes; Over 9,200 Lb. GVWR	Left		18J785	
			Right		18J771	
		Rear Drum Brakes; To 9,200 lb. GVW	Left		18J1089	
			Right		18J2045	
Rear						
Brake Hydraulic Hose	2002-96	Dual Piston Caliper	Left		18J1310	
			Right		18J1272	
		Single Piston Caliper	Left		18J351	
			Right		18J354	
			Center		18J2064	
	1995-91		Center		18J349	
			Left		18J351	
			Right		18J354	
	1992-91	17.75in Length	Center		18J2064	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2002-92			18M949	
	1991			18M1887	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2002-95			17D184M	
				17D184MH	
	1994	From VIN # RJ514540		17D184M	
				17D184MH	
		To VIN # RJ514539	14D149MX	17D149MH	
				17D149MX	
	1993-91		14D149MX	17D149MH	
				17D149MX	

GMC – C3500HD (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Pad Set	2002-95			17D184M	
				17D184MH	
	1994	From VIN # RJ514540		17D184M	
				17D184MH	
		To VIN # RJ514539	14D149MX	17D149MH	
				17D149MX	
	1993-91		14D149MX	17D149MH	
				17D149MX	
Driveline					
Parking Brake Shoe	2002-91	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2002-95	5 Hole Rotor	18A686A	18A686	
	1994	5 Hole Rotor; From VIN # RJ514540	18A686A	18A686	
		8 Hole Rotor; To VIN # RJ514539	18A274A		
	1993-91	8 Hole Rotor	18A274A		
Rear					
Disc Brake Rotor	2002-95	10 Hole Rotor	18A717A	18A717	
	1994	10 Hole Rotor; From VIN # RJ514540	18A717A	18A717	
		10 Hole Rotor; To VIN # RJ514539	18A230A		
	1993-91	10 Hole Rotor	18A230A		

GMC – C4500 Topkick

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	2009-04	64mm 4 Piston Calipers	Left		18FR2503N	
			Right		18FR2502N	
					18R2502	
	2008-03	w/ 66mm Dual Piston Caliper			18FR2576	
					18R2576	
	2003	60mm Dual Piston Calipers; w/ Dual Piston Calipers			18FR2529	
			Caliper Inlet With Tube Seat; 4 Piston Caliper	Left		18FR2496
					18FR2496N	
		Right			18FR2497	
					18FR2497N	
				18R2497		
	Rear					
Disc Brake Caliper	2009-04	5 Hole Rotor; Except Drum In Hat Parking Brake; w/ 66mm Dual Piston Caliper		18FR2576		

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2009-04	5 Hole Rotor; Except Drum In Hat Parking Brake; w/ 66mm Dual Piston Caliper		18R2576	
		64mm 4 Piston Calipers	Left	18FR2502N	
				18R2502	
		Drum In Hat Parking Brake; w/ 10 Hole Rear Rotor; w/ 66mm Dual Piston Caliper	Right	18FR2503N	
				18FR2528	
				18FR2528N	
	2003	60mm Dual Piston Calipers; w/ Dual Piston Calipers		18R2528	
				18FR2529	

Front

Disc Brake Caliper Bushing	2009-03	w/ Dual Piston Calipers		18K16121	

Rear

Disc Brake Caliper Bushing	2009-03	w/ Dual Piston Calipers		18K16121	

Front

Disc Brake Caliper Piston	2003	70mm 4 Piston Calipers; Phenolic Piston		18K2420	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty

Front

Brake Hydraulic Hose	2009-07	w/ 6,000 Lb Front Axle; w/ 6,250 lb. Front Axle	Right		18J384138
	2009-06	G38 8,000 Lb Front Axle	Left		18J384124
			Right		18J384132
	2009-03	8000 Lb Front Axle	Left		18J384141
		FM7 7,000 Lb Front Axle	Right		18J384122
		FM8 8,000 Lb Front Axle	Right		18J384124
		w/ 6,000 Lb Front Axle; w/ 6,250 lb. Front Axle	Left		18J384151
		w/ 7,000 lb. or 8,000 lb. Front Axle	Left		18J384114
			Right		18J384134
	2006-03	w/ 6,250 lb. Front Axle; w/ 6,000 Lb Front Axle	Right		18J384138
	2005	FRX 7,000 Lb Front Axle; G38 8,000 Lb Front Axle	Left		18J384124
			Right		18J384132

Rear

Brake Hydraulic Hose	2009-06	4 X 4	Left		18J384140
	2009-05	4 X 4	Right		18J384150
	2009-04	4 X 2; Drum In Hat Parking Brake	Left		18J384178
			Right		18J384142
	2009-03	with Driveline Mounted Parking Brake; w/ 13,000 lb. Rear Axle; 11,000 Pound Rear Axle	Right		18J384126

GMC – C4500 Topkick (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2004-03	4 X 2; with Driveline Mounted Parking Brake; w/ 11,000 lb. Rear Axle; w/ 13,500 lb. Axle	Left	18J384117	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-03	Except School Bus; w/ 6,250 lb. Front Axle		18M2429	
		w/ 7,000 lb. Front Axle or w/ 8,000 lb. Front Axle		18M870	
		with School Bus Package; w/ 6,250 lb. Front Axle		18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-03	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
		Dual Piston Caliper	14D1010MX	17D1010MH	
				17D1010MX	
Rear					
Disc Brake Pad Set	2009-04	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
		Drum In Hat Parking Brake; Dual Piston Caliper	14D1064M	17D1064M	
				17D1064MH	
	2009-03	with Driveline Mounted Parking Brake; Dual Piston Caliper	14D1010MX	17D1010MH	
				17D1010MX	
Driveline					
Parking Brake Shoe	2009-03	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
Rear					
Parking Brake Shoe	2009-04	Drum In Hat Parking Brake		17847B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-03	10 Hole Rotor Hat	18A2426A	18A2426	
		with 8 Lug Wheels	18A2759A	18A2759	
	2004-03	Hat Shaped 5 Hole Rotor	18A2442A	18A2442	
			18A2442AC		
Rear					
Disc Brake Rotor	2009-04	Drum In Hat Parking Brake; 10 Hole Rotor Hat	18A2668A	18A2668	
	2009-03	Hat Shaped 5 Hole Rotor; with Driveline Mounted Parking Brake	18A2442A	18A2442	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2009-03	Hat Shaped 5 Hole Rotor; with Driveline Mounted Parking Brake	18A2442AC		

GMC – C5000
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	1990			18P1530	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	1990-88	w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R652	
		Right		18FR651		
				18FR651N		
				18R651		
	1990-83	w/ 2.50" Dual Piston Dayton Caliper			18FR814	
					18FR814N	
					18R814	
		w/ 2.88" Dual Piston Bendix Caliper			18FR813	
					18FR813N	
					18R813	
	1989-88	w/ 3.38" Single Piston Bendix Caliper	Left		18R1010	
			Right		18R1009	
Rear						
Disc Brake Caliper	1990-88	w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R652	
		Right		18FR651		
				18FR651N		
				18R651		
	1990-83	w/ 2.50" Dual Piston Dayton Caliper			18FR814	
					18FR814N	
					18R814	
		w/ 2.88" Dual Piston Bendix Caliper			18FR813	
					18FR813N	
					18R813	
	1989-88	w/ 3.38" Single Piston Bendix Caliper	Left		18R1010	
			Right		18R1009	

GMC – C5000 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	1990-88	FMSI Number: 7142-D225		18K1395	
Rear					
Disc Brake Caliper Bushing	1990-88	FMSI Number: 7142-D225		18K1395	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Brake Hydraulic Hose	1989-88	26.12" Length	Left		18J372	
			Right		18J372	
		27.45" Length	Left		18J1386	
			Right		18J1386	
	1985	23.19" Length			18J371	
	1984-83	with # FO50 Front Axle; 23.19" Length			18J371	
	1982-80	Front Disc; Rear Drum; with # FO50 Front Axle; 23.19" Length			18J371	
Front Drum; Rear Drum		At Master Cylinder	18J857			
Rear						
Brake Hydraulic Hose	1989-88	18-5/8in Length	Center		18J554	
	1985-80	18-5/8in Length	Center		18J554	
	1983	18.69" Length			18J15	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1990	1 3/4" Bore Diameter		18M838	
	1985	Front Disc; Rear Drum; with 7000lb & 12000lb Front Axle		18M284	
		Front Drum; Rear Drum; w/ Delco Brake Booster		18M284	
		Front Drum; Rear Drum; with Dual System Hydro-Vac		18M52	
	1984-83	Front Disc; Rear Drum; Except BENDIX Master Cylinder; Dual Vacuum Hydraulic Cylinder; Except 5000 Pound Axle		18M284	
	1982-80	w/ Wagner Brake Booster		18M11	
				18M17	
	1980	Power Brakes; Dual Power, Hy-Power; w/ Delco Brake Booster		18M284	
		Power Brakes; with Dual System Hydro-Vac		18M52	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1990-88	Single Piston Bendix Caliper		17D184M	
				17D184MH	
	1990-83	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Rear					
Disc Brake Pad Set	1990-83	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Rear					
Drum Brake Shoe	1984-80			17427R	
Driveline					
Parking Brake Shoe	1990-83	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1990	5.41in Deep Pilot Hole; Hat Shaped 5 Hole Rotor	18A177A	18A177	
	1989-88	5.41in Deep Pilot Hole; Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
	1989-83	with 4.6in Pilot Hole; Hat Shaped 5 Hole Rotor		18A954	
Rear					
Disc Brake Rotor	1990	5.41in Deep Pilot Hole; Hat Shaped 5 Hole Rotor	18A177A	18A177	
		Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor	18A176A	18A176	
		U Shaped 10 Hole Rotor	18A692A		
	1989-88	5.41in Deep Pilot Hole; Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
	1989-83	5.41in Deep Pilot Hole; Hat Shaped 6 Hole Rotor		18A810	
	1987-83	5.41in Deep Pilot Hole; Except Tapped Holes For ABS Exciter Ring; Hat Shaped 5 Hole Rotor	18A177A	18A177	

GMC – C5000 Topkick
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	1991	with Manual Transmission; 84" Long		18P1526	
		with Automatic Transmission		18P1500	

GMC – C5000 Topkick (Cont.)

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Parking Brake Cable	1990			18P1530	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					

Disc Brake Caliper	1991-90	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
	1990	w/ 3.38" Single Piston Bendix Caliper Left		18FR652	
				18FR652N	
				18R652	
		Right		18FR651	
				18FR651N	
				18R651	

Rear

Disc Brake Caliper	1991-90	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
	1990	w/ 3.38" Single Piston Bendix Caliper Left		18FR652	
				18FR652N	
				18R652	
		Right		18FR651	
				18FR651N	
				18R651	

Front

Disc Brake Caliper Bushing	1991-90	FMSI Number: 7142-D225		18K1395	

Rear

Disc Brake Caliper Bushing	1991-90	FMSI Number: 7142-D225		18K1395	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1991-90	1 3/4" Bore Diameter		18M838	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1991-90	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
	1990	Single Piston Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1991-90	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Driveline					
Parking Brake Shoe	1991-90	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1991-90	5.41in Deep Pilot Hole; Hat Shaped 5 Hole Rotor	18A177A	18A177	
Rear					
Disc Brake Rotor	1991	Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor		18A1221	
	1991-90	5.41in Deep Pilot Hole; Hat Shaped 5 Hole Rotor	18A177A	18A177	
		Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor	18A176A	18A176	
		U Shaped 10 Hole Rotor	18A692A		

GMC – C5500 Topkick
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2009-03	64mm 4 Piston Calipers	Left	18FR2503N	
			Right	18FR2502N	
		Caliper Inlet With Tube Seat; 70mm 4 Piston Calipers		18R2502	
			Left	18FR2496	
				18FR2496N	
			Right	18FR2497	
				18FR2497N	
				18R2497	
	2008-03	w/ 66mm Dual Piston Caliper		18FR2576	
				18R2576	
	2003	60mm Dual Piston Calipers		18FR2529	

GMC – C5500 Topkick (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper	2009-04	Drum In Hat Parking Brake; w/ 66mm Dual Piston Caliper		18FR2528	
				18FR2528N	
				18R2528	
		with Driveline Mounted Parking Brake; w/ 66mm Dual Piston Caliper		18FR2576	
				18R2576	
	2009-03	64mm 4 Piston Calipers Left		18FR2502N	
				18R2502	
	2008-03	64mm 4 Piston Calipers Right		18FR2503N	
	2003	60mm Dual Piston Calipers		18FR2529	
Front					
Disc Brake Caliper Bushing	2009-03	Dual Piston Caliper		18K16121	
Rear					
Disc Brake Caliper Bushing	2009-03	Dual Piston Caliper		18K16121	
Front					
Disc Brake Caliper Piston	2009-03	70mm 4 Piston Calipers; Phenolic Piston		18K2420	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2009-05	4 X 4; w/ 8,000 lb Front Axle; w/ 7,000 lb. Front Axle	Left		18J384124	
			Right		18J384132	
	2009-03	4 X 2; w/ 7,000 lb. Front Axle	Left		18J384114	
			Right		18J384122	
		4 X 2; w/ 8,000 lb Front Axle	Left		18J384141	
			Right		18J384134	
		4 X 2; w/ RPO Code FK7 (6,000 Lb Capacity I Beam Front Axle); w/ RPO Code FR5 (6,250 Lb Capacity Front Axle)	Left		18J384151	
			Right		18J384138	
Rear						
Brake Hydraulic Hose	2009-06	w/ 8,000 Lb AWD Front Axle (G38); w/ 13,500 Lb Dana Rear Axle (HD2)	Right		18J384150	
	2009-05	4 X 4; 13,500lb Axle Weight	Left		18J384140	
	2009-04	4 X 2; Drum In Hat Parking Brake; 11,000 Pound Rear Axle; 13,500lb Axle Weight	Left		18J384178	
			Right		18J384142	
	2009-03	4 X 2; Transmission Mounted Parking Brake; 11,000 Pound Rear Axle; 13,500lb Axle Weight	Left		18J384117	
			Right		18J384126	
		w/ 15,000 lb. Rear Axle	Left		18J384153	
			Right		18J384148	
		w/ 19060S Eaton Rear Axle (HPK)	Left		18J384160	
Right				18J384166		

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2005	FRX 7,000 Lb Front Axle; w/ 8,000 Lb AWD Front Axle (G38); w/ RPO Code GL8 (13,500 Lb Capacity Rear Axle)	Right	18J384150	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-03			18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-03	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
		Dual Piston Caliper	14D1010MX	17D1010MH	
				17D1010MX	
Rear					
Disc Brake Pad Set	2009-04	Drum In Hat Parking Brake; Dual Piston Caliper	14D1064M	17D1064M	
				17D1064MH	
		with Transmission Mounted Parking Brake; Dual Piston Caliper	14D1010MX	17D1010MH	
				17D1010MX	
	2009-03	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2003	Dual Piston Caliper	14D1010MX	17D1010MH	
				17D1010MX	
Driveline					
Parking Brake Shoe	2009-03	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
Rear					
Parking Brake Shoe	2009-04	Drum In Hat Parking Brake		17847B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-05	U Shaped 8 Hole Rotor	18A2759A	18A2759	
	2009-03	Stepped Hat 10 Hole Rotor; with Cast In ABS Exciter; w/ 8,000 lb Front Axle	18A2426A	18A2426	
		Stepped Hat 5 Hole Rotor; w/ 7,000 lb. Front Axle	18A2442A	18A2442	
			18A2442AC		
Rear					
Disc Brake Rotor	2009-04	Drum In Hat Parking Brake; 10 Hole Rotor Hat; 13,500lb Axle Weight	18A2668A	18A2668	
	2009-03	Stepped Hat 10 Hole Rotor; with Transmission Mounted Parking Brake; 15,000lb Axle Weight	18A2426A	18A2426	

GMC – C5500 Topkick (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2009-03	Stepped Hat 5 Hole Rotor; with Transmission Mounted Parking Brake; 13,500lb Axle Weight	18A2442A	18A2442	
			18A2442AC		

GMC – C6000

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	1990			18P1530	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	1990-83	w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		
				18R813		
	1989-83	w/ 2.50" Dual Piston Dayton Caliper		18FR814		
				18FR814N		
				18R814		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R1010	
					18R652	
		Right		18FR651		
				18FR651N		
				18R1009		
		18R651				
Rear						
Disc Brake Caliper	1990-83	w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		
				18R813		
	1989-83	w/ 2.50" Dual Piston Dayton Caliper		18FR814		
				18FR814N		
				18R814		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R1010	
					18R652	
		Right		18FR651		
				18FR651N		
				18R1009		
		18R651				

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	1990-88	FMSI Number: 7142-D225		18K1395	
Rear					
Disc Brake Caliper Bushing	1990-88	FMSI Number: 7142-D225		18K1395	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1990			18J1283	
	1987-83	21.94" Length		18J1400	
		26.12" Length		18J372	
	1984-80	23.19" Length		18J371	
	1982-80	Front Drum; Rear Drum	At Master Cylinder	18J857	
Rear					
Brake Hydraulic Hose	1990	Center		18J1417	
		Left		18J1285	
		Right		18J1284	
	1987-83	18-5/8in Length	Center	18J554	
	1982-80	Front Drum; Rear Drum; Front Unit Brake; 18.69" Length		18J15	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1990-87	Front Disc Brakes; 15,000 lb. Rear Axle		18M246	
		w/ 7,000, 9,000 lb. Front Axle; w/ 19,000, 21,000 lb. Rear Axle; w/ 23,000 lb. Rear Axle		18M284	
	1986-85	Single System; 1 1/2" Bore Diameter; Front Drum Brakes		18M294	
	1986-83	Front Disc Brakes; w/ 5,000 lb. Front Axle		18M246	
		Front Disc; with 7000lb & 9000lb Front Axle		18M284	
	1986-79	Front Drum; Dual Hydraulic System		18M246	
	1984-81	Front Drum; Single System; 1 1/2" Bore Diameter		18M294	
	1980	With Power Brakes; Single System; Front Disc Brakes; 1 1/2" Bore Diameter		18M294	
	1979	Single Hydraulic System; Front Drum Brakes		18M11	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1990			17D184M	
				17D184MH	
	1990-83	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
	1989-88	Single Piston Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1990			17D224M	
				17D224MH	
	1990-83	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
	1989-83	with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Front					
Drum Brake Shoe	1984-80	w/ 15" X 3" Brakes		17321R	
Rear					
Drum Brake Shoe	1984-80	Optional; with 15in x 6in Brakes		17381R	
		Optional; with 15in x 7in Brakes		17383R	
		with 15in x 4in Brakes		17427R	
Driveline					
Parking Brake Shoe	1990-83	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1990	Hat Shaped 5 Hole Rotor	18A177A	18A177	
		with 15.37in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor	18A176A	18A176	
	1989-88	5.41in Deep Pilot Hole; Hat Shaped 6 Hole Rotor		18A810	
		5.41in Deep Pilot Hole; Stepped Hat 6 Hole Rotor		18A631	
		Stepped Hat 5 Hole Rotor		18A632	
		with 4.6in Pilot Hole; Hat Shaped 5 Hole Rotor		18A954	
	1989-83	5.41in Deep Pilot Hole; Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
	1987-83	5.41in Deep Pilot Hole; Except Tapped Holes For ABS Exciter Ring; Hat Shaped 5 Hole Rotor	18A177A	18A177	
	Rear				
Disc Brake Rotor	1990	Except Tapped Holes For ABS Exciter Ring; Hat Shaped 5 Hole Rotor	18A177A	18A177	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	1990	Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
		with 14.75in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor		18A809	
		with 14.75in Diameter Rotor; Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor		18A1420	
		with 15.37in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor	18A176A	18A176	
		with 15.37in Diameter Rotor; Stepped Hat 10 Hole Rotor; 4 Piston Caliper		18A1414	
	1990-88	U Shaped 10 Hole Rotor	18A692A		
	1989-88	5.41in Deep Pilot Hole; Hat Shaped 5 Hole Rotor	18A177A	18A177	
		5.41in Deep Pilot Hole; Hat Shaped 6 Hole Rotor		18A810	
	1989-83	Hat Shaped; 10 Hole Rotor	18A176A	18A176	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1987-80	with 5000lb Axle(s); w/ 14" X 2 1/2" Brakes; 7/8" Bore Diameter	Left	18E20	
			Right	18E21	
	1984-80	Bore 1-1/4in; with Automatic Adjusting Brakes; w/ 15" X 3 1/2" Brakes; w/ 9,000 lb. Axle	Left	18E58	
			Right	18E59	
		Bore 1-1/8in; w/ 15" X 3" Brakes; w/ 7,000 lb. Axle	Left	18E6	
			Right	18E7	
		with Manual Adjusting Brakes; w/ 15" X 3 1/2" Brakes; w/ 9,000 lb. Axle; w/ 1 3/8" Bore Diameter	Left	18E86	
			Right	18E87	
Rear					
Drum Brake Wheel Cylinder	1987-80	with 15in x 6in Brakes; 1 5/8" Bore Diameter		18E23	

GMC – C6000 Topkick
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	1996-94	78" Cable		18P1498	
		85" Length		18P1499	
	1996-93	37" Length		18P1537	
		40in Length		18P1528	
		49in Length		18P1527	
		52in Length		18P1525	
		56-1/8" Length		18P1529	

GMC – C6000 Topkick (Cont.)

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Parking Brake Cable	1996-93	57" Long		18P1553	
	1994-91	with Manual Transmission; 84" Long		18P1500	
	1993-91	with Automatic Transmission		18P1526	
	1990			18P1530	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1996-91	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
	1996-90	w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
Rear					
Disc Brake Caliper	1996-91	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
	1996-90	w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
Front					
Disc Brake Caliper Bushing	1996-90	FMSI Number: 7142-D225		18K1395	
Rear					
Disc Brake Caliper Bushing	1996-90	FMSI Number: 7142-D225		18K1395	
Front					
Disc Brake Caliper Piston	1996-95	Phenolic; 4 Piston Caliper		18K2420	
Rear					
Disc Brake Caliper Piston	1996-95	Phenolic; 4 Piston Caliper		18K2420	
Hoses					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1996-90			18J1283	
Rear					
Brake Hydraulic Hose	1996-95	Non-ABS; with 16900lb Axle(s); w/ Air Suspension; Eaton 19060S Rear Axle; Dual Piston Caliper	Right	18J1287	
		with Leaf Springs	Right	18J1284	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	1996-90	Left		18J1285	
	1994-90	Right		18J1284	
	1992-90	Center		18J1417	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1996-92	11,000 lb. Front Axle or w/ 12,000 lb. Front Axle		18M870	
		w/ 8,100 lb. Front Axle		18M838	
	1991	Power Brakes; 1 3/4" Bore Diameter; w/ 8,000 lb Front Axle		18M838	
		Power Brakes; with 11,000lb Front Axle; 2" Bore; 12,000 Pound Axle		18M870	
	1990	Front Disc Brakes; 15,000 lb. Rear Axle		18M246	
		w/ 7,000, 9,000 lb. Front Axle; w/ 19,000, 21,000 lb. Rear Axle; w/ 23,000 lb. Rear Axle		18M284	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1996-90	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
	1990			17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1996-95	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	1996-91	with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
	1996-90	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
	1990			17D224M	
				17D224MH	

Driveline

Parking Brake Shoe	1996-90	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1996-90	Hat Shaped 5 Hole Rotor	18A177A	18A177	

GMC – C6000 Topkick (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	1996-90	with 15.37in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor	18A176A	18A176	
Rear					
Disc Brake Rotor	1996-90	Except Tapped Holes For ABS Exciter Ring; Hat Shaped 5 Hole Rotor	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
		U Shaped 10 Hole Rotor	18A692A		
		with 14.75in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor		18A809	
		with 14.75in Diameter Rotor; Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor		18A1420	
		with 15.37in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor	18A176A	18A176	
		with 15.37in Diameter Rotor; Stepped Hat 10 Hole Rotor; 4 Piston Caliper		18A1414	

GMC – C6500 Topkick

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	2002-97	70" Cable		18P97441	
		78" Cable		18P1498	
	2000-97	37" Length		18P1537	
		40in Length		18P1528	
		49in Length		18P1527	
		52in Length		18P1525	
		56-1/8" Length		18P1529	
		57in Length		18P1553	
		85" Length		18P1499	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2009-03	64mm 4 Piston Calipers; w/ 8,000 lb Front Axle	Left	18FR2503N	
			Right	18FR2502N	
				18R2502	
		Caliper Inlet With Tube Seat; 70mm 4 Piston Calipers; 10,000 to 12,000 lb Axle	Left	18FR2496	
				18FR2496N	
			Right	18FR2497	
				18FR2497N	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	2009-03	Caliper Inlet With Tube Seat; 70mm 4 Piston Calipers; 10,000 to 12,000 lb Axle	Right		18R2497	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper			18FR814	
					18FR814N	
					18R814	
		w/ 2.88" Dual Piston Bendix Caliper			18FR813	
					18FR813N	
					18R813	
Rear						
Disc Brake Caliper	2009-03	64mm 4 Piston Calipers; w/ 15,000 lb. Rear Axle	Left		18FR2503N	
			Right		18FR2502N	
					18R2502	
		Caliper Inlet With Tube Seat; with 19,000lb or 21,000lb Rear Axle; 70mm 4 Piston Calipers	Left		18FR2496	
				18FR2496N		
			Right		18FR2497	
					18FR2497N	
					18R2497	
			2002-97	w/ 2.50" Dual Piston Dayton Caliper		
					18FR814N	
					18R814	
	w/ 2.88" Dual Piston Bendix Caliper				18FR813	
					18FR813N	
					18R813	
	Front					
Disc Brake Caliper Bushing	2000-97	FMSI Number: 7142-D225			18K1395	
Rear						
Disc Brake Caliper Bushing	2000-97	FMSI Number: 7142-D225			18K1395	
Front						
Disc Brake Caliper Piston	2009-03	Phenolic Piston; 70mm 4 Piston Calipers; 10,000 to 12,000 lb Axle			18K2420	
	2002-97	Phenolic; 4 Piston Caliper			18K2420	
Rear						
Disc Brake Caliper Piston	2009-03	with 19,000lb or 21,000lb Rear Axle; Phenolic Piston; 70mm 4 Piston Calipers			18K2420	
	2002-97	Phenolic; 4 Piston Caliper			18K2420	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2009-03	FM8 8,000 Lb Front Axle	Left		18J384136	
			Right		18J384145	
		Front Axle Code FM6, FS7 (10,000 To 12,000 lb.); Hydraulic Brakes (JE3)	Left		18J384125	

GMC – C6500 Topkick (Cont.)

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Brake Hydraulic Hose	2009-03	Front Axle Code FM6, FS7 (10,000 To 12,000 lb.); Hydraulic Brakes (JE3)	Right		18J384137	
	2002-97	Non-ABS			18J1611	
		w/ ABS Brakes				18J1617
Rear						
Brake Hydraulic Hose	2009-06	Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; w/ S130 Dana Rear Axle (HD1)	Left		18J384209	
		Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; w/ S130 Dana Rear Axle (HD1); Hydraulic Brakes (JE3)	Right		18J384197	
	2009-03	Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; w/ 19060S Eaton Rear Axle (HPK)	Left		18J384167	
			Right		18J384212	
		RPO Code G40 (19,000 Lb Air Suspension); RPO Code GSJ (21,000 Lb Air Suspension)	Left		18J384345	
			Right		18J384346	
		with 19,000lb or 21,000lb Rear Axle; Except Air Suspension; Except Low Profile	Left		18J4125	
			Right		18J4124	
	2005-03	Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; Rear Axle H08 (15,000 Lb); Hydraulic Brakes (JE3)	Right		18J384197	
		Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; w/ RPO Code H08 (Dana Rear Axle)	Left		18J384209	
	2002	Except Low Profile Option; 4 Piston Caliper; Eaton 19060S Rear Axle	Right		18J4482	
		Non-ABS; Dual Piston Caliper	Right		18J1608	
	2002-00	Non-ABS; with 19000lb Axle(s); EATON 19050T Rear Axle; Taper / Multi Leaf Rear Springs (RPO Code GZT); Eaton 19060T Rear Axle; Dual Piston Caliper	Left		18J1286	
			Right		18J1287	
	2002-99	w/ Air Suspension; w/ ABS Brakes; Dual Piston Caliper	Left		18J1614	
			Right		18J1615	
	2002-97	Except Low Profile Option; 4 Piston Caliper; Eaton 19060S Rear Axle	Left		18J1616	
					18J1610	
		Low Profile; 4 Piston Caliper	Left		18J1612	
			Right		18J1613	
		Low Profile; Dual Piston Caliper; w/ ABS			18J1609	
		Non-ABS; EATON 15040S Rear Axle; Dana S150-S Rear Axle; Dual Piston Caliper	Left		18J1286	
			Right		18J1287	
		Non-ABS; Eaton 19060D Rear Axle; Dual Piston Caliper	Left		18J1607	
		Non-ABS; with 16900lb Axle(s); Taper / Multi Leaf Rear Springs (RPO Code GZT); Eaton 19060S Rear Axle; Dual Piston Caliper	Left		18J1607	
		Non-ABS; with 16900lb Axle(s); w/ Air Suspension; Eaton 19060S Rear Axle; Dual Piston Caliper	Right		18J1287	

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Brake Hydraulic Hose	2002-97	Non-ABS; with 17850lb Axle(s); with 19000lb Axle(s); Eaton 19060S Rear Axle; Dual Piston Caliper	Left		18J1607	
	2001-00	Non-ABS; Except Low Profile Option; w/ Air Suspension; Eaton 19060T Rear Axle; Dual Piston Caliper	Left		18J1286	
			Right		18J1287	
	2001-98	Dual Piston Caliper; Non-ABS	Right		18J1608	
		Except Low Profile Option; 4 Piston Caliper; Eaton 19060S Rear Axle; Eaton 19060T Rear Axle	Right		18J4482	
	2001-97	with 17850lb Axle(s); EATON 19050S Rear Axle; Dual Piston Caliper	Left		18J1286	
			Right		18J1287	
	1999	Disney Fleet; Except Low Profile Option; Taper / Multi Leaf Rear Springs (RPO Code GZT); Dual Piston Caliper; w/ ABS Brakes	Right		18J1615	
			Left		18J1614	
	1999-98	with 17850lb Axle(s); EATON 19050T Rear Axle; Except Low Profile Option; 4 Piston Caliper	Right		18J4482	
	1999-97	Non-ABS; EATON 19050T Rear Axle; Taper / Multi Leaf Rear Springs (RPO Code GZT); Eaton 19060T Rear Axle; Dual Piston Caliper	Left		18J1286	
			Right		18J1287	
	1998	w/ Air Suspension; Dual Piston Caliper; w/ ABS Brakes	Left		18J1614	
			Right		18J1615	
	1997	Except Low Profile Option; 4 Piston Caliper; Eaton 19060S Rear Axle	Right		18J4482	
		Non-ABS; Dual Piston Caliper	Right		18J1608	
		w/ Air Suspension; w/ ABS Brakes; Dual Piston Caliper	Left		18J1614	
			Right		18J1615	

Master Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-97				18M870	

Pads & Shoes

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Pad Set	2009-02	4 Piston Caliper		14D1032MH	17D1032MH	
				14D1032MX	17D1032MX	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper			17D224M	
					17D224MH	
		w/ 2.88" Dual Piston Rail Slide Bendix Caliper			17D225M	

GMC – C6500 Topkick (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2002-97	w/ 2.88" Dual Piston Rail Slide Bendix Caliper		17D225MH	
Rear					
Disc Brake Pad Set	2009-97	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Rail Slide Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	2009-97	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-03	Hat Shaped 10 Hole Rotor	18A2426A	18A2426	
	2002-97	Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; 15.38" Rotor Diameter		18A1221	
		Hat Shaped 5 Hole Rotor; Non-ABS	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
Rear					
Disc Brake Rotor	2009-03	Hat Shaped 10 Hole Rotor	18A2426A	18A2426	
		U Shaped 10 Hole Rotor; w/ 21,000 lb. Rear Axle	18A2772A	18A2772	
	2002-97	4 Piston Caliper; Hat Shaped 10 Hole Rotor; 15.37" Rotor Diameter; Non-ABS	18A176A	18A176	
		4 Piston Caliper; Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; 15.37" Rotor Diameter	18A1220A	18A1220	
		Hat Shaped 10 Hole Rotor; 14.75" Rotor Diameter; Non-ABS		18A809	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; 14.75" Rotor Diameter		18A1420	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; 15.38" Rotor Diameter		18A1221	
		Hat Shaped 5 Hole Rotor; Non-ABS	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
		U Shaped 10 Hole Rotor	18A692A		
		with 15.37in Diameter Rotor; Stepped Hat 10 Hole Rotor; 4 Piston Caliper		18A1414	

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	1990			18P1530	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	1990-83	w/ 2.50" Dual Piston Dayton Caliper		18FR814		
				18FR814N		
				18R814		
		w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		
				18R813		
	1989-83	w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R1010	
					18R652	
			Right		18FR651	
					18FR651N	
					18R1009	
					18R651	
Rear						
Disc Brake Caliper	1990-83	w/ 2.50" Dual Piston Dayton Caliper		18FR814		
				18FR814N		
				18R814		
		w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		
				18R813		
	1989-83	w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R1010	
					18R652	
			Right		18FR651	
					18FR651N	
					18R1009	
					18R651	
Front						
Disc Brake Caliper Bushing	1990-80	FMSI Number: 7142-D225		18K1395		
Rear						
Disc Brake Caliper Bushing	1990-80	FMSI Number: 7142-D225		18K1395		

GMC – C7000 (Cont.)

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1990			18J1283	
	1989-83	26.12" Length		18J372	
	1987-83	29.38" Length		18J374	
	1982-80	23.19" Length		18J371	
Rear					
Brake Hydraulic Hose	1990	Center		18J1417	
		Left		18J1285	
		Right		18J1284	
	1989-80	18-5/8in Length Center		18J554	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1990	C7D042; w/ 5,000 lb. Front Axle		18M246	
		C7D042; w/ 7,000 lb. Front Axle		18M284	
		C7D064; w/ 5,000 lb. Front Axle		18M246	
		C7D064; w/ 7,000 lb. Front Axle		18M284	
	1989-86	w/ 5,000 lb. Front Axle		18M246	
		w/ 7,000 lb. Front Axle		18M284	
	1985-84	w/ 5,000 lb. Front Axle; w/ Front Disc Brakes		18M246	
		w/ Front Disc Brakes; w/ 7,000 lb. Front Axle		18M284	
	1985-83	Front Drum Brakes; Dual Hydraulic System; w/o Hydraulic Spring Parking Brake		18M246	
		Single Hydraulic System; Front Drum Brakes; w/ Bendix Master Cylinder		18M294	
		with Hydraulic Spring Parking Brake; Dual Hydraulic System; Front Drum Brakes		18M248	
	1983	C7D042; w/ 5,000 lb. Front Axle; w/ Front Disc Brakes		18M246	
		C7D064; Single Hydraulic System; Front Disc Brakes		18M50	
		w/ 7,000 lb. Front Axle; w/ Front Disc Brakes		18M284	
	1982-80	Single Hydraulic System; w/ Bendix Master Cylinder		18M294	
	1982-79	w/o Hydraulic Spring Parking Brake; Dual Hydraulic System		18M246	
		with Hydraulic Spring Parking Brake; Dual Hydraulic System		18M248	
	1979	Single Hydraulic System; 1 1/2" Bore Diameter; Wagner Master Cylinder		18M11	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1990-83	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
	1989-88	Single Piston Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1990-83	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Front					
Drum Brake Shoe	1983-80	w/ 15" X 3" Brakes; with Auto Adjuster		17321R	
Rear					
Drum Brake Shoe	1983	with 15in x 6in Brakes		17381R	
		with 15in x 7in Brakes		17383R	
	1982-80	Optional		17383R	
		Primary		17381R	
Driveline					
Parking Brake Shoe	1990-83	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	1990	Front Disc; Rear Drum; with 5 Bolt Holes		18B353	
		Front Disc; Rear Drum; with 9in Diameter Hub Hole; with .81in Stud Holes; with 10 Bolt Holes		18B354	
		Front Drum; Rear Drum; with 16.5in x 5in Brakes		18B331	
Front					
Disc Brake Rotor	1990	Hat Shaped 5 Hole Rotor	18A177A	18A177	
		with 15.37in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor	18A176A	18A176	
	1989-88	5.41in Deep Pilot Hole; Hat Shaped 6 Hole Rotor		18A810	
	1989-83	5.41in Deep Pilot Hole; Except Tapped Holes For ABS Exciter Ring; Hat Shaped 5 Hole Rotor	18A177A	18A177	
		5.41in Deep Pilot Hole; Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
		5.41in Deep Pilot Hole; Stepped Hat 5 Hole Rotor		18A632	
		5.41in Deep Pilot Hole; Stepped Hat 6 Hole Rotor		18A631	

GMC – C7000 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	1989-83	with 15.37in Diameter Rotor; Hat Shaped; 10 Hole Rotor	18A176A	18A176	
Rear					
Disc Brake Rotor	1990	Hat Shaped 5 Hole Rotor	18A177A	18A177	
		U Shaped 10 Hole Rotor	18A692A		
		with 14.75in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor		18A809	
		with 14.75in Diameter Rotor; Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor		18A1420	
	1990-83	with 15.37in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor	18A176A	18A176	
	1989-88	5.41in Deep Pilot Hole; Hat Shaped 6 Hole Rotor		18A810	
	1989-83	5.41in Deep Pilot Hole; Except Tapped Holes For ABS Exciter Ring; Hat Shaped 5 Hole Rotor	18A177A	18A177	
		5.41in Deep Pilot Hole; Stepped Hat 6 Hole Rotor		18A631	

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1985-80	Bore 1-1/4in; Axle # F090; w/ 15" X 3 1/2" Brakes	Left		18E58	
			Right		18E59	
		Bore 1-1/8in; Axle # F070; w/ 15" X 3" Brakes	Left		18E6	
			Right		18E7	
		with # F120 Front Axle; w/ 15" X 3" Brakes; w/ 1 3/8" Bore Diameter	Left		18E86	
			Right		18E87	
Rear						
Drum Brake Wheel Cylinder	1985-80	w/ 16" X 6" Brakes; 1-7/8" Bore	Lower		18E22	
			Upper		18E22	
		with 15in x 6in Brakes; 1 5/8" Bore Diameter	Lower		18E23	
			Upper		18E23	
		with 15in x 7in Brakes; 1 3/4" Bore Diameter	Lower		18E26	
			Upper		18E26	

GMC – C7000 Topkick

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	1994	78" Cable		18P1498	
		85" Length		18P1499	
	1994-93	37" Length		18P1537	

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Parking Brake Cable	1994-93	40in Length		18P1528	
		49in Length		18P1527	
		52in Length		18P1525	
		56-1/8" Length		18P1529	
		57" Long		18P1553	
	1994-91	with Manual Transmission; 84" Long		18P1500	
	1993-91	with Automatic Transmission		18P1526	
	1990			18P1530	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1996-90	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
Rear					
Disc Brake Caliper	1996-95	Caliper Inlet w/o Tube Seat; 70mm 4 Piston Calipers	Left	18FR2495	
			Right	18FR2494	
	1996-90	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
Front					
Disc Brake Caliper Bushing	1990	FMSI Number: 7142-D225		18K1395	
Rear					
Disc Brake Caliper Bushing	1990	FMSI Number: 7142-D225		18K1395	
Front					
Disc Brake Caliper Piston	1996-95	Phenolic; 4 Piston Caliper		18K2420	
Rear					
Disc Brake Caliper Piston	1996-95	Phenolic; 4 Piston Caliper		18K2420	

GMC – C7000 Topkick (Cont.)

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1996-90			18J1283	
Rear					
Brake Hydraulic Hose	1996-90	Center		18J1417	
		Left		18J1285	
		Right		18J1284	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1996-92	w/ Bendix Front Calipers		18M870	
		with Dayton Caliper		18M838	
	1991			18M838	
	1990	C7H042		18M838	
		C7H064		18M838	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1996-90	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Rear					
Disc Brake Pad Set	1996-95	without Wear Sensors; 4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	1996-90	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	

Driveline

Parking Brake Shoe	1996-90	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Drum	1995-93	with 16,000lb Front Axle; with 20in Cast Wheels		18B358	
		with 16,000lb Front Axle; with Steel Wheels		18B357	
		with 20in Cast Steel Wheels; with 15in x 4in Brakes		18B359	
Rear					
Brake Drum	1996-90	Front Disc; Rear Drum; with 5 Bolt Holes		18B353	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Drum	1996-90	Front Disc; Rear Drum; with 9in Diameter Hub Hole; with .81in Stud Holes; with 10 Bolt Holes		18B354	
	1994-90	Front Drum; Rear Drum; with 16.5in x 5in Brakes		18B331	
Front					
Disc Brake Rotor	1996-90	Hat Shaped 5 Hole Rotor	18A177A	18A177	
		with 15.37in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor	18A176A	18A176	
Rear					
Disc Brake Rotor	1996-95	with 15.37in Diameter Rotor; Stepped Hat 10 Hole Rotor; 4 Piston Caliper		18A1414	
	1996-90	Hat Shaped 5 Hole Rotor	18A177A	18A177	
		U Shaped 10 Hole Rotor	18A692A		
		with 14.75in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor		18A809	
		with 14.75in Diameter Rotor; Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor		18A1420	
		with 15.37in Diameter Rotor; Except Tapped Holes For ABS Exciter Ring; Hat Shaped; 10 Hole Rotor	18A176A	18A176	

GMC – C7500 Topkick
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	2002-97	70" Cable		18P97441	
		78" Cable		18P1498	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2009-03	64mm 4 Piston Calipers	Left	18FR2503N	
			Right	18FR2502N	
				18R2502	
		70mm 4 Piston Calipers	Left	18FR2496	
				18FR2496N	
			Right	18FR2497	
				18FR2497N	
				18R2497	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	

GMC – C7500 Topkick (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2002-97	w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
Rear					
Disc Brake Caliper	2009-03	70mm 4 Piston Calipers	Left	18FR2496	
				18FR2496N	
		Right		18FR2497	
				18FR2497N	
				18R2497	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
		with Steel Piston Caliper; w/ Dayton 70mm 4 Piston Caliper	Left		18FR2495
	with Steel Piston Caliper; w/ Dayton 70mm 4 Piston Caliper; 7/16" - 24 Inlet Thread	Right		18FR2494	
Front					
Disc Brake Caliper Bushing	2002-97	w/ 2.88" Dual Piston Bendix Caliper		18K1395	
Rear					
Disc Brake Caliper Bushing	2002-97	w/ 2.88" Dual Piston Bendix Caliper		18K1395	
Front					
Disc Brake Caliper Piston	2009-03	70mm 4 Piston Calipers		18K2420	
	2002-98	w/ Dayton 70mm 4 Piston Caliper; w/ Phenolic Piston Caliper		18K2420	
Rear					
Disc Brake Caliper Piston	2009-03	70mm 4 Piston Calipers		18K2420	
	2002-97	w/ Dayton 70mm 4 Piston Caliper; w/ Phenolic Piston Caliper		18K2420	
Hoses					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2009-03	Front Axle Code FM6, FS7 (10,000 To 12,000 lb.); Hydraulic Brakes (JE3)	Left	18J384125	
			Right	18J384137	
		w/ RPO Code FM8 (8,000 Lb Capacity Front Axle)	Left	18J384136	
		w/ RPO Code FM8 (8,000 Lb Capacity Front Axle); Hydraulic Brakes (JE3)	Right	18J384145	
	2002-97	Non-ABS		18J1611	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Hydraulic Hose	2002-97	w/ ABS Brakes		18J1617	
Rear					
Brake Hydraulic Hose	2009-06	Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; w/ S130 Dana Rear Axle (HD1)	Left	18J384209	
		Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; w/ S130 Dana Rear Axle (HD1); Hydraulic Brakes (JE3)	Right	18J384197	
	2009-03	Except Low Profile Option	Left	18J4125	
			Right	18J4124	
		Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; w/ 19060S Eaton Rear Axle (HPK)	Left	18J384167	
			Right	18J384212	
		Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; w/ 19060S Eaton Rear Axle (HPK); Hydraulic Brakes (JE3)	Left	18J384167	
			Right	18J384212	
	2005-03	Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; Rear Axle H08 (15,000 Lb); Hydraulic Brakes (JE3)	Left	18J384209	
			Right	18J384197	
		Low Profile (GPG); RPO Code GZT Taper / Multi Leaf Rear Springs; w/ RPO Code H08 (Dana Rear Axle)	Left	18J384209	
			Right	18J384209	
	2002	Except Low Profile Option; 4 Piston Caliper; Eaton 19060S Rear Axle	Right	18J4482	
	2002-00	Non-ABS; with 19000lb Axle(s); EATON 19050T Rear Axle; Taper / Multi Leaf Rear Springs (RPO Code GZT); Eaton 19060T Rear Axle; Dual Piston Caliper	Left	18J1286	
			Right	18J1287	
	2002-97	Except Disney Fleet; Except Low Profile Option; Taper / Multi Leaf Rear Springs (RPO Code GZT); Dual Piston Caliper; w/ ABS Brakes		18J1610	
		Except Low Profile Option; 4 Piston Caliper; Eaton 19060S Rear Axle	Left	18J1616	
		Low Profile; 4 Piston Caliper	Left	18J1612	
			Right	18J1613	
		Low Profile; Taper / Multi Leaf Rear Springs (RPO Code GZT); Dual Piston Caliper; w/ ABS Brakes		18J1609	
		Non-ABS; Eaton 19060D Rear Axle; Dual Piston Caliper	Left	18J1607	
			Right	18J1608	
		Non-ABS; Taper / Multi Leaf Rear Springs (RPO Code GZT); Eaton 21060D Rear Axle; Eaton 21060S Rear Axle; Eaton 22060S Rear Axle; Dual Piston Caliper	Left	18J1607	
			Right	18J1608	
		Non-ABS; Taper / Multi Leaf Rear Springs (RPO Code GZT); Eaton 21060T Rear Axle; Eaton 22060T Rear Axle; Dual Piston Caliper	Left	18J1286	

GMC – C7500 Topkick (Cont.)

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Brake Hydraulic Hose	2002-97	Non-ABS; Taper / Multi Leaf Rear Springs (RPO Code GZT); Eaton 21060T Rear Axle; Eaton 22060T Rear Axle; Dual Piston Caliper	Right		18J1287	
		Non-ABS; with 16900lb Axle(s); Taper / Multi Leaf Rear Springs (RPO Code GZT); Eaton 19060S Rear Axle; Dual Piston Caliper	Left		18J1607	
			Right		18J1608	
		Non-ABS; with 17850lb Axle(s); with 19000lb Axle(s); Eaton 19060S Rear Axle; Dual Piston Caliper	Left		18J1607	
			Right		18J1608	
		Radius Leaf Rear Springs (RPO Code GYN); w/ ABS Brakes			18J1610	
		w/ Air Suspension; Dual Piston Caliper; w/ ABS Brakes	Left		18J1614	
			Right		18J1615	
	2001-00	Non-ABS; Except Low Profile Option; w/ Air Suspension; Eaton 19060T Rear Axle; Dual Piston Caliper	Left		18J1286	
			Right		18J1287	
	2001-98	Except Low Profile Option; 4 Piston Caliper; Eaton 19060S Rear Axle; Eaton 19060T Rear Axle	Right		18J4482	
	2001-97	with 17850lb Axle(s); EATON 19050S Rear Axle; Dual Piston Caliper	Left		18J1286	
			Right		18J1287	
	1999	Disney Fleet; Except Low Profile Option; Taper / Multi Leaf Rear Springs (RPO Code GZT); Dual Piston Caliper; w/ ABS Brakes	Right		18J1615	
			Left		18J1614	
	1999-98	with 17850lb Axle(s); EATON 19050T Rear Axle; Except Low Profile Option; 4 Piston Caliper	Right		18J4482	
	1999-97	Non-ABS; EATON 19050T Rear Axle; Taper / Multi Leaf Rear Springs (RPO Code GZT); Eaton 19060T Rear Axle; Dual Piston Caliper	Left		18J1286	
			Right		18J1287	
	1997	Except Low Profile Option; 4 Piston Caliper; Eaton 19060S Rear Axle	Right		18J4482	

Master Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-97				18M870	

Pads & Shoes

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Pad Set	2009-03	4 Piston Caliper		14D1032MH	17D1032MH	
				14D1032MX	17D1032MX	
	2002	without Wear Sensors; 4 Piston Caliper		14D1032MH	17D1032MH	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2002	without Wear Sensors; 4 Piston Caliper	14D1032MX	17D1032MX	
	2002-97	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Rear					
Disc Brake Pad Set	2009-03	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2002-97	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		without Wear Sensors; 4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Driveline					
Parking Brake Shoe	2009-97	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2000-98	Front Disc; Rear Drum; with .94in Stud Holes; with 8.78in Diameter Hub Hole; with 10 Bolt Holes		18B356	
	1997	Front Disc; Rear Drum; with 5 Bolt Holes		18B353	
		Front Disc; Rear Drum; with 9in Diameter Hub Hole; with .81in Stud Holes; with 10 Bolt Holes		18B354	
Front					
Disc Brake Rotor	2009-03	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter	18A2426A	18A2426	
	2002-97	Hat Shaped 10 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; w/ 2.88" Dual Piston Bendix Caliper		18A1222	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.88" Dual Piston Bendix Caliper		18A1221	
		Hat Shaped 5 Hole Rotor; Except Tapped Holes For ABS Exciter Ring	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
Rear					
Disc Brake Rotor	2009-04	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; Except 21,000 Lb Axle	18A2426A	18A2426	
	2009-03	U Shaped 10 Hole Rotor; with Cast In ABS Exciter; w/ 21,000 lb. Rear Axle	18A2772A	18A2772	
	2002-97	Hat Shaped 10 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; 14.75" Rotor Diameter		18A809	

GMC – C7500 Topkick (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2002-97	Hat Shaped 10 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; 15.37" Rotor Diameter		18A1222	
		Hat Shaped 10 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; 4 Piston Caliper	18A176A	18A176	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; 14.75" Rotor Diameter		18A1420	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; 15.37" Rotor Diameter		18A1221	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; 4 Piston Caliper	18A1220A	18A1220	
		Hat Shaped 5 Hole Rotor; Except Tapped Holes For ABS Exciter Ring	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
		U Shaped 10 Hole Rotor	18A692A		
		with 15.37in Diameter Rotor; Stepped Hat 10 Hole Rotor; 4 Piston Caliper		18A1414	

GMC – M300

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1957-55			18J2072	
Rear					
Brake Hydraulic Hose	1957-55			18J3815	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1959-56			18M21698	
	1954	with Booster Brakes		18M9221	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	1959-55	1 1/2" Bore Diameter	Forward	18E487	
			Rearward	18E488	

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	1995	111-7/8in Length		18P1480	
		82-3/16in Length		18P1562	
		88-7/8in Length		18P1481	
		96-7/8in Length; Uses 3 Prong Snap in Fittings		18P1486	
		99-13/16in Length		18P1582	
	1994-91	82 3/16" Overall Length		18P1562	
	1990-88	Except Motorhome Chassis; GM Brake Code JF9		18P834	
				18P836	
		Motorhome Chassis; With Dual Rear Wheels		18P513	
	1988	Except Motorhome Chassis; without Dual Rear Wheels		18P512	
	1987-85	87-7/16in Length; GM Brake Code JF9		18P836	
	1987-82	91-7/16in Length; GM Brake Code JF9		18P834	
	1987-79	GM Brake Code JB7,JB8,JD7; 84-1/4" Length		18P512	
		GM Brake Code JB8; 102-3/16" Length		18P513	
		with 106-13/16in Overall Length; GM Brake Code JF9		18P837	
	1983-82	105-11/16in Length; GM Brake Code JB8		18P835	
	1983-79	87-1/4in Length; GM Brake Code JB7,JB8,JD7		18P358	
Intermediate					
Parking Brake Cable	1998-96	36-5/8" Length		18P612	
		44-1/2in Length		18P576	
		48-1/2in Length		18P577	
		67-3/4" Length		18P575	
		69 1/2" Long		18P413	
		89" Length		18P574	
		90-3/8" Length		18P414	
	1995-92	GM Brake Code JB8; 20.5" Length		18P1494	
	1993-85	178.0" Wheelbase; 89" Length		18P574	
		44-1/2in Length; GM Brake Code JB7,JB8,JD7		18P576	
		48-1/2in Length; GM Brake Code JB8		18P577	
		GM Brake Code JB7,JB8,JD7; 36-5/8" Length		18P612	
		GM Brake Code JB7,JB8,JD7; 67-3/4" Length		18P575	
	1993-84	GM Brake Code JB7,JB8,JD7; 69 1/2" Long		18P413	
	1984-79	133.0" Wheelbase; 45 1/2" Long		18P412	
		GM Brake Code JB8; 49-1/2" Length		18P415	
		GM Brake Code JB8; 90-3/8" Length		18P414	
		with 37.5in Overall Length; GM Brake Code JB7,JB8,JD7		18P440	

GMC – P3500 (Cont.)

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Intermediate (Cont.)					
Parking Brake Cable	1984-79	with 71-5/8in Overall Length; GM Brake Code JB8		18P301	
	1983-82	GM Brake Code JB8; 265" Length		18P401	
		with 196-1/2in Overall Length; GM Brake Code JB8		18P398	
	1983-79	137.0" Wheelbase; 153-1/2" Length		18P334	
		145-1/2in Length		18P404	
		157.0" Wheelbase; with 193-3/4in Overall Length; GM Brake Code JB8; GM Brake Code JB7		18P403	
Rear					
Parking Brake Cable	1999-97	14.90" Length; GM Brake Code JF9		18P2464	
	1998-94	55-1/2in Length; GM Brake Code JB8; without Dual Rear Wheels	Left	18P427	
		85-1/2in Length; GM Brake Code JB8; With Dual Rear Wheels	Right	18P745	
		88-1/4in Length; GM Brake Code JB8; without Dual Rear Wheels	Right	18P755	
		with 51-5/8in Overall Length; GM Brake Code JB8; With Dual Rear Wheels	Left	18P429	
	1996-95	without Cab; 14.90" Length; GM Brake Code JF9		18P2464	
	1996-93	52-5/16in Length; with Cab; GM Brake Code JF9		18P1488	
	1995	22-7/16in Length; with Power Parking Brake	Left	18P1580	
	1994	22-7/16in Length; with Power Parking Brake	Left	18P1323	
		without Cab; 14.90" Length; Uses 3 Prong Snap in Fittings; GM Brake Code JF9		18P2464	
	1993-91	22-7/16in Length; with Power Parking Brake; Stripped Chassis	Left	18P1323	
	1993-90	58in Length; GM Brake Code JB7; GM Brake Code JD7	Left	18P433	
		62" Length	Right	18P434	
	1993-87	85-1/2in Length; GM Brake Code JB8	Right	18P745	
		88-1/4in Length; GM Brake Code JB8	Right	18P755	
	1993-85	53-3/4in Length; GM Brake Code JB7,JB8,JD7	Left	18P905	
	1993-79	with 51-5/8in Overall Length; GM Brake Code JB8	Left	18P429	
	1989-79	GM Brake Code JB7,JB8,JD7; 78-1/4" Length	Right	18P428	
	1987-79	GM Brake Code JB8; 73-1/2" Length	Right	18P430	
		with 15-1/8in Overall Length; GM Brake Code JF9		18P604	
	1984	62" Length	Right	18P508	
	1984-79	55-1/2in Length; GM Brake Code JB7,JB8,JD7	Left	18P427	
	1983-82	45-1/4in Length; GM Brake Code JB7		18P402	

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Parking Brake Cable	1983-79	44-1/4in Length; GM Brake Code JB6,JB7,JB8		18P152	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty		
Front							
Disc Brake Caliper	1999-97	Rear Disc		18FR1408			
				18R1408			
		Rear Drum	Left		18FR652		
					18FR652N		
					18R652		
			Right		18FR651		
					18FR651N		
					18R651		
		1996-79	Floating Caliper	Left		18FR650	
						18R650	
				Right		18FR649	
						18R649	
	Sliding Caliper		Left		18FR652		
					18FR652N		
					18R652		
			Right		18FR651		
		18FR651N					
		18R651					
Rear							
Disc Brake Caliper	1999-97	Rear Disc		18FR1408			
				18R1408			
	1996-79	Left		18FR652			
				18FR652N			
				18R652			
		Right		18FR651			
				18FR651N			
				18R651			
Front							
Disc Brake Caliper Bushing	1995-88	w/ Option Codes (JB7), (JD7)	Inner	18K1524			
			Outer	18K1525			
	1994-88	with 13in x 2-1/2in Brakes	Inner	18K1524			
			Outer	18K1525			
	1987-79	Standard Duty Brakes	Inner	18K1524			
			Outer	18K1525			
	1984-79	with 13in x 2-1/2in Brakes; With Dual Rear Wheels	Inner	18K1524			
			Outer	18K1525			

GMC – P3500 (Cont.)

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	1999-97	Front Disc; Rear Drum	Left		18J2204	
			Right		18J2206	
	1996-95	Except I-Beam Axle	Left		18J2204	
			Right		18J2206	
		with Front I-Beam Axle	Left		18J370	
	1994	with 42.75in Overall Length; with Cast Valve; Forward Port Of Master Cylinder	Master Cyl To Combination Valve		18J1113	
	1993-90	V6 4.3L 262cid; Front Disc; Rear Drum; with Front I-Beam Axle; without 11000lb Rear Axle; with 13in x 3-1/2in Brakes			18J370	
		V8 5.7L 350cid; Front Disc; Rear Disc; with Front I-Beam Axle	Left		18J370	
			Right		18J369	
		V8 6.2L 379cid; Front Disc; Rear Disc; with Front I-Beam Axle	Left		18J370	
			Right		18J369	
		V8 7.4L 454cid; Front Disc; Rear Disc; with Front I-Beam Axle	Left		18J370	
			Right		18J369	
	1993-85	Front Disc; Rear Disc; Except I-Beam Axle; Except Motorhome Chassis	Left		18J2204	
			Right		18J2206	
		Front Disc; Rear Disc; Except I-Beam Axle; Motorhome Chassis	Left		18J435	
			Right		18J281	
		Front Disc; Rear Drum; Except I-Beam Axle; Except Motorhome Chassis; with 13in x 3-1/2in Brakes	Left		18J2204	
			Right		18J2206	
		Front Disc; Rear Drum; with 13in x 2-1/2in Brakes; Except I-Beam Axle; Except Motorhome Chassis	Left		18J2038	
			Right		18J587	
		Front Disc; Rear Drum; with 13in x 2-1/2in or 13in x 3-1/2in Brakes; Except I-Beam Axle; Motorhome Chassis	Left		18J435	
			Right		18J281	
	1991-90	L4 3.9L 239cid; Front Disc; Rear Disc; with Front I-Beam Axle	Left		18J370	
			Right		18J369	
	1989-85	Front Disc; Rear Disc; with Front I-Beam Axle	Left		18J370	
			Right		18J369	
		Front Disc; Rear Drum; with Front I-Beam Axle; with 13in x 3-1/2in Brakes	Left		18J370	
			Right		18J369	
	1984-81	Except Motorhome Chassis; with 13in x 3-1/2in Brakes	Left		18J2204	
			Right		18J2206	
		with 13-3/4in x 1-17/32in Brakes; Except Motorhome Chassis	Left		18J351	
			Right		18J354	
	1984-79	Front Disc; Rear Drum; with 13in x 2-1/2in Brakes; Except Motorhome Chassis	Left		18J2038	
			Right		18J587	
		Motorhome Chassis	Left		18J280	
			Right		18J281	
		with 20-5/8in Overall Length; Motorhome Chassis	Right		18J281	
			Right		18J1977	

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Brake Hydraulic Hose	1980-79	with 13-3/4in x 1-17/32in Brakes; Except Motorhome Chassis; with 13in x 3-1/2in Brakes	Left		18J2204	
			Right		18J2206	
Rear						
Brake Hydraulic Hose	1999-97	Front Disc; Rear Disc	Left		18J1310	
			Right		18J1272	
	1999-94		Center		18J2119	
	1996-85	Front Disc; Rear Disc	Left		18J351	
			Right		18J354	
	1993-85	Front Disc; Rear Drum; with 13in x 2-1/2in or 13in x 3-1/2in Brakes	Center		18J2119	
	1984-79	with 13in Brakes	Center		18J2119	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1999-97	Rear Disc		18M949	
		Rear Drum		18M742	
	1996-95	Stripped Chassis; Rear Drum; Motorhome Chassis; w/ 13" x 3 1/2" Rear Shoes, w/ JB8 Brake Code		18M742	
		Stripped Chassis; Rear Drum; w/ Forward Control Chassis; w/ 13" x 3 1/2" Rear Shoes, w/ JB8 Brake Code		18M230	
	1996-93	Cab & Chassis; Rear Disc		18M949	
		Rear Drum; w/ 13" X 2 1/2" Rear Brakes; w/ Single Rear Wheels (SRW); w/ Option Codes (JB7), (JD7)		18M230	
	1995	Cab & Chassis; Rear Drum; with Single Rear Wheels (SRW); w/ 13" x 3 1/2" Rear Shoes, w/ JB8 Brake Code		18M1887	
		Stripped Chassis; Rear Disc; Motorhome Chassis		18M949	
		Stripped Chassis; Rear Disc; w/ Forward Control Chassis		18M1887	
	1994	Cab & Chassis; w/ 13" x 3 1/2" Rear Shoes, w/ JB8 Brake Code		18M1887	
	1994-93	Stripped Chassis; Rear Disc		18M1887	
		Stripped Chassis; Rear Drum; w/ 13" x 3 1/2" Rear Shoes, w/ JB8 Brake Code		18M230	
	1993	Cab & Chassis; Rear Drum; with 13in x 3-1/2in Brakes		18M1887	
	1993-85	Rear Drum; GAS; w/ 13" X 2 1/2" Rear Brakes; GM Brake Code JB7		18M348	
	1992	Rear Drum; w/ 13" X 2 1/2" Rear Brakes; w/ Option Codes (JB7), (JD7); Hydroboost System; w/ Single Wire Bail For Reservoir		18M230	
		with Dual Wire Bail Master Cylinder Reservoir; w/ Rear Drum Brakes; w/ 13" X 2 1/2" Rear Brakes; w/ Option Codes (JB7), (JD7); Hydroboost System		18M229	

GMC – P3500 (Cont.)

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	1992-85	Rear Drum; w/ 13" x 3 1/2" Rear Shoes, w/ JB8, JD8 Brake Code		18M230	
	1992-79	Rear Disc		18M1887	
	1991-85	Rear Drum; DIESEL; with 13in x 2-1/2in Brakes		18M229	
	1984	Rear Drum; w/ 13" x 3 1/2" Rear Shoes, w/ JB8, JD8 Brake Code; w/ Bendix Master Cylinder		18M71	
		Rear Drum; with 13in x 2-1/2in Brakes		18M229	
	1984-80	Rear Drum; Moraine Cylinder; w/ 13" x 3 1/2" Rear Shoes, w/ JB8, JD8 Brake Code		18M230	
	1983-81	Rear Drum; with 13in x 3-1/2in Brakes; w/ Bendix Master Cylinder		18M71	
	1982-79	Rear Drum; with 13in x 2-1/2in Brakes		18M229	
	1980-79	Rear Drum; w/ 13" x 3 1/2" Rear Shoes, w/ JB8, JD8 Brake Code; w/ Bendix Master Cylinder		18M71	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1999-97	Front Disc; Rear Disc		17D184M	
				17D184MH	
	1999-96	Front Disc; Rear Drum; w/ 13" X 2 1/2" Rear Drum; w/ 13" X 3 1/2" Brake Drum	14D149MX	17D149MH	
				17D149MX	
	1996-79	Front Disc; Rear Disc	14D149MX	17D149MH	
				17D149MX	
	1995-79	Front Disc; Rear Drum; w/ 13" X 3 1/2" Brake Drum	14D149MX	17D149MH	
				17D149MX	
		Front Disc; Rear Drum; with 13in x 2-1/2in Rear Drum	14D153MH	17D153MH	
14D153MHF1					
Rear					
Disc Brake Pad Set	1999-97			17D184M	
				17D184MH	
	1996-79		14D149MX	17D149MH	
				17D149MX	
Rear					
Drum Brake Shoe	1999-79	with 13in x 2-1/2in Brakes	14451R	17451R	
			R451		
		with 13in x 3-1/2in Brakes	14452R	17452R	
			R452		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	1999-79	with 13in x 3-1/2in Brakes; With Dual Rear Wheels	18B254A		
		with 13in x 3-1/2in Brakes; without Dual Rear Wheels		18B253	
	1997-79	with 13in x 2-1/2in Brakes		18B111	
Front					
Disc Brake Rotor	1999-97	Front Disc; Rear Disc	18A686A	18A686	
	1996-79	Front Disc; Rear Disc	18A274A		
Rear					
Disc Brake Rotor	1999-97		18A717A	18A717	
	1996-79		18A230A		
Front					
Disc Brake Rotor and Hub Assembly	1999-97	Front Disc; Rear Drum; with 13in x 2-1/2in Brakes; With Dual Rear Wheels; w/ Independent Front Suspension	18A617A	18A617	
		Front Disc; Rear Drum; with Front I-Beam Axle; with 13in x 3-1/2in Brakes; With Dual Rear Wheels	18A950A		
		Front Disc; Rear Drum; without Dual Rear Wheels	18A616A		
	1996-91	Except 5000lb I-Beam Front Axle; With Dual Rear Wheels; w/ 13" X 3 1/2" Brake Drum	18A97A	18A97	
	1994-91	with 5000lb I-Beam Front Axle; With Dual Rear Wheels; w/ 13" X 3 1/2" Brake Drum	18A313A	18A313	
	1994-85	with 13in x 2-1/2in Brakes; without Dual Rear Wheels	18A63A		
	1992-79	w/ 13" X 3 1/2" Brake Drum; without Dual Rear Wheels	18A21A		
	1990-85	with 5000lb I-Beam Front Axle; with 13in x 3-1/2in Brakes; With Dual Rear Wheels	18A313A	18A313	
	1990-79	Except 5000lb I-Beam Construction; With Dual Rear Wheels; w/ 13" X 3 1/2" Brake Drum	18A97A	18A97	
	1984-79	with 13in x 2-1/2in Rear Drum; without Dual Rear Wheels	18A63A		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	1999-96	With Dual Rear Wheels		18E1362	
		without Dual Rear Wheels		18E112	
	1995-79	with 13in x 2-1/2in Brakes; without Dual Rear Wheels		18E112	
		with 13in x 3-1/2in Brakes; With Dual Rear Wheels		18E1362	

GMC – P4500

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	1990-88	w/ 2.50" Dual Piston Dayton Caliper		18FR814		
				18FR814N		
				18R814		
	1990-84	w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
					18R651	
Rear						
Disc Brake Caliper	1990-88	w/ 2.50" Dual Piston Dayton Caliper		18FR814		
				18FR814N		
				18R814		

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1990-88	23.99" Length		18J1405	
	1990-83	25.35in Length; GM Brake Code JC7; GM Brake Code JC8		18J1333	
	1987-84	26.12" Length		18J372	
Rear					
Brake Hydraulic Hose	1990-84	18-5/8in Length	Center	18J554	
	1983-79	Front Drum; Rear Drum; 25.21" Length	Center	18J1417	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1987-84	Except BENDIX Master Cylinder; with Dual Hydraulic System; 1 3/4" Bore Diameter		18M246	
	1983-82	Front Drum; Rear Drum; with BENDIX Unit; with Dual Hydraulic System; 1 3/4" Bore Diameter		18M246	
	1983-79	with Dual Hydraulic System; with WAGNER Brand; 1 3/4" Bore Diameter		18M52	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1990-79	w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
	1987-79	7.200" Length; w/ 3.38" Single Piston Bendix Caliper	14D149MX	17D149MH	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	1987-79	7.200" Length; w/ 3.38" Single Piston Bendix Caliper		17D149MX	
Rear					
Disc Brake Pad Set	1990-88	w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
	1990-79	with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Rear					
Drum Brake Shoe	1984-81	Optional; with 15in x 6in Brakes		17381R	
	1984-79	with 15in x 4in Brakes		17427R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1987-84	Forward Control; Hat Shaped; 8 Hole Rotor	18A274A		
Rear					
Disc Brake Rotor	1990-88	5.41in Deep Pilot Hole; Forward Control; Hat Shaped 5 Hole Rotor	18A177A	18A177	
		5.41in Deep Pilot Hole; Forward Control; Hat Shaped 6 Hole Rotor		18A810	

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1987-79	Bore 1-1/8in; w/ 15" X 3" Brakes	Left		18E6	
			Right		18E7	
		w/ 14" X 2 1/2" Brakes; 7/8" Bore Diameter	Left		18E20	
			Right		18E21	
Rear						
Drum Brake Wheel Cylinder	1987-79	w/ 15" X 4" or 15" X 5" Brakes; 1 1/2" Bore Diameter	Left		18E82	
			Right		18E83	
		with 13in x 2-1/2in Brakes; 1 1/16" Bore Diameter			18E112	
		with 15in x 6in Brakes; 1 5/8" Bore Diameter			18E23	

GMC – P6500
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1996-92	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	

GMC – P6500 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	1996-92	w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
Rear					
Disc Brake Caliper	1996-92	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
Front					
Disc Brake Caliper Bushing	1996-92	FMSI Number: 7142-D225		18K1395	
Rear					
Disc Brake Caliper Bushing	1996-92	FMSI Number: 7142-D225		18K1395	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1994-93			18J1283	
Rear					
Brake Hydraulic Hose	1994-93	Inner		18J1287	
				18J1286	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1996-92	w/ 8,000 lb Front Axle		18M838	
		with 11,000lb Front Axle		18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1996-92	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Rear					
Disc Brake Pad Set	1996-92	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline					
Parking Brake Shoe	1996-92	Forward Control; w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1996-92	5.41in Deep Pilot Hole; Except Tapped Holes For ABS Exciter Ring; Hat Shaped 5 Hole Rotor	18A177A	18A177	
		5.41in Deep Pilot Hole; Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1221	
Rear					
Disc Brake Rotor	1996-92	5.41in Deep Pilot Hole; Except Tapped Holes For ABS Exciter Ring; Hat Shaped 5 Hole Rotor	18A177A	18A177	
		5.41in Deep Pilot Hole; Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1221	

GMC – Savana 4500
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2014-13			18P97104	
	2012			18P97103	
Intermediate					
Parking Brake Cable	2015	w/ 159" Wheelbase		18P97103	
		w/ 177" Wheelbase		18P97104	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2020-09	Original Part Design	Left	18R1996	
			Right	18R1995	
			Left	18FR1996	18R1996SV
				18FR1996C	
				18FR1996N	
				18R1996F1	
			Right	18FR1995	18R1995SV
				18FR1995C	
				18FR1995N	
				18R1995F1	

GMC – Savana 4500 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper	2020-09	Left		18FR12667C	
				18R12667C	
		Right		18FR12668C	
				18R12668C	
Rear					
Disc Brake Caliper Bushing	2016-15			18K1933	
	2013-09			18K1933	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2021-09	Left		18J4878	
		Right		18J4879	
Rear					
Brake Hydraulic Hose	2018-11	Right		18J383739	
	2017-14	w/o Stabilitrak Left		18J383628	
	2013-09	Left		18J383628	
	2010-09	Right		18J383046	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2019-18			18M2568	
	2017-09	w/ Stabilitrak		18M2568	
		w/o Stabilitrak		18M2557	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-18		14D784CH	17D784BMH	17D784MHSV
			14D784CHF1	17D784BSDH	
			14D784MH		
	2020-09	2nd Generation, Copper Free Friction Formula		17D784CHF1	
		Friction Contains Copper		17D784CH	
			14D784CH	17D784MH	17D784MHSV
			14D784CHF1	17D784MXH	
			14D784MH	17D784SDH	
	Rear				
Disc Brake Pad Set	2020-09	2nd Generation, Copper Free Friction Formula	14D1411CHF1	17D1411CHF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper	14D1411CH	17D1411CH	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2020-09			17D1411MH	17D1411MHSV
				17D1411SDH	
Rear					
Parking Brake Shoe	2023	With Dual Rear Wheels		17973B	
	2022-09			17973B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-09		18A1193A	18A1193	
			18A1193AC		
Rear					
Disc Brake Rotor	2020-09		18A2630A	18A2630	
	2011-10	with 3.20in Overall Rotor Height	18A926A	18A926	
			18A926AC	18A926SD	

GMC – Sierra 3500
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2006	157.5" Wheelbase		18P2609	
		185.5" Wheelbase		18P2610	
	2006-02	161.5" Wheelbase		18P303	
	2006-01	133.0" Wheelbase		18P440	
		137.0" Wheelbase		18P440	
	2005-04	185.5" Wheelbase; with Wide Track Axle		18P303	
	2005-01	167.0" Wheelbase		18P2125	
	2003-01	157.5" Wheelbase		18P2609	
		185.5" Wheelbase		18P2610	
	2001	161.5" Wheelbase; Except Wide Track Axle		18P303	
Front					
Parking Brake Cable	2002-01			18P1449	
Rear					
Parking Brake Cable	2006	137.0" Wheelbase; Except Wide Track Axle	Left	18P96870	
			Right	18P96871	
		137.0" Wheelbase; with Wide Track Axle	Left	18P96854	
			Right	18P96855	
		161.5" Wheelbase; Except Wide Track Axle	Left	18P96870	
			Right	18P96871	
		161.5" Wheelbase; with Wide Track Axle	Left	18P96854	
			Right	18P96855	
		185.5" Wheelbase; Except Wide Track Axle	Left	18P96870	

GMC – Sierra 3500 (Cont.)

Cable (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Parking Brake Cable	2006	185.5" Wheelbase; Except Wide Track Axle	Right		18P96871	
	2005-01	133.0" Wheelbase	Left		18P2615	
			Right		18P2613	
		137.0" Wheelbase; Except Wide Track Axle	Left		18P2622	
			Right		18P2611	
		137.0" Wheelbase; with Wide Track Axle	Left		18P2617	
			Right		18P2618	
		157.5" Wheelbase	Left		18P2616	
			Right		18P2613	
		161.5" Wheelbase; Except Wide Track Axle	Left		18P2622	
			Right		18P2611	
		161.5" Wheelbase; with Wide Track Axle	Left		18P2617	
			Right		18P2618	
		167.0" Wheelbase	Left		18P2616	
			Right		18P2613	
		185.5" Wheelbase; Except Wide Track Axle	Left		18P2622	
			Right		18P2611	
		185.5" Wheelbase; with Wide Track Axle	Left		18P2617	
			Right		18P2618	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2006-04	Original Part Design; Single Rear Wheels	Left		18R1381	
			Right		18R1380	
		Original Part Design; With Dual Rear Wheels	Left		18R1996	
			Right		18R1995	
		Single Rear Wheels	Left		18FR1381	18R1381SV
					18FR1381C	
					18FR1381N	
					18R1381F1	
			Right		18FR1380	18R1380SV
					18FR1380C	
					18FR1380N	
					18R1380F1	
		With Dual Rear Wheels	Left		18FR1996	18R1996SV
					18FR1996C	
					18FR1996N	
					18R1996F1	
			Right		18FR1995	18R1995SV
					18FR1995C	
					18FR1995N	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	2006-04	With Dual Rear Wheels	Right		18R1995F1	
	2003-01	Original Part Design	Left		18R1996	
			Right		18R1995	
			Left		18FR1996	18R1996SV
					18FR1996C	
					18FR1996N	
					18R1996F1	
			Right		18FR1995	18R1995SV
					18FR1995C	
					18FR1995N	
		18R1995F1				
Rear						
Disc Brake Caliper	2006-04	w/ 12,000 lb. GVW	Left		18FR2007	
					18FR2007C	
					18R2007	
			Right		18FR2008	
					18FR2008C	
					18R2008	
		w/ 9,900 lb. GVW	Left		18FR1378	18R1378PV
					18FR1378C	
					18FR1378N	
					18R1378	
					18R1378C	
			Right		18FR1379	18R1379PV
					18FR1379C	
					18FR1379N	
					18R1379	
					18R1379C	
	2003-01		Left		18FR2007	
					18FR2007C	
					18R2007	
			Right		18FR2008	
					18FR2008C	
					18R2008	
Front						
Disc Brake Caliper Bushing	2006-01				18K1169	
Rear						
Disc Brake Caliper Set	2006-04	w/ 9,900 lb. GVW				18FR1378KSD

GMC – Sierra 3500 (Cont.)

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2006-01	Left		18J4316	
		Right		18J4317	
Rear					
Brake Hydraulic Hose	2006-05	9,900 lb. G.V.W. Left		18J4227	
		w/ 12,000 lb. GVW Left		18J1934	
	2006-04	GM Code JH7 (Brake HYD Power, 4 Wheel Disc, 12,000 lbs.) Right		18J381625	
		Right		18J4315	
	2004-01	Center		18J1575	
		Left		18J1934	
	2003-01	Right		18J381625	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2006-03			18M2426	
	2002-01	Power Brakes		18M1107	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2006-01	2nd Generation, Copper Free Friction Formula		17D784CHF1	
		Friction Contains Copper		17D784CH	
			14D784CH	17D784MH	17D784MHSV
			14D784CHF1	17D784MXH	
			14D784MH	17D784SDH	
Rear					
Disc Brake Pad Set	2006-04	2nd Generation, Copper Free Friction Formula; With Dual Rear Wheels		17D909CHF1	
		2nd Generation, Copper Free Friction Formula; without Dual Rear Wheels		17D785CHF1	
		Original Part Design; without Dual Rear Wheels		17D785MH	
		Revised F1 Part Design; without Dual Rear Wheels		17D785MHF1	
		Friction Contains Copper; without Dual Rear Wheels		17D785CH	
		Friction Contains Copper; With Dual Rear Wheels		17D909CH	
		With Dual Rear Wheels	14D909CH	17D909MH	
			14D909CHF1		
		without Dual Rear Wheels	14D785CH	17D785SDH	
			14D785CHF1		
			14D785MH		

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2003-01	2nd Generation, Copper Free Friction Formula		17D909CHF1	
		Friction Contains Copper		17D909CH	
			14D909CH	17D909MH	
			14D909CHF1		
Rear					
Parking Brake Shoe	2006-01		14771B	17771B	
			B771		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2006-04	With Dual Rear Wheels	18A1193A	18A1193	
			18A1193AC		
		without Dual Rear Wheels	18A1206A	18A1206	
			18A1206AC	18A1206SD	
	2003-01		18A1193A	18A1193	
			18A1193AC		
Rear					
Disc Brake Rotor	2006-04	With Dual Rear Wheels	18A1417A	18A1417	
			18A1417AC		
		without Dual Rear Wheels	18A926A	18A926	
			18A926AC	18A926SD	
	2003-01		18A1417A	18A1417	
			18A1417AC		

GMC – Sierra 3500 Classic
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2007	133.0" Wheelbase		18P440	
		137.0" Wheelbase		18P440	
		157.5" Wheelbase		18P2609	
		161.5" Wheelbase		18P303	
		167.0" Wheelbase		18P2610	
Rear					
Parking Brake Cable	2007	137.0" Wheelbase; Except Wide Track Axle	Left	18P96870	
			Right	18P96871	
		137.0" Wheelbase; with Wide Track Axle	Left	18P96854	
			Right	18P96855	
		161.5" Wheelbase; Except Wide Track Axle	Left	18P96870	
			Right	18P96871	
		161.5" Wheelbase; with Wide Track Axle	Left	18P96854	

GMC – Sierra 3500 Classic (Cont.)

Cable (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Parking Brake Cable	2007	161.5" Wheelbase; with Wide Track Axle	Right		18P96855	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2007	Original Part Design; Single Rear Wheels	Left		18R1381	
			Right		18R1380	
		Original Part Design; With Dual Rear Wheels	Left		18R1996	
			Right		18R1995	
		Single Rear Wheels	Left		18FR1381	18R1381SV
					18FR1381C	
					18FR1381N	
					18R1381F1	
			Right		18FR1380	18R1380SV
					18FR1380C	
					18FR1380N	
					18R1380F1	
		With Dual Rear Wheels	Left		18FR1996	18R1996SV
					18FR1996C	
					18FR1996N	
					18R1996F1	
			Right		18FR1995	18R1995SV
					18FR1995C	
					18FR1995N	
					18R1995F1	
Rear						
Disc Brake Caliper	2007	w/ 12,000 lb. GVW	Left		18FR2007	
					18FR2007C	
					18R2007	
			Right		18FR2008	
					18FR2008C	
					18R2008	
		w/ 9,900 lb. GVW	Left		18FR1378	18R1378PV
					18FR1378C	
					18FR1378N	
					18R1378	
					18R1378C	
			Right		18FR1379	18R1379PV
					18FR1379C	
					18FR1379N	
					18R1379	
					18R1379C	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper Set	2007	w/ 9,900 lb. GVW			18FR1378KSD

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2007	Left		18J4316	
		Right		18J4317	
Rear					
Brake Hydraulic Hose	2007	9,900 lb. G.V.W. Left		18J4227	
		GM Code JH7 (Brake HYD Power, 4 Wheel Disc, 12,000 lbs.) Right		18J381625	
		w/ 12,000 lb. GVW Left		18J1934	
		Right		18J4315	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2007			18M2426	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2007	2nd Generation, Copper Free Friction Formula		17D784CHF1	
		Friction Contains Copper		17D784CH	
			14D784CH	17D784MH	17D784MHSV
			14D784CHF1	17D784MXH	
			14D784MH	17D784SDH	
Rear					
Disc Brake Pad Set	2007	2nd Generation, Copper Free Friction Formula; With Dual Rear Wheels		17D909CHF1	
		2nd Generation, Copper Free Friction Formula; without Dual Rear Wheels		17D785CHF1	
		Original Part Design; without Dual Rear Wheels		17D785MH	
		Revised F1 Part Design; without Dual Rear Wheels		17D785MHF1	
		Friction Contains Copper; without Dual Rear Wheels		17D785CH	
		Friction Contains Copper; With Dual Rear Wheels		17D909CH	
		With Dual Rear Wheels	14D909CH	17D909MH	
			14D909CHF1		
		without Dual Rear Wheels	14D785CH	17D785SDH	
			14D785CHF1		

GMC – Sierra 3500 Classic (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2007	without Dual Rear Wheels	14D785MH		
Rear					
Parking Brake Shoe	2007		14771B	17771B	
			B771		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2007	9,900 lb. G.V.W.	18A1206A	18A1206	
			18A1206AC	18A1206SD	
		w/ 12,000 lb. GVW	18A1193A	18A1193	
			18A1193AC		
		With Dual Rear Wheels	18A1193A	18A1193	
			18A1193AC		
		without Dual Rear Wheels	18A1206A	18A1206	
			18A1206AC	18A1206SD	
Rear					
Disc Brake Rotor	2007	9,900 lb. G.V.W.	18A926A	18A926	
			18A926AC	18A926SD	
		w/ 12,000 lb. GVW	18A1417A	18A1417	
			18A1417AC		
		With Dual Rear Wheels	18A1417A	18A1417	
			18A1417AC		
		without Dual Rear Wheels	18A926A	18A926	
			18A926AC	18A926SD	

GMC – Sierra 3500 HD

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2017-11	Crew Cab Pickup		18P97255	
	2015	Extended Cab Pickup		18P97254	
	2013-12	Extended Cab Pickup		18P97254	
	2010-07	133.0" Wheelbase		18P440	
		137.0" Wheelbase		18P440	
		157.5" Wheelbase		18P2609	
		161.5" Wheelbase		18P303	
Intermediate					
Parking Brake Cable	2017-16	Extended Cab Pickup		18P97254	
	2011	Extended Cab Pickup		18P97254	
Rear					
Parking Brake Cable	2018-16	Crew Cab Pickup; 158.1" Wheelbase	Left	18P97252	

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Parking Brake Cable	2018-16	Crew Cab Pickup; 167.7" Wheelbase	Left	18P97252	
		Extended Cab Pickup; 158.1" Wheelbase	Left	18P97252	
		Extended Cab Pickup; 167.7" Wheelbase	Left	18P97252	
		Standard Cab Pickup; 158.1" Wheelbase	Left	18P97252	
		Standard Cab Pickup; 167.7" Wheelbase	Left	18P97252	
	2018-15	Crew Cab Pickup; 153.7" Wheelbase	Right	18P97251	
		Extended Cab Pickup; 153.7" Wheelbase	Right	18P97251	
		Standard Cab Pickup; 153.7" Wheelbase	Right	18P97251	
	2017-16	Crew Cab Pickup; 133.6" Wheelbase	Left	18P97252	
			Right	18P97253	
		Crew Cab Pickup; 158.1" Wheelbase	Right	18P97253	
		Crew Cab Pickup; 167.7" Wheelbase	Right	18P97253	
		Extended Cab Pickup; 133.6" Wheelbase	Left	18P97252	
			Right	18P97253	
		Extended Cab Pickup; 158.1" Wheelbase	Right	18P97253	
		Extended Cab Pickup; 167.7" Wheelbase	Right	18P97253	
		Standard Cab Pickup; 133.6" Wheelbase	Left	18P97252	
			Right	18P97253	
		Standard Cab Pickup; 158.1" Wheelbase	Right	18P97253	
		Standard Cab Pickup; 167.7" Wheelbase	Right	18P97253	
	2013-11	Crew Cab Pickup; 133.6" Wheelbase	Left	18P97252	
			Right	18P97253	
		Crew Cab Pickup; 153.7" Wheelbase	Left	18P97250	
			Right	18P97251	
		Crew Cab Pickup; 158.1" Wheelbase	Left	18P97252	
			Right	18P97253	
		Crew Cab Pickup; 167.7" Wheelbase	Left	18P97252	
			Right	18P97253	
		Extended Cab Pickup; 133.6" Wheelbase	Left	18P97252	
			Right	18P97253	
		Extended Cab Pickup; 153.7" Wheelbase	Left	18P97250	
			Right	18P97251	
		Extended Cab Pickup; 158.1" Wheelbase	Left	18P97252	
			Right	18P97253	
		Extended Cab Pickup; 167.7" Wheelbase	Left	18P97252	
			Right	18P97253	
		Standard Cab Pickup; 133.6" Wheelbase	Left	18P97252	
			Right	18P97253	
		Standard Cab Pickup; 153.7" Wheelbase	Left	18P97250	
			Right	18P97251	
		Standard Cab Pickup; 158.1" Wheelbase	Left	18P97252	
			Right	18P97253	
		Standard Cab Pickup; 167.7" Wheelbase	Left	18P97252	

GMC – Sierra 3500 HD (Cont.)

Cable (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Parking Brake Cable	2013-11	Standard Cab Pickup; 167.7" Wheelbase	Right		18P97253	
	2010	Extended Cab Pickup; 157.5" Wheelbase	Left		18P97239	
	2009-07	137.0" Wheelbase; Except Wide Track Axle	Left		18P96870	
			Right		18P96871	
		137.0" Wheelbase; with Wide Track Axle	Left		18P96854	
			Right		18P96855	
		161.5" Wheelbase; Except Wide Track Axle	Left		18P96870	
			Right		18P96871	
		161.5" Wheelbase; with Wide Track Axle	Left		18P96854	
			Right		18P96855	
		Crew Cab Pickup; 167.0" Wheelbase	Left		18P96981	
		Extended Cab Pickup; 157.5" Wheelbase	Left		18P96981	
		Standard Cab Pickup; 133.0" Wheelbase	Left		18P96980	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2019-11	Innovative dual-bleeder design can fit either left or right position without modification			18FR12463DN	
			Right		18R12463	
			Left		18R12464	
					18FR12464	
					18FR12464C	
					18R12464C	
			Right		18FR12463	
					18FR12463C	
					18R12463C	
	2010-07	Original Part Design; Single Rear Wheels	Left		18R1381	
			Right		18R1380	
		Original Part Design; With Dual Rear Wheels	Left		18R1996	
			Right		18R1995	
		Single Rear Wheels	Left		18FR1381	18R1381SV
					18FR1381C	
					18FR1381N	
					18R1381F1	
			Right		18R1380F1	18R1380SV
					18FR1380	
					18FR1380C	
					18FR1380N	
		With Dual Rear Wheels	Left		18FR1996	18R1996SV
					18FR1996C	
					18FR1996N	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)							
Disc Brake Caliper	2010-07	With Dual Rear Wheels	Left		18R1996F1		
			Right		18FR1995	18R1995SV	
					18FR1995C		
					18FR1995N		
					18R1995F1		
Rear							
Disc Brake Caliper	2019-11	Innovative dual-bleeder design can fit either left or right position without modification; Single Rear Wheels	Left		18FR12465DN		
			Right		18FR12465DN		
		Innovative dual-bleeder design can fit either left or right position without modification; With Dual Rear Wheels			18FR12885DN		
			Single Rear Wheels	Left		18FR12466	
					18FR12466C		
					18R12466C		
		Right			18FR12465		
					18FR12465C		
					18R12465		
		Left			18FR12466N		
		Right			18FR12465N		
		Left			18R12466		
		With Dual Rear Wheels	Left		18FR12886C		
			Right		18FR12885C		
		2010-07	w/ 12,000 lb. GVW	Left		18FR2007	
						18FR2007C	
						18R2007	
				Right		18FR2008	
						18FR2008C	
					18R2008		
	w/ 9,900 lb. GVW		Left		18FR1378	18R1378PV	
					18FR1378C		
					18FR1378N		
					18R1378		
					18R1378C		
			Right		18FR1379	18R1379PV	
		18FR1379C					
		18FR1379N					
		18R1379					
		18R1379C					
	Front						
Disc Brake Caliper Bushing	2017-12				18H1224		
	2011				18H1191		
Rear							
Disc Brake Caliper Bushing	2017-15				18H1224		

GMC – Sierra 3500 HD (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper Bushing	2014-11			18H1191	
Rear					
Disc Brake Caliper Set	2010-07	w/ 9,900 lb. GVW			18FR1378KSD

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Brake Hydraulic Hose	2017-11	Left		18J4576		
		Right		18J4577		
	2010-07	Left		18J4892		
		Right		18J4893		
Rear						
Brake Hydraulic Hose	2019-17	Single Rear Wheels	Center		18J384351	
	2019-15	With Dual Rear Wheels	Left		18J383963	
		Right		18J383964		
	2019-11	with Single Rear Wheels (SRW)	Left		18J4759	
		without Dual Rear Wheels	Right		18J4760	
	2016-15	Denali; Single Rear Wheels	Center		18J384351	
		SLT; Single Rear Wheels	Center		18J384351	
	2014-11	Cab & Chassis; With Dual Rear Wheels	Center		18J383733	
		Cab & Chassis; with Wide Track Rear Axle; With Dual Rear Wheels	Left		18J383963	
			Right		18J383964	
			Crew Cab Pickup; With Dual Rear Wheels	Center		18J383734
		Left			18J383479	
		Right			18J383480	
		Standard Cab Pickup; With Dual Rear Wheels	Center		18J383734	
			Left		18J383479	
			Right		18J383480	
		with Single Rear Wheels (SRW)	Center		18J383482	
	2013-11	Extended Cab Pickup; With Dual Rear Wheels	Center		18J383734	
			Left		18J383479	
			Right		18J383480	
	2010-07	w/ 12,000 lb. GVW	Left		18J383523	
			Right		18J383598	
		without Dual Rear Wheels	Left		18J4849	
			Right		18J4850	
			Center		18J4631	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2019-15			18M391534	
	2014	With Dual Rear Wheels		18M2557	
	2014-11	without Dual Rear Wheels		18M2568	
	2013-11	With Dual Rear Wheels; w/ Trailer Brake Control		18M2567	
		without Trailer Brake Control; With Dual Rear Wheels		18M2557	
	2010	Except Active Brake Control; without Trailer Brake Control		18M2567	
		with Active Brake Control; w/ Trailer Brake Control		18M2557	
		with Active Brake Control; without Trailer Brake Control		18M2568	
	2009	Except Active Brake Control; w/ Trailer Brake Control		18M2567	
		Except Active Brake Control; without Trailer Brake Control		18M2557	
	2008-07	w/ Trailer Brake Control		18M2539	
		without Trailer Brake Control		18M391082	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2024-20		14D2250CH	17D2250CH	
				17D2250SDH	
	2019-11	2nd Generation, Copper Free Friction Formula	14D1411CHF1	17D1411CHF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper	14D1411CH	17D1411CH	
				17D1411MH	17D1411MHSV
				17D1411SDH	
	2010-07	2nd Generation, Copper Free Friction Formula		17D784CHF1	
		Friction Contains Copper		17D784CH	
			14D784CH	17D784MH	17D784MHSV
			14D784CHF1	17D784MXH	
			14D784MH	17D784SDH	
Rear					
Disc Brake Pad Set	2022-20		14D2250ACH	17D2250ACH	
				17D2250ASDH	
	2019-15	2nd Generation, Copper Free Friction Formula	14D1411CHF1	17D1411CHF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper	14D1411CH	17D1411CH	
				17D1411MH	17D1411MHSV

GMC – Sierra 3500 HD (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2019-15			17D1411SDH	
	2014	2nd Generation, Copper Free Friction Formula; without Dual Rear Wheels	14D1411CHF1	17D1411CHF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper; without Dual Rear Wheels	14D1411CH	17D1411CH	
		To 08/2014; 2nd Generation, Copper Free Friction Formula; With Dual Rear Wheels	14D1411CHF1	17D1411CHF1	
		To 08/2014; In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper; With Dual Rear Wheels	14D1411CH	17D1411CH	
		To 08/2014; With Dual Rear Wheels		17D1411MH	17D1411MHSV
				17D1411SDH	
		without Dual Rear Wheels		17D1411MH	17D1411MHSV
				17D1411SDH	
	2013-11	2nd Generation, Copper Free Friction Formula	14D1411CHF1	17D1411CHF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper	14D1411CH	17D1411CH	
				17D1411MH	17D1411MHSV
				17D1411SDH	
	2010-07	2nd Generation, Copper Free Friction Formula; With Dual Rear Wheels		17D909CHF1	
		2nd Generation, Copper Free Friction Formula; without Dual Rear Wheels		17D785CHF1	
		Original Part Design; without Dual Rear Wheels		17D785MH	
		Revised F1 Part Design; without Dual Rear Wheels		17D785MHF1	
		Friction Contains Copper; without Dual Rear Wheels		17D785CH	
		Friction Contains Copper; With Dual Rear Wheels		17D909CH	
		With Dual Rear Wheels	14D909CH	17D909MH	
			14D909CHF1		
		without Dual Rear Wheels	14D785CH	17D785SDH	
			14D785CHF1		
14D785MH					
Rear					
Parking Brake Shoe	2019-11			171050B	
	2010-08		14771B	17771B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2024-11		18A2804A	18A2804	
			18A2804AC		
	2020-11		18A2804A	18A2804SD	
			18A2804AC		
	2010-07	With Dual Rear Wheels	18A1193A	18A1193	
			18A1193AC		
		without Dual Rear Wheels	18A1206A	18A1206	
			18A1206AC	18A1206SD	
Rear					
Disc Brake Rotor	2024-22	SRW	18A2805A	18A2805	
			18A2805AC		
	2023-22	with Dual Rear Wheels (DRW)	18A82636A	18A82636G	
	2020	With Dual Rear Wheels	18A82636A	18A82636G	
	2020-15	with Single Rear Wheels (SRW)	18A2805A	18A2805	
			18A2805AC	18A2805SD	
	2019-16	With Dual Rear Wheels	18A81945A	18A81945	
			18A81945AC		
	2017-16	With Dual Rear Wheels	18A81945A	18A81945SD	
			18A81945AC		
	2015	From 08/2014; With Dual Rear Wheels	18A81945A	18A81945	
			18A81945AC	18A81945SD	
		To 08/2014; With Dual Rear Wheels	18A2797A	18A2797	
			18A2797AC	18A2797SD	
	2014-13	without Dual Rear Wheels	18A2805A	18A2805SD	
			18A2805AC		
	2014-11	With Dual Rear Wheels	18A2797A	18A2797	
			18A2797AC	18A2797SD	
		without Dual Rear Wheels	18A2805A	18A2805	
			18A2805AC		
	2012-11	with Single Rear Wheels (SRW)		18A2805SD	
	2010-07	With Dual Rear Wheels	18A1417A	18A1417	
			18A1417AC		
		without Dual Rear Wheels	18A926A	18A926	
			18A926AC	18A926SD	

GMC – T6500
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2009-04	64mm 4 Piston Calipers	Left	18FR2502N	
				18R2502	
			Right	18FR2503N	

GMC – T6500 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	2009-04	70mm 4 Piston Calipers	Left		18FR2496	
					18FR2496N	
			Right		18FR2497	
					18FR2497N	
					18R2497	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper			18FR814	
					18FR814N	
					18R814	
		w/ 2.88" Dual Piston Bendix Caliper			18FR813	
					18FR813N	
				18R813		
Rear						
Disc Brake Caliper	2009-04	64mm 4 Piston Calipers	Left		18FR2502N	
					18R2502	
			Right		18FR2503N	
		70mm 4 Piston Calipers	Left		18FR2496	
					18FR2496N	
			Right		18FR2497	
					18FR2497N	
			18R2497			
	2002-98	Steel Piston; w/ Dayton 70mm 4 Piston Caliper; 7/16" - 24 Inlet Thread	Left		18FR2495	
			Right		18FR2494	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper			18FR814	
					18FR814N	
					18R814	
		w/ 2.88" Dual Piston Bendix Caliper			18FR813	
				18FR813N		
				18R813		

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2009-04	Hydraulic Brakes (JE3)	Right		18J384260	
	2002-97				18J1617	
Rear						
Brake Hydraulic Hose	2009-04	Except Low Profile Option; w/ 19,000 lb. Rear Axle	Left		18J4125	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2009-04	Except Low Profile Option; w/ 19,000 lb. Rear Axle	Right	18J4124	
		RPO Code GSJ (21,000 Lb Air Suspension); RPO Code G40 (19,000 Lb Air Suspension)	Left	18J384345	
			Right	18J384346	
	2002-99	Except Low Profile Option; Dual Piston Caliper		18J1610	
		Low Profile; Dual Piston Caliper		18J1609	
	1998-97	Except Low Profile Option		18J1610	
		Low Profile		18J1609	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-04			18M870	
	2002-97			18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-04		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2009-04		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2002-97	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
		w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	2009-04	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
	2002-97	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-04	Hat Shaped 10 Hole Rotor	18A2426A	18A2426	

GMC – T6500 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2002-97	Hat Shaped 10 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; w/ 2.88" Dual Piston Bendix Caliper		18A1222	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.88" Dual Piston Bendix Caliper		18A1221	
		Hat Shaped 5 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; w/ 2.50" Dual Piston Dayton Caliper	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.50" Dual Piston Dayton Caliper		18A1419	
Rear					
Disc Brake Rotor	2009-04	Hat Shaped 10 Hole Rotor	18A2426A	18A2426	
		U Shaped 10 Hole Rotor	18A2772A	18A2772	
	2002-98	4 Piston Caliper; Except Tapped Holes For ABS Exciter Ring	18A176A	18A176	
		4 Piston Caliper; Tapped Holes For ABS Exciter Ring	18A1220A	18A1220	
	2002-97	Hat Shaped 10 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; w/ 2.50" Dual Piston Dayton Caliper		18A809	
		Hat Shaped 10 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; w/ 2.88" Dual Piston Bendix Caliper		18A1222	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.50" Dual Piston Dayton Caliper		18A1420	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.88" Dual Piston Bendix Caliper		18A1221	
		Hat Shaped 5 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; w/ 2.50" Dual Piston Dayton Caliper	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.50" Dual Piston Dayton Caliper		18A1419	
		U Shaped 10 Hole Rotor; w/ 2.88" Dual Piston Bendix Caliper	18A692A		

GMC – T7500

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2009-04	64mm 4 Piston Calipers	Left	18FR2502N	
				18R2502	
		70mm 4 Piston Calipers	Right	18FR2503N	
			Left	18FR2496	
				18FR2496N	
			Right	18FR2497	
				18FR2497N	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)						
Disc Brake Caliper	2009-04	70mm 4 Piston Calipers	Right		18R2497	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper			18FR814	
					18FR814N	
					18R814	
		w/ 2.88" Dual Piston Bendix Caliper			18FR813	
					18FR813N	
					18R813	
	Rear					
Disc Brake Caliper	2009-04	64mm 4 Piston Calipers	Left		18FR2502N	
					18R2502	
			Right		18FR2503N	
		70mm 4 Piston Calipers	Left		18FR2496	
					18FR2496N	
			Right		18FR2497	
					18FR2497N	
					18R2497	
			2002-98	Steel Piston; w/ Dayton 70mm 4 Piston Caliper; 7/16" - 24 Inlet Thread	Left	
	Right				18FR2494	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper			18FR814	
					18FR814N	
					18R814	
		w/ 2.88" Dual Piston Bendix Caliper			18FR813	
					18FR813N	
					18R813	
	Front					
	Disc Brake Caliper Bushing	2002-97	w/ 2.88" Dual Piston Bendix Caliper		18K1395	
	Rear					
Disc Brake Caliper Bushing	2002-97	w/ 2.88" Dual Piston Bendix Caliper		18K1395		

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2009-04	Hydraulic Brakes (JE3) Right		18J384260	
	2002-97			18J1617	
Rear					
Brake Hydraulic Hose	2009-04	RPO Code GSJ (21,000 Lb Air Suspension); RPO Code G40 (19,000 Lb Air Suspension) Left		18J384345	
				18J384346	
		with Leaf Springs Left		18J4125	
				18J4124	
	2002-99	Except Low Profile Option; 4 Piston Caliper Left		18J1616	

GMC – T7500 (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2002-99	Except Low Profile Option; 4 Piston Caliper	Right	18J4482	
		Low Profile; 4 Piston Caliper	Left	18J1612	
			Right	18J1613	
	2002-97	Except Low Profile Option		18J1610	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-04			18M870	
	2002-97			18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-04	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2009-04	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2002-98	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2002-97	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	

Driveline

Parking Brake Shoe	2009-04	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
	2002-97	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-04	Hat Shaped 10 Hole Rotor	18A2426A	18A2426	
	2002-97	Hat Shaped 10 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; w/ 2.88" Dual Piston Bendix Caliper		18A1222	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.88" Dual Piston Bendix Caliper		18A1221	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2002-97	Hat Shaped 5 Hole Rotor; Except Tapped Holes For ABS Exciter Ring	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
Rear					
Disc Brake Rotor	2009-04	Hat Shaped 10 Hole Rotor; 15,000lb or 19,000lb Axle	18A2426A	18A2426	
		U Shaped 10 Hole Rotor; w/ 21,000 lb. Rear Axle	18A2772A	18A2772	
	2002-98	Hat Shaped 10 Hole Rotor; 4 Piston Caliper; Except Tapped Holes For ABS Exciter Ring	18A176A	18A176	
		Hat Shaped 10 Hole Rotor; 4 Piston Caliper; Tapped Holes For ABS Exciter Ring	18A1220A	18A1220	
	2002-97	Hat Shaped 10 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; w/ 2.50" Dual Piston Dayton Caliper		18A809	
		Hat Shaped 10 Hole Rotor; Except Tapped Holes For ABS Exciter Ring; w/ 2.88" Dual Piston Bendix Caliper		18A1222	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.50" Dual Piston Dayton Caliper		18A1420	
		Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.88" Dual Piston Bendix Caliper		18A1221	
		Hat Shaped 5 Hole Rotor; Except Tapped Holes For ABS Exciter Ring	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring		18A1419	
		U Shaped 10 Hole Rotor	18A692A		

GMC – W3500 Forward
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2008-05	Left		18FR2543	
				18R2543	
		Right		18FR2542	
				18R2542	
	2004	Left		18FR2543	
				18R2543	
		Right		18FR2542	
				18R2542	
		Left		18FR2441	
				18FR2440	
		Right		18R2440	

GMC – W3500 Forward (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	2004	GAS; w/ Caliper Casting # AD54T; To 6/04; w/ 54 mm Dual Piston Caliper	Left		18FR2439	
					18R2439	
			Right		18FR2438	
					18R2438	
	2003-98	DIESEL	Left		18FR2439	
					18R2439	
			Right		18FR2438	
					18R2438	
		GAS; 57mm Dual Piston Caliper; w/ Caliper Casting # AD57T	Left		18FR2441	
					18R2440	
			Right		18FR2440	
					18R2440	
		GAS; w/ Caliper Casting # AD54T; w/ 54 mm Dual Piston Caliper	Left		18FR2439	
					18R2439	
			Right		18FR2438	
					18R2438	
	1997	DIESEL; To 12/1997	Left		18FR1401	
			Right		18FR1400	
		GAS; From 10/1997; 57mm Dual Piston Caliper; w/ Caliper Casting # AD57T	Left		18FR2441	
			Right		18FR2440	
		GAS; From 10/1997; w/ Caliper Casting # AD54T; w/ 54 mm Dual Piston Caliper	Left		18FR2439	
					18R2439	
			Right		18FR2438	
					18R2438	
		GAS; To 09/1997	Left		18FR1401	
			Right		18FR1400	
	1996-95		Left		18FR1401	
			Right		18FR1400	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2008				18J383908	
	2007	DIESEL			18J383908	
	2007-04	GAS; 15 1/2" Overall Length; 16" Wheels			18J4890	
		GAS; 16 1/4" Long; 16" Wheels			18J1424	
		GAS; with 19.5in Wheels; 11 7/8"			18J384163	
		GAS; with 19.5in Wheels; 16.5" Length			18J383929	
	2006-04	DIESEL; 13 3/8" Long			18J383908	
		DIESEL; 15 1/2" Overall Length			18J4890	
	2006-99	DIESEL; 13 3/8" Long			18J1424	
		DIESEL; 16 1/4" Long			18J1424	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Hydraulic Hose	2003-98	15 1/2" Overall Length		18J4890	
		16.5" Length		18J383929	
	1998	DIESEL; From 01/1998; 13 3/8" Long		18J1424	
		DIESEL; From 01/1998; 16 1/4" Long		18J1424	
	1997	DIESEL; To 12/1997		18J1424	
		GAS; From 10/1997; 15 1/2" Overall Length		18J4890	
		GAS; From 10/1997; 16.5" Length		18J383929	
		GAS; To 09/1997		18J1424	
	1996-95			18J1424	
Rear					
Brake Hydraulic Hose	2008-99			18J383251	
	1999-98	Center		18J383250	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2008-98			18M391472	
	1997	From 11/97		18M391472	
	1995	To 10/1995		18M391472	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2008-98			17D825M	
				17D825MH	
	1997	DIESEL; To 12/1997		17D546M	
		GAS; From 10/1997		17D825M	
				17D825MH	
		GAS; To 09/1997		17D546M	
	1996-95			17D546M	
Rear					
Drum Brake Shoe	2008-02	320mm X 100mm Rear Brakes		17699R	
	2008-01	DIESEL; 320mm X 75mm Rear Brakes		17612R	
	2001	GAS; 320mm X 75mm Rear Brakes; To 6/01		17612R	
		GAS; From 07/2001; 320mm X 100mm Rear Brakes		17699R	
	2001-95	DIESEL; 320mm X 100mm Rear Brakes		17699R	
	2000-95	320mm X 75mm Rear Brakes		17612R	
Driveline					
Parking Brake Shoe	2008-95	GAS; 11" X 2" Driveline Parking Brake		17823B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2008-02	GAS		18B415	
	2008-95	DIESEL; 320mm X 100mm Rear Brakes		18B415	
		DIESEL; 320mm X 75mm Rear Brakes	18B87831A	18B7831	
	2001-95	GAS	18B87831A	18B7831	
Front					
Disc Brake Rotor	2008-98		18A1448A	18A1448	
	1997	DIESEL; To 12/1997	18A479A	18A1449	
		GAS; To 09/1997	18A479A	18A1449	
	1996-95		18A479A	18A1449	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2008-04	DIESEL	Left Forward	18E1440	
			Left Rearward	18E1442	
			Right Forward	18E1439	
			Right Rearward	18E1441	
	2008-03	GAS	Left Forward	18E1443	
			Left Rearward	18E1438	
			Right Forward	18E1436	
			Right Rearward	18E1437	
	2003	DIESEL; From 3/03	Left Forward	18E1440	
			Left Rearward	18E1442	
			Right Forward	18E1439	
			Right Rearward	18E1441	
		DIESEL; Thru 2/03	Left Forward	18E408	
			Left Rearward	18E1430	
			Right Forward	18E406	
			Right Rearward	18E407	
		DIESEL; To 2/03	Right Forward	18E338	
	2002	DIESEL	Right Forward	18E406	
			Right Forward	18E406	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	2002	GAS	Left Forward	18E427	
			Left Rearward	18E1431	
			Right Forward	18E780	
		GAS; From 4/02	Right Rearward	18E1437	
		GAS; To 3/02	Right Rearward	18E781	
	2002-01	DIESEL	Left Forward	18E408	
			Left Rearward	18E1430	
			Right Forward	18E338	
			Right Rearward	18E407	
	2001	GAS; To 6/01	Left Forward	18E408	
			Left Rearward	18E1430	
			Right Forward	18E338	
	2001-95		Right Forward	18E406	
	2000		Left Forward	18E408	
			Left Rearward	18E1430	
	2000-95		Right Forward	18E338	
			Right Rearward	18E407	
	1999	4-Wheel ABS	Left Rearward	18E1430	
		4-Wheel ABS; GAS	Left Forward	18E408	
		DIESEL	Left Forward	18E408	
		Non-ABS; GAS; To 06/1999; 2 Required	Left	18E408	
	1998-95	2 Required	Left	18E408	

GMC – W4500 Forward
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2010-05	GAS; 57mm Piston	Left	18FR2443	
			Right	18FR2442	
	2010-04	DIESEL; 54mm Piston	Left	18FR2543	

GMC – W4500 Forward (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2010-04	DIESEL; 54mm Piston	Left	18R2543	
			Right	18FR2542	
				18R2542	
	2004	GAS; 57mm Piston; From 7/04	Left	18FR2443	
			Right	18FR2442	
		GAS; 57mm Piston; To 6/04	Left	18FR2441	
			Right	18FR2440	
				18R2440	
	2003-00	GAS; 57mm Piston	Left	18FR2441	
			Right	18FR2440	
				18R2440	
	2003-99	DIESEL	Left	18FR2439	
				18R2439	
		Right		18FR2438	
				18R2438	
	1999	4-Wheel ABS; GAS; with 363mm Diameter Rotor	Left	18FR2441	
			Right	18FR2440	
				18R2440	
		GAS; To 1/99	Left	18FR2439	
				18R2439	
			Right	18FR2438	
	1998	DIESEL; From 01/1998	Left	18FR2439	
				18R2439	
			Right	18FR2438	
		GAS	Left	18FR2439	
				18R2439	
			Right	18FR2438	
	1997-94		Left	18FR1401	
			Right	18FR1400	
	1993-92	Front Disc Brakes	Left	18FR1401	
			Right	18FR1400	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2010-08	GAS		18J384163	
	2010-07	DIESEL		18J383908	
	2007-04	GAS; 16 1/4" Long		18J1424	
		GAS; 16" Wheels; 15 1/2" Overall Length		18J4890	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Hydraulic Hose	2007-04	GAS; with 19.5in Wheels; 11 7/8"		18J384163	
		GAS; with 19.5in Wheels; 16.5" Length		18J383929	
	2006-04	DIESEL; 13 1/2" Long		18J383908	
		DIESEL; 15 1/2" Overall Length		18J4890	
	2006-99	DIESEL; 16 1/4" Long		18J1424	
	2003-98	15 1/2" Overall Length		18J4890	
		16.5" Length		18J383929	
	1998	DIESEL; From 01/1998; 16 1/4" Long		18J1424	
	1997	DIESEL; To 12/1997		18J1424	
	1996-94			18J1424	
1993-92	Front Disc Brakes		18J1424		
	Front Drum Brakes		18J752		
Rear					
Brake Hydraulic Hose	2010-99			18J383251	
	1999	DIESEL; To 12/1998		18J1440	
	1999-98	Center		18J383250	
	1998-92	Center		18J383251	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2010-98	DIESEL		18M391472	
	1995			18M391472	
	1994	Straight Truck - Low Tilt		18M480	
	1993-92	Front Drum Brakes; Stripped Chassis		18M768	
		Front Drum Brakes; w/ 11,000 lb. GVW; w/ 13,000 lb. GVW		18M480	
		Straight Truck - Low Tilt; Front Disc Brakes		18M480	
		Straight Truck - Low Tilt; w/ 14,250 lb. GVW; Front Drum Brakes		18M767	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2010-00	GAS		17D827M	
				17D827MH	
	2010-99	DIESEL		17D825M	
				17D825MH	
	1999	GAS; w/ ABS Brakes		17D827M	
				17D827MH	
	1998	Non-ABS; GAS; To 06/1999		17D826M	
				17D825M	
	1998	DIESEL; From 01/1998		17D825M	
				17D825MH	

GMC – W4500 Forward (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	1998	GAS		17D826M	
	1997	DIESEL; To 12/1997		17D546M	
		From 10/1997; Gasoline Engine		17D826M	
	1996-94			17D546M	
	1993-92	Front Disc Brakes		17D546M	
Front					
Drum Brake Shoe	1993-92	w/ 320mm X 100mm Brakes; w/ 14,250 lb. GVW		17699R	
Rear					
Drum Brake Shoe	2010-00	DIESEL; 320mm X 100mm Rear Brakes		17699R	
	2010-98	GAS; with 320mm x 120mm Rear Brakes		17792R	
	2005-00	320mm X 75mm Rear Brakes		17612R	
	1999	320mm X 100mm Rear Brakes		17699R	
	1998	DIESEL; 320mm X 100mm Rear Brakes		17699R	
	1997-92	320mm X 100mm Rear Brakes		17699R	
Driveline					
Parking Brake Shoe	2010-05	GAS; 11" X 2" Driveline Parking Brake		17823B	
Rear					
Parking Brake Shoe	2004-98	GAS; 11" X 2" Driveline Parking Brake		17823B	
	1997-92	11" X 2" Driveline Parking Brake		17823B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Drum	1993-92	Except Flat Low Profile; w/ 11,000 lb. GVW; 320mm X 75mm Brakes	18B87831A	18B7831	
		Front Drum Brakes; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW		18B415	
Rear					
Brake Drum	2010-99	GAS	18B87830A	18B7830	
	2010-98	DIESEL		18B415	
	1997	DIESEL; To 12/1997; 320mm X 75mm Rear Brakes	18B87831A	18B7831	
		To 09/1997; 320mm X 75mm Rear Brakes; Gasoline Engine	18B87831A	18B7831	
	1997-95	320mm X 100mm Rear Brakes		18B415	
	1996-95	320mm X 75mm Rear Brakes	18B87831A	18B7831	
	1994	From 09/1994; 320mm X 75mm Rear Brakes	18B87831A	18B7831	
		w/ 11,000 lb. GVW; To 8/94	18B87831A	18B7831	
		w/ 13,000 lb. GVW; w/ 14,250 lb. GVW		18B415	
	1993	Except Flat Low Profile; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW		18B415	
	1993-92	Except Flat Low Profile; w/ 11,000 lb. GVW	18B87831A	18B7831	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Drum	1992	Except Flat Low Profile; Front Drum Brakes; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW		18B415	
Front					
Disc Brake Rotor	2010-07	DIESEL	18A1448A	18A1448	
	2010-00	GAS; with 363mm Diameter Rotor	18A1696A	18A1696	
	2005-00	DIESEL	18A1448A	18A1448	
	1999	GAS; Rotor Diameter 310mm; Non-ABS		18A1661	
		GAS; with 363mm Diameter Rotor; w/ ABS	18A1696A	18A1696	
		w/ Diesel	18A1448A	18A1448	
	1998	DIESEL	18A1448A	18A1448	
		GAS; Rotor Diameter 310mm		18A1661	
	1997	DIESEL; To 12/1997	18A479A		
		From 10/1997; Rotor Diameter 310mm; Gasoline Engine		18A1661	
		To 09/1997; Gasoline Engine	18A479A		
	1996-92		18A479A		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1993	Front Drum Brakes; w/o Bleeder Screw; Except 14,250 lb. GVW; To 11/93	Left Forward	18E361	
			Right Forward	18E360	
		Front Drum Brakes; w/o Bleeder Screw; w/ 14,250 lb. GVW; To 11/93	Left Rearward	18E401	
			Right Rearward	18E779	
		with Bleeder Screw; Front Drum Brakes; Except 14,250 lb. GVW; To 11/93	Right Rearward	18E362	
			Left Forward	18E403	
		with Bleeder Screw; Front Drum Brakes; w/ 14,250 lb. GVW; To 11/93	Right Forward	18E402	
	1992	w/o Bleeder Screw; Except 14,250 lb. GVW	Left Forward	18E361	
			Right Forward	18E360	
		w/o Bleeder Screw; w/ 14,250 lb. GVW	Left Rearward	18E401	
			Right Rearward	18E779	
		with Bleeder Screw; Except 14,250 lb. GVW	Right Rearward	18E362	
		with Bleeder Screw; w/ 14,250 lb. GVW	Left Forward	18E403	

GMC – W4500 Forward (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Drum Brake Wheel Cylinder	1992	with Bleeder Screw; w/ 14,250 lb. GVW	Right Forward		18E402	
Rear						
Drum Brake Wheel Cylinder	2010-04	DIESEL; w/o Bleeder Screw	Left Rearward		18E1438	
			Right Rearward		18E1437	
		DIESEL; with Bleeder Screw	Left Forward		18E1443	
			Right Forward		18E1436	
	2010-03	GAS; w/o Bleeder Screw	Left Rearward		18E1435	
			Right Rearward		18E1433	
		GAS; with Bleeder Screw	Left Forward		18E1434	
			Right Forward		18E1432	
	2003	DIESEL; w/o Bleeder Screw; From 3/03	Left Rearward		18E1438	
			Right Rearward		18E1437	
		DIESEL; w/o Bleeder Screw; To 2/03	Left Forward		18E427	
			Right Rearward		18E781	
		DIESEL; with Bleeder Screw; From 3/03	Left Forward		18E1443	
			Right Forward		18E1436	
		DIESEL; with Bleeder Screw; To 2/03	Left Rearward		18E1431	
			Right Forward		18E780	
	2002	GAS; From 07/2002; w/o Bleeder Screw	Left Rearward		18E1435	
			Right Rearward		18E1433	
		GAS; Thru 6/02	Left Forward		18E1446	
		GAS; w/o Bleeder Screw; Thru 6/02	Right Rearward		18E1445	
		GAS; with Bleeder Screw; From 07/2002	Left Forward		18E1434	
			Right Forward		18E1432	
		GAS; with Bleeder Screw; Thru 6/02	Right Forward		18E1444	
		GAS; with Bleeder Screw; To 6/02	Left Rearward		18E1447	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	2002-00	DIESEL; w/o Bleeder Screw	Left	18E427	
			Forward		
	2002-99	DIESEL; with Bleeder Screw	Left	18E1431	
			Rearward		
	2002-99	DIESEL; w/o Bleeder Screw	Right	18E781	
			Rearward		
	2001-00	DIESEL; with Bleeder Screw	Right	18E780	
			Forward		
	2001-00	GAS	Left	18E1446	
			Forward		
	2001-98	GAS; with Bleeder Screw	Left	18E1447	
			Rearward		
	2001-98	GAS; w/o Bleeder Screw	Right	18E1445	
			Rearward		
	2001-98	GAS; with Bleeder Screw	Right	18E1444	
			Forward		
	1999	4-Wheel ABS; GAS	Left	18E1446	
			Forward		
		4-Wheel ABS; GAS; From 02/1999; with Bleeder Screw	Left	18E1447	
			Rearward		
		DIESEL; From 01/1999; w/o Bleeder Screw	Left	18E427	
	1999-98	DIESEL; From 01/1999; with Bleeder Screw	Left	18E1431	
			Rearward		
		Non-ABS; GAS; 2 Required	Left	18E1446	
			Right	18E406	
	1998		Forward		
		DIESEL; From 01/1998; To 12/1998; 2 Required; w/o Bleeder Screw	Left	18E427	
		DIESEL; From 01/1998; w/o Bleeder Screw	Right	18E781	
			Rearward		
	1997	DIESEL; with Bleeder Screw; From 01/1998	Right	18E780	
			Forward		
		GAS; 2 Required	Left	18E1446	
		DIESEL; To 12/1997; 2 Required; w/o Bleeder Screw; Except 14,250 lb. GVW	Left	18E408	
		DIESEL; To 12/1997; 2 Required; w/o Bleeder Screw; w/ 14,250 lb. GVW	Left	18E427	
		DIESEL; To 12/1997; w/o Bleeder Screw; Except 14,250 lb. GVW	Right	18E407	
			Rearward		
		DIESEL; To 12/1997; w/o Bleeder Screw; w/ 14,250 lb. GVW	Right	18E781	
			Rearward		
	1997	DIESEL; with Bleeder Screw; To 12/1997; Except 14,250 lb. GVW	Right	18E338	
			Forward		
		DIESEL; with Bleeder Screw; To 12/1997; w/ 14,250 lb. GVW	Right	18E780	
			Forward		
		From 10/1997; 2 Required	Left	18E1446	
		From 10/1997; w/o Bleeder Screw	Right	18E1445	
			Rearward		
	1997	To 09/1997; with 13,250lbs Gross Vehicle Weight (GVW); 2 Required; w/o Bleeder Screw; Gasoline Engine	Left	18E427	

GMC – W4500 Forward (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	1997	with Bleeder Screw; From 10/1997	Right Forward		18E1444	
	1996-95	DIESEL; 2 Required; w/o Bleeder Screw; Except 14,250 lb. GVW	Left		18E408	
		DIESEL; 2 Required; w/o Bleeder Screw; w/ 14,250 lb. GVW	Left		18E427	
		DIESEL; w/o Bleeder Screw; Except 14,250 lb. GVW	Right Rearward		18E407	
		DIESEL; w/o Bleeder Screw; w/ 14,250 lb. GVW	Right Rearward		18E781	
		DIESEL; with Bleeder Screw; w/ 14,250 lb. GVW	Right Forward		18E780	
		with 13,250lbs Gross Vehicle Weight (GVW); 2 Required; w/o Bleeder Screw; Gasoline Engine	Left		18E427	
	1995	with Bleeder Screw; Except 14,250 lb. GVW	Right Forward		18E338	
	1994	2 Required; w/o Bleeder Screw; Except 13,000 lb. GVW; Except 14,250 lb. GVW; To 8/94	Left		18E408	
		2 Required; w/o Bleeder Screw; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW; To 8/94	Left		18E427	
		DIESEL; From 09/1994; 2 Required; w/o Bleeder Screw; Except 14,250 lb. GVW	Left		18E408	
		DIESEL; From 09/1994; 2 Required; w/o Bleeder Screw; w/ 14,250 lb. GVW	Left		18E427	
		DIESEL; From 09/1994; w/o Bleeder Screw; Except 14,250 lb. GVW	Right Rearward		18E407	
		DIESEL; From 09/1994; w/o Bleeder Screw; w/ 14,250 lb. GVW	Right Rearward		18E781	
		DIESEL; with Bleeder Screw; From 09/1994; Except 14,250 lb. GVW	Right Forward		18E338	
		DIESEL; with Bleeder Screw; From 09/1994; w/ 14,250 lb. GVW	Right Forward		18E780	
		From 09/1994; with 13,250lbs Gross Vehicle Weight (GVW); 2 Required; w/o Bleeder Screw; Gasoline Engine	Left		18E427	
		w/o Bleeder Screw; Except 13,000 lb. GVW; Except 14,250 lb. GVW; To 8/94	Right Rearward		18E407	
		w/o Bleeder Screw; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW; To 8/94	Right Rearward		18E781	
		with Bleeder Screw; Except 13,000 lb. GVW; Except 14,250 lb. GVW; To 8/94	Right Forward		18E338	
		with Bleeder Screw; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW; To 8/94	Right Forward		18E780	
	1993	2 Required; w/o Bleeder Screw; w/ 13,000 lb. GVW; To 11/93	Left		18E427	
		DIESEL; Except Bleeder Screw; Flat Low Profile	Right Rearward		18E783	
		DIESEL; Except Bleeder Screw; Flat Low Profile; 2 Required	Left		18E782	
		DIESEL; with Bleeder Screw; Flat Low Profile	Right Forward		18E784	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	1993	Except Flat Low Profile; Front Disc Brakes; 2 Required; w/o Bleeder Screw; Except 13,000 lb. GVW; To 11/93	Left	18E408	
		Except Flat Low Profile; Front Disc Brakes; w/o Bleeder Screw; Except 13,000 lb. GVW; To 11/93	Right Rearward	18E407	
		Flat Low Profile; Front Drum Brakes; w/o Bleeder Screw; 2 Required; To 11/93	Left	18E359	
		Flat Low Profile; Front Drum Brakes; w/o Bleeder Screw; To 11/93	Right Rearward	18E358	
		From 12/1993; 2 Required; w/o Bleeder Screw; Except 13,000 lb. GVW; Except 14,250 lb. GVW	Left	18E408	
		From 12/1993; 2 Required; w/o Bleeder Screw; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW	Left	18E427	
		From 12/1993; w/o Bleeder Screw; Except 13,000 lb. GVW; Except 14,250 lb. GVW	Right Rearward	18E407	
		From 12/1993; w/o Bleeder Screw; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW	Right Rearward	18E781	
		Front Drum Brakes; w/o Bleeder Screw; 2 Required; w/ 14,250 lb. GVW; To 11/93	Left	18E422	
		Front Drum Brakes; w/o Bleeder Screw; w/ 14,250 lb. GVW; To 11/93	Right Rearward	18E404	
		w/o Bleeder Screw; w/ 13,000 lb. GVW; To 11/93	Right Rearward	18E781	
		with Bleeder Screw; Except Flat Low Profile; Front Disc Brakes; Except 13,000 lb. GVW	Right Forward	18E338	
		with Bleeder Screw; Flat Low Profile; Front Drum Brakes; To 11/93	Right Forward	18E357	
		with Bleeder Screw; From 12/1993; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW	Right Forward	18E780	
		with Bleeder Screw; Front Drum Brakes; w/ 14,250 lb. GVW; To 11/93	Right Forward	18E405	
		with Bleeder Screw; w/ 13,000 lb. GVW; To 11/93	Right Forward	18E780	
	1993-92	with Bleeder Screw; Except Flat Low Profile; Front Drum Brakes; Except 14,250 lb. GVW	Right Forward	18E336	
	1992	DIESEL; 2 Required; w/o Bleeder Screw; w/ 13,000 lb. GVW; From 8/92	Left	18E427	
		DIESEL; w/o Bleeder Screw; w/ 13,000 lb. GVW; From 8/92	Right Rearward	18E781	
		DIESEL; with Bleeder Screw; w/ 13,000 lb. GVW; From 8/92	Right Forward	18E780	
		Except Bleeder Screw; Flat Low Profile	Right Rearward	18E783	
		Except Bleeder Screw; Flat Low Profile; 2 Required	Left	18E782	
		Except Flat Low Profile; Front Disc Brakes; 2 Required; w/o Bleeder Screw; Except 13,000 lb. GVW; From 8/92	Left	18E408	

GMC – W4500 Forward (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	1992	Except Flat Low Profile; Front Disc Brakes; 2 Required; w/o Bleeder Screw; To 7/92	Left		18E408	
		Except Flat Low Profile; Front Disc Brakes; w/o Bleeder Screw; Except 13,000 lb. GVW; From 8/92	Right Rearward		18E407	
		Except Flat Low Profile; Front Disc Brakes; w/o Bleeder Screw; To 7/92	Right Rearward		18E407	
		Flat Low Profile; w/o Bleeder Screw	Right Rearward		18E358	
		Flat Low Profile; w/o Bleeder Screw; 2 Required	Left		18E359	
		w/o Bleeder Screw; 2 Required; w/ 14,250 lb. GVW	Left		18E422	
		w/o Bleeder Screw; w/ 14,250 lb. GVW	Right Rearward		18E404	
		with Bleeder Screw; Except Flat Low Profile; Front Disc Brakes; Except 13,000 lb. GVW; From 8/92	Right Forward		18E338	
		with Bleeder Screw; Except Flat Low Profile; Front Disc Brakes; To 7/92	Right Forward		18E338	
		with Bleeder Screw; Flat Low Profile	Right Forward		18E357	
					18E784	
		with Bleeder Screw; w/ 14,250 lb. GVW	Right Forward		18E405	

GMC – W5500 Forward

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2010-04		Left		18FR2443	
			Right		18FR2442	
	2003-00		Left		18FR2441	
	2003-99		Right		18FR2440	
					18R2440	
	1999	Front Disc Brakes	Left		18FR2441	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2010-08				18J384163	
	2007-05	12" Long			18J384163	
	2007-04	16 1/4" Long			18J383929	
	2003-00				18J383929	
	1999	Front Disc Brakes			18J383929	
	1998	Front Disc Brakes; From 01/98			18J383929	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	2010-00			18J383251	
	2009-99	Center		18J383250	
	1998-88	Center		18J384266	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2010-00			17D827M	
				17D827MH	
	1999	Front Disc Brakes		17D827M	
				17D827MH	
	1998	Front Disc Brakes		17D826M	
Rear					
Drum Brake Shoe	2010-00			17792R	
	1999	Front Disc Brakes		17792R	
	1999-98	Front Drum Brakes		17727R	
	1998	Front Disc Brakes; From 01/98		17792R	
	1997-95			17727R	
	1994	From 02/94		17727R	
		To 01/1994		17699R	
	1993-88			17699R	
Driveline					
Parking Brake Shoe	1994-88	w/ Manual Transmission		171009B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2010-98		18B87830A	18B7830	
Front					
Disc Brake Rotor	2010-00		18A1696A	18A1696	
	1999	Front Disc Brakes	18A1696A	18A1696	
	1998			18A1661	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1999-98	with Bleeder Screw; with Manual Adjusting Brakes; Front Drum Brakes	Left	18E352	
			Right	18E351	
	1997-94	with Bleeder Screw; with Manual Adjusting Brakes	Left	18E352	
			Right	18E351	
	1993-88	with Bleeder Screw	Left	18E352	

GMC – W5500 Forward (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Drum Brake Wheel Cylinder	1993-88	with Bleeder Screw	Right		18E351	
Rear						
Drum Brake Wheel Cylinder	2009-04	w/o Bleeder Screw	Left Rearward		18E1435	
			Right Rearward		18E1433	
		with Bleeder Screw	Left Forward		18E1434	
			Right Forward		18E1432	
	2003	w/o Bleeder Screw; From 1/03	Left Rearward		18E1435	
			Right Rearward		18E1433	
		with Bleeder Screw; From 1/03	Left Forward		18E1434	
			Right Forward		18E1432	
	2002	w/o Bleeder Screw; To 12/02	Left Forward		18E1446	
			Right Rearward		18E1445	
		with Bleeder Screw; To 12/02	Left Rearward		18E1447	
			Right Forward		18E1444	
	2001-00	w/o Bleeder Screw	Left Forward		18E1446	
			Right Rearward		18E1445	
		with Bleeder Screw	Left Rearward		18E1447	
			Right Forward		18E1444	
	1999	Front Disc Brakes; w/o Bleeder Screw	Left Forward		18E1446	
			Right Rearward		18E1445	
		with Bleeder Screw; From 01/1999	Left Rearward		18E1447	
			Right Forward		18E1444	
	1998	Front Disc Brakes; w/o Bleeder Screw; From 01/98	Right Rearward		18E1445	
			Left Forward		18E1446	
		with Bleeder Screw; Front Disc Brakes; From 01/98	Right Forward		18E1444	
			Left Rearward		18E356	
	1994	w/o Bleeder Screw; To 01/94	Left Rearward		18E356	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	1994	w/o Bleeder Screw; To 01/94	Right Rearward	18E355	
		with Bleeder Screw; To 01/94	Left Forward	18E354	
			Right Forward	18E353	
	1993-88	w/o Bleeder Screw	Left Rearward	18E356	
			Right Rearward	18E355	
		with Bleeder Screw	Left Forward	18E354	
Right Forward	18E353				

GMC – W5500HD Forward
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2009-04	Left		18FR2443	
		Right		18FR2442	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2009-04			18J384163	
Rear					
Brake Hydraulic Hose	2009-04	Center		18J383250	
				18J383251	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-04			17D827M	
				17D827MH	
Rear					
Drum Brake Shoe	2009-04	w/ 14.29" x 5.87" Brakes		17833R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2009-04		18B87832A	18B7832	
	2004		18B87833A	18B7833	

GMC – W5500HD Forward (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-04		18A1696A	18A1696	

GMC – W7500 Forward

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1996-87	Center		18J1506	

Hino – 145

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2010-05			18J384056	
Rear					
Brake Hydraulic Hose	2010-05			18J384057	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2010-05			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline					
Parking Brake Shoe	2010-05	w/ 9" x 3" Driveline Parking Brake Shoe; Manual Transmission	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2010-05			18A2598	
Rear					
Disc Brake Rotor and Hub Assembly	2010-05			18A2644	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2017-12	Left		18J384077	
Rear					
Brake Hydraulic Hose	2014-12	Left Lower		18J384078	
		Upper		18J41	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2018-12			17D1695MH	
Rear					
Disc Brake Pad Set	2018-12			17D1695MH	

Hino – 165
Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2010-05			18J384056	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2010-05			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline					
Parking Brake Shoe	2010-05	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2010-05			18A2593	
Rear					
Disc Brake Rotor and Hub Assembly	2010-05			18A2645	

Hino – 185

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper	2010-05	64mm 4 Piston Calipers	Left	18FR2503N	
			Right	18FR2502N	
				18R2502	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2010-05			18J384056	
Rear					
Brake Hydraulic Hose	2010-05			18J383979	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2010-05			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Pad Set	2010-05		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Driveline					
Parking Brake Shoe	2010-05	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2010-05			18A2593	
Rear					
Disc Brake Rotor	2010-05		18A2468A	18A2468	

Hino – 195

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2020-12	Right		18J384077	
Rear					
Brake Hydraulic Hose	2020-12	Left Lower		18J384078	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2020-12	Upper		18J41	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-12			17D1683MH	
Rear					
Disc Brake Pad Set	2020-12			17D1683MH	

Hino – 195DC
Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2014	Right		18J384077	
Rear					
Brake Hydraulic Hose	2014	Left		18J384078	
		Left Lower		18J384078	
		Upper		18J41	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2014			17D1683MH	
Rear					
Disc Brake Pad Set	2014			17D1683MH	

Hino – 195h
Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2020-12	Right		18J384077	
Rear					
Brake Hydraulic Hose	2020-12	Left Lower		18J384078	
		Upper		18J41	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-12			17D1683MH	

Hino – 195h (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Pad Set	2020-12			17D1683MH	

Hino – 195hDC

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2014	Right		18J384077	

Hino – 238

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2014-05	Left		18FR2502N	
				18R2502	
		Right		18FR2503N	
Rear					
Disc Brake Caliper	2014-05	Left		18FR2503N	
		Right		18FR2502N	
				18R2502	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2014-05			18J383948	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2014-05			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2014-05		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2014-05		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline					
Parking Brake Shoe	2014-11	12" X 3" Driveline Parking Brake		17980B	
	2010-05	w/ 9" x 3" Driveline Parking Brake Shoe; w/ Automatic Transmission	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2014-05		18A2426A	18A2426	
Rear					
Disc Brake Rotor	2014-05		18A2426A	18A2426	

Hino – 258
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2017-06	Left		18FR2502N	
				18R2502	
		Right		18FR2503N	
Rear					
Disc Brake Caliper	2017-06	Left		18FR2503N	
		Right		18FR2502N	
				18R2502	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2014-06			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2017-06		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2017-06		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Driveline					
Parking Brake Shoe	2014-11	12" X 3" Driveline Parking Brake		17980B	
Rear					
Parking Brake Shoe	2010-06	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Hino – 258 (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2017-06		18A2426A	18A2426	
Rear					
Disc Brake Rotor	2017-06		18A2426A	18A2426	

Hino – 258LP

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2014-06	Left		18FR2502N	
				18R2502	
		Right		18FR2503N	
Rear					
Disc Brake Caliper	2014-06	Left		18FR2503N	
		Right		18FR2502N	
				18R2502	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2014-06			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2014-06		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2014-06		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Driveline					
Parking Brake Shoe	2014-11	12" X 3" Driveline Parking Brake		17980B	
	2010-06	w/ 9" x 3" Driveline Parking Brake Shoe; w/ Automatic Transmission	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2014-06		18A2426A	18A2426	
Rear					
Disc Brake Rotor	2014-06		18A2426A	18A2426	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2018-07	Caliper Inlet With Tube Seat; 70mm 4 Piston Calipers; w/ 10,000 lb. Axle	Right		18FR2497	
					18FR2497N	
					18R2497	
	2018-05	64mm 4 Piston Calipers; 8,000 lb. Axle	Left		18FR2502N	
					18R2502	
			Right		18FR2503N	
		Caliper Inlet With Tube Seat; 70mm 4 Piston Calipers; w/ 10,000 lb. Axle	Left		18FR2496	
					18FR2496N	
		2006	Caliper Inlet With Tube Seat; w/ 10,000 lb. Axle; 70mm 4 Piston Calipers	Right		18FR2497
					18FR2497N	
					18R2497	
	2005	Caliper Inlet With Tube Seat; 70mm 4 Piston Calipers; w/ 10,000 lb. Axle	Right		18FR2497	
					18FR2497N	
					18R2497	
Rear						
Disc Brake Caliper	2018-05	Caliper Inlet With Tube Seat; 70mm 4 Piston Calipers	Left		18FR2497	
					18FR2497N	
					18R2497	
			Right		18FR2496	
					18FR2496N	
Front						
Disc Brake Caliper Piston	2018-05	70mm Piston Diameter			18K2420	
Rear						
Disc Brake Caliper Piston	2018-05	70mm Piston Diameter			18K2420	
Hoses						
	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2014-05				18J383948	
Rear						
Brake Hydraulic Hose	2014-05	Left			18J383946	
		Right			18J383946	
Master Cylinder						
	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2014-05				18M391540	

Hino – 268 (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2018-05		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2018-05		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Driveline					
Parking Brake Shoe	2014-11	12" X 3" Driveline Parking Brake		17980B	
	2010-05	w/ 9" x 3" Driveline Parking Brake Shoe; w/ Automatic Transmission	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2018-08		18A2426A	18A2426	
	2007-05	Hat Shaped; 10 Hole Rotor	18A2426A	18A2426	
Rear					
Disc Brake Rotor	2018-08		18A2426A	18A2426	
	2007-05	Hat Shaped; 10 Hole Rotor	18A2426A	18A2426	

Hino – 308

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2008-05	Caliper Inlet With Tube Seat; 70mm 4 Piston Calipers	Left		18FR2496	
					18FR2496N	
			Right		18FR2497	
					18FR2497N	
					18R2497	
Rear						
Disc Brake Caliper	2008-05	Caliper Inlet With Tube Seat; 70mm 4 Piston Calipers	Left		18FR2497	
					18FR2497N	
					18R2497	
			Right		18FR2496	
					18FR2496N	
Front						
Disc Brake Caliper Piston	2008-05	70mm 4 Piston Calipers; Phenolic Piston			18K2420	
Rear						
Disc Brake Caliper Piston	2008-05	70mm 4 Piston Calipers; Phenolic Piston			18K2420	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2008-05	70mm 4 Piston Calipers	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2008-05	70mm 4 Piston Calipers	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Driveline					
Parking Brake Shoe	2008-05	w/ Automatic Transmission; w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2008-05		18A2426A	18A2426	
Rear					
Disc Brake Rotor	2008-05		18A2772A	18A2772	

Hino – FA1517
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline					
Parking Brake Shoe	2003-98			171062R	

Hino – FB1817
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline					
Parking Brake Shoe	2003-98			171062R	

Hino – FD2220
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline					
Parking Brake Shoe	2002-98			171060B	

Hino – FE2620
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline					
Parking Brake Shoe	2003-98			171062R	

Hino – FF3020

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline					
Parking Brake Shoe	2002-98			171062R	

IC Corporation – AC Commercial Bus

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2016-12		Left	18FR2182N	
			Right	18FR2181N	
			Left	18FR2182	
				18FR2182C	
				18R2182	
			Right	18FR2181	
				18FR2181C	
				18R2181	
Rear					
Disc Brake Caliper	2016-12		Left	18FR2182N	
			Right	18FR2181N	
			Left	18FR2182	
				18FR2182C	
				18R2182	
			Right	18FR2181	
				18FR2181C	
				18R2181	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2016-12		Right	18J383949	
Rear					
Brake Hydraulic Hose	2016-12	25" Long		18J383931	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2016-12		14D1066M	17D1066MH	
				17D1066SDH	
Rear					
Disc Brake Pad Set	2016-12		14D1066M	17D1066MH	
				17D1066SDH	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Parking Brake Shoe	2016-12			17854B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2016-12		18A2812AC	18A2812	
			18A2812A		
Rear					
Disc Brake Rotor	2016-12		18A2812AC	18A2812	
			18A2812A		

IC Corporation – BE Commercial Bus

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2008	w/ 66mm Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Caliper		18FR1514	
				18FR1514N	
				18R1514	
Rear					
Disc Brake Caliper	2008	w/ 66mm Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Caliper		18FR1514	
				18FR1514N	
				18R1514	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2008	40" Long		18J383377	
		w/ 66mm Dual Piston Caliper		18J383375	
Rear					
Brake Hydraulic Hose	2008	39" Long		18J382796	
		w/ 66mm Dual Piston Caliper		18J383374	
				18J383373	

IC Corporation – BE Commercial Bus (Cont.)



Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2008			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2008	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2008	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Caliper		17D786AM	
				17D786AMH	
Rear					
Parking Brake Shoe	2008			17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2008	Hat Shaped 10 Hole Rotor	18A1429A	18A1429	
			18A2664A		
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
Rear					
Disc Brake Rotor	2008	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
			18A2664A		
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	

IC Corporation – CE Commercial

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2018-10	w/ 64mm Meritor 4 Piston Caliper	Left	18FR12848N	
			Right	18FR12847N	
		w/ 70mm Meritor 4 Piston Caliper	Left	18FR12846N	
			Right	18FR12845N	
	2008-03	w/ 66mm Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Caliper		18FR1514	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2008-03	w/ 73mm Dual Piston Caliper		18FR1514N	
				18R1514	
Rear					
Disc Brake Caliper	2018-10	w/ 64mm Meritor 4 Piston Caliper	Left	18FR12848N	
			Right	18FR12847N	
		w/ 70mm Meritor 4 Piston Caliper	Left	18FR12846N	
			Right	18FR12845N	
	2008-03	w/ 66mm Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Caliper		18FR1514	
				18FR1514N	
				18R1514	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2015-10	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
	2014-10	Located at Master Cylinder; Secondary		18J384100	
	2008-07	33" Long		18J383375	
		40" Long		18J383377	
	2008-04	Located at Master Cylinder; Secondary		18J384100	
	2005-03	33" Long		18J383375	
40" Long			18J383377		
Rear					
Brake Hydraulic Hose	2015-10	39" Long		18J382796	
		43" Long		18J383911	
	2014-10	Located at Master Cylinder; Primary		18J384101	
	2012-10			18J544	
	2008-07	w/ 66mm Dual Piston Caliper		18J383374	
		w/ 73mm Dual Piston Caliper		18J383373	
	2008-04	Located at Master Cylinder; Primary		18J384101	
	2008-03	39" Long		18J382796	
		43" Long		18J383911	
	2005-03	w/ 66mm Dual Piston Caliper		18J383374	
		w/ 73mm Dual Piston Caliper		18J383373	

IC Corporation – CE Commercial (Cont.)

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2008-03			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2017-10	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2008-03	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2017-10	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2008-03	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2017-10			17980B	
	2008-03			17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2017-10		18A2887A	18A2887	
	2008-03	Hat Shaped 10 Hole Rotor	18A1429A	18A1429	
			18A2664A		
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
Rear					
Disc Brake Rotor	2017-10		18A2887A	18A2887	
	2008-03	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
			18A2664A		
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	

IC Corporation – HC Integrated Commercial

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2016-10	w/ 64mm Meritor 4 Piston Caliper Left		18FR12847N	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	2016-10	w/ 64mm Meritor 4 Piston Caliper	Right		18FR12848N	
		w/ 70mm Meritor 4 Piston Caliper	Left		18FR12846N	
			Right		18FR12845N	
	2009-07	w/ 66mm Dual Piston Caliper			18FR1515	
					18FR1515N	
					18R1515	
		w/ 73mm Dual Piston Caliper			18FR1514	
					18FR1514N	
					18R1514	
Rear						
Disc Brake Caliper	2016-10	w/ 64mm Meritor 4 Piston Caliper	Left		18FR12847N	
			Right		18FR12848N	
		w/ 70mm Meritor 4 Piston Caliper	Left		18FR12846N	
			Right		18FR12845N	
	2009-07	w/ 66mm Dual Piston Caliper			18FR1515	
					18FR1515N	
					18R1515	
		w/ 73mm Dual Piston Caliper			18FR1514	
					18FR1514N	
				18R1514		

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2016-07	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
Rear					
Brake Hydraulic Hose	2016-07	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-07				18M391540

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2016-10	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2009-07	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2016-10	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-07	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2016-07			17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2016-10	w/ 4 Piston Calipers	18A2887A	18A2887	
	2009-07	Hat Shaped 10 Hole Rotor	18A1429A	18A1429	
			18A2664A		
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
Rear					
Disc Brake Rotor	2016-10	w/ 4 Piston Calipers	18A2887A	18A2887	
	2009-07	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
			18A2664A		
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	

International – 200
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Self-Adjuster Cable	1975-74			18K2357	
	1974	Front Drum; with 12in x 3in Brakes		18K2357	
Rear					
Drum Brake Self-Adjuster Cable	1975-74			18K2357	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	1975-74	with Standard Duty Brakes	Left		18FR593	
					18R593	
		Right		18FR594		
				18R594		
Rear						
Disc Brake Caliper	1975-74	Heavy Duty Brakes	Left		18FR596	
					18R596	
		Right		18FR595		

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1975-74	RWD; Axle # 04139		18J381190	
		RWD; Axle # 04140		18J381256	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1975	RWD		18M49	
	1974	4WD; Front Disc; Rear Drum; Manual Brakes; Left Hand Drive; with 12in x 3in Brakes		18M48	
		4WD; Front Drum; Rear Drum; Manual Brakes; Left Hand Drive; with 12in x 3in Brakes		18M26	
		RWD; Front Disc; Rear Drum		18M49	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1975-74	OE Pad Material is Organic; with 12in x 2-1/2in Brakes		17D92M	
		OE Pad Material is Organic; with 12in x 3in Brakes	14D149MX	17D149MH	
				17D149MX	
Front					
Drum Brake Shoe	1974	with 12in x 2-1/2in Brakes	14316B	17316R	
			B316L		
		with 12in x 3in Brakes	14314R	17314R	
			R358		
Rear					
Drum Brake Shoe	1975-74	with 12in x 3in Brakes	14314R	17314R	
			R358		
	1974	with 12in x 2-1/2in Brakes	14316B	17316R	
			B316L		

International – 200 (Cont.)

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1974	4WD	Left		18E857	
			Right		18E89	
Rear						
Drum Brake Wheel Cylinder	1975	w/ 14" X 2 1/2" Brakes	Left		18E1330	
		with 12in x 2-1/2in Brakes	Left		18E44	
			Right		18E45	
		with 12in x 3in Brakes	Left		18E40	
			Right		18E41	
	1975-74	w/ 14" X 2 1/2" Brakes	Right		18E1324	
	1974	4WD; w/ 14" X 2 1/2" Brakes	Left		18E1330	
		4WD; with 12in x 3in Brakes	Left		18E40	
			Right		18E41	
		Front Disc; Rear Drum; w/ 14" X 2 1/2" Brakes	Left		18E1330	
		Front Disc; Rear Drum; with 12in x 2-1/2in Brakes	Left		18E44	
			Right		18E45	
		Front Disc; Rear Drum; with 12in x 3in Brakes	Left		18E40	
			Right		18E41	

International – 400

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1991	FA28, 48, 68, 70, 72 Axles with 14 X 2-1/2 Brakes or FA71, 73, 101 Axles with 15 X 3 Brakes or FA89, 91, 98 Axles with 15 X 3 Brakes or FA101 Axles with 15 X 3 Brakes	Left		18E52	
			Right		18E53	
		FA54 Axle w/ 14" X 2-1/4" Brakes Or FA58 Axle w/ 14" X 2-1/2" Brakes	Left		18E2	
			Right		18E3	
		Rear Axle # 25, 126, 184 with 15in x 4in or 15in x 5in Brakes			18E73	
		Rear Axle # 47, 57, 192, 193, 292 With 16in x 6in Brakes			18E77	
		Rear Axles 39, 189 with 15" X 7" or 16" X 6" Brakes - Rear Axles 144, 186 with 15" X 7" Brakes			18E26	
		with # 20 Rear Axle; w/ 14 1/8" X 3" Brakes			18E123	
		with # 29, 30, 39, 189 Rear Axle; with 16in x 5in Brakes; 1 5/8" Bore Diameter			18E23	
		with 15in x 5in Rear Brakes; with # 29, 30, 39 Rear Axle; 1 5/8" Bore Diameter			18E23	
		with 15in x 6in Rear Brakes; with # 29, 30, 39, 42, 44, 127, 186, 199 Rear Axle; 1 5/8" Bore Diameter			18E23	
		with 15in x 7in Rear Brakes; 1 5/8" Bore Diameter; 199 Rear Axle			18E23	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	1991	Bore 1-1/4in; w/ 15" X 3" Brakes; FA78,81	Left	18E4	
			Right	18E5	
		Bore 1-1/8in; w/ 15" X 3" Brakes; FA78,81	Left	18E6	
			Right	18E7	
		FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3"; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3-1/2" Brakes; FA101 Axle w/ 15" X 3" Brakes, Or FA74, 100, 109, 208 Axles w/ 15" X 3" Brakes; FA101, 103, 109, 127 Axles w/ 15" X 3-1/2" Brakes	Left	18E71	
			Right	18E72	
		FA74 Axles with 15 X 3 Manual Adjusting Brakes or FA74, 99, 109 Axles with 15 X 3 Automatic Adjusting Brakes or FA103, 109 Axles with 15 X 3-1/2 Automatic Adjusting Brakes	Left	18E78	
			Right	18E79	
		w/ 15" X 3 1/2" Brakes; FA139,208,211,215,218,219	Left	18E119	
			Right	18E120	
		with 15in x 5in Brakes; FA118, 127, 139 Axles w/ 15" X 5" Brakes Or FA209 w/ 15" X 3" Brakes	Left	18E287	
			Right	18E288	
		with 16in x 2-1/4in Brakes; FA57,59		18E1	

International – 500
Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1991	FA28, 48, 68, 70, 72 Axles with 14 X 2-1/2 Brakes or FA71, 73, 101 Axles with 15 X 3 Brakes or FA89, 91, 98 Axles with 15 X 3 Brakes or FA101 Axles with 15 X 3 Brakes	Left	18E52	
			Right	18E53	
		FA54 Axle w/ 14" X 2-1/4" Brakes Or FA58 Axle w/ 14" X 2-1/2" Brakes	Left	18E2	
			Right	18E3	
		Rear Axle # 25, 126, 184 with 15in x 4in or 15in x 5in Brakes		18E73	
		Rear Axle # 47, 57,192, 193, 292 With 16in x 6in Brakes		18E77	
		Rear Axles 39,189 with 15" X 7" or 16" X 6" Brakes - Rear Axles 144,186 with 15" X 7" Brakes		18E26	
		with # 20 Rear Axle; w/ 14 1/8" X 3" Brakes		18E123	
		with # 29, 30, 39, 189 Rear Axle; with 16in x 5in Brakes		18E23	
		with 15in x 5in Rear Brakes; with # 29,30,39 Rear Axle		18E23	
		with 15in x 6in Rear Brakes; with # 29, 30, 39, 42, 44, 127, 186, 199 Rear Axle		18E23	
		with 15in x 7in Rear Brakes; 199 Rear Axle		18E23	

International – 500 (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear						
Drum Brake Wheel Cylinder	1991	Bore 1-1/4in; w/ 15" X 3" Brakes; FA78,81	Left		18E4	
			Right		18E5	
		Bore 1-1/8in; w/ 15" X 3" Brakes; FA78,81	Left		18E6	
			Right		18E7	
		FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3"; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3-1/2" Brakes; FA101 Axle w/ 15" X 3" Brakes, Or FA74, 100, 109, 208 Axles w/ 15" X 3" Brakes; FA101, 103, 109, 127 Axles w/ 15" X 3-1/2" Brakes	Left		18E71	
			Right		18E72	
		FA74 Axles with 15 X 3 Manual Adjusting Brakes or FA74, 99, 109 Axles with 15 X 3 Automatic Adjusting Brakes or FA103, 109 Axles with 15 X 3-1/2 Automatic Adjusting Brakes	Left		18E78	
			Right		18E79	
		w/ 15" X 3 1/2" Brakes; FA139,208,211,215,218,219	Left		18E119	
			Right		18E120	
		with 15in x 5in Brakes; FA118, 127, 139 Axles w/ 15" X 5" Brakes Or FA209 w/ 15" X 3" Brakes	Left		18E287	
			Right		18E288	
		with 16in x 2-1/4in Brakes; FA57,59			18E1	

International – 900A

Cable

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Self-Adjuster Cable	1967-66				18H2107	
Rear						
Drum Brake Self-Adjuster Cable	1967-66				18H2107	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	1967	20in Length			18J33511	
	1967-66	19.25" Length			18J1	
Rear						
Brake Hydraulic Hose	1967	13.31" Length			18J36507	
	1967-66	17.69" Length			18J2072	

Master Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1967	Manual Brakes; with Dual Hydraulic System			18M25	
	1967-66	Manual Brakes; Single System			18M36155	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Drum	1966			18B509	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	1967	Left		18E889	
		Right		18E855	

International – 908B
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Self-Adjuster Cable	1967			18H2107	
Rear					
Drum Brake Self-Adjuster Cable	1967			18H2107	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1967	19.25" Length		18J1	
		20in Length		18J33511	
Rear					
Brake Hydraulic Hose	1967	13.31" Length		18J36507	
		17.69" Length		18J2072	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1967	Manual Brakes; Single System		18M36155	
		Manual Brakes; with Dual Hydraulic System		18M25	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	1967			18B509	

International – 908B (Cont.)

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	1967	Left		18E889	
		Right		18E855	

International – 908C

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Self-Adjuster Cable	1968			18H2107	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1968	20in Length		18J33511	
Rear					
Brake Hydraulic Hose	1968	13.31" Length		18J36507	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1968	Manual Brakes; with Dual Hydraulic System		18M25	
		Single System		18M36155	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	1968			18B509	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	1968	Left		18E889	
		Right		18E855	

International – 1452SC

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1992-87	Forward Control; w/ 2.88" Dual Piston Bendix Caliper		18FR813	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	1992-87	Forward Control; w/ 2.88" Dual Piston Bendix Caliper		18FR813N	
				18R813	
		Forward Control; w/ 3.38" Single Piston Bendix Caliper	Left	18FR652	
				18FR652N	
				18R652	
			Right	18FR651	
	1991-90	Bendix Brakes; w/ 2.60" Piston		18FR1330	
				18FR1330N	
	1991-88	Threaded Holes For Brake Hose Bracket; w/ 2.60" Dual Piston Caliper		18FR2189	
				18FR2189N	
				18R2189	
	1989-87	2.60" Piston Diameter; Bendix Brakes		18FR1330	
				18FR1330N	

Rear					
Disc Brake Caliper	1992-87	Forward Control; w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
	1991	Bendix Brakes; w/ 2.60" Piston		18FR1330	
				18FR1330N	
	1991-88	Threaded Holes For Brake Hose Bracket; w/ 2.60" Dual Piston Caliper		18FR2189	
				18FR2189N	
				18R2189	
	1990-87	2.60" Piston Diameter; Bendix Brakes		18FR1330	
				18FR1330N	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1992-88	2.60in or 2.88in Bendix Calipers; Bendix Caliper; w/ 8,000 lb Front Axle		18J1407	
		with 10000lb & 12000lb Front Axle; 2.60in or 2.88in Bendix Calipers; Bendix Caliper		18J1406	
Rear					
Brake Hydraulic Hose	1992-88	with 10000lb & 12000lb Front Axle; 2.60in or 2.88in Bendix Calipers; Bendix Caliper; w/ 8,000 lb Front Axle		18J545	

International – 1452SC (Cont.)

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1989-87			18M808	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1992-87	w/ 2.88" Dual Piston Bendix Caliper; Stripped Chassis		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1992-87	w/ 2.88" Dual Piston Bendix Caliper; Stripped Chassis		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Driveline					
Parking Brake Shoe	1992-87	Stripped Chassis; w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1992-91	Hat Shaped; 10 Hole Rotor; Non-ABS		18A1219	
	1992-90	Stepped Hat 5 Hole Rotor; Non-ABS		18A643	
	1992-87	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		U Shaped 10 Hole Rotor; with 6.80in Overall Height	18A1218A		
		U Shaped 5 Hole Rotor; .663" Hole Diameter		18A180	
		U Shaped 5 Hole Rotor; .781" Hole Diameter	18A1217A		
		U Shaped 6 Hole Rotor	18A181A		
		with .771in Stud Holes; U Shaped 5 Hole Rotor	18A460A		
	1989-87	Stepped Hat 5 Hole Rotor		18A643	
Rear					
Disc Brake Rotor	1992-90	10 Hole Rotor; with # 14130 Rear Axle; with # 14ADB Rear Axle; Non-ABS		18A1219	
	1992-87	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		U Shaped 10 Hole Rotor	18A1218A		
		U Shaped 6 Hole Rotor	18A181A		
		with # 14ADB Rear Axle		18A808	
		with .661in Stud Holes; U Shaped 5 Hole Rotor	18A664A		

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	1992-87	with .771in Stud Holes; with # 14036, 14044, 14131, 14133 Rear Axle; with # 14ADC, 14ADD, 14ADG, 14ADH, 14AED Rear Axle; U Shaped 5 Hole Rotor	18A460A		
		with 5.24in Overall Height; with Spoke Wheels; U Shaped 5 Hole Rotor	18A748A	18A748	
	1989-87	10 Hole Rotor; with # 14130 Rear Axle; with # 14ADB Rear Axle		18A1219	

International – 1652SC
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	2005-98	Pin Slide Calipers; w/ 2.60" Dual Piston Caliper		18FR1515		
				18FR1515N		
				18R1515		
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514		
				18FR1514N		
				18R1514		
	1998-86	2.60" Dual Piston Rail Slide Bendix Caliper		18FR1330		
				18FR1330N		
		2.88" Dual Piston Rail Slide Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
					18R651	
Rear						
Disc Brake Caliper	2005-98	Pin Slide Calipers; w/ 2.60" Dual Piston Caliper		18FR1515		
				18FR1515N		
				18R1515		
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514		
				18FR1514N		
				18R1514		
	1998-86	2.60" Dual Piston Rail Slide Bendix Caliper		18FR1330		
				18FR1330N		
		2.88" Dual Piston Rail Slide Bendix Caliper		18FR813		
				18FR813N		
				18R813		
			Front			
Disc Brake Caliper Bushing	2004-98	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167		

International – 1652SC (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper Bushing	1999-98	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
	1997-86	FMSI Number: 7142-D225		18K1395	
Rear					
Disc Brake Caliper Bushing	2004-98	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
	1999-98	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
	1997-88	FMSI Number: 7142-D225		18K1395	
	1987-86	w/ 2.88" Dual Piston Caliper		18K1395	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1994-88	Front Disc; 2.60in or 2.88in Bendix Calipers; Bendix Caliper; w/ 8,000 lb Front Axle		18J1407	
		Front Disc; with 10000lb & 12000lb Front Axle; 2.60in or 2.88in Bendix Calipers; Bendix Caliper		18J1406	
	1987	Front Disc; FA101		18J314	
		Front Disc; FA71,73; 32.5" Long		18J862	
Rear					
Brake Hydraulic Hose	1997-86	Front Disc; 11.69" Length		18J545	
		Front Disc; 19" Long		18J1296	
		Front Disc; 21.63" Length		18J12	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1989-87			18M808	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2007-06		14D786M	17D786MH	
			14D786MH	17D786MHF1	
	2005-98	with 2.60in Dual Piston Bosch Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		with 2.88in Dual Piston Bosch Caliper; Stripped Chassis		17D786AM	
				17D786AMH	
	1998-86	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	1998-86	w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184MH	
Rear					
Disc Brake Pad Set	2007-06		14D786M	17D786MH	
			14D786MH	17D786MHF1	
	2005-98	with 2.60in Dual Piston Bosch Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		with 2.88in Dual Piston Bosch Caliper; Stripped Chassis		17D786AM	
				17D786AMH	
	1998-86	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Driveline					
Parking Brake Shoe	2004-86	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2004-98	Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped; 10 Hole Rotor; with 3.20in Overall Rotor Height; w/ ABS Brakes	18A1429A	18A1429	
		with 4.44in Overall Height; Hat Shaped; 10 Hole Rotor; w/ ABS Brakes	18A1839A	18A1839	
	2001-86	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		U Shaped 5 Hole Rotor; with 5.90in Overall Height	18A460A		
	1998	Non-ABS; Hat Shaped; 10 Hole Rotor; with 3.20in Overall Rotor Height		18A808	
		Non-ABS; with 4.43in Overall Height; Hat Shaped; 10 Hole Rotor; Non-ABS		18A1219	
	1997-94	Hat Shaped; 10 Hole Rotor; with 3.20in Overall Rotor Height		18A808	
	1997-90	with 3.50in Overall Height; Stepped Hat 5 Hole Rotor; Non-ABS		18A643	
		with 4.43in Overall Height; Hat Shaped; 10 Hole Rotor; Non-ABS		18A1219	
	1997-86	U Shaped 5 Hole Rotor; .663" Hole Diameter; Height: 4 1/2"		18A180	
		U Shaped 5 Hole Rotor; .781" Hole Diameter; Height: 4 1/2"	18A1217A		
		U Shaped 5 Hole Rotor; Height: 4 1/4"	18A873A	18A873	
		U Shaped 6 Hole Rotor	18A181A		
	1993-86	U Shaped 10 Hole Rotor	18A1218A		

International – 1652SC (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	1989-86	with 3.50in Overall Height; Stepped Hat 5 Hole Rotor		18A643	
		with 4.43in Overall Height; Hat Shaped; 10 Hole Rotor		18A1219	
Rear					
Disc Brake Rotor	2004-98	Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		with 3.21in Overall Height; Hat Shaped; 10 Hole Rotor; w/ ABS Brakes	18A1429A	18A1429	
		with 4.44in Overall Height; Hat Shaped; 10 Hole Rotor; w/ ABS Brakes	18A1839A	18A1839	
	1997-90	with 4.43in Overall Height; Hat Shaped; 10 Hole Rotor; Non-ABS		18A1219	
	1997-86	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		U Shaped 5 Hole Rotor; Height: 4 1/4"	18A873A	18A873	
		U Shaped 6 Hole Rotor	18A181A		
	1989-86	with 4.43in Overall Height; Hat Shaped; 10 Hole Rotor		18A1219	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1994-86	Axle # FA118,FA127,FA139,FA209; w/ 15" X 3" Brakes; 1 1/2" Bore Diameter	Left	18E287	
			Right	18E288	
		Bore 1-1/4in; w/ 14" X 2 1/2" Brakes		18E71	
		Bore 1-1/4in; w/ 15" X 3 1/2" Brakes		18E71	
		Bore 1-1/4in; w/ 15" X 3" Brakes; FA71,73,101		18E71	
		Bore 1-1/4in; w/ 15" X 3" Brakes; FA78,81	Left	18E4	
			Right	18E5	
		Bore 1-1/4in; with 16in x 2-1/4in Brakes		18E1	
		Bore 1-1/8in; Axle # FA103,FA109; w/ 15" X 3 1/2" Brakes	Left	18E78	
			Right	18E79	
		Bore 1-1/8in; Axle # FA74,FA99,FA109; w/ 15" X 3" Brakes	Left	18E78	
			Right	18E79	
		Bore 1-1/8in; w/ 14" X 2 1/2" Brakes	Left	18E52	
			Right	18E53	
		Bore 1-1/8in; w/ 15" X 3" Brakes; FA71,73,101	Left	18E52	
			Right	18E53	
		Bore 1-1/8in; w/ 15" X 3" Brakes; FA78,81	Left	18E6	
			Right	18E7	
		Bore 1-1/8in; w/ 15" X 3" Brakes; FA89,91,98	Left	18E52	
			Right	18E53	
		Bore 1-1/8in; with Automatic Adjusting Brakes; Axle # FA74,FA99,FA109; w/ 15" X 3" Brakes	Left	18E78	

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Drum Brake Wheel Cylinder	1994-86	Bore 1-1/8in; with Automatic Adjusting Brakes; Axle # FA74,FA99,FA109; w/ 15" X 3" Brakes	Right		18E79	
		w/ 14" X 2 1/4" Brakes; 1" Bore Diameter	Left		18E2	
			Right		18E3	
		w/ 15" X 3 1/2" Brakes; w/ 1 3/8" Bore Diameter	Left		18E119	
	Right		18E120			
Rear						
Drum Brake Wheel Cylinder	1994-86	w/ 14 1/8" X 3" Brakes; w/ 1 3/8" Bore Diameter			18E123	
		w/ 15" X 4" or 15" X 5" Brakes; 1 1/2" Bore Diameter			18E73	
		w/ 16" X 6" Brakes; 1-7/8" Bore			18E77	
		with 15in x 7in or 16in x 6in Brakes; 1 3/4" Bore Diameter			18E26	

International – 1652UPS
Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper Bushing	1997-95	FMSI Number: 7142-D225			18K1395	
	1993	FMSI Number: 7142-D225			18K1395	
	1991-90	FMSI Number: 7142-D225			18K1395	
Rear						
Disc Brake Caliper Bushing	1997-95	FMSI Number: 7142-D225			18K1395	
	1993	FMSI Number: 7142-D225			18K1395	
	1991-90	FMSI Number: 7142-D225			18K1395	

Rotors & Drums

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Rotor	1997-95	U Shaped 6 Hole Rotor		18A181A		
	1993	U Shaped 6 Hole Rotor		18A181A		
	1991-90	U Shaped 6 Hole Rotor		18A181A		
Rear						
Disc Brake Rotor	1997-95	U Shaped 6 Hole Rotor		18A181A		
	1993	U Shaped 6 Hole Rotor		18A181A		
	1991-90	U Shaped 6 Hole Rotor		18A181A		

International – 1654

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	1989-83	2.60" Dual Piston Rail Slide Bendix Caliper		18FR1330		
				18FR1330N		
		2.88" Dual Piston Rail Slide Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
					18R651	
	1981	2.60" Dual Piston Rail Slide Bendix Caliper		18FR1330		
				18FR1330N		
		2.88" Dual Piston Rail Slide Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
					18R651	
Rear						
Disc Brake Caliper	1989-83	2.60" Dual Piston Rail Slide Bendix Caliper		18FR1330		
				18FR1330N		
		2.88" Dual Piston Rail Slide Bendix Caliper		18FR813		
				18FR813N		
				18R813		
	1981	2.60" Dual Piston Rail Slide Bendix Caliper		18FR1330		
				18FR1330N		
		2.88" Dual Piston Rail Slide Bendix Caliper		18FR813		
				18FR813N		
				18R813		

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1988	Front Disc; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3"; 32.5" Long		18J862	
	1988-86	Front Disc; Axle # FA309		18J861	
		Front Disc; FA101		18J314	
	1987-86	Front Disc; Axle # FA71; Axle # FA73; 32.5" Long		18J862	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Hydraulic Hose	1986-84	Front Drum; Axle # FA309 Left		18J859	
	1985-84	Front Drum; Axle # FA109,127; w/ 15" X 3 1/2" Brakes		18J543	
		Front Drum; Axle # FA309 Right		18J861	
	1985-83	Front Disc; with BENDIX Unit; Axle # FA71; Axle # FA73		18J315	
		Front Disc; with BENDIX Unit; FA101		18J314	
	1983	Front Drum; Axle # FA109,127; Conventional Cab; w/ 15" X 3 1/2" Brakes		18J543	
	1981	Front Disc; 15.04" Length		18J1416	
Rear					
Brake Hydraulic Hose	1989-83	11.69" Length		18J545	
		19" Long		18J1296	
		21.63" Length		18J12	
	1981	11.69" Length		18J545	
		19" Long		18J1296	
		21.63" Length		18J12	
		23" Long		18J1401	
		32.25" Long		18J1402	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1989			18M808	
	1988-84	Front Disc; High Power Cylinder; 2" Bore		18M808	
	1983	Front Disc; High Power Cylinder; 2" Bore; From 8/26/83		18M808	
		Front Disc; Power Brakes; with Dual Hydraulic System; 1 3/4" Bore Diameter		18M286	
		Front Disc; with Hydraulic Booster; 2" Bore		18M280	
		Front Drum; Manual Brakes; Single Hydraulic System; 1 1/2" Bore Diameter		18M1	
		Front Drum; Manual Brakes; with Dual Hydraulic System; 2" Bore		18M285	
		Front Drum; Manual Brakes; with Dual Hydraulic System; with Aluminum Reservoir; 1 3/4" Bore Diameter		18M261	
		Front Drum; Manual Brakes; with Dual Hydraulic System; with Plastic Reservoir; 1 3/4" Bore Diameter		18M391541	
	1981	Front Disc; Power Brakes; with Dual Hydraulic System; 1 3/4" Bore Diameter		18M286	
		Front Disc; with Hydraulic Booster; 2" Bore		18M280	
		Front Drum; Manual Brakes; Single Hydraulic System; 1 1/2" Bore Diameter		18M1	
		Front Drum; Manual Brakes; with Dual Hydraulic System; 2" Bore		18M285	

International – 1654 (Cont.)

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	1981	Front Drum; Manual Brakes; with Dual Hydraulic System; with Aluminum Reservoir; 1 3/4" Bore Diameter		18M261	
		Front Drum; Manual Brakes; with Dual Hydraulic System; with Plastic Reservoir; 1 3/4" Bore Diameter		18M391541	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1989-83	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
	1989-81	w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
	1981	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	1989-83	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
	1989-81	w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
	1981	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Front					
Drum Brake Shoe	1983	w/ 15" X 3" Brakes		17321R	
	1981	w/ 15" X 3" Brakes		17321R	
Rear					
Drum Brake Shoe	1983	Optional; with 15in x 6in Brakes		17381R	
		Optional; with 15in x 7in Brakes		17383R	
	1981	Optional; with 15in x 6in Brakes		17381R	
		Optional; with 15in x 7in Brakes		17383R	
Driveline					
Parking Brake Shoe	1989-83	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
	1981	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1989-84	with Disc Style Wheels; U Shaped 5 Hole Rotor; with 5.90in Overall Height; .663" Hole Diameter	18A460A		
	1989-83	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		Hat Shaped; 10 Hole Rotor		18A1219	
		Stepped Hat 5 Hole Rotor		18A643	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	1989-83	U Shaped 5 Hole Rotor; .663" Hole Diameter; Height: 4 1/2"		18A180	
		U Shaped 5 Hole Rotor; Height: 4 1/4"	18A873A	18A873	
		U Shaped 5 Hole Rotor; with 5.90in Overall Height	18A664A		
		U Shaped 6 Hole Rotor	18A181A		
	1981	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		Hat Shaped; 10 Hole Rotor		18A1219	
		Stepped Hat 5 Hole Rotor		18A643	
		U Shaped 5 Hole Rotor; .663" Hole Diameter; Height: 4 1/2"		18A180	
		U Shaped 5 Hole Rotor; Height: 4 1/4"	18A873A	18A873	
		U Shaped 6 Hole Rotor	18A181A		
Rear					
Disc Brake Rotor	1989-83	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		Hat Shaped; 10 Hole Rotor		18A1219	
		U Shaped 5 Hole Rotor	18A873A	18A873	
		U Shaped 6 Hole Rotor	18A181A		
	1981	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		Hat Shaped; 10 Hole Rotor		18A1219	
		U Shaped 5 Hole Rotor	18A873A	18A873	
		U Shaped 6 Hole Rotor	18A181A		

International – 1724
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	1984-83	w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R1010	
					18R652	
			Right		18FR651	
					18FR651N	
					18R1009	
					18R651	
	1984-79	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330		
				18FR1330N		
Rear						
Disc Brake Caliper	1984-83	w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		

International – 1724 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	1984-83	w/ 2.88" Dual Piston Bendix Caliper		18R813	
		w/ 3.38" Single Piston Bendix Caliper Left		18FR652	
				18FR652N	
				18R1010	
				18R652	
		Right		18FR651	
				18FR651N	
				18R1009	
				18R651	
	1984-79	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330	
				18FR1330N	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1984	Front Disc; Rear Drum; FA309,329,339		18J861	
	1984-82	Front Disc; Rear Drum; w/ # RA29, 30, 187 Rear Axle		18J315	
		Front Disc; Rear Drum; with Axle Code RA39,RA42,RA199		18J314	
	1981-79	Front Disc; Rear Drum; Bendix Caliper; 2.60" Piston Diameter		18J1403	
Rear					
Brake Hydraulic Hose	1984-82	19" Long		18J1296	
	1983-79	15.04" Length		18J1416	
	1981-79	23" Long		18J1401	
		32.25" Long		18J1402	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1985	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
	1985-79	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
	1984-79	w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1985	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
	1985-79	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	1984-79	w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Driveline					
Parking Brake Shoe	1984-79	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1985-79	U Shaped 6 Hole Rotor	18A181A		
Rear					
Disc Brake Rotor	1985-79	U Shaped 6 Hole Rotor	18A181A		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1982-80	Bore 1-1/4in; w/ 15" X 3 1/2" Brakes; FA71,73,101	Left		18E71
			Right		18E72
		Bore 1-1/4in; w/ 15" X 3" Brakes; FA109,208	Left		18E71
			Right		18E72
		Bore 1-1/4in; w/ 15" X 3" Brakes; FA78,81	Left		18E4
			Right		18E5
		Bore 1-1/8in; w/ 14" X 2 1/2" Brakes	Left		18E52
			Right		18E53
		Bore 1-1/8in; w/ 15" X 3" Brakes; FA74	Left		18E78
			Right		18E79
		Bore 1-1/8in; w/ 15" X 3" Brakes; FA78,81	Left		18E6
			Right		18E7
		Bore 1-1/8in; w/ 15" X 3" Brakes; FA89,91,98	Left		18E52
			Right		18E53
	1982-79	w/ 15" X 3 1/2" Brakes; w/ 1 3/8" Bore Diameter; FA208	Left		18E119
			Right		18E120
		with 15in x 5in Brakes; 1 1/2" Bore Diameter	Left		18E287
			Right		18E288
	1979	1 1/4" Bore Diameter; w/ 15" X 3 1/2" Brakes; FA71,73,101	Left		18E71
			Right		
		1 1/8" Bore Diameter; w/ 14" X 2 1/2" Brakes	Left		18E52
			Right		18E53
		w/ 15" X 3" Brakes; 1 1/4" Bore Diameter; FA109,208	Left		18E71
			Right		18E72
		w/ 15" X 3" Brakes; 1 1/4" Bore Diameter; FA78,81	Left		18E4

International – 1724 (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Drum Brake Wheel Cylinder	1979	w/ 15" X 3" Brakes; 1 1/4" Bore Diameter; FA78,81	Right		18E5	
		w/ 15" X 3" Brakes; 1 1/8" Bore Diameter; FA74	Left		18E78	
			Right		18E79	
		w/ 15" X 3" Brakes; 1 1/8" Bore Diameter; FA78,81	Left		18E6	
			Right		18E7	
		w/ 15" X 3" Brakes; 1 1/8" Bore Diameter; FA89,91,98	Left		18E52	
			Right		18E53	
		w/ 15" x 3.5" Brakes; 1 1/4" Bore Diameter; FA71,73,101	Right		18E72	
Rear						
Drum Brake Wheel Cylinder	1982-80	1 3/4" Bore Diameter; w/ 16" X 6" Brakes			18E26	
	1982-79	with 15in x 4in Brakes; 1 1/2" Bore Diameter			18E73	
		with 15in x 5in Brakes; 1 1/2" Bore Diameter; RA25,184			18E73	
		with 15in x 5in Brakes; w/ # RA29, 30, 187 Rear Axle; 1 5/8" Bore Diameter			18E23	
	1979	w/ 16" X 6" Brakes; 1 3/4" Bore Diameter			18E26	

International – 1754

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	1987-83	w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R1010	
					18R652	
			Right		18FR651	
					18FR651N	
					18R1009	
					18R651	
	1987-79	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330		
				18FR1330N		
Rear						
Disc Brake Caliper	1987-83	w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		
				18R813		
	1987-79	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330		
				18FR1330N		
	1985-83	w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	1985-83	w/ 3.38" Single Piston Bendix Caliper	Left	18FR652N	
				18R1010	
				18R652	
			Right	18FR651	
				18FR651N	
				18R1009	
				18R651	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1987-84	Front Drum; Rear Drum; 43-1/2in Length		18J861	
	1985-83	Front Disc; Rear Drum; 24.50" Length		18J315	
		Front Disc; Rear Drum; 37.75" Long		18J314	
	1981-79	Front Disc; Rear Drum; 17.630" Long		18J1403	
Rear					
Brake Hydraulic Hose	1985-83	Front Disc; Rear Disc; 19" Long		18J1296	
	1983-79	Front Disc; Rear Drum; 15.04" Length		18J1416	
	1981-79	Front Disc; Rear Drum; 23" Long		18J1401	
		Front Disc; Rear Drum; 32.25" Long		18J1402	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1987-84	Front Disc; Rear Drum; High Power Cylinder; 2" Bore		18M808	
	1983-79	Front Disc; Rear Drum; 2" Bore		18M280	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1989-79	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		2.88in Rail Slide Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	1989-79	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		2.88in Rail Slide Caliper		17D225M	
				17D225MH	

International – 1754 (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1989-80	U Shaped 6 Hole Rotor	18A181A		
Rear					
Disc Brake Rotor	1989-80	U Shaped 6 Hole Rotor	18A181A		

International – 1824

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	1983	w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
					18R651	
	1983-79	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330		
				18FR1330N		
Rear						
Disc Brake Caliper	1983-79	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330		
				18FR1330N		

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1982-79	Front Disc; 23" Long		18J1401	
		Front Disc; 32.25" Long		18J1402	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1983-82	Front Drum; Single Hydraulic System; w/ 16" Brakes; 1 3/4" Bore Diameter		18M3	
		Front Drum; with Dual Hydraulic System; with Aluminum Reservoir; 1 3/4" Bore Diameter		18M261	
	1983-79	Front Disc; with Dual Hydraulic System; 1 3/4" Bore Diameter		18M286	
		Front Disc; with Hydraulic Booster; 2" Bore		18M280	
		Front Drum; Single Hydraulic System; with 15in Brakes; 1 1/2" Bore Diameter		18M1	
		Front Drum; with Dual Hydraulic System; 2" Bore		18M285	

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	1983-79	with Plastic Reservoir; w/ Front Drum; w/ Rear Drum Brakes; 1 3/4" Bore Diameter; Dual Hydraulic System		18M391541	
	1981-79	4WD; Front Drum; Single Hydraulic System; 1 3/4" Bore Diameter		18M3	
		4WD; Front Drum; with Dual Hydraulic System; with Aluminum Reservoir; 1 3/4" Bore Diameter		18M261	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1984	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
	1984-79	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
	1983-79	w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1984	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
	1984-79	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
	1983-79	w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Front					
Drum Brake Shoe	1983-79	w/ 15" X 3" Brakes; with Auto Adjuster		17321R	
Rear					
Drum Brake Shoe	1983-79	Optional; with 15in x 6in Brakes		17381R	
		Optional; with 15in x 7in Brakes		17383R	
Driveline					
Parking Brake Shoe	1983-79	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1984-79	U Shaped 6 Hole Rotor	18A181A		
	1983	Hat Shaped; 10 Hole Rotor		18A1219	
		U Shaped 5 Hole Rotor; .781" Hole Diameter; Height: 4 1/2"	18A1217A		
	1983-82	U Shaped 5 Hole Rotor; .663" Hole Diameter; Height: 4 1/2"		18A180	
	1982-79	U Shaped 5 Hole Rotor; Height: 4 1/4"	18A873A	18A873	

International – 1824 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	1984-79	U Shaped 6 Hole Rotor	18A181A		

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1982-79	Bore 1-1/4in; w/ 15" X 3" Brakes; w/ 15" X 3 1/2" Brakes	Left		18E71	
			Right		18E72	
		Bore 1-1/8in; w/ 15" X 3" Brakes	Left		18E52	
			Right		18E53	
		w/ 14" X 2 1/2" Brakes	Left		18E52	
			Right		18E53	
		w/ 15" X 3 1/2" Brakes; w/ 1 3/8" Bore Diameter	Left		18E119	
			Right		18E120	
		with 15in x 5in Brakes	Left		18E287	
			Right		18E288	
Rear						
Drum Brake Wheel Cylinder	1982-79	1 3/4" Bore Diameter; w/ 16" X 6" Brakes			18E26	
		with 15in x 7in Brakes; 1 3/4" Bore Diameter			18E26	
		with 15in x 7in Brakes; with 15in x 5in Brakes; with 15in x 6in Brakes; 1 5/8" Bore Diameter			18E23	

International – 1854

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	1989-83	w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
					18R651	
	1989-79	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330		
			18FR1330N			
Rear						
Disc Brake Caliper	1989-81	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330		
				18FR1330N		
	1980	w/ 2.60" Dual Piston Caliper		18FR1330		
				18FR1330N		

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	1979	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330	
				18FR1330N	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1981	Front Drum; Rear Drum; w/ 14" X 2 1/2" Brakes; Fa72 Axle		18J2	
		Front Drum; Rear Drum; w/ 15" X 3" Brakes; FA71,73,101		18J2	
	1981-79	w/ 15" X 3 1/2" Brakes; FA218		18J7	
		w/ 15" X 3" Brakes; FA109,208		18J378	
	1980-79	w/ 14" X 2 1/2" Brakes; Fa72 Axle		18J2	
		w/ 15" X 3" Brakes; w/ FA98 Axle; FA101		18J2	
Rear					
Brake Hydraulic Hose	1980-79	21.63" Length; w/ 14" X 2 1/2" Brakes		18J12	
		21.63" Length; w/ 15" X 3 1/2" Brakes		18J12	
		w/ 15" X 3" Brakes; 21.63" Length		18J12	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1989-84	Front Disc; Power Brakes; High Power Cylinder; 2" Bore		18M808	
	1983-79	Front Disc; Power Brakes; with Dual Hydraulic System; 1 3/4" Bore Diameter		18M286	
		Front Disc; Power Brakes; with Hydraulic Booster; 2" Bore		18M280	
		Front Drum; Manual Brakes; 2" Bore		18M285	
	1981-79	4WD; Front Drum; Manual Brakes; Single Hydraulic System; 1 3/4" Bore Diameter		18M3	
		4WD; Front Drum; Manual Brakes; with Dual Hydraulic System; with Aluminum Reservoir; 1 3/4" Bore Diameter		18M261	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1989-79	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1989-79	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	

International – 1854 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	1989-79	w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Front					
Drum Brake Shoe	1983-79	w/ 15" X 3" Brakes; with Auto Adjuster		17321R	
Rear					
Drum Brake Shoe	1983-79	Optional; with 15in x 6in Brakes		17381R	
		Optional; with 15in x 7in Brakes		17383R	
Driveline					
Parking Brake Shoe	1989-79	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1989-84	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		Stepped Hat 5 Hole Rotor		18A643	
		U Shaped 5 Hole Rotor; with 5.90in Overall Height; .663" Hole Diameter	18A664A		
		U Shaped 5 Hole Rotor; with 5.90in Overall Height; .781" Hole Diameter	18A460A		
	1989-83	Hat Shaped; 10 Hole Rotor		18A1219	
		U Shaped 5 Hole Rotor; .781" Hole Diameter; Height: 4 1/2"	18A1217A		
	1989-82	U Shaped 5 Hole Rotor; .663" Hole Diameter; Height: 4 1/2"		18A180	
	1989-79	U Shaped 6 Hole Rotor	18A181A		
	1982-79	U Shaped 5 Hole Rotor; Height: 4 1/4"	18A873A	18A873	
Rear					
Disc Brake Rotor	1989-79	U Shaped 6 Hole Rotor	18A181A		

International – 1924 S

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1982-79	2.88" Dual Piston Rail Slide Bendix Caliper		18FR813	
				18FR813N	
				18R813	
		w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330	
				18FR1330N	
Rear					
Disc Brake Caliper	1982-79	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330	
				18FR1330N	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1982	FA309,329,339		18J861	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1982-79	2" Bore		18M285	
	1981-79	Manual Brakes; Single Hydraulic System; 1 3/4" Bore Diameter		18M3	
		Manual Brakes; with Dual Hydraulic System; with Aluminum Reservoir; 1 3/4" Bore Diameter		18M261	
		Manual Brakes; with Dual Hydraulic System; with Plastic Reservoir; 1 3/4" Bore Diameter		18M391541	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1982-79	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1982-79	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Front					
Drum Brake Shoe	1982-81	w/ 15" X 3" Brakes		17321R	
Rear					
Drum Brake Shoe	1982-81	Optional; with 15in x 7in Brakes		17383R	
	1982-79	with 15in x 6in Brakes		17381R	
Driveline					
Parking Brake Shoe	1982-79	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1982	U Shaped 5 Hole Rotor; 10,800, 12,000 lb. Front Axle; Height: 4 1/2"		18A180	
	1982-79	U Shaped 6 Hole Rotor	18A181A		
Rear					
Disc Brake Rotor	1982-79	U Shaped 6 Hole Rotor	18A181A		

International – 1925 S

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1982-79	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1982-79	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Front					
Drum Brake Shoe	1982-81	w/ 15" X 3" Brakes		17321R	
Rear					
Drum Brake Shoe	1982-81	Optional; with 15in x 7in Brakes		17383R	
	1982-79	with 15in x 6in Brakes		17381R	
Driveline					
Parking Brake Shoe	1982-79	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1982-79	U Shaped 6 Hole Rotor	18A181A		
Rear					
Disc Brake Rotor	1982-79	U Shaped 6 Hole Rotor	18A181A		

International – 1954

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1989	Bendix Brakes; 10,800, 12,000 lb. Front Axle; 2.88" Piston Diameter		18FR813	
				18FR813N	
				18R813	
	1989-79	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330	
				18FR1330N	
	1988	Bendix Brakes; w/ 2.88" Piston; 10,800 lb. Front Axle		18FR813	
				18FR813N	
				18R813	
	1987-85	Bendix Brakes; w/ 2.88" Piston; 10,800, 12,000 lb. Front Axle		18FR813	
				18FR813N	
				18R813	
	1984	Bendix Brakes; 10,800, 12,000 lb. Front Axle; 2.88" Piston Diameter		18FR813	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	1984	Bendix Brakes; 10,800, 12,000 lb. Front Axle; 2.88" Piston Diameter		18FR813N	
				18R813	
	1983	Bendix Brakes; w/ 2.88" Piston; 10,800, 12,000 lb. Front Axle		18FR813	
				18FR813N	
				18R813	
Rear					
Disc Brake Caliper	1989-83	Bendix Brakes; w/ 2.88" Piston; 15,500, 17,500 lb. Rear Axle		18FR813	
				18FR813N	
				18R813	
	1989-79	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330	
				18FR1330N	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1989-86	FA101		18J314	
	1989-82	FA309,329,339		18J861	
Rear					
Brake Hydraulic Hose	1989-86	19" Long		18J1296	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1989-82	Single Hydraulic System		18M4	
	1980-79	Manual Brakes; 2" Bore		18M285	
		Manual Brakes; Single Hydraulic System; 1 3/4" Bore Diameter		18M3	
		Manual Brakes; with Dual Hydraulic System; with Aluminum Reservoir; 1 3/4" Bore Diameter		18M261	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1989-79	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1989-79	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	

International – 1954 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	1989-79	w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184MH	
Rear					
Drum Brake Shoe	1983-79	with 15in x 6in Rear Brakes		17381R	
		with 15in x 7in Rear Brakes		17383R	
Driveline					
Parking Brake Shoe	1989-79	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1989-84	5 Hole Rotor; with School Bus Package; Hat Shaped Marmon 59769 Spoke Wheels		18A643	
		6 Hole Rotor; Hat Shaped Marmon Disc Style Wheels	18A663A	18A663	
		U Shaped 5 Hole Rotor; with 5.90in Overall Height; w/ 5/8" Bolt; Gunite Disc Style Wheels	18A664A		
	1988-83	U Shaped 5 Hole Rotor; w/ 2.88" Piston; 10,800, 12,000 lb. Front Axle; w/ Bendix Front Calipers; Height: 4 1/2"		18A180	
		U Shaped 6 Hole Rotor; 15,500, 17,500 lb. Rear Axle; w/ 2.88" Piston; Bendix Rear Disc Brakes	18A181A		
	1982	U Shaped 5 Hole Rotor; 10,800, 12,000 lb. Front Axle; Height: 4 1/2"		18A180	
		U Shaped 6 Hole Rotor; with 6.80in Overall Height; 15,500, 17,500 lb. Rear Axle	18A181A		
	Rear				
Disc Brake Rotor	1983-79	U Shaped 6 Hole Rotor	18A181A		

International – 1955

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1989-79	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1989-79	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	1989-79	w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184MH	
Rear					
Drum Brake Shoe	1983-79	with 15in x 6in Rear Brakes		17381R	
		with 15in x 7in Rear Brakes		17383R	
Driveline					
Parking Brake Shoe	1989-79	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

International – 2155
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1989-79	2.60in Rail Slide Caliper		17D184M	
				17D184MH	
		2.88in Dual Piston Calipers; w/ Dual Piston Calipers		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	1989-79	2.60in Rail Slide Caliper		17D184M	
				17D184MH	
		2.88in Dual Piston Calipers; w/ Dual Piston Calipers		17D225M	
				17D225MH	

International – 2276 S
Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1986-83	U Shaped 6 Hole Rotor	18A181A		
Rear					
Disc Brake Rotor	1986-83	U Shaped 6 Hole Rotor	18A181A		

International – 2375 S
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1989-83	2.60" Rail Slide Caliper		17D184M	
				17D184MH	
		2.88in Rail Slide Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	1989-83	2.60" Rail Slide Caliper		17D184M	
				17D184MH	

International – 2375 S (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	1989-83	2.88in Rail Slide Caliper		17D225M	
				17D225MH	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1986-83	U Shaped 6 Hole Rotor	18A181A		
Rear					
Disc Brake Rotor	1986-83	U Shaped 6 Hole Rotor	18A181A		

International – 2554

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2001-93	w/ ABS Brakes; Axle Code 280A, 280B; w/ 6,000 to 8,000 lb. Axle	18A1839A	18A1839	
	1998-90	9000, 10000, 12000 lb Axle; Axle Codes 02ADC, ADD, ADE	18A1218A		
	1992	From 12/03/1992; w/ ABS Brakes; Axle Code 280A, 280B; w/ 6,000 to 8,000 lb. Axle	18A1839A	18A1839	
Rear					
Disc Brake Rotor	2001-93	w/ ABS Brakes; Axle Code 280A, 280B; w/ 6,000 to 8,000 lb. Axle	18A1839A	18A1839	
	1992	From 12/03/1992; w/ ABS Brakes; Axle Code 280A, 280B; w/ 6,000 to 8,000 lb. Axle	18A1839A	18A1839	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1994	FA28, 48, 68, 70, 72 Axles with 14 X 2-1/2 Brakes or FA71, 73, 101 Axles with 15 X 3 Brakes or FA89, 91, 98 Axles with 15 X 3 Brakes or FA101 Axles with 15 X 3 Brakes; w/ 6 x 4 Wheel Drive	Left	18E52	
			Right	18E53	
		FA54 Axle w/ 14" X 2-1/4" Brakes Or FA58 Axle w/ 14" X 2-1/2" Brakes; w/ 6 x 4 Wheel Drive	Left	18E2	
			Right	18E3	
	1993-91	FA28, 48, 68, 70, 72 Axles with 14 X 2-1/2 Brakes or FA71, 73, 101 Axles with 15 X 3 Brakes or FA89, 91, 98 Axles with 15 X 3 Brakes or FA101 Axles with 15 X 3 Brakes	Left	18E52	
			Right	18E53	
		FA54 Axle w/ 14" X 2-1/4" Brakes Or FA58 Axle w/ 14" X 2-1/2" Brakes	Left	18E2	
			Right	18E3	

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Drum Brake Wheel Cylinder	1990-79	FA28, 48, 68, 70, 72 Axles with 14 X 2-1/2 Brakes or FA71, 73, 101 Axles with 15 X 3 Brakes or FA89, 91, 98 Axles with 15 X 3 Brakes or FA101 Axles with 15 X 3 Brakes; w/ 6 x 4 Wheel Drive	Left		18E52	
			Right		18E53	
		FA54 Axle w/ 14" X 2-1/4" Brakes Or FA58 Axle w/ 14" X 2-1/2" Brakes; w/ 6 x 4 Wheel Drive	Left		18E2	
			Right		18E3	
	1980-79	RWD; FA28, 48, 68, 70, 72 Axles with 14 X 2-1/2 Brakes or FA71, 73, 101 Axles with 15 X 3 Brakes or FA89, 91, 98 Axles with 15 X 3 Brakes or FA101 Axles with 15 X 3 Brakes	Left		18E52	
			Right		18E53	
		RWD; FA54 Axle w/ 14" X 2-1/4" Brakes Or FA58 Axle w/ 14" X 2-1/2" Brakes	Left		18E2	
			Right		18E3	
Rear						
Drum Brake Wheel Cylinder	1994	Bore 1-1/4in; w/ 15" X 3" Brakes; FA78,81; w/ 6 x 4 Wheel Drive	Left		18E4	
			Right		18E5	
		Bore 1-1/8in; w/ 15" X 3" Brakes; FA78,81; w/ 6 x 4 Wheel Drive	Left		18E6	
			Right		18E7	
		Except Tandem Rear Axle; Rear Axle # 25, 126, 184 with 15in x 4in or 15in x 5in Brakes; w/ 6 x 4 Wheel Drive			18E73	
		Except Tandem Rear Axle; Rear Axle # 47, 57,192, 193, 292 With 16in x 6in Brakes; w/ 6 x 4 Wheel Drive			18E77	
		Except Tandem Rear Axle; Rear Axles 39,189 with 15" X 7" or 16" X 6" Brakes - Rear Axles 144,186 with 15" X 7" Brakes; w/ 6 x 4 Wheel Drive			18E77	
		Except Tandem Rear Axle; w/ 14 1/8" X 3" Brakes; RA120 Axle; w/ 6 x 4 Wheel Drive			18E123	
		Except Tandem Rear Axle; with # 29,30,39,127,187 Rear Axle; with 15in x 5in Brakes; w/ 6 x 4 Wheel Drive			18E23	
		Except Tandem Rear Axle; with # 29,30,39,127,187,189 Rear Axle; with 16in x 5in Brakes; w/ 6 x 4 Wheel Drive			18E23	
		Except Tandem Rear Axle; with # 29,30,39,42,44,186,199 Rear Axle; with 15in x 6in Brakes; w/ 6 x 4 Wheel Drive			18E23	
		Except Tandem Rear Axle; with 15in x 7in Brakes; 199 Rear Axle; w/ 6 x 4 Wheel Drive			18E23	
		FA74 Axles with 15 X 3 Manual Adjusting Brakes or FA74, 99, 109 Axles with 15 X 3 Automatic Adjusting Brakes or FA103, 109 Axles with 15 X 3-1/2 Automatic Adjusting Brakes; w/ 6 x 4 Wheel Drive	Left		18E78	
			Right		18E79	
		w/ 15" X 3 1/2" Brakes; FA139, 208, 211, 215, 218, 219; w/ 6 x 4 Wheel Drive	Left		18E119	
			Right		18E120	

International – 2554 (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	1994	w/ FA69 Axle; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3"; FA101 Axle w/ 15" X 3" Brakes, Or FA74, 100, 109, 208 Axles w/ 15" X 3" Brakes; FA101, 103, 109, 127 Axles w/ 15" X 3-1/2" Brakes; w/ 6 x 4 Wheel Drive; w/ 14" X 2 1/2" Brakes	Left		18E71	
			Right		18E72	
		with 15in x 5in Brakes; FA118, 127, 139 Axles w/ 15" X 5" Brakes Or FA209 w/ 15" X 3" Brakes; w/ 6 x 4 Wheel Drive	Left		18E287	
			Right		18E288	
		with 16in x 2-1/4in Brakes; FA57,59; w/ 6 x 4 Wheel Drive			18E1	
	1993-91	Bore 1-1/4in; w/ 15" X 3" Brakes; FA78,81	Left		18E4	
			Right		18E5	
		Bore 1-1/8in; w/ 15" X 3" Brakes; FA78,81	Left		18E6	
			Right		18E7	
		Except Tandem Rear Axle; Rear Axle # 25, 126, 184 with 15in x 4in or 15in x 5in Brakes			18E73	
		Except Tandem Rear Axle; Rear Axle # 39, 189 with 15in x 7in or 16in x 6in Brakes; Rear Axle Codes 144, 186 With 15in x 7in Brakes; with 15in x 7in Brakes			18E77	
		Except Tandem Rear Axle; Rear Axle # 47, 57,192, 193, 292 With 16in x 6in Brakes			18E77	
		Except Tandem Rear Axle; w/ 14 1/8" X 3" Brakes; Ra120 Axle			18E123	
		Except Tandem Rear Axle; with # 29,30,39,127,187 Rear Axle; with 15in x 5in Brakes			18E23	
		Except Tandem Rear Axle; with # 29,30,39,127,187,189 Rear Axle; with 16in x 5in Brakes			18E23	
		Except Tandem Rear Axle; with # 29,30,39,42,44,186,199 Rear Axle; with 15in x 6in Brakes			18E23	
		Except Tandem Rear Axle; with 15in x 7in Brakes; 199 Rear Axle			18E23	
		FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3"; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3-1/2" Brakes; FA101 Axle w/ 15" X 3" Brakes, Or FA74, 100, 109, 208 Axles w/ 15" X 3" Brakes; FA101, 103, 109, 127 Axles w/ 15" X 3-1/2" Brakes	Left		18E71	
			Right		18E72	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	1993-91	FA74 Axles with 15 X 3 Manual Adjusting Brakes or FA74, 99, 109 Axles with 15 X 3 Automatic Adjusting Brakes or FA103, 109 Axles with 15 X 3-1/2 Automatic Adjusting Brakes	Left	18E78	
			Right	18E79	
		w/ 15" X 3 1/2" Brakes; FA139,208,211,215,218,219	Left	18E119	
			Right	18E120	
		with 15in x 5in Brakes; FA118, 127, 139 Axles w/ 15" X 5" Brakes Or FA209 w/ 15" X 3" Brakes	Left	18E287	
			Right	18E288	
		with 16in x 2-1/4in Brakes; FA57,59		18E1	
	1990-81	Bore 1-1/4in; w/ 15" X 3" Brakes; FA78,81; w/ 6 x 4 Wheel Drive	Left	18E4	
			Right	18E5	
		Bore 1-1/8in; w/ 15" X 3" Brakes; FA78,81; w/ 6 x 4 Wheel Drive	Left	18E6	
			Right	18E7	
	1990-79	Except Tandem Rear Axle; Rear Axle # 25, 126, 184 with 15in x 4in or 15in x 5in Brakes; w/ 6 x 4 Wheel Drive		18E73	
		Except Tandem Rear Axle; Rear Axle # 47, 57,192, 193, 292 With 16in x 6in Brakes; w/ 6 x 4 Wheel Drive		18E77	
		Except Tandem Rear Axle; Rear Axles 39,189 with 15" X 7" or 16" X 6" Brakes - Rear Axles 144,186 with 15" X 7" Brakes; w/ 6 x 4 Wheel Drive		18E77	
		Except Tandem Rear Axle; w/ 14 1/8" X 3" Brakes; RA120 Axle; w/ 6 x 4 Wheel Drive		18E123	
		Except Tandem Rear Axle; with # 29,30,39,127,187 Rear Axle; with 15in x 5in Brakes; w/ 6 x 4 Wheel Drive		18E23	
		Except Tandem Rear Axle; with # 29,30,39,127,187,189 Rear Axle; with 16in x 5in Brakes; w/ 6 x 4 Wheel Drive		18E23	
		Except Tandem Rear Axle; with # 29,30,39,42,44,186,199 Rear Axle; with 15in x 6in Brakes; w/ 6 x 4 Wheel Drive		18E23	
		Except Tandem Rear Axle; with 15in x 7in Brakes; 199 Rear Axle; w/ 6 x 4 Wheel Drive		18E23	
		FA74 Axles with 15 X 3 Manual Adjusting Brakes or FA74, 99, 109 Axles with 15 X 3 Automatic Adjusting Brakes or FA103, 109 Axles with 15 X 3-1/2 Automatic Adjusting Brakes; w/ 6 x 4 Wheel Drive	Left	18E78	
			Right	18E79	
		w/ 15" X 3 1/2" Brakes; FA139,208,211,215,218,219; w/ 6 x 4 Wheel Drive	Left	18E119	
			Right	18E120	
		w/ FA69 Axle; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3"; FA101 Axle w/ 15" X 3" Brakes, Or FA74, 100, 109, 208 Axles w/ 15" X 3" Brakes; FA101, 103, 109, 127 Axles w/ 15" X 3-1/2" Brakes; w/ 6 x 4 Wheel Drive; w/ 14" X 2 1/2" Brakes	Left	18E71	

International – 2554 (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	1990-79	w/ FA69 Axle; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3"; FA101 Axle w/ 15" X 3" Brakes, Or FA74, 100, 109, 208 Axles w/ 15" X 3" Brakes; FA101, 103, 109, 127 Axles w/ 15" X 3-1/2" Brakes; w/ 6 x 4 Wheel Drive; w/ 14" X 2 1/2" Brakes	Right		18E72	
		with 15in x 5in Brakes; FA118, 127, 139 Axles w/ 15" X 5" Brakes Or FA209 w/ 15" X 3" Brakes; w/ 6 x 4 Wheel Drive	Left		18E287	
			Right		18E288	
	1980-79	with 16in x 2-1/4in Brakes; FA57,59; w/ 6 x 4 Wheel Drive			18E1	
		RWD; Bore 1-1/4in; w/ 15" X 3" Brakes; FA78,81	Left		18E4	
			Right		18E5	
		RWD; Bore 1-1/8in; w/ 15" X 3" Brakes; FA78,81	Left		18E6	
			Right		18E7	
		RWD; Except Tandem Rear Axle; Rear Axle # 25, 126, 184 with 15in x 4in or 15in x 5in Brakes			18E73	
		RWD; Except Tandem Rear Axle; Rear Axle # 39, 189 with 15in x 7in or 16in x 6in Brakes; Rear Axle Codes 144, 186 With 15in x 7in Brakes; with 15in x 7in Brakes			18E77	
		RWD; Except Tandem Rear Axle; Rear Axle # 47, 57,192, 193, 292 With 16in x 6in Brakes			18E77	
		RWD; Except Tandem Rear Axle; w/ 14 1/8" X 3" Brakes; Ra120 Axle			18E123	
		RWD; Except Tandem Rear Axle; with # 29,30,39,127,187 Rear Axle; with 15in x 5in Brakes			18E23	
		RWD; Except Tandem Rear Axle; with # 29,30,39,127,187,189 Rear Axle; with 16in x 5in Brakes			18E23	
		RWD; Except Tandem Rear Axle; with # 29,30,39,42,44,186,199 Rear Axle; with 15in x 6in Brakes			18E23	
		RWD; Except Tandem Rear Axle; with 15in x 7in Brakes; 199 Rear Axle			18E23	
		RWD; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3"; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15 X 3-1/2" Brakes; FA101 Axle w/ 15" X 3" Brakes, Or FA74, 100, 109, 208 Axles w/ 15" X 3" Brakes; FA101, 103, 109, 127 Axles w/ 15" X 3-1/2" Brakes	Left		18E71	
		RWD; FA69 Axles with 14 X 2-1/2in Manual Adjusting Brakes or FA69 Axles with 14 X 2-1/2in Automatic Adjusting Brakes or FA71, 73 Axles with 15 X 3in Automatic Adjusting Brakes; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3"; FA101 Axle w/ 15" X 3" Brakes, Or FA74, 100, 109, 208 Axles w/ 15" X 3" Brakes; FA101, 103, 109, 127 Axles w/ 15" X 3-1/2" Brakes	Right		18E72	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	1980-79	RWD; FA74 Axles with 15 X 3 Manual Adjusting Brakes or FA74, 99, 109 Axles with 15 X 3 Automatic Adjusting Brakes or FA103, 109 Axles with 15 X 3-1/2 Automatic Adjusting Brakes	Left	18E78	
			Right	18E79	
		RWD; w/ 15" X 3 1/2" Brakes; FA139,208,211,215,218,219	Left	18E119	
			Right	18E120	
		RWD; with 15in x 5in Brakes; FA118, 127, 139 Axles w/ 15" X 5" Brakes Or FA209 w/ 15" X 3" Brakes	Left	18E287	
			Right	18E288	
		RWD; with 16in x 2-1/4in Brakes; FA57,59		18E1	
		w/ 15" X 3" Brakes; 1 1/4" Bore Diameter; FA78,81; w/ 6 x 4 Wheel Drive	Left	18E4	
			Right	18E5	
		w/ 15" X 3" Brakes; 1 1/8" Bore Diameter; FA78,81; w/ 6 x 4 Wheel Drive	Left	18E6	
			Right	18E7	

International – 2574
Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1999-94	w/ ABS Brakes; Axle Code 280A, 280B; w/ 6,000 to 8,000 lb. Axle	18A1839A	18A1839	
	1998-94	9000, 10000, 12000 lb Axle; Axle Codes 02ADC, ADD, ADE	18A1218A		
Rear					
Disc Brake Rotor	1999-94	w/ ABS Brakes; Axle Code 280A, 280B; w/ 6,000 to 8,000 lb. Axle	18A1839A	18A1839	

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1994	FA28, 48, 68, 70, 72 Axles with 14 X 2-1/2 Brakes or FA71, 73, 101 Axles with 15 X 3 Brakes or FA89, 91, 98 Axles with 15 X 3 Brakes or FA101 Axles with 15 X 3 Brakes	Left		18E52	
			Right		18E53	
		FA54 Axle w/ 14" X 2-1/4" Brakes Or FA58 Axle w/ 14" X 2-1/2" Brakes	Left		18E2	
			Right		18E3	
	1979	FA28, 48, 68, 70, 72 Axles with 14 X 2-1/2 Brakes or FA71, 73, 101 Axles with 15 X 3 Brakes or FA89, 91, 98 Axles with 15 X 3 Brakes or FA101 Axles with 15 X 3 Brakes	Left		18E52	
			Right		18E53	
		FA54 Axle w/ 14" X 2-1/4" Brakes Or FA58 Axle w/ 14" X 2-1/2" Brakes	Left		18E2	
			Right		18E3	
Rear						
Drum Brake Wheel Cylinder	1994	Bore 1-1/4in; w/ 15" X 3" Brakes; FA78,81	Left		18E4	
			Right		18E5	
		Bore 1-1/8in; w/ 15" X 3" Brakes; FA78,81	Left		18E6	

International – 2574 (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	1994	Bore 1-1/8in; w/ 15" X 3" Brakes; FA78,81	Right		18E7	
		Except Tandem Rear Axle; Rear Axle # 25, 126, 184 with 15in x 4in or 15in x 5in Brakes			18E73	
		Except Tandem Rear Axle; Rear Axle # 39, 189 with 15in x 7in or 16in x 6in Brakes; Rear Axle Codes 144, 186 With 15in x 7in Brakes; with 15in x 7in Brakes			18E77	
		Except Tandem Rear Axle; Rear Axle # 47, 57,192, 193, 292 With 16in x 6in Brakes			18E77	
		Except Tandem Rear Axle; w/ 14 1/8" X 3" Brakes; Ra120 Axle			18E123	
		Except Tandem Rear Axle; with # 29,30,39,127,187 Rear Axle; with 15in x 5in Brakes			18E23	
		Except Tandem Rear Axle; with # 29,30,39,127,187,189 Rear Axle; with 16in x 5in Brakes			18E23	
		Except Tandem Rear Axle; with # 29,30,39,42,44,186,199 Rear Axle; with 15in x 6in Brakes			18E23	
		Except Tandem Rear Axle; with 15in x 7in Brakes; 199 Rear Axle			18E23	
		FA69 Axles with 14 X 2-1/2in Manual Adjusting Brakes or FA69 Axles with 14 X 2-1/2in Automatic Adjusting Brakes or FA71, 73 Axles with 15 X 3in Automatic Adjusting Brakes; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3"; FA101 Axle w/ 15" X 3" Brakes, Or FA74, 100, 109, 208 Axles w/ 15" X 3" Brakes; FA101, 103, 109, 127 Axles w/ 15" X 3-1/2" Brakes	Left		18E71	
			Right		18E72	
		FA74 Axles with 15 X 3 Manual Adjusting Brakes or FA74, 99, 109 Axles with 15 X 3 Automatic Adjusting Brakes or FA103, 109 Axles with 15 X 3-1/2 Automatic Adjusting Brakes	Left		18E78	
			Right		18E79	
		w/ 15" X 3 1/2" Brakes; FA139,208,211,215,218,219	Left		18E119	
			Right		18E120	
		with 15in x 5in Brakes; FA118, 127, 139 Axles w/ 15" X 5" Brakes Or FA209 w/ 15" X 3" Brakes	Left		18E287	
			Right		18E288	
		with 16in x 2-1/4in Brakes; FA57,59			18E1	
	1979	Except Tandem Rear Axle; Rear Axle # 25, 126, 184 with 15in x 4in or 15in x 5in Brakes			18E73	
		Except Tandem Rear Axle; Rear Axle # 39, 189 with 15in x 7in or 16in x 6in Brakes; Rear Axle Codes 144, 186 With 15in x 7in Brakes; with 15in x 7in Brakes			18E77	
		Except Tandem Rear Axle; Rear Axle # 47, 57,192, 193, 292 With 16in x 6in Brakes			18E77	
		Except Tandem Rear Axle; w/ 14 1/8" X 3" Brakes; Ra120 Axle			18E123	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	1979	FA69 Axles with 14 X 2-1/2in Manual Adjusting Brakes or FA69 Axles with 14 X 2-1/2in Automatic Adjusting Brakes or FA71, 73 Axles with 15 X 3in Automatic Adjusting Brakes; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3"; FA101 Axle w/ 15" X 3" Brakes, Or FA74, 100, 109, 208 Axles w/ 15" X 3" Brakes; FA101, 103, 109, 127 Axles w/ 15" X 3-1/2" Brakes	Left	18E71	
			Right	18E72	
		FA74 Axles with 15 X 3 Manual Adjusting Brakes or FA74, 99, 109 Axles with 15 X 3 Automatic Adjusting Brakes or FA103, 109 Axles with 15 X 3-1/2 Automatic Adjusting Brakes	Left	18E78	
			Right	18E79	
		w/ 15" X 3 1/2" Brakes; FA139,208,211,215,218,219	Left	18E119	
			Right	18E120	
		w/ 15" X 3" Brakes; 1 1/4" Bore Diameter; FA78,81	Left	18E4	
			Right	18E5	
		w/ 15" X 3" Brakes; 1 1/8" Bore Diameter; FA78,81	Left	18E6	
			Right	18E7	
		with # 29,30,39,127,187 Rear Axle; with 15in x 5in Brakes		18E23	
		with # 29,30,39,127,187,189 Rear Axle; with 16in x 5in Brakes		18E23	
		with # 29,30,39,42,44,186,199 Rear Axle; with 15in x 6in Brakes		18E23	
		with 15in x 5in Brakes; FA118, 127, 139 Axles w/ 15" X 5" Brakes Or FA209 w/ 15" X 3" Brakes	Left	18E287	
			Right	18E288	
		with 15in x 7in Brakes; 199 Rear Axle		18E23	
		with 16in x 2-1/4in Brakes; FA57,59		18E1	

International – 2654
Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2001-93	w/ ABS Brakes; Axle Code 280A, 280B; w/ 6,000 to 8,000 lb. Axle	18A1839A	18A1839	
	1998-90	9000, 10000, 12000 lb Axle; Axle Codes 02ADC, ADD, ADE	18A1218A		
	1992	From 12/03/1992; w/ ABS Brakes; Axle Code 280A, 280B; w/ 6,000 to 8,000 lb. Axle	18A1839A	18A1839	
Rear					
Disc Brake Rotor	2001-93	w/ ABS Brakes; Axle Code 280A, 280B; w/ 6,000 to 8,000 lb. Axle	18A1839A	18A1839	
	1992	From 12/03/1992; w/ ABS Brakes; Axle Code 280A, 280B; w/ 6,000 to 8,000 lb. Axle	18A1839A	18A1839	

International – 2654 (Cont.)

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1994-90	FA28, 48, 68, 70, 72 Axles with 14 X 2-1/2 Brakes or FA71, 73, 101 Axles with 15 X 3 Brakes or FA89, 91, 98 Axles with 15 X 3 Brakes or FA101 Axles with 15 X 3 Brakes	Left		18E52	
			Right		18E53	
		FA54 Axle w/ 14" X 2-1/4" Brakes Or FA58 Axle w/ 14" X 2-1/2" Brakes	Left		18E2	
			Right		18E3	
Rear						
Drum Brake Wheel Cylinder	1994-90	Except Tandem Rear Axle; Rear Axle # 25, 126, 184 with 15in x 4in or 15in x 5in Brakes			18E73	
		Except Tandem Rear Axle; Rear Axle # 39, 189 with 15in x 7in or 16in x 6in Brakes; Rear Axle Codes 144, 186 With 15in x 7in Brakes; with 15in x 7in Brakes			18E77	
		Except Tandem Rear Axle; Rear Axle # 47, 57, 192, 193, 292 With 16in x 6in Brakes			18E77	
		Except Tandem Rear Axle; w/ 14 1/8" X 3" Brakes; Ra120 Axle			18E123	
		Except Tandem Rear Axle; with # 29, 30, 39, 127, 187 Rear Axle; with 15in x 5in Brakes			18E23	
		Except Tandem Rear Axle; with # 29, 30, 39, 127, 187, 189 Rear Axle; with 16in x 5in Brakes			18E23	
		Except Tandem Rear Axle; with # 29, 30, 39, 42, 44, 186, 199 Rear Axle; with 15in x 6in Brakes			18E23	
		Except Tandem Rear Axle; with 15in x 7in Brakes; 199 Rear Axle			18E23	
		FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3"; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15 X 3-1/2" Brakes; FA101 Axle w/ 15" X 3" Brakes, Or FA74, 100, 109, 208 Axles w/ 15" X 3" Brakes; FA101, 103, 109, 127 Axles w/ 15" X 3-1/2" Brakes	Left		18E71	
		FA69 Axles with 14 X 2-1/2in Manual Adjusting Brakes or FA69 Axles with 14 X 2-1/2in Automatic Adjusting Brakes or FA71, 73 Axles with 15 X 3in Automatic Adjusting Brakes; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3"; FA101 Axle w/ 15" X 3" Brakes, Or FA74, 100, 109, 208 Axles w/ 15" X 3" Brakes; FA101, 103, 109, 127 Axles w/ 15" X 3-1/2" Brakes	Right		18E72	
		FA74 Axles with 15 X 3 Manual Adjusting Brakes or FA74, 99, 109 Axles with 15 X 3 Automatic Adjusting Brakes or FA103, 109 Axles with 15 X 3-1/2 Automatic Adjusting Brakes	Left		18E78	
			Right		18E79	
		w/ 15" X 3 1/2" Brakes; FA139, 208, 211, 215, 218, 219	Left		18E119	
			Right		18E120	
		w/ 15" X 3" Brakes; 1 1/4" Bore Diameter; FA78, 81	Left		18E4	
			Right		18E5	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	1994-90	w/ 15" X 3" Brakes; 1 1/8" Bore Diameter; FA78,81	Left	18E6	
			Right	18E7	
		with 15in x 5in Brakes; FA118, 127, 139 Axles w/ 15" X 5" Brakes Or FA209 w/ 15" X 3" Brakes	Left	18E287	
			Right	18E288	
		with 16in x 2-1/4in Brakes; FA57,59		18E1	

International – 2674
Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1999-93	w/ ABS Brakes; Axle Code 280A, 280B; w/ 6,000 to 8,000 lb. Axle	18A1839A	18A1839	
	1998-90	9000, 10000, 12000 lb Axle; Axle Codes 02ADC, ADD, ADE	18A1218A		
	1992	From 12/03/1992; w/ ABS Brakes; Axle Code 280A, 280B; w/ 6,000 to 8,000 lb. Axle	18A1839A	18A1839	
Rear					
Disc Brake Rotor	1999-93	w/ ABS Brakes; Axle Code 280A, 280B; w/ 6,000 to 8,000 lb. Axle	18A1839A	18A1839	
	1992	From 12/03/1992; w/ ABS Brakes; Axle Code 280A, 280B; w/ 6,000 to 8,000 lb. Axle	18A1839A	18A1839	

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1994-80	FA28, 48, 68, 70, 72 Axles with 14 X 2-1/2 Brakes or FA71, 73, 101 Axles with 15 X 3 Brakes or FA89, 91, 98 Axles with 15 X 3 Brakes or FA101 Axles with 15 X 3 Brakes	Left		18E52	
			Right		18E53	
		FA54 Axle w/ 14" X 2-1/4" Brakes Or FA58 Axle w/ 14" X 2-1/2" Brakes	Left		18E2	
			Right		18E3	
Rear						
Drum Brake Wheel Cylinder	1994-80	Except Tandem Rear Axle; Rear Axle # 25, 126, 184 with 15in x 4in or 15in x 5in Brakes			18E73	
		Except Tandem Rear Axle; Rear Axle # 39, 189 with 15in x 7in or 16in x 6in Brakes; Rear Axle Codes 144, 186 With 15in x 7in Brakes; with 15in x 7in Brakes			18E77	
		Except Tandem Rear Axle; Rear Axle # 47, 57, 192, 193, 292 With 16in x 6in Brakes			18E77	
		Except Tandem Rear Axle; w/ 14 1/8" X 3" Brakes; Ra120 Axle			18E123	
		Except Tandem Rear Axle; with # 29, 30, 39, 127, 187 Rear Axle; with 15in x 5in Brakes			18E23	

International – 2674 (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	1994-80	Except Tandem Rear Axle; with # 29,30,39,127,187,189 Rear Axle; with 16in x 5in Brakes			18E23	
		Except Tandem Rear Axle; with # 29,30,39,42,44,186,199 Rear Axle; with 15in x 6in Brakes			18E23	
		Except Tandem Rear Axle; with 15in x 7in Brakes; 199 Rear Axle			18E23	
		FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3"; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3-1/2" Brakes; FA101 Axle w/ 15" X 3" Brakes, Or FA74, 100, 109, 208 Axles w/ 15" X 3" Brakes; FA101, 103, 109, 127 Axles w/ 15" X 3-1/2" Brakes	Left		18E71	
		FA69 Axles with 14 X 2-1/2in Manual Adjusting Brakes or FA69 Axles with 14 X 2-1/2in Automatic Adjusting Brakes or FA71, 73 Axles with 15 X 3in Automatic Adjusting Brakes; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3"; FA101 Axle w/ 15" X 3" Brakes, Or FA74, 100, 109, 208 Axles w/ 15" X 3" Brakes; FA101, 103, 109, 127 Axles w/ 15" X 3-1/2" Brakes	Right		18E72	
		FA74 Axles with 15 X 3 Manual Adjusting Brakes or FA74, 99, 109 Axles with 15 X 3 Automatic Adjusting Brakes or FA103, 109 Axles with 15 X 3-1/2 Automatic Adjusting Brakes	Left		18E78	
			Right		18E79	
		w/ 15" X 3 1/2" Brakes; FA139,208,211,215,218,219	Left		18E119	
			Right		18E120	
		w/ 15" X 3" Brakes; 1 1/4" Bore Diameter; FA78,81	Left		18E4	
			Right		18E5	
		w/ 15" X 3" Brakes; 1 1/8" Bore Diameter; FA78,81	Left		18E6	
			Right		18E7	
		with 15in x 5in Brakes; FA118, 127, 139 Axles w/ 15" X 5" Brakes Or FA209 w/ 15" X 3" Brakes	Left		18E287	
			Right		18E288	
		with 16in x 2-1/4in Brakes; FA57,59			18E1	

International – 3200

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2011-09	70mm 4 Piston Calipers	Left		18FR12845N	
			Right		18FR12846N	
	2009-02	w/ 66mm Bosch Dual Piston Caliper			18FR1515	
					18FR1515N	
					18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper			18FR1514	
					18FR1514N	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)						
Disc Brake Caliper	2009-02	w/ 73mm Dual Piston Pin Slide Caliper		18R1514		
Rear						
Disc Brake Caliper	2011-09	64mm 4 Piston Calipers	Left		18FR12847N	
			Right		18FR12848N	
		70mm 4 Piston Calipers	Left		18FR12846N	
			Right		18FR12845N	
	2009-02	w/ 66mm Bosch Dual Piston Caliper			18FR1515	
					18FR1515N	
					18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper			18FR1514	
					18FR1514N	
					18R1514	
Front						
Disc Brake Caliper Bushing	2007-02	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167		
	2006-02	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167		
Rear						
Disc Brake Caliper Bushing	2007-02	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167		
	2006-02	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167		

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2011-02	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
Rear					
Brake Hydraulic Hose	2011-02	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009	w/ Bosch Master Cylinder		18M391540	
	2008-02			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2011-09	70mm Meritor 4 Piston Calipers	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	

International – 3200 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2009-02	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2011-09	Meritor 4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-02	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2011-02	12" X 3" Driveline Parking Brake		17980B	
	2004-02	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2011-09	10 Hole Rotor; 1.89in Tall	18A2887A	18A2887	
	2009-02	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2008-02	Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
Rear					
Disc Brake Rotor	2011-09	10 Hole Rotor; 1.89in Tall	18A2887A	18A2887	
	2009-02	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2008-02	Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	

International – 3300

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2011-09	70mm 4 Piston Calipers	Left	18FR12845N	
			Right	18FR12846N	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2009-05	w/ 66mm Bosch Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
Rear					
Disc Brake Caliper	2011-09	64mm 4 Piston Calipers	Left	18FR12847N	
			Right	18FR12848N	
		70mm 4 Piston Calipers	Left	18FR12846N	
			Right	18FR12845N	
	2009-05	w/ 66mm Bosch Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
Front					
Disc Brake Caliper Bushing	2006-05	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
	2005	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
Rear					
Disc Brake Caliper Bushing	2006-05	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
	2005	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2011-05	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
Rear					
Brake Hydraulic Hose	2011-05	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009	w/ Bosch Master Cylinder		18M391540	

International – 3300 (Cont.)

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	2008-05			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2015	70mm Meritor 4 Piston Calipers	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2011-09	70mm Meritor 4 Piston Calipers	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-05	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2015	Meritor 4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2011-09	Meritor 4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-05	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2011-05	12" X 3" Driveline Parking Brake		17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2011-09	10 Hole Rotor; 1.89in Tall	18A2887A	18A2887	
	2009-05	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2008-05	Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
Rear					
Disc Brake Rotor	2011-09	10 Hole Rotor; 1.89in Tall	18A2887A	18A2887	
	2009-05	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2009-05	Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2008-05	Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	

International – 4100
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2012-09	70mm 4 Piston Calipers	Left	18FR12845N	
			Right	18FR12846N	
	2009-06	w/ 66mm Dual Piston Caliper	Left	18FR1515	
				18FR1515N	
				18R1515	
			Right	18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper	Left	18FR1514	
				18FR1514N	
				18R1514	
			Right	18FR1514	
	18FR1514N				
		18R1514			
Rear					
Disc Brake Caliper	2012-09	64mm 4 Piston Calipers	Left	18FR12847N	
			Right	18FR12848N	
		70mm 4 Piston Calipers	Left	18FR12846N	
			Right	18FR12845N	
Front					
Disc Brake Caliper Bushing	2006	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
Rear					
Disc Brake Caliper Bushing	2006	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
Hoses					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2012-06	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
Rear					
Brake Hydraulic Hose	2012-06	37" long		18J4365	

International – 4100 (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2012-06	39" Long		18J382796	
		43" Long		18J383911	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009	w/ Bosch Master Cylinder		18M391540	
	2008-06			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2012-09	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-06	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2012-09	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-06	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2012-06	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2012-09	Hat Shaped 10 Hole Rotor; 1.89" Height	18A2887A	18A2887	
	2009-06	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2008-06	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2008-06	Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
Rear					
Disc Brake Rotor	2012-09	Hat Shaped 10 Hole Rotor; 1.89" Height	18A2887A	18A2887	
	2009-06	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2008-06	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	

International – 4100 SBA
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2008-06	w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
Rear					
Disc Brake Caliper	2008-06	w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2008-06	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	

International – 4100 SBA (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	2008-06	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2008-06			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2008-06	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2008-06	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2008-06	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2008-06	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
Rear					
Disc Brake Rotor	2008-06	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2008-06	Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	

International – 4200
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2010-09	70mm 4 Piston Calipers	Left	18FR12845N	
			Right	18FR12846N	
	2009-06	w/ 66mm Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
	2009-02	w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
	2005-02	w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
Rear					
Disc Brake Caliper	2010-09	64mm 4 Piston Calipers	Left	18FR12847N	
			Right	18FR12848N	
		70mm 4 Piston Calipers	Left	18FR12846N	
			Right	18FR12845N	
	2009-06	w/ 66mm Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
	2009-02	w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
	2005-02	w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
Front					
Disc Brake Caliper Bushing	2007-02	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	

International – 4200 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper Bushing	2006-02	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
Rear					
Disc Brake Caliper Bushing	2007-02	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
	2006-02	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2010-02	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
Rear					
Brake Hydraulic Hose	2010-02	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009	w/ Bosch Master Cylinder		18M391540	
	2008-02			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2010-09	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-02	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2010-09	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-02	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2010-02	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-02	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2008-02	Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
Rear					
Disc Brake Rotor	2009-02	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2008-02	Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	

International – 4200LP
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2008-03	w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
Rear					
Disc Brake Caliper	2008-03	w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	

International – 4200LP (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	2007-03	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
	2006-03	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
Rear					
Disc Brake Caliper Bushing	2007-03	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
	2006-03	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2008-03	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
Rear					
Brake Hydraulic Hose	2008-03	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2008-03			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2008-03	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2008-03	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2008-03	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2008-03	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
Rear					
Disc Brake Rotor	2008-03	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	

International – 4300

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2019-09	70mm 4 Piston Calipers	Left		18FR12845N	
			Right		18FR12846N	
	2009-02	w/ 66mm Dual Piston Pin Slide Caliper			18FR1515	
					18FR1515N	
					18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper			18FR1514	
					18FR1514N	
					18R1514	
Rear						
Disc Brake Caliper	2019-09	64mm 4 Piston Calipers	Left		18FR12847N	
			Right		18FR12848N	
		70mm 4 Piston Calipers	Left		18FR12846N	
			Right		18FR12845N	

International – 4300 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2009-02	w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
Front					
Disc Brake Caliper Bushing	2007-02	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
	2006-02	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
Rear					
Disc Brake Caliper Bushing	2007-02	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
	2006-02	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2020-02	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
Rear					
Brake Hydraulic Hose	2019-02	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009	w/ Bosch Master Cylinder		18M391540	
	2008-02			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-09		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-02	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Pad Set	2019-09		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-02	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2019-02	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-09	Hat Shaped 10 Hole Rotor; 1.89" Height	18A2887A	18A2887	
	2009-02	Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2008-02	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
Rear					
Disc Brake Rotor	2020-09	Hat Shaped 10 Hole Rotor; 1.89" Height	18A2887A	18A2887	
	2009-02	Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2008-02	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	

International – 4300LP

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2019-09	70mm 4 Piston Calipers	Left		18FR12845N	
			Right		18FR12846N	
	2009-02	w/ 66mm Dual Piston Pin Slide Caliper			18FR1515	
					18FR1515N	
					18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper			18FR1514N	
					18R1514	
					18FR1514	
Rear						
Disc Brake Caliper	2019-09	64mm 4 Piston Calipers	Left		18FR12847N	
			Right		18FR12848N	
		70mm 4 Piston Calipers	Left		18FR12846N	
			Right		18FR12845N	
	2009-02	w/ 66mm Dual Piston Pin Slide Caliper			18FR1515	
					18FR1515N	
					18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper			18FR1514	
					18FR1514N	
		18R1514				
Front						
Disc Brake Caliper Bushing	2007-02	66mm Or 73mm Dual Piston Pin Slide Caliper			18K1167	
	2006-02	w/ Disc Brakes; w/ 66mm Dual Piston Caliper			18K1167	
Rear						
Disc Brake Caliper Bushing	2007-02	66mm Or 73mm Dual Piston Pin Slide Caliper			18K1167	
	2006-02	w/ Disc Brakes; w/ 66mm Dual Piston Caliper			18K1167	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2019-02	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
Rear					
Brake Hydraulic Hose	2019-02	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009	w/ Bosch Master Cylinder		18M391540	
	2008-02			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-09		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-02	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2019-09		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-02	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2019-02	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-09	Hat Shaped 10 Hole Rotor; 1.89" Height	18A2887A	18A2887	
	2009-02	Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2008-02	Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
	2007-02	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
Rear					
Disc Brake Rotor	2019-09	Hat Shaped 10 Hole Rotor; 1.89" Height	18A2887A	18A2887	
	2009-02	Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	

International – 4300LP (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2009-02	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2008-02	Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
	2007-02	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	

International – 4400

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2020-09	70mm 4 Piston Calipers	Left		18FR12845N
			Right		18FR12846N
	2009-02	w/ 66mm Dual Piston Pin Slide Caliper			18FR1515
					18FR1515N
					18R1515
		w/ 73mm Dual Piston Pin Slide Caliper			18FR1514
					18FR1514N
					18R1514
Rear					
Disc Brake Caliper	2020-09	64mm 4 Piston Calipers	Left		18FR12847N
			Right		18FR12848N
		70mm 4 Piston Calipers	Left		18FR12846N
			Right		18FR12845N
	2009-02	w/ 66mm Dual Piston Pin Slide Caliper			18FR1515
					18FR1515N
					18R1515
		w/ 73mm Dual Piston Pin Slide Caliper			18FR1514
					18FR1514N
					18R1514
Front					
Disc Brake Caliper Bushing	2007-02	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
	2006-02	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
Rear					
Disc Brake Caliper Bushing	2007-02	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
	2006-02	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2020-02	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
Rear					
Brake Hydraulic Hose	2020-10	w/ 37" Hose		18J1411	
	2020-02	43" Long		18J383911	
	2019-02	37" long		18J4365	
		39" Long		18J382796	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009	w/ Bosch Master Cylinder		18M391540	
	2008-02			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-09		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-02	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2020-09		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-02	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2019-02	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-10	Hat Shaped 10 Hole Rotor; 1.89" Height	18A2887A	18A2887	
	2009-02	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	

International – 4400 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2009-02	Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2008-02	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
Rear					
Disc Brake Rotor	2020-10	Hat Shaped 10 Hole Rotor; 1.89" Height	18A2887A	18A2887	
	2009-02	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2008-02	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	

International – 4400LP

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	2019-09	70mm 4 Piston Calipers	Left		18FR12845N	
			Right		18FR12846N	
	2009-02	w/ 66mm Dual Piston Pin Slide Caliper			18FR1515	
					18FR1515N	
					18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper			18FR1514	
					18FR1514N	
					18R1514	
Rear						
Disc Brake Caliper	2019-09	64mm 4 Piston Calipers	Left		18FR12847N	
			Right		18FR12848N	
		70mm 4 Piston Calipers	Left		18FR12846N	
			Right		18FR12845N	
	2009-02	w/ 66mm Dual Piston Pin Slide Caliper			18FR1515	
					18FR1515N	
				18R1515		

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2009-02	w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
Front					
Disc Brake Caliper Bushing	2007-02	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
	2006-02	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
Rear					
Disc Brake Caliper Bushing	2007-02	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
	2006-02	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2019-02	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
Rear					
Brake Hydraulic Hose	2019-02	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009	w/ Bosch Master Cylinder		18M391540	
	2008-02			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-09	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-02	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2019-09	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-02	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	

International – 4400LP (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2009-02	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2019-02	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-10	Hat Shaped 10 Hole Rotor; 1.89" Height	18A2887A	18A2887	
	2009-02	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2008-02	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
Rear					
Disc Brake Rotor	2019-10	Hat Shaped 10 Hole Rotor; 1.89" Height	18A2887A	18A2887	
	2009-02	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2008-02	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	1995-90	2.88" Dual Piston Rail Slide Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		w/ 2.60" Dual Piston Bendix Rail Slide Caliper; Except Air Suspension		18FR1330		
				18FR1330N		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R1010	
					18R652	
			Right		18FR651	
					18FR651N	
					18R1009	
					18R651	
Rear						
Disc Brake Caliper	1995-90	2.88" Dual Piston Rail Slide Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		w/ 2.60" Dual Piston Bendix Rail Slide Caliper; Except Air Suspension		18FR1330		
				18FR1330N		

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1995	39" Long; 2.88" Dual Piston Rail Slide Bendix Caliper		18J1407	
		40 1/2" Long; 2.60" Dual Piston Rail Slide Bendix Caliper		18J1406	
	1995-90	w/ Bendix Single Piston Calipers; 32.5" Long		18J862	
	1994-90	2.88" Dual Piston Rail Slide Bendix Caliper; 39" Long		18J1407	
		w/ 2.60" Dual Piston Bendix Rail Slide Caliper; 40 1/2" Long		18J1406	
Rear					
Brake Hydraulic Hose	1995-90	11 3/4" Long		18J545	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1995-90			18M391540	

International – 4600 (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1995-90	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Rail Slide Bendix Calipers; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1995-90	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	1995-90	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1995-94	Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
	1995-92	U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		
	1995-90	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
		Stepped Hat 5 Hole Rotor; Non-ABS		18A643	
		U Shaped 10 Hole Rotor	18A1218A		
	1993-90	U Shaped 5 Hole Rotor; 4 1/2" Tall; .781" Hole Diameter	18A1217A		
	1991	Non-ABS; U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		
	1990	U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		
Rear					
Disc Brake Rotor	1995-92	U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		
	1995-90	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	1995-90	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	1991	Non-ABS; U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		
	1990	U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		

International – 4600LP
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	1994-90	2.88" Dual Piston Rail Slide Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		w/ 2.60" Dual Piston Bendix Rail Slide Caliper; Except Air Suspension		18FR1330		
				18FR1330N		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R1010	
					18R652	
			Right		18FR651	
					18FR651N	
					18R1009	
					18R651	
Rear						
Disc Brake Caliper	1994-90	2.88" Dual Piston Rail Slide Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		w/ 2.60" Dual Piston Bendix Rail Slide Caliper; Except Air Suspension		18FR1330		
				18FR1330N		

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1994-90	39" Long; 2.88" Dual Piston Rail Slide Bendix Caliper		18J1407	
		40 1/2" Long; 2.60" Dual Piston Rail Slide Bendix Caliper		18J1406	
		w/ Bendix Single Piston Calipers; 32.5" Long		18J862	

International – 4600LP (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1994-90	11 3/4" Long		18J545	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1994-90			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1994-90	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Rail Slide Bendix Calipers; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1994-90	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	1994-90	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1994	Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
	1994-90	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
		Stepped Hat 5 Hole Rotor; Non-ABS		18A643	
		U Shaped 10 Hole Rotor	18A1218A		
		U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		
	1993-90	U Shaped 5 Hole Rotor; 4 1/2" Tall; .781" Hole Diameter	18A1217A		

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	1994-90	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
		U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		

International – 4600UH
Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1990			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1990	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	1990	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	1990	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1990	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
		U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		
Rear					
Disc Brake Rotor	1990	Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	

International – 4600UH (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	1990	Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
		U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		

International – 4700

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty		
Front							
Disc Brake Caliper	2019-15	70mm 4 Piston Calipers	Left		18FR12845N		
			Right		18FR12846N		
	2005-98	w/ 66mm Dual Piston Pin Slide Caliper			18FR1515		
					18FR1515N		
					18R1515		
		w/ 73mm Dual Piston Pin Slide Caliper			18FR1514		
					18FR1514N		
					18R1514		
	1997-90	2.88" Dual Piston Rail Slide Bendix Caliper			18FR813		
					18FR813N		
					18R813		
		w/ 2.60" Dual Piston Bendix Rail Slide Caliper; Except Air Suspension			18FR1330		
					18FR1330N		
		w/ 3.38" Single Piston Bendix Caliper	Left			18FR652	
						18FR652N	
						18R1010	
						18R652	
			Right			18FR651	
						18FR651N	
						18R1009	
						18R651	
		Rear					
Disc Brake Caliper	2019-15	64mm 4 Piston Calipers	Left		18FR12847N		
			Right		18FR12848N		
		70mm 4 Piston Calipers	Left		18FR12846N		
			Right		18FR12845N		
	2005-98	w/ 66mm Dual Piston Pin Slide Caliper			18FR1515		
					18FR1515N		
					18R1515		
		w/ 73mm Dual Piston Pin Slide Caliper			18FR1514		
					18FR1514N		
					18R1514		

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	1997-90	2.88" Dual Piston Rail Slide Bendix Caliper		18FR813	
				18FR813N	
				18R813	
		w/ 2.60" Dual Piston Bendix Rail Slide Caliper; Except Air Suspension		18FR1330	
				18FR1330N	
Front					
Disc Brake Caliper Bushing	2005	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
	2003-98	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
	2002-98	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
Rear					
Disc Brake Caliper Bushing	2005	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
	2003-98	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
	2002-98	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2005-98	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
	1997-90	39" Long; 2.88" Dual Piston Rail Slide Bendix Caliper		18J1407	
		40 1/2" Long; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18J1406	
		w/ Bendix Single Piston Calipers; 32.5" Long		18J862	
Rear					
Brake Hydraulic Hose	2019-15	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	
	2005-98	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	
	1997-90	11 3/4" Long		18J545	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2005-90			18M391540	

International – 4700 (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-15	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2005-98	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
	1997-90	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Rail Slide Bendix Calipers; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	2019-15	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2005-98	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
	1997-90	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	2019-15	12" X 3" Driveline Parking Brake		17980B	
	2017-15	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
	2005-90	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-15	Hat Shaped 10 Hole Rotor; 1.89" Height	18A2887A	18A2887	
	2005-99	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
	2005-94	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.21" Overall Height	18A1429A	18A1429	
	2005-90	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2005-90	Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	1998-90	Stepped Hat 5 Hole Rotor; Non-ABS		18A643	
	1997-90	U Shaped 10 Hole Rotor	18A1218A		
		U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		
	1993-90	U Shaped 5 Hole Rotor; 4 1/2" Tall; .781" Hole Diameter	18A1217A		
Rear					
Disc Brake Rotor	2020-15	Hat Shaped 10 Hole Rotor; 1.89" Height	18A2887A	18A2887	
	2005-98	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2005-90	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	1997-90	U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		

International – 4700LP
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2002-98	w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
	1997-90	2.88" Dual Piston Rail Slide Bendix Caliper		18FR813	
				18FR813N	
				18R813	
		w/ 2.60" Dual Piston Bendix Rail Slide Caliper; Except Air Suspension		18FR1330	
				18FR1330N	
		w/ 3.38" Single Piston Bendix Caliper	Left	18FR652	
				18FR652N	
				18R1010	
				18R652	
			Right	18FR651	
				18FR651N	

International – 4700LP (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	1997-90	w/ 3.38" Single Piston Bendix Caliper Right		18R1009	
				18R651	
Rear					
Disc Brake Caliper	2002-98	w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
	1997-90	2.88" Dual Piston Rail Slide Bendix Caliper		18FR813	
				18FR813N	
				18R813	
		w/ 2.60" Dual Piston Bendix Rail Slide Caliper; Except Air Suspension		18FR1330	
	18FR1330N				
Front					
Disc Brake Caliper Bushing	2002-98	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
		w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
Rear					
Disc Brake Caliper Bushing	2002-98	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
		w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2002-98	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
	1997-91	39" Long; 2.88" Dual Piston Rail Slide Bendix Caliper		18J1407	
		40 1/2" Long; 2.60" Dual Piston Rail Slide Bendix Caliper		18J1406	
	1997-90	w/ Bendix Single Piston Calipers; 32.5" Long		18J862	
Rear					
Brake Hydraulic Hose	2002-98	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	
	1997-90	11 3/4" Long		18J545	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2002-90			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty

Front

Disc Brake Pad Set	2002-98	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
	1997-90	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Rail Slide Bendix Calipers; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		17D184M	
				17D184MH	

Rear

Disc Brake Pad Set	2002-98	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
	1997-90	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	

Driveline

Parking Brake Shoe	2002-90	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty

Front

Disc Brake Rotor	2002-99	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
	2002-94	Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
	2002-90	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	1998-90	Stepped Hat 5 Hole Rotor; Non-ABS		18A643	

International – 4700LP (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	1997-91	U Shaped 10 Hole Rotor	18A1218A		
	1997-90	U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		
	1993-90	U Shaped 5 Hole Rotor; 4 1/2" Tall; .781" Hole Diameter	18A1217A		
Rear					
Disc Brake Rotor	2002-98	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2002-90	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	1997-90	U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		

International – 4700LPX

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2002-98	w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
	1997-95	2.88" Dual Piston Rail Slide Bendix Caliper		18FR813	
				18FR813N	
				18R813	
		w/ 2.60" Dual Piston Bendix Rail Slide Caliper; Except Air Suspension		18FR1330	
				18FR1330N	
		w/ 3.38" Single Piston Bendix Caliper	Left	18FR652	
				18FR652N	
				18R1010	
				18R652	
			Right	18FR651	
				18FR651N	
				18R1009	
				18R651	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper	2002-98	w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
	1997-95	2.88" Dual Piston Rail Slide Bendix Caliper		18FR813	
				18FR813N	
				18R813	
		w/ 2.60" Dual Piston Bendix Rail Slide Caliper; Except Air Suspension		18FR1330	
	18FR1330N				
Front					
Disc Brake Caliper Bushing	2002-98	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
		w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
Rear					
Disc Brake Caliper Bushing	2002-98	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
		w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2002-98	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
	1997-95	39" Long; 2.88" Dual Piston Rail Slide Bendix Caliper		18J1407	
		40 1/2" Long; 2.60" Dual Piston Rail Slide Bendix Caliper		18J1406	
		w/ Bendix Single Piston Calipers; 32.5" Long		18J862	
Rear					
Brake Hydraulic Hose	2002-98	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	
	1997-95	11 3/4" Long		18J545	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2002-95			18M391540	

International – 4700LPX (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2002-98	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
	1997-95	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Rail Slide Bendix Calipers; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	2002-98	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
	1997-95	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	

Driveline					
Parking Brake Shoe	2002-95	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2002-99	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
	2002-96	Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2002-95	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	1998	Non-ABS; Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
	1998-95	Stepped Hat 5 Hole Rotor; Non-ABS		18A643	
	1997-95	Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		U Shaped 10 Hole Rotor	18A1218A		
		U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2002-98	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2002-95	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	1997-95	U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		

International – 4800
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	2003-98	w/ 66mm Dual Piston Pin Slide Caliper		18FR1515		
				18FR1515N		
				18R1515		
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514		
				18FR1514N		
				18R1514		
	1997-90	2.88" Dual Piston Rail Slide Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		w/ 2.60" Dual Piston Bendix Rail Slide Caliper; Except Air Suspension		18FR1330		
				18FR1330N		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R1010	
					18R652	
			Right		18FR651	
					18FR651N	
					18R1009	
					18R651	
Rear						
Disc Brake Caliper	2003-98	w/ 66mm Dual Piston Pin Slide Caliper		18FR1515		
				18FR1515N		
				18R1515		
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514		

International – 4800 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2003-98	w/ 73mm Dual Piston Pin Slide Caliper		18FR1514N	
				18R1514	
	1997-90	2.88" Dual Piston Rail Slide Bendix Caliper		18FR813	
				18FR813N	
				18R813	
		w/ 2.60" Dual Piston Bendix Rail Slide Caliper; Except Air Suspension		18FR1330	
				18FR1330N	

Front

Disc Brake Caliper Bushing	2002-98	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
	2001-98	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	

Rear

Disc Brake Caliper Bushing	2002-98	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
	2001-98	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2003-98	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
	1997-90	39" Long; 2.88" Dual Piston Rail Slide Bendix Caliper		18J1407	
		40 1/2" Long; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18J1406	
		w/ Bendix Single Piston Calipers; 32.5" Long		18J862	

Rear

Brake Hydraulic Hose	2003-98	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	
	1997-90	11 3/4" Long		18J545	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2003-90			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2003-98	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
	1997-90	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Rail Slide Bendix Calipers; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	2003-98	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
	1997-90	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	2003-90	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2003-99	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
	2003-94	Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.21" Overall Height	18A1429A	18A1429	
	2003-93	Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2003-90	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	1998-90	Stepped Hat 5 Hole Rotor; Non-ABS		18A643	
	1997-90	U Shaped 10 Hole Rotor	18A1218A		
		U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		
	1993-90	U Shaped 5 Hole Rotor; 4 1/2" Tall; .781" Hole Diameter	18A1217A		

International – 4800 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2003-98	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2003-93	Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
	2003-90	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	1997-90	U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		
	1992	Non-ABS; Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
	1991-90	Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	

International – 4900

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	2005-98	w/ 66mm Dual Piston Pin Slide Caliper		18FR1515		
				18FR1515N		
				18R1515		
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514		
				18FR1514N		
				18R1514		
	1997-90	2.88" Dual Piston Rail Slide Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		w/ 2.60" Dual Piston Bendix Rail Slide Caliper; Except Air Suspension		18FR1330		
				18FR1330N		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R1010	
					18R652	
			Right		18FR651	
					18FR651N	
					18R1009	
					18R651	
Rear						
Disc Brake Caliper	2005-98	w/ 66mm Dual Piston Pin Slide Caliper		18FR1515		

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2005-98	w/ 66mm Dual Piston Pin Slide Caliper		18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
	1997-90	2.88" Dual Piston Rail Slide Bendix Caliper		18FR813	
				18FR813N	
				18R813	
w/ 2.60" Dual Piston Bendix Rail Slide Caliper; Except Air Suspension			18FR1330		
		18FR1330N			
Front					
Disc Brake Caliper Bushing	2003-98	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
	2002-98	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
Rear					
Disc Brake Caliper Bushing	2003-98	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
	2002-98	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2005-98	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
	1997-90	39" Long; 2.88" Dual Piston Rail Slide Bendix Caliper		18J1407	
		40 1/2" Long; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18J1406	
		w/ Bendix Single Piston Calipers; 32.5" Long		18J862	
Rear					
Brake Hydraulic Hose	2005-98	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	
	1997-90	11 3/4" Long		18J545	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2005-90			18M391540	

International – 4900 (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2005-98	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
	1997-90	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Rail Slide Bendix Calipers; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	2005-98	w/ 66mm Bosch Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
	1997-90	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	

Driveline					
Parking Brake Shoe	2005-90	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2005-99	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
	2005-94	Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.21" Overall Height	18A1429A	18A1429	
	2005-90	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	1998-90	Stepped Hat 5 Hole Rotor; Non-ABS		18A643	
	1997-90	U Shaped 10 Hole Rotor	18A1218A		
		U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		
	1993-90	U Shaped 5 Hole Rotor; 4 1/2" Tall; .781" Hole Diameter	18A1217A		

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2005-98	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2005-93	Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
	2005-90	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; Non-ABS; 3.20" Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	1997-90	U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		
	1992	Non-ABS; Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
	1991-90	Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	

International – 7100
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	1995-90	2.88" Dual Piston Rail Slide Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		w/ 2.60" Dual Piston Bendix Rail Slide Caliper; Except Air Suspension		18FR1330		
				18FR1330N		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R1010	
					18R652	
			Right		18FR651	
					18FR651N	
					18R1009	
					18R651	
Rear						
Disc Brake Caliper	1995-90	2.88" Dual Piston Rail Slide Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		w/ 2.60" Dual Piston Bendix Rail Slide Caliper; Except Air Suspension		18FR1330		
				18FR1330N		

International – 7100 (Cont.)

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1995-90	2.88" Dual Piston Rail Slide Bendix Caliper; 39" Long		18J1407	
		w/ 2.60" Dual Piston Bendix Rail Slide Caliper; 40 1/2" Long		18J1406	
		w/ Bendix Single Piston Calipers; 32.5" Long		18J862	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1995-90			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1995-90	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1995-90	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	1995-90	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1995-94	Hat Shaped 10 Hole Rotor; Non-ABS; 3.21" Overall Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
	1995-90	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	1995-90	U Shaped 10 Hole Rotor	18A1218A		
		U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		
		with .57in Bolt Hole(s); Hat Shaped 6 Hole Rotor; w/ ABS Brakes	18A2951A	18A2951	
	1993-90	U Shaped 5 Hole Rotor; 4 1/2" Tall; .781" Hole Diameter	18A1217A		
Rear					
Disc Brake Rotor	1995-90	Hat Shaped 10 Hole Rotor; 4.43" Overall Height; Non-ABS		18A1219	
		Hat Shaped 10 Hole Rotor; Non-ABS; 3.21" Overall Height		18A808	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
		U Shaped 5 Hole Rotor; 5.90" Overall Height; .771 Stud Hole	18A460A		

International – 7400
Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2007-06	Hat Shaped; 10 Hole Rotor; w/ ABS Brakes	18A1839A	18A1839	

International – C900
Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1964	19.25" Length		18J1	
Rear					
Brake Hydraulic Hose	1964	17.69" Length		18J2072	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1964	Manual Brakes; Single System		18M36155	

International – C900 (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Shoe	1964		14228B	17228B	
Rear					
Drum Brake Shoe	1964			1755R	
				1755B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Drum	1964			18B509	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	1964	Left		18E889	
		Right		18E855	

International – Cargostar

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1986-85	CO1650B; 2.60" Piston Diameter; 8000 Lb Front Axle; Bendix Brakes		18FR1330	
				18FR1330N	
		CO1650B; Bendix Brakes; 10,800, 12,000 lb. Front Axle; 2.88" Piston Diameter		18FR813	
				18FR813N	
				18R813	
	1984-83	CO1710B; w/ 2.60" Dual Piston Caliper		18FR1330	
				18FR1330N	
		CO1710B; w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
		CO1810B; w/ 2.60" Dual Piston Caliper		18FR1330	
				18FR1330N	
		CO1810B; w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
			18R813		
	Rear				
Disc Brake Caliper	1986-85	CO1650B; 15500 Lb Rear Axle; 2.60" Piston Diameter; Bendix Brakes		18FR1330	
				18FR1330N	
	1984-83	CO1710B; w/ 2.60" Dual Piston Caliper		18FR1330	
				18FR1330N	
		CO1710B; w/ 2.88" Dual Piston Bendix Caliper		18FR813	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	1984-83	CO1710B; w/ 2.88" Dual Piston Bendix Caliper		18FR813N	
				18R813	
		CO1810B; w/ 2.60" Dual Piston Caliper		18FR1330	
				18FR1330N	
		CO1810B; w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1986-84	CO1650B; Axle # FA103		18J859	
		CO1650B; Axle # FA309		18J860	
	1984-80	CO1610B; Axle # FA73,101,109; w/ 14" x 2 1/2" Front Brakes		18J2	
	1981-80	CO1610B; Axle # FA69; w/ 14" X 2 1/2" Brakes		18J7	
		CO1610B; Axle # FA99,209; w/ 15" X 3" Brakes		18J7	
		CO1810B; Axle # FA99,209; w/ 15" X 3" Brakes		18J7	
Rear					
Brake Hydraulic Hose	1984-80	CO1710B; 21.63" Length		18J12	
		CO1810B; 21.63" Length		18J12	
	1981-80	CO1610B; Axle # FA69; w/ 14" X 2 1/2" Brakes		18J12	
		CO1610B; Axle # FA73,101,109; w/ 14" X 2 1/2" Brakes		18J12	
		CO1610B; Axle # FA99,209; w/ 15" X 3" Brakes		18J12	
	1980	CO1910B; 21.63" Length		18J12	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1984-83	CO1710B; Front Disc; Rear Drum; 2" Bore		18M808	
	1984-80	CO1710B; Front Drum; Rear Drum; 1 1/2" Bore Diameter		18M2	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1985-84	CO1650B; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		CO1650B; w/ 2.88" Dual Piston Bendix Caliper		17D225M	

International – Cargostar (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	1985-84	CO1650B; w/ 2.88" Dual Piston Bendix Caliper		17D225MH	
		CO1650B; w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
	1984-80	CO1710B; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		CO1710B; w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		CO1710B; w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
	1982-80	CO1610B; w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		CO1610B; w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		CO1810B; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		CO1810B; w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
	1980	CO1810B; w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
		CO1910B; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		CO1910B; w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		CO1910B; w/ 3.38" Single Piston Bendix Caliper		17D184M	
			17D184MH		
Rear					
Disc Brake Pad Set		1985-84	CO1650B; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M
				17D184MH	
	CO1650B; w/ 2.88" Dual Piston Bendix Caliper			17D225M	
				17D225MH	
	CO1650B; w/ 3.38" Single Piston Bendix Caliper			17D184M	
				17D184MH	
	1984-80	CO1710B; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		CO1710B; w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		CO1710B; w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
	1982-80	CO1610B; w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		CO1610B; w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	1982-80	CO1610B; w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184MH	
		CO1810B; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		CO1810B; w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		CO1810B; w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
		1980	CO1910B; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M
				17D184MH	
	CO1910B; w/ 2.88" Dual Piston Bendix Caliper			17D225M	
				17D225MH	
	CO1910B; w/ 3.38" Single Piston Bendix Caliper			17D184M	
				17D184MH	
Front					
Drum Brake Shoe	1983-80	CO1710B; w/ 15" X 3" Brakes; with Auto Adjuster		17321R	
		CO1810B; w/ 15" X 3" Brakes; with Auto Adjuster		17321R	
	1982-80	CO1610B; w/ 15" X 3" Brakes; with Auto Adjuster		17321R	
Rear					
Drum Brake Shoe	1983-80	CO1710B; Optional; with 15in x 6in Brakes		17381R	
		CO1710B; Optional; with 15in x 7in Brakes		17383R	
		CO1810B; Optional; with 15in x 6in Brakes		17381R	
		CO1810B; Optional; with 15in x 7in Brakes		17383R	
	1980	CO1910B; Optional; with 15in x 7in Brakes		17383R	
		CO1910B; with 15in x 6in Brakes		17381R	
Driveline					
Parking Brake Shoe	1985-84	CO1650B; w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
	1984-80	CO1710B; w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
	1982-80	CO1610B; w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
		CO1810B; w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
	1980	CO1910B; w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1986-84	CO1650B; Hat Shaped; 10 Hole Rotor		18A1219	
	1986-83	U Shaped 6 Hole Rotor	18A181A		

International – Cargostar (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	1984-83	CO1610B; Hat Shaped; 10 Hole Rotor		18A1219	
		CO1610B; U Shaped 5 Hole Rotor		18A180	
Rear					
Disc Brake Rotor	1986-83	U Shaped 6 Hole Rotor	18A181A		
	1985	CO1650B; Hat Shaped 6 Hole Rotor	18A663A	18A663	

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1984-80	CO1710B; Bore 1-1/4in; w/ 15" X 3" Brakes	Left		18E71	
			Right		18E72	
		CO1710B; Bore 1-1/8in; w/ 15" X 3" Brakes	Left		18E78	
			Right		18E79	
		CO1710B; w/ 15" X 3 1/2" Brakes; w/ 1 3/8" Bore Diameter	Left		18E119	
			Right		18E120	
	1983-80	CO1610B; w/ 14" X 2 1/2" Brakes	Left		18E71	
			Right		18E72	
		CO1610B; w/ 16" X 6" Brakes	Lower		18E26	
			Upper		18E26	
		CO1610B; with 15in x 5in Brakes; 1 1/2" Bore Diameter	Lower		18E73	
			Upper		18E73	
	1980	CO1910B; Bore 1-1/4in; w/ 15" X 3" Brakes	Left		18E71	
			Right		18E72	
		CO1910B; w/ 15" X 3 1/2" Brakes; w/ 1 3/8" Bore Diameter	Left		18E119	
			Right		18E120	
		CO1910B; with 15in x 5in Brakes; 1 1/2" Bore Diameter	Left		18E287	
			Right		18E288	
Rear						
Drum Brake Wheel Cylinder	1984-83	CO1710B; w/ 16" X 6" Brakes; 1-7/8" Bore			18E77	
		CO1710B; with 15in x 5in Brakes; 1 1/2" Bore Diameter			18E73	
	1984-80	CO1710B; with 15in x 7in or 16in x 6in Brakes; 1 3/4" Bore Diameter			18E26	
		CO1710B; with 16in x 5in Brakes; with 15in x 7in Brakes; with 15in x 5in Brakes; with 15in x 6in Brakes; 1 5/8" Bore Diameter			18E23	
	1983-80	CO1610B; with 15in x 4in Brakes	Lower		18E73	
			Upper		18E73	
	1982-80	CO1610B; with 16in x 5in Brakes; with 15in x 5in Brakes; 1 5/8" Bore Diameter	Lower		18E23	
			Upper		18E23	
	1980	CO1910B; w/ 16" X 6" Brakes			18E77	
		CO1910B; with 15in x 6in Brakes			18E23	
		CO1910B; with 15in x 7in Brakes			18E26	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-05		14D1066M	17D1066MH	
				17D1066SDH	
Rear					
Disc Brake Pad Set	2009-05		14D1066M	17D1066MH	
				17D1066SDH	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2007-06	10 Hole Rotor Hat		18A1799SD	
		Hat Shaped; 10 Hole Rotor	18A1799A	18A1799	
			18A1799AC		
Rear					
Disc Brake Rotor	2009-06	Hat Shaped; 10 Hole Rotor	18A2435A	18A2435	
			18A2435AC		

International – CF600
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2007-05		14D1066M	17D1066MH	
				17D1066SDH	
Rear					
Disc Brake Pad Set	2007-05		14D1066M	17D1066MH	
				17D1066SDH	

Rotors & Drums

Disc Brake Rotor					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2007-06	10 Hole Rotor Hat		18A1799SD	
		Hat Shaped; 10 Hole Rotor	18A1799A	18A1799	
			18A1799AC		
Rear					
Disc Brake Rotor	2008-06	Hat Shaped; 10 Hole Rotor	18A2435A	18A2435	
			18A2435AC		

International – CXT
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2007-06	w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	

International – CXT (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2007-06	w/ 73mm Dual Piston Pin Slide Caliper		18FR1514N	
				18R1514	
Rear					
Disc Brake Caliper	2007-06	w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2007-06	with Hydraulic Brake System		18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2007-06			17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2007-06		14D786M	17D786MH	
			14D786MH	17D786MHF1	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2007-06	Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
Rear					
Disc Brake Rotor	2007-06		18A1839A	18A1839	

International – Durastar

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2020-15	70mm 4 Piston Calipers	Left		18FR12845N	
			Right		18FR12846N	
	2013	70mm 4 Piston Calipers	Left		18FR12845N	
			Right		18FR12846N	
Rear						
Disc Brake Caliper	2020-15	64mm 4 Piston Calipers	Left		18FR12847N	
			Right		18FR12848N	
		70mm 4 Piston Calipers	Left		18FR12846N	
			Right		18FR12845N	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2013	64mm 4 Piston Calipers	Left	18FR12847N	
			Right	18FR12848N	
		70mm 4 Piston Calipers	Left	18FR12846N	
			Right	18FR12845N	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2020-15	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
	2013	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
Rear					
Brake Hydraulic Hose	2020-15	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	
	2013	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-15	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2013	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2020-15	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2013	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Driveline					
Parking Brake Shoe	2020-15	12" X 3" Driveline Parking Brake		17980B	
		w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
	2013	12" X 3" Driveline Parking Brake		17980B	

International – Durastar (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline (Cont.)					
Parking Brake Shoe	2013	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-15	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		Hat Shaped 10 Hole Rotor; 1.89" Height	18A2887A	18A2887	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2013	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		Hat Shaped 10 Hole Rotor; 1.89" Height	18A2887A	18A2887	
Rear					
Disc Brake Rotor	2020-15	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		Hat Shaped 10 Hole Rotor; 1.89" Height	18A2887A	18A2887	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2013	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		Hat Shaped 10 Hole Rotor; 1.89" Height	18A2887A	18A2887	

International – F1924

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1981-80	Rearward Position		18J571	
	1981-79	Forward		18J377	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1981-79	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1981-79	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	1981-79	2.60" Dual Piston Rail Slide Bendix Caliper		17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Front					
Drum Brake Shoe	1981	w/ 15" X 3" Brakes		17321R	
Rear					
Drum Brake Shoe	1981	Optional; with 15in x 7in Brakes		17383R	
	1981-79	with 15in x 6in Brakes		17381R	
Driveline					
Parking Brake Shoe	1981-79	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1981-79	U Shaped 6 Hole Rotor	18A181A		
Rear					
Disc Brake Rotor	1981-79	U Shaped 6 Hole Rotor	18A181A		

International – F1954
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	1986	FMSI Number: 7142-D225		18K1395	
Rear					
Disc Brake Caliper Bushing	1986	w/ 2.88" Dual Piston Caliper		18K1395	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1989-79	U Shaped 6 Hole Rotor	18A181A		
Rear					
Disc Brake Rotor	1989-79	U Shaped 6 Hole Rotor	18A181A		

International – G1954
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	1987	FMSI Number: 7142-D225		18K1395	

International – G1954 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper Bushing	1987	2.88" Piston Diameter		18K1395	

International – HV

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2020	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

International – HV507

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-19	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2023-19	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-19	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2023-19	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-19	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2023-19	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-19	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2023-19	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

International – HV607
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-19	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2023-19	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-22	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers; Flat Splined Disc		18A82081G	
	2023-19	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2021-19	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

International – HV607 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2023-22	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers; Flat Splined Disc		18A82081G	
	2023-19	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2021-19	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

International – HV613

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-19	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2023-19	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-22	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers; Flat Splined Disc		18A82081G	
	2023-19	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2021-19	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2023-22	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers; Flat Splined Disc		18A82081G	
	2023-19	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2021-19	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2021-17	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2021-17	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2021-17	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2021-17	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

International – HX520
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-18	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2023-18	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-22	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers; Flat Splined Disc		18A82081G	
	2023-18	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2021-18	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

International – HX520 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2023-22	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers; Flat Splined Disc		18A82081G	
	2023-18	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2021-18	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

International – HX615

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2022-17	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2022-17	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2022	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers; Flat Splined Disc		18A82081G	
	2022-17	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2021-17	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2022	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers; Flat Splined Disc		18A82081G	
	2022-17	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2021-17	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-17	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2023-17	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-22	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers; Flat Splined Disc		18A82081G	
	2023-17	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2021-17	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2023-22	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers; Flat Splined Disc		18A82081G	
	2023-17	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2021-17	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

International – LoneStar
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-15	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2020-15	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-15	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

International – LoneStar (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2020-15	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

International – LT

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2020	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

International – LT625

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-17	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2023-17	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-17	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2023-17	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2023-17	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

International – M1400 Metro II

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	1989-88	Threaded Holes For Brake Hose Bracket; w/ 2.60" Dual Piston Caliper		18FR2189		
				18FR2189N		
				18R2189		
	1989-87	Except Tapped Holes For Brake Hose Bracket; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330		
				18FR1330N		
		w/ 2.88" Dual Piston Bendix Caliper; Stripped Chassis		18FR813		
				18FR813N		
				18R813		
		w/ 3.38" Single Piston Bendix Caliper; Stripped Chassis	Left		18FR652	
					18FR652N	
					18R1010	
					18R652	
			Right		18FR651	
					18FR651N	
					18R1009	
					18R651	
Rear						
Disc Brake Caliper	1989-88	Threaded Holes For Brake Hose Bracket; w/ 2.60" Dual Piston Caliper		18FR2189		
				18FR2189N		
				18R2189		
	1989-87	Except Tapped Holes For Brake Hose Bracket; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330		
				18FR1330N		
		w/ 2.88" Dual Piston Bendix Caliper; Stripped Chassis		18FR813		
				18FR813N		
				18R813		

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1989-88	2.60in or 2.88in Bendix Calipers; Bendix Caliper; w/ 8,000 lb Front Axle		18J1407	
		with 10000lb & 12000lb Front Axle; 2.60in or 2.88in Bendix Calipers; Bendix Caliper		18J1406	

International – M1400 Metro II (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1989-88	with 10000lb & 12000lb Front Axle; 2.60in or 2.88in Bendix Calipers; Bendix Caliper; w/ 8,000 lb Front Axle		18J545	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1989-87	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1989-87	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Driveline					
Parking Brake Shoe	1989-87	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1989-87	Hat Shaped Marmon 59769 Spoke Wheels		18A643	
		U Shaped 10 Hole Rotor; with 6.80in Overall Height	18A1218A		
		U Shaped 5 Hole Rotor; Stripped Chassis	18A1217A		
Rear					
Disc Brake Rotor	1989-87	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		U Shaped 10 Hole Rotor	18A1218A		
		with # 14036, 14044, 14131, 14133 Rear Axle; with # 14ADC, 14ADD, 14ADG, 14ADH, 14AED Rear Axle; with U-Shaped Shackle	18A460A		
		with # 14130 Rear Axle; with # 14ADB Rear Axle		18A1219	
		with # 14ADB Rear Axle		18A808	
		with .661in Stud Holes; U Shaped 5 Hole Rotor	18A664A		
		with 5.24in Overall Height; with Spoke Wheels; U Shaped 5 Hole Rotor	18A748A	18A748	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty		
Front							
Disc Brake Caliper	1989-87	Except Tapped Holes For Brake Hose Bracket; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330			
				18FR1330N			
		Tapped Holes For Brake Hose Bracket; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR2189			
				18FR2189N			
				18R2189			
		Tapped Holes For Brake Hose Bracket; w/ 2.88" Dual Piston Bendix Caliper		18FR813			
				18FR813N			
				18R813			
		1988-87	w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N		
					18R1010		
					18R652		
	Right			18FR651			
				18FR651N			
				18R1009			
				18R651			
Rear							
Disc Brake Caliper	1989-87	Except Tapped Holes For Brake Hose Bracket; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330			
				18FR1330N			
		Tapped Holes For Brake Hose Bracket; w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR2189			
				18FR2189N			
				18R2189			
		Tapped Holes For Brake Hose Bracket; w/ 2.88" Dual Piston Bendix Caliper		18FR813			
				18FR813N			
				18R813			
Front							
Disc Brake Caliper Bushing		1990-87	FMSI Number: 7142-D225		18K1395		
Rear							
Disc Brake Caliper Bushing		1990-87	FMSI Number: 7142-D225		18K1395		
Hoses							
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty		
Front							
Brake Hydraulic Hose	1989-88	Front Disc; 2.60in or 2.88in Bendix Calipers; Bendix Caliper; w/ 8,000 lb Front Axle		18J1407			
		Front Disc; with 10000lb & 12000lb Front Axle; 2.60in or 2.88in Bendix Calipers; Bendix Caliper		18J1406			

International – M1600 Metro II (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1989-87	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1989-87	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1989-87	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		Hat Shaped; 10 Hole Rotor		18A1219	
		Stepped Hat 5 Hole Rotor		18A643	
		U Shaped 10 Hole Rotor	18A1218A		
		U Shaped 5 Hole Rotor; .663" Hole Diameter; Height: 4 1/2"		18A180	
		U Shaped 5 Hole Rotor; .781" Hole Diameter; Height: 4 1/2"	18A1217A		
		U Shaped 5 Hole Rotor; Height: 4 1/4"	18A873A	18A873	
Rear					
Disc Brake Rotor	1989-87	Hat Shaped; 10 Hole Rotor		18A1219	
		U Shaped 5 Hole Rotor	18A873A	18A873	
	1987	Hat Shaped 6 Hole Rotor	18A663A	18A663	

International – MV607

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2020-19			18M391540	

International – ProStar

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-17	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2020-17	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2020-17	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-17	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2020-17	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

International – RH613
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-18	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2020-18	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-18	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2020-18	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

International – S1624

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	1982-80	2.60" Dual Piston Rail Slide Bendix Caliper		18FR1330		
				18FR1330N		
		2.88" Dual Piston Rail Slide Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
	18R651					
Rear						
Disc Brake Caliper	1982-80	2.60" Dual Piston Rail Slide Bendix Caliper		18FR1330		
				18FR1330N		
		2.88" Dual Piston Rail Slide Bendix Caliper		18FR813		
				18FR813N		
				18R813		

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1981-80	Front Disc; 15.04" Length		18J1416	
Rear					
Brake Hydraulic Hose	1982-80	Front Disc; 11.69" Length		18J545	
		Front Disc; 19" Long		18J1296	
		Front Disc; 21.63" Length		18J12	
		Front Disc; 23" Long		18J1401	
		Front Disc; 32.25" Long		18J1402	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1982-80	Front Disc; Power Brakes; with Dual Hydraulic System; 1 3/4" Bore Diameter		18M286	
		Front Disc; with Hydraulic Booster; 2" Bore		18M280	
		Front Drum; Manual Brakes; Single Hydraulic System; 1 1/2" Bore Diameter		18M1	
		Front Drum; Manual Brakes; with Dual Hydraulic System; 2" Bore		18M285	
		Front Drum; with Dual Hydraulic System; with Aluminum Reservoir; 1 3/4" Bore Diameter		18M261	

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	1982-80	Front Drum; with Dual Hydraulic System; with Plastic Reservoir; 1 3/4" Bore Diameter		18M391541	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1982-80	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1982-80	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Front					
Drum Brake Shoe	1982-80	w/ 15" X 3" Brakes		17321R	
Rear					
Drum Brake Shoe	1982-80	Optional; with 15in x 6in Brakes		17381R	
		Optional; with 15in x 7in Brakes		17383R	
Driveline					
Parking Brake Shoe	1982-80	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1982	U Shaped 5 Hole Rotor; with 5.90in Overall Height	18A664A		
	1982-80	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		Hat Shaped; 10 Hole Rotor		18A1219	
		Stepped Hat 5 Hole Rotor; with 3.50in Overall Height		18A643	
		U Shaped 5 Hole Rotor; with 4.25in Overall Height	18A873A	18A873	
		U Shaped 5 Hole Rotor; with 4.50in Overall Height; .663" Hole Diameter		18A180	
		U Shaped 5 Hole Rotor; with 4.50in Overall Height; .781" Hole Diameter	18A1217A		
		U Shaped 6 Hole Rotor	18A181A		
Rear					
Disc Brake Rotor	1982	U Shaped 5 Hole Rotor; with 4.25in Overall Height	18A873A	18A873	
	1982-80	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		Hat Shaped; 10 Hole Rotor		18A1219	

International – S1624 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	1982-80	U Shaped 5 Hole Rotor; with 5.25in Overall Height	18A748A	18A748	
		U Shaped 6 Hole Rotor	18A181A		
	1981	U Shaped 5 Hole Rotor	18A873A	18A873	
	1980	U Shaped 5 Hole Rotor; with 4.25in Overall Height	18A873A	18A873	

International – S1654

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1986-84	Front Disc; High Power Cylinder; 2" Bore		18M808	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1986-84	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		Hat Shaped; 10 Hole Rotor		18A1219	
		Stepped Hat 5 Hole Rotor		18A643	
		U Shaped 5 Hole Rotor; with 4.25in Overall Height	18A873A	18A873	
		U Shaped 5 Hole Rotor; with 4.50in Overall Height; .663" Hole Diameter		18A180	
		U Shaped 5 Hole Rotor; with 4.50in Overall Height; .781" Hole Diameter	18A1217A		
		U Shaped 5 Hole Rotor; with 5.90in Overall Height	18A664A		
		U Shaped 5 Hole Rotor; with Disc Style Wheels; with 5.90in Overall Height; .663" Hole Diameter	18A460A		
		U Shaped 6 Hole Rotor	18A181A		
Rear					
Disc Brake Rotor	1986-84	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		Hat Shaped; 10 Hole Rotor		18A1219	
		U Shaped 5 Hole Rotor	18A873A	18A873	
		U Shaped 6 Hole Rotor	18A181A		

International – S1654LP

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1989	2.60" Dual Piston Rail Slide Bendix Caliper		18FR1330	
				18FR1330N	
		2.88" Dual Piston Rail Slide Bendix Caliper		18FR813	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)						
Disc Brake Caliper	1989	2.88" Dual Piston Rail Slide Bendix Caliper		18FR813N		
				18R813		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
					18R651	
Rear						
Disc Brake Caliper	1989	2.60" Dual Piston Rail Slide Bendix Caliper		18FR1330		
				18FR1330N		
		2.88" Dual Piston Rail Slide Bendix Caliper		18FR813		
				18FR813N		
				18R813		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1989	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		Hat Shaped; 10 Hole Rotor		18A1219	
		Stepped Hat 5 Hole Rotor		18A643	
		U Shaped 5 Hole Rotor; .663" Hole Diameter; Height: 4 1/2"		18A180	
		U Shaped 5 Hole Rotor; .781" Hole Diameter; Height: 4 1/2"	18A1217A		
		U Shaped 5 Hole Rotor; Height: 4 1/4"	18A873A	18A873	
		U Shaped 5 Hole Rotor; with 5.90in Overall Height	18A664A		
		with Disc Style Wheels; U Shaped 5 Hole Rotor; with 5.90in Overall Height; .663" Hole Diameter	18A460A		
	1989-88	U Shaped 6 Hole Rotor	18A181A		
Rear					
Disc Brake Rotor	1989	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		Hat Shaped; 10 Hole Rotor		18A1219	
		U Shaped 5 Hole Rotor	18A873A	18A873	
	1989-88	U Shaped 6 Hole Rotor	18A181A		

International – S1723
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1985-83	w/ 3.38" Single Piston Bendix Caliper	Left	18FR652	
				18FR652N	

International – S1723 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)						
Disc Brake Caliper	1985-83	w/ 3.38" Single Piston Bendix Caliper	Left		18R1010	
					18R652	
		Right		18FR651		
				18FR651N		
				18R1009		
				18R651		
	1985-80	w/ 2.60" Dual Piston Caliper		18FR1330		
				18FR1330N		
Rear						
Disc Brake Caliper	1985-83	w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R1010	
					18R652	
			Right		18FR651	
					18FR651N	
					18R1009	
					18R651	
	1985-80	w/ 2.60" Dual Piston Caliper		18FR1330		
				18FR1330N		
Front						
Disc Brake Caliper Bushing	1985-83	FMSI Number: 7142-D225		18K1395		
Rear						
Disc Brake Caliper Bushing	1985-83	FMSI Number: 7142-D225		18K1395		

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1985-83	24.50" Length; w/ 3.38" Single Piston Bendix Caliper		18J315	
		Front Drum; Rear Drum; 20.25in Length		18J313	
		Front Drum; Rear Drum; 21" Long		18J544	
		Front Drum; Rear Drum; 21.0625" Length		18J546	
		Front Drum; Rear Drum; 21-3/4" Length		18J543	
		Front Drum; Rear Drum; 24.50" Length		18J315	
		w/ 2.88" Dual Piston Bendix Caliper; 43 1/2" Long		18J861	
	1985-80	37.75" Long; 2.88" Dual Piston Rail Slide Bendix Caliper		18J314	
	1981-80	Bendix Caliper; 17.630" Long; 2.60" Piston Diameter		18J1403	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1985-80	Front Disc; Rear Disc; 11.69" Length		18J545	
	1984-82	Front Disc; Rear Drum; 19" Long		18J1296	
	1983-80	Front Drum; Rear Drum; 15.04" Length		18J1416	
	1982-80	Front Disc; Rear Drum; 21.63" Length		18J12	
	1981-80	Front Disc; Rear Drum; 23" Long		18J1401	
		Front Disc; Rear Drum; 32.25" Long		18J1402	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1985-84	Front Disc; Rear Drum; 1 3/4" Bore Diameter		18M284	
		Front Disc; Rear Drum; High Power Cylinder; 2" Bore		18M808	
	1985-80	Front Drum; Rear Drum; Manual Brakes; with Dual Hydraulic Cylinder; 2" Bore		18M285	
		Front Drum; Rear Drum; Manual Brakes; with Dual Hydraulic Cylinder; with Aluminum Reservoir; 1 3/4" Bore Diameter		18M261	
		Front Drum; Rear Drum; Manual Brakes; with Dual Hydraulic Cylinder; with Plastic Reservoir; 1 3/4" Bore Diameter		18M391541	
	1983	Front Disc; Rear Drum; From 8/26/83; 1 3/4" Bore Diameter		18M284	
		Front Disc; Rear Drum; High Power Cylinder; 2" Bore; From 8/26/83		18M808	
		Front Disc; Rear Drum; High Power Cylinder; 2" Bore; Thru 8/25/83		18M280	
		Front Disc; Rear Drum; Thru 8/25/83; 1 3/4" Bore Diameter		18M286	
	1982-80	Front Disc; Rear Drum; 1 3/4" Bore Diameter		18M286	
		Front Disc; Rear Drum; High Power Cylinder; 2" Bore		18M280	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1985-80	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1985-80	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	

International – S1723 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	1985-80	2.60" Dual Piston Rail Slide Bendix Caliper		17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
Front					
Drum Brake Shoe	1983-80	w/ 15" X 3" Brakes; with Auto Adjuster		17321R	
Rear					
Drum Brake Shoe	1983-80	Optional; with 15in x 6in Brakes		17381R	
		Optional; with 15in x 7in Brakes		17383R	
Driveline					
Parking Brake Shoe	1985-80	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1985	U Shaped 5 Hole Rotor; Height: 4 1/4"	18A873A	18A873	
	1985-84	U Shaped 5 Hole Rotor; with 5.90in Overall Height; .663" Hole Diameter	18A664A		
		U Shaped 5 Hole Rotor; with 5.90in Overall Height; .781" Hole Diameter	18A460A		
	1985-80	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		Hat Shaped; 10 Hole Rotor		18A1219	
		Stepped Hat 5 Hole Rotor		18A643	
		U Shaped 5 Hole Rotor; with 4.50in Overall Height; .663" Hole Diameter		18A180	
		U Shaped 5 Hole Rotor; with 4.50in Overall Height; .781" Hole Diameter	18A1217A		
		U Shaped 6 Hole Rotor	18A181A		
	1984-80	U Shaped 5 Hole Rotor; with 4.25in Overall Height	18A873A	18A873	
Rear					
Disc Brake Rotor	1985-84	Hat Shaped 6 Hole Rotor	18A663A	18A663	
	1985-80	U Shaped 5 Hole Rotor; Height: 4 1/4"	18A873A	18A873	
		U Shaped 6 Hole Rotor	18A181A		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1985-80	w/ 15" X 3" Brakes; 1 1/4" Bore Diameter	Left	18E71	
			Right	18E72	
		with Manual Adjusting Brakes; 1 1/4" Bore Diameter; w/ 15" X 3 1/2" Brakes	Left	18E71	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Drum Brake Wheel Cylinder	1985-80	with Manual Adjusting Brakes; 1 1/4" Bore Diameter; w/ 15" X 3 1/2" Brakes	Right	18E72	
Rear					
Drum Brake Wheel Cylinder	1985-80	with 15in x 7in Brakes; w/ 16" X 6" Brakes; 1 3/4" Bore Diameter		18E26	
		with 15in x 7in Brakes; with 15in x 5in Brakes; with 15in x 6in Brakes; 1 5/8" Bore Diameter		18E23	

International – S1724
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	1984-83	w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R1010	
					18R652	
			Right		18FR651	
					18FR651N	
					18R1009	
					18R651	
	1984-80	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330		
				18FR1330N		
Rear						
Disc Brake Caliper	1984-83	w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R1010	
					18R652	
			Right		18FR651	
					18FR651N	
					18R1009	
					18R651	
	1984-80	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330		
				18FR1330N		
Front						
Disc Brake Caliper Bushing	1984-83	FMSI Number: 7142-D225		18K1395		

International – S1724 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper Bushing	1984-83	FMSI Number: 7142-D225		18K1395	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1984-83	Front Disc; Rear Drum; 24.50" Length; w/ 3.38" Single Piston Bendix Caliper		18J315	
		Front Disc; Rear Drum; 43-1/2in Length; w/ 2.88" Dual Piston Bendix Caliper		18J861	
		Front Drum; Rear Drum; 20.25in Length		18J313	
		Front Drum; Rear Drum; 21" Long		18J544	
		Front Drum; Rear Drum; 21.0625" Length		18J546	
		Front Drum; Rear Drum; 21-3/4" Length		18J543	
		Front Drum; Rear Drum; 24.50" Length		18J315	
	1984-80	Front Disc; Rear Drum; 37.75" Long; 2.88" Dual Piston Rail Slide Bendix Caliper		18J314	
Rear					
Brake Hydraulic Hose	1984-83	Front Disc; Rear Drum; 19" Long		18J1296	
	1984-80	Front Disc; Rear Disc; 11.69" Length		18J545	
	1982-80	Front Drum; Rear Drum; 15.04" Length		18J1416	
		Front Drum; Rear Drum; 21.63" Length		18J12	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1984	Front Disc; Rear Drum; 1 3/4" Bore Diameter		18M284	
		Front Disc; Rear Drum; High Power Cylinder; 2" Bore		18M808	
	1984-80	Front Drum; Rear Drum; High Power Cylinder; 2" Bore		18M285	
		Front Drum; Rear Drum; with Aluminum Reservoir; 1 3/4" Bore Diameter		18M261	
		Front Drum; Rear Drum; with Plastic Reservoir; 1 3/4" Bore Diameter		18M391541	
	1983	Front Disc; Rear Drum; From 8/26/83; 1 3/4" Bore Diameter		18M284	
		Front Disc; Rear Drum; High Power Cylinder; 2" Bore; From 8/26/83		18M808	
		Front Disc; Rear Drum; High Power Cylinder; 2" Bore; Thru 8/25/83		18M280	
		Front Disc; Rear Drum; Thru 8/25/83; 1 3/4" Bore Diameter		18M286	
	1983-80	Manual Brakes; 2" Bore		18M285	
		Manual Brakes; Horizontal Mounting Holes Spaced 3-1/2in		18M20	
		Manual Brakes; w/o Brake Booster		18M2	

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	1982-80	Front Disc; Rear Drum; 1 3/4" Bore Diameter		18M286	
		Front Disc; Rear Drum; High Power Cylinder; 2" Bore		18M280	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1984-80	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1984-80	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
Front					
Drum Brake Shoe	1983-80	w/ 15" X 3" Brakes; with Auto Adjuster		17321R	
Rear					
Drum Brake Shoe	1983-80	Optional; with 15in x 6in Brakes		17381R	
		Optional; with 15in x 7in Brakes		17383R	
Driveline					
Parking Brake Shoe	1984-80	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1984	U Shaped 5 Hole Rotor; with 5.90in Overall Height; .663" Hole Diameter	18A664A		
		U Shaped 5 Hole Rotor; with 5.90in Overall Height; .781" Hole Diameter	18A460A		
	1984-80	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		Hat Shaped; 10 Hole Rotor		18A1219	
		Stepped Hat 5 Hole Rotor		18A643	
		U Shaped 5 Hole Rotor; with 4.25in Overall Height	18A873A	18A873	
		U Shaped 5 Hole Rotor; with 4.50in Overall Height; .663" Hole Diameter		18A180	
		U Shaped 5 Hole Rotor; with 4.50in Overall Height; .781" Hole Diameter	18A1217A		

International – S1724 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	1984-80	U Shaped 6 Hole Rotor	18A181A		
Rear					
Disc Brake Rotor	1984	Hat Shaped 6 Hole Rotor	18A663A	18A663	
	1984-80	U Shaped 5 Hole Rotor; Height: 4 1/4"	18A873A	18A873	
		U Shaped 6 Hole Rotor	18A181A		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1984-80	1 1/4" Bore Diameter; w/ 15" X 3 1/2" Brakes	Left	18E71	
			Right	18E72	
		with Manual Adjusting Brakes; w/ 15" X 3" Brakes; 1 1/4" Bore Diameter	Left	18E71	
			Right	18E72	
Rear					
Drum Brake Wheel Cylinder	1984-80	with 15in x 7in Brakes; w/ 16" X 6" Brakes; 1 3/4" Bore Diameter		18E26	
		with 15in x 7in Brakes; with 15in x 5in Brakes; with 15in x 6in Brakes; 1 5/8" Bore Diameter		18E23	

International – S1753

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	1989-84	w/ 2.60" Dual Piston Caliper		18FR1330		
				18FR1330N		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R1010	
					18R652	
			Right		18FR651	
					18FR651N	
					18R1009	
					18R651	
Rear						
Disc Brake Caliper	1989-84	w/ 2.60" Dual Piston Caliper		18FR1330		
				18FR1330N		
		w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		
				18R813		
	1985-84	w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R1010	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	1985-84	w/ 3.38" Single Piston Bendix Caliper	Left	18R652	
			Right	18FR651	
				18FR651N	
				18R1009	
				18R651	
Front					
Disc Brake Caliper Bushing	1989-84	FMSI Number: 7142-D225		18K1395	
Rear					
Disc Brake Caliper Bushing	1989-84	FMSI Number: 7142-D225		18K1395	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1989-84	Front Disc; Rear Drum; 24.50" Length		18J315	
		Front Disc; Rear Drum; 37.75" Long		18J314	
		Front Disc; Rear Drum; 43-1/2in Length		18J861	
	1988-86	Front Disc; Rear Drum; 32.5" Long		18J862	
	1985-84	Front Drum; Rear Drum; 20.25in Length		18J313	
		Front Drum; Rear Drum; 21" Long		18J544	
		Front Drum; Rear Drum; 21.0625" Length		18J546	
		Front Drum; Rear Drum; 21-3/4" Length		18J543	
Rear					
Brake Hydraulic Hose	1989-84	Front Disc; Rear Disc; 11.69" Length		18J545	
		Front Disc; Rear Disc; 19" Long		18J1296	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1989-84	Front Disc; Rear Drum; High Power Cylinder; 2" Bore		18M808	
	1985-84	Front Disc; Rear Drum; 1 3/4" Bore Diameter		18M284	
		Front Drum; Rear Drum; with Dual Hydraulic System; with Aluminum Reservoir; 1 3/4" Bore Diameter		18M261	
		Front Drum; Rear Drum; with Dual Hydraulic System; with Plastic Reservoir; 1 3/4" Bore Diameter		18M391541	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1989-84	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	

International – S1753 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	1989-84	2.60" Dual Piston Rail Slide Bendix Caliper		17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1989-84	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
		w/ 2.88" Dual Piston Bendix Caliper		17D184MH	
				17D225M	
		w/ 3.38" Single Piston Bendix Caliper		17D225MH	
				17D184M	
	17D184MH				
Driveline					
Parking Brake Shoe	1989-84	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1989	U Shaped 5 Hole Rotor; with 4.25in Overall Height; Height: 4 1/4"	18A873A	18A873	
		U Shaped 5 Hole Rotor; with 4.50in Overall Height; .781" Hole Diameter	18A1217A		
	1989-84	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		Hat Shaped; 10 Hole Rotor		18A1219	
		Stepped Hat 5 Hole Rotor		18A643	
		U Shaped 5 Hole Rotor; with 4.50in Overall Height; .663" Hole Diameter		18A180	
		U Shaped 5 Hole Rotor; with 5.90in Overall Height; .663" Hole Diameter	18A664A		
		U Shaped 5 Hole Rotor; with 5.90in Overall Height; .781" Hole Diameter	18A460A		
		U Shaped 6 Hole Rotor	18A181A		
	1988	U Shaped 5 Hole Rotor; with 4.50in Overall Height; .781" Hole Diameter; Height: 4 1/2"	18A1217A		
	1988-84	U Shaped 5 Hole Rotor; with 4.25in Overall Height	18A873A	18A873	
	1987-84	U Shaped 5 Hole Rotor; with 4.50in Overall Height; .781" Hole Diameter	18A1217A		
Rear					
Disc Brake Rotor	1989-84	Hat Shaped 6 Hole Rotor	18A663A	18A663	
	1988-84	U Shaped 5 Hole Rotor; Height: 4 1/4"	18A873A	18A873	
		U Shaped 6 Hole Rotor	18A181A		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1985-84	w/ 15" X 3" Brakes; 1 1/4" Bore Diameter; w/ 15" X 3 1/2" Brakes	Left	18E71	
			Right	18E72	
Rear					
Drum Brake Wheel Cylinder	1985-84	with 15in x 7in Brakes; w/ 16" X 6" Brakes; 1 3/4" Bore Diameter		18E26	
		with 15in x 7in Brakes; with 15in x 5in Brakes; with 15in x 6in Brakes; 1 5/8" Bore Diameter		18E23	

International – S1754
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	1989-83	w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R1010	
					18R652	
			Right		18FR651	
					18FR651N	
					18R1009	
					18R651	
	1989-81	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330		
				18FR1330N		
Rear						
Disc Brake Caliper	1989-83	w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		
				18R813		
	1989-81	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330		
				18FR1330N		
	1985-83	w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R1010	
					18R652	
		Right		18FR651		
				18FR651N		
				18R1009		
				18R651		
Front						
Disc Brake Caliper Bushing	1989-83	FMSI Number: 7142-D225		18K1395		

International – S1754 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper Bushing	1989-83	FMSI Number: 7142-D225		18K1395	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1989-83	Front Disc; Rear Drum; 19" Long		18J1296	
		Front Disc; Rear Drum; 24.50" Length; w/ 3.38" Single Piston Bendix Caliper		18J315	
		Front Disc; Rear Drum; 43-1/2in Length; w/ 2.88" Dual Piston Bendix Caliper		18J861	
	1989-81	Front Disc; Rear Drum; 37.75" Long; 2.88" Dual Piston Rail Slide Bendix Caliper		18J314	
	1985-83	Front Drum; Rear Drum; 20.25in Length		18J313	
		Front Drum; Rear Drum; 21" Long		18J544	
		Front Drum; Rear Drum; 21.0625" Length		18J546	
		Front Drum; Rear Drum; 21-3/4" Length		18J543	
		Front Drum; Rear Drum; 24.50" Length		18J315	
	Rear				
Brake Hydraulic Hose	1989-81	Front Disc; Rear Disc; 11.69" Length		18J545	
	1982-81	Front Drum; Rear Drum; 15.04" Length		18J1416	
		Front Drum; Rear Drum; 21.63" Length		18J12	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1989-84	Front Disc; Rear Drum; High Power Cylinder; 2" Bore		18M808	
	1985-84	Front Disc; Rear Drum; 1 3/4" Bore Diameter		18M284	
	1985-81	Front Drum; Rear Drum; High Power Cylinder; 2" Bore		18M285	
		Front Drum; Rear Drum; with Aluminum Reservoir; 1 3/4" Bore Diameter		18M261	
		Front Drum; Rear Drum; with Plastic Reservoir; 1 3/4" Bore Diameter		18M391541	
	1983	Front Disc; Rear Drum; From 8/26/83; 1 3/4" Bore Diameter		18M284	
		Front Disc; Rear Drum; High Power Cylinder; 2" Bore; From 8/26/83		18M808	
		Front Disc; Rear Drum; Thru 8/25/83; 1 3/4" Bore Diameter		18M286	
	1982-81	Front Disc; Rear Drum; 1 3/4" Bore Diameter		18M286	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1989-81	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1989-81	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
Front					
Drum Brake Shoe	1983-81	w/ 15" X 3" Brakes; with Auto Adjuster		17321R	
Rear					
Drum Brake Shoe	1983-81	Optional; with 15in x 6in Brakes		17381R	
		Optional; with 15in x 7in Brakes		17383R	
Driveline					
Parking Brake Shoe	1989-81	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1989-84	U Shaped 5 Hole Rotor; with 5.90in Overall Height; .663" Hole Diameter	18A664A		
		U Shaped 5 Hole Rotor; with 5.90in Overall Height; .781" Hole Diameter	18A460A		
	1989-83	U Shaped 5 Hole Rotor; with 4.50in Overall Height; .781" Hole Diameter	18A1217A		
	1989-81	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		Hat Shaped; 10 Hole Rotor		18A1219	
		Stepped Hat 5 Hole Rotor		18A643	
		U Shaped 5 Hole Rotor; with 4.25in Overall Height	18A873A	18A873	
		U Shaped 5 Hole Rotor; with 4.50in Overall Height; .663" Hole Diameter		18A180	
		U Shaped 6 Hole Rotor	18A181A		
	1982	U Shaped 5 Hole Rotor; with 4.50in Overall Height; .781" Hole Diameter; Height: 4 1/2"	18A1217A		
	1981	U Shaped 5 Hole Rotor; with 4.50in Overall Height; .781" Hole Diameter	18A1217A		
Rear					
Disc Brake Rotor	1989-84	Hat Shaped 6 Hole Rotor	18A663A	18A663	
	1989-81	U Shaped 6 Hole Rotor	18A181A		

International – S1754 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	1988-81	U Shaped 5 Hole Rotor; Height: 4 1/4"	18A873A	18A873	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1985-81	1 1/4" Bore Diameter; w/ 15" X 3 1/2" Brakes	Left	18E71	
			Right	18E72	
		with Manual Adjusting Brakes; w/ 15" X 3" Brakes; 1 1/4" Bore Diameter	Left	18E71	
			Right	18E72	
Rear					
Drum Brake Wheel Cylinder	1985-81	with 15in x 7in Brakes; w/ 16" X 6" Brakes; 1 3/4" Bore Diameter		18E26	
		with 15in x 7in Brakes; with 15in x 5in Brakes; with 15in x 6in Brakes; 1 5/8" Bore Diameter		18E23	

International – S1823

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1982-80	w/ 2.60" Dual Piston Caliper		18FR1330	
				18FR1330N	
Rear					
Disc Brake Caliper	1982-80	w/ 2.60" Dual Piston Caliper		18FR1330	
				18FR1330N	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1982-80	Front Disc; 23" Long		18J1401	
		Front Disc; 32.25" Long		18J1402	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1982-80	Front Disc; with Dual Hydraulic System; 1 3/4" Bore Diameter		18M286	
		Front Disc; with Hydraulic Booster; 2" Bore		18M280	
		Front Drum; Single Hydraulic System; w/ 16" Brakes; 1 3/4" Bore Diameter		18M3	
		Front Drum; Single Hydraulic System; with 15in Brakes; 1 1/2" Bore Diameter		18M1	
		Front Drum; with Dual Hydraulic System; 2" Bore		18M285	

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	1982-80	Front Drum; with Dual Hydraulic System; with Aluminum Reservoir; 1 3/4" Bore Diameter		18M261	
		Front Drum; with Dual Hydraulic System; with Plastic Reservoir; 1 3/4" Bore Diameter		18M391541	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1982-80	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper		17D184M	
	17D184MH				
Rear					
Disc Brake Pad Set	1982-80	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper		17D184M	
	17D184MH				
Front					
Drum Brake Shoe	1982-80	w/ 15" X 3" Brakes; with Auto Adjuster		17321R	
Rear					
Drum Brake Shoe	1982-80	Optional; with 15in x 6in Brakes		17381R	
		Optional; with 15in x 7in Brakes		17383R	
Driveline					
Parking Brake Shoe	1982-80	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1982	U Shaped 5 Hole Rotor; with 4.25in Overall Height	18A873A	18A873	
		U Shaped 5 Hole Rotor; with 4.50in Overall Height; .663" Hole Diameter		18A180	
	1982-80	U Shaped 6 Hole Rotor	18A181A		
	1981-80	U Shaped 5 Hole Rotor; Height: 4 1/4"	18A873A	18A873	
Rear					
Disc Brake Rotor	1982-80	U Shaped 6 Hole Rotor	18A181A		

International – S1823 (Cont.)

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1982-80	w/ 15" X 3 1/2" Brakes; w/ 1 3/8" Bore Diameter	Left		18E119	
			Right		18E120	
		w/ 15" X 3" Brakes; 1 1/4" Bore Diameter; w/ 15" X 3 1/2" Brakes	Left		18E71	
			Right		18E72	
		w/ 15" X 3" Brakes; 1 1/8" Bore Diameter; w/ 14" X 2 1/2" Brakes	Left		18E52	
			Right		18E53	
		with 15in x 5in Brakes	Left		18E287	
			Right		18E288	
Rear						
Drum Brake Wheel Cylinder	1982-80	with 15in x 7in Brakes; w/ 16" X 6" Brakes; 1 3/4" Bore Diameter			18E26	
		with 15in x 7in Brakes; with 15in x 5in Brakes; with 15in x 6in Brakes; 1 5/8" Bore Diameter			18E23	

International – S1824

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1980	w/ 2.60" Dual Piston Caliper		18FR1330	
				18FR1330N	
Rear					
Disc Brake Caliper	1980	w/ 2.60" Dual Piston Caliper		18FR1330	
				18FR1330N	
Front					
Disc Brake Caliper Bushing	1985-83	FMSI Number: 7142-D225		18K1395	
Rear					
Disc Brake Caliper Bushing	1985-83	2.88" Piston Diameter		18K1395	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	1985-84	FA309,329,339			18J861	
Rear						
Brake Hydraulic Hose	1980	Front Disc; 23" Long			18J1401	
		Front Disc; 32.25" Long			18J1402	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1980	4WD; Front Drum; Single Hydraulic System; 1 3/4" Bore Diameter		18M3	
		4WD; Front Drum; with Dual Hydraulic System; with Aluminum Reservoir; 1 3/4" Bore Diameter		18M261	
		4WD; Front Drum; with Dual Hydraulic System; with Plastic Reservoir; 1 3/4" Bore Diameter		18M391541	
		Front Disc; with Dual Hydraulic System; 1 3/4" Bore Diameter		18M286	
		Front Disc; with Hydraulic Booster; 2" Bore		18M280	
		Front Drum; Single Hydraulic System; with 15in Brakes; 1 1/2" Bore Diameter		18M1	
		Front Drum; with Dual Hydraulic System; 2" Bore		18M285	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1980	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1980	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Front					
Drum Brake Shoe	1980	w/ 15" X 3" Brakes; with Auto Adjuster		17321R	
Rear					
Drum Brake Shoe	1980	Optional; with 15in x 6in Brakes		17381R	
		Optional; with 15in x 7in Brakes		17383R	
Driveline					
Parking Brake Shoe	1980	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1985-80	U Shaped 6 Hole Rotor	18A181A		
	1980	U Shaped 5 Hole Rotor; Height: 4 1/4"	18A873A	18A873	
Rear					
Disc Brake Rotor	1985-80	U Shaped 6 Hole Rotor	18A181A		

International – S1824 (Cont.)

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1982-81	w/ 15" X 3" Brakes; 1 1/4" Bore Diameter; w/ 15" X 3 1/2" Brakes	Left		18E71	
			Right		18E72	
		w/ 15" X 3" Brakes; 1 1/8" Bore Diameter	Left		18E52	
			Right		18E53	
	1982-80	w/ 14" X 2 1/2" Brakes	Left		18E52	
			Right		18E53	
		w/ 15" X 3 1/2" Brakes; w/ 1 3/8" Bore Diameter	Left		18E119	
			Right		18E120	
		with 15in x 5in Brakes	Left		18E287	
			Right		18E288	
	1980	Bore 1-1/4in; w/ 15" X 3" Brakes; w/ 15" X 3 1/2" Brakes	Left		18E71	
			Right		18E72	
Bore 1-1/8in; w/ 15" X 3" Brakes		Left		18E52		
		Right		18E53		
Rear						
Drum Brake Wheel Cylinder	1982-81	w/ 16" X 6" Brakes; 1 3/4" Bore Diameter			18E26	
	1982-80	with 15in x 7in Brakes; 1 3/4" Bore Diameter			18E26	
		with 15in x 7in Brakes; with 15in x 5in Brakes; with 15in x 6in Brakes; 1 5/8" Bore Diameter			18E23	
	1980	1 3/4" Bore Diameter; w/ 16" X 6" Brakes			18E26	

International – S1853

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	1989-83	w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		
				18R813		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
					18R651	
1989-81	w/ 2.60" Dual Piston Caliper		18FR1330			
			18FR1330N			
Rear						
Disc Brake Caliper	1989-81	w/ 2.60" Dual Piston Caliper		18FR1330		
				18FR1330N		
Front						
Disc Brake Caliper Bushing	1989-83	FMSI Number: 7142-D225		18K1395		

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper Bushing	1989-88	FMSI Number: 7142-D225		18K1395	
	1987-83	2.88" Piston Diameter		18K1395	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1989-86	Front Disc; Axle # FA309,339		18J861	
		Front Disc; Axle # FA73; 32.5" Long		18J862	
	1988-84	FA309,329,339		18J861	
	1985-83	Front Disc; with BENDIX Unit; Axle # FA73; with # RA30 Rear Axle		18J315	
		Front Disc; with BENDIX Unit; FA101		18J314	
	1981	w/ 15" X 3 1/2" Brakes; FA208		18J7	
		w/ 15" X 3" Brakes; FA91,98		18J2	
		w/ 15" X 3" Brakes; w/ FA109 Axle		18J378	
Rear					
Brake Hydraulic Hose	1989-86	Front Disc; 11.69" Length		18J545	
	1989-83	Front Disc; 19" Long		18J1296	
	1982-81	Front Disc; 23" Long		18J1401	
		Front Disc; 32.25" Long		18J1402	
	1981	Front Drum; 21.63" Length		18J12	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1989-84	Front Disc; Power Brakes; High Power Cylinder; 2" Bore		18M808	
	1983-81	Front Disc; Power Brakes; with Dual Hydraulic System; 1 3/4" Bore Diameter		18M286	
		Front Disc; Power Brakes; with Hydraulic Booster; 2" Bore		18M280	
		Front Drum; Manual Brakes; Single Hydraulic System; w/ 16" Brakes; 1 3/4" Bore Diameter		18M3	
		Front Drum; Manual Brakes; Single Hydraulic System; with 15in Brakes; 1 1/2" Bore Diameter		18M1	
		Front Drum; Manual Brakes; with Dual Hydraulic System; 2" Bore		18M285	
		Front Drum; Manual Brakes; with Dual Hydraulic System; with Aluminum Reservoir; 1 3/4" Bore Diameter		18M261	
		Front Drum; Manual Brakes; with Dual Hydraulic System; with Plastic Reservoir; 1 3/4" Bore Diameter		18M391541	

International – S1853 (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1989-81	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1989-81	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper; 2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
Front					
Drum Brake Shoe	1983-81	w/ 15" X 3" Brakes; with Auto Adjuster		17321R	
Rear					
Drum Brake Shoe	1983-81	Optional; with 15in x 6in Brakes		17381R	
		Optional; with 15in x 7in Brakes		17383R	
Driveline					
Parking Brake Shoe	1989-81	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1989-87	U Shaped 5 Hole Rotor; with 4.50in Overall Height; .781" Hole Diameter	18A1217A		
	1989-84	Hat Shaped 6 Hole Rotor	18A663A	18A663	
		Stepped Hat 5 Hole Rotor		18A643	
		U Shaped 5 Hole Rotor; with 5.90in Overall Height; .663" Hole Diameter	18A664A		
		U Shaped 5 Hole Rotor; with 5.90in Overall Height; .781" Hole Diameter	18A460A		
	1989-83	Hat Shaped; 10 Hole Rotor		18A1219	
	1989-82	U Shaped 5 Hole Rotor; with 4.50in Overall Height; .663" Hole Diameter		18A180	
	1989-81	U Shaped 6 Hole Rotor	18A181A		
	1986	U Shaped 5 Hole Rotor; with 4.50in Overall Height; .781" Hole Diameter; Height: 4 1/2"	18A1217A		
	1985-83	U Shaped 5 Hole Rotor; with 4.50in Overall Height; .781" Hole Diameter	18A1217A		
	1982	U Shaped 5 Hole Rotor; with 4.25in Overall Height	18A873A	18A873	
	1981	U Shaped 5 Hole Rotor; Height: 4 1/4"	18A873A	18A873	
Rear					
Disc Brake Rotor	1989-81	U Shaped 6 Hole Rotor	18A181A		

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1982-81	1 1/8" Bore Diameter; w/ 14" X 2 1/4" Brakes	Left		18E52	
			Right		18E53	
		w/ 14" X 2 1/2" Brakes	Left		18E52	
			Right		18E53	
		w/ 15" X 3 1/2" Brakes; FA208	Left		18E119	
			Right		18E120	
		w/ 15" X 3 1/2" Brakes; FA219 Axle, 12000 lbs.	Left		18E119	
			Right		18E120	
		w/ 15" X 3 1/2" Brakes; FA71,73,101	Left		18E71	
			Right		18E72	
		w/ 15" X 3 1/2" Brakes; w/ 1 3/8" Bore Diameter	Left		18E119	
			Right		18E120	
		w/ 15" X 3" Brakes; 1 1/4" Bore Diameter; w/ 15" X 3 1/2" Brakes	Left		18E71	
			Right		18E72	
		w/ 15" X 3" Brakes; 1 1/8" Bore Diameter	Left		18E52	
			Right		18E53	
		w/ 15" X 3" Brakes; FA108,109	Left		18E71	
			Right		18E72	
		w/ 15" X 3" Brakes; FA71,73,101	Left		18E71	
			Right		18E72	
		w/ 15" X 3" Brakes; FA89,91,98	Left		18E52	
			Right		18E53	
		with 15in x 5in Brakes	Left		18E287	
			Right		18E288	
		with 15in x 5in Brakes; 1 1/2" Bore Diameter	Left		18E287	
			Right		18E288	
Rear						
Drum Brake Wheel Cylinder	1982-81	w/ 16" X 6" Brakes			18E26	
		with 15in x 5in Brakes; with 15in x 6in Brakes			18E23	
		with 15in x 5in Brakes; with 15in x 6in Brakes; 1 5/8" Bore Diameter			18E23	
		with 15in x 7in Brakes			18E26	
		with 15in x 7in Brakes; 1 5/8" Bore Diameter			18E23	
		with 15in x 7in Brakes; w/ # RA39, 199 Rear Axle			18E23	
		with 15in x 7in Brakes; w/ 16" X 6" Brakes; 1 3/4" Bore Diameter			18E26	

International – S1853FC

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	1989-87	FMSI Number: 7142-D225		18K1395	
Rear					
Disc Brake Caliper Bushing	1989-88	FMSI Number: 7142-D225		18K1395	
	1987	2.88" Piston Diameter		18K1395	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1988-87	FA309,329,339		18J861	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1988-87	Front Disc; Power Brakes; High Power Cylinder; 2" Bore		18M808	

International – S1854

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	1989-83	FMSI Number: 7142-D225		18K1395	
Rear					
Disc Brake Caliper Bushing	1989-88	FMSI Number: 7142-D225		18K1395	
	1987-83	2.88" Piston Diameter		18K1395	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1988-84	FA309,329,339		18J861	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1988-84	Front Disc; Power Brakes; High Power Cylinder; 2" Bore		18M808	
	1983-81	Front Disc; Power Brakes; with Dual Hydraulic System; 1 3/4" Bore Diameter		18M286	
		Front Disc; Power Brakes; with Hydraulic Booster; 2" Bore		18M280	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1980	2.88" Dual Piston Rail Slide Bendix Caliper		18FR813	
				18FR813N	
				18R813	
		w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330	
				18FR1330N	
Rear					
Disc Brake Caliper	1980	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330	
				18FR1330N	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1982	FA309,329,339		18J861	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1981-80	2" Bore		18M285	
		Manual Brakes; Single Hydraulic System; 1 3/4" Bore Diameter		18M3	
		Manual Brakes; with Dual Hydraulic System; with Aluminum Reservoir; 1 3/4" Bore Diameter		18M261	
		Manual Brakes; with Dual Hydraulic System; with Plastic Reservoir; 1 3/4" Bore Diameter		18M391541	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1982-80	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1982-80	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	

International – S1924 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Shoe	1982-81	w/ 15" X 3" Brakes		17321R	
Rear					
Drum Brake Shoe	1982-81	Optional; with 15in x 7in Brakes		17383R	
	1982-80	with 15in x 6in Brakes		17381R	
Driveline					
Parking Brake Shoe	1982-80	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1982	U Shaped 5 Hole Rotor; 10,800, 12,000 lb. Front Axle; Height: 4 1/2"		18A180	
		U Shaped 6 Hole Rotor; with 6.80in Overall Height; 15,500, 17,500 lb. Rear Axle	18A181A		
Rear					
Disc Brake Rotor	1982	U Shaped 6 Hole Rotor	18A181A		

International – S1954

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1989-83	Bendix Brakes; w/ 2.88" Piston; 10,800, 12,000 lb. Front Axle		18FR813	
				18FR813N	
				18R813	
	1989-81	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330	
				18FR1330N	
Rear					
Disc Brake Caliper	1989-83	Bendix Brakes; w/ 2.88" Piston; 15,500, 17,500 lb. Rear Axle		18FR813	
				18FR813N	
				18R813	
	1989-81	w/ 2.60" Dual Piston Bendix Rail Slide Caliper		18FR1330	
				18FR1330N	
Front					
Disc Brake Caliper Bushing	1990-83	FMSI Number: 7142-D225		18K1395	
Rear					
Disc Brake Caliper Bushing	1990-88	FMSI Number: 7142-D225		18K1395	
	1987-83	2.88" Piston Diameter		18K1395	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1989-86	FA101		18J314	
	1989-82	FA309,329,339		18J861	
Rear					
Brake Hydraulic Hose	1989-86	19" Long		18J1296	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1981	Manual Brakes; 2" Bore		18M285	
		Manual Brakes; Single Hydraulic System		18M3	
		Manual Brakes; Single Hydraulic System; 1 3/4" Bore Diameter		18M3	
		Manual Brakes; with Dual Hydraulic Cylinder; 2" Bore		18M285	
		Manual Brakes; with Dual Hydraulic Cylinder; with Aluminum Reservoir; 1 3/4" Bore Diameter		18M261	
		Manual Brakes; with Dual Hydraulic Cylinder; with Plastic Reservoir; 1 3/4" Bore Diameter		18M391541	
		Manual Brakes; with Dual Hydraulic System; with Aluminum Reservoir; 1 3/4" Bore Diameter		18M261	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1989-81	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	1989-81	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
Rear					
Drum Brake Shoe	1983-81	with 15in x 6in Rear Brakes		17381R	
		with 15in x 7in Rear Brakes		17383R	
Driveline					
Parking Brake Shoe	1989-81	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

International – S1954 (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1990-89	U Shaped 6 Hole Rotor	18A181A		
	1989-84	5 Hole Rotor; with School Bus Package; Hat Shaped Marmon 59769 Spoke Wheels		18A643	
		6 Hole Rotor; Hat Shaped Marmon Disc Style Wheels	18A663A	18A663	
		U Shaped 5 Hole Rotor; with 5.90in Overall Height; Gunit Disc Style Wheels; w/ 5/8" Bolt	18A664A		
	1988-83	U Shaped 5 Hole Rotor; w/ 2.88" Piston; 10,800, 12,000 lb. Front Axle; w/ Bendix Front Calipers; Height: 4 1/2"		18A180	
		U Shaped 6 Hole Rotor; w/ 2.88" Piston; 15,500, 17,500 lb. Rear Axle; Bendix Rear Disc Brakes	18A181A		
	1982	U Shaped 5 Hole Rotor; 10,800, 12,000 lb. Front Axle; Height: 4 1/2"		18A180	
		U Shaped 6 Hole Rotor; with 6.80in Overall Height; 15,500, 17,500 lb. Rear Axle	18A181A		
	1981	U Shaped 6 Hole Rotor	18A181A		
Rear					
Disc Brake Rotor	1990-81	U Shaped 6 Hole Rotor	18A181A		

International – S1955

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	1989-83	FMSI Number: 7142-D225		18K1395	
Rear					
Disc Brake Caliper Bushing	1989-88	FMSI Number: 7142-D225		18K1395	
	1987-83	2.88" Piston Diameter		18K1395	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1989-83	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
	1981	w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
		2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)						
Disc Brake Pad Set	1981	w/ 3.38" Single Piston Bendix Caliper		17D184M		
				17D184MH		
Rear						
Disc Brake Pad Set	1989-83	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M		
				17D184MH		
		w/ 2.88" Dual Piston Bendix Caliper		17D225M		
				17D225MH		
		w/ 3.38" Single Piston Bendix Caliper		17D184M		
				17D184MH		
		1981	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
					17D184MH	
	w/ 2.88" Dual Piston Bendix Caliper			17D225M		
				17D225MH		
	w/ 3.38" Single Piston Bendix Caliper			17D184M		
				17D184MH		
Rear						
Drum Brake Shoe	1983	with 15in x 6in Rear Brakes		17381R		
		with 15in x 7in Rear Brakes		17383R		
	1981	with 15in x 6in Rear Brakes		17381R		
		with 15in x 7in Rear Brakes		17383R		
Driveline						
Parking Brake Shoe	1989-83	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B		
	1981	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1989-81	U Shaped 6 Hole Rotor	18A181A		
Rear					
Disc Brake Rotor	1989-81	U Shaped 6 Hole Rotor	18A181A		

International – S2125
Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1981-80	U Shaped 6 Hole Rotor	18A181A		
Rear					
Disc Brake Rotor	1981-80	U Shaped 6 Hole Rotor	18A181A		

International – S2155

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1989-84	U Shaped 6 Hole Rotor	18A181A		
Rear					
Disc Brake Rotor	1989-84	U Shaped 6 Hole Rotor	18A181A		

International – S2375

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1986	U Shaped 6 Hole Rotor	18A181A		
	1984	U Shaped 6 Hole Rotor	18A181A		
Rear					
Disc Brake Rotor	1986	U Shaped 6 Hole Rotor	18A181A		
	1984	U Shaped 6 Hole Rotor	18A181A		

International – S2524

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1982-80	U Shaped 6 Hole Rotor	18A181A		
Rear					
Disc Brake Rotor	1982-80	U Shaped 6 Hole Rotor	18A181A		

International – S2554

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1989-81	U Shaped 6 Hole Rotor	18A181A		
Rear					
Disc Brake Rotor	1989-81	U Shaped 6 Hole Rotor	18A181A		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1989-81	FA28, 48, 68, 70, 72 Axles with 14 X 2-1/2 Brakes or FA71, 73, 101 Axles with 15 X 3 Brakes or FA89, 91, 98 Axles with 15 X 3 Brakes or FA101 Axles with 15 X 3 Brakes; w/ 6 x 4 Wheel Drive	Left	18E52	
			Right	18E53	
		FA54 Axle w/ 14" X 2-1/4" Brakes Or FA58 Axle w/ 14" X 2-1/2" Brakes; w/ 6 x 4 Wheel Drive	Left	18E2	
			Right	18E3	

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Drum Brake Wheel Cylinder	1989-81	RWD; FA28, 48, 68, 70, 72 Axles with 14 X 2-1/2 Brakes or FA71, 73, 101 Axles with 15 X 3 Brakes or FA89, 91, 98 Axles with 15 X 3 Brakes or FA101 Axles with 15 X 3 Brakes	Left		18E52	
			Right		18E53	
		RWD; FA54 Axle w/ 14" X 2-1/4" Brakes Or FA58 Axle w/ 14" X 2-1/2" Brakes	Left		18E2	
			Right		18E3	
Rear						
Drum Brake Wheel Cylinder	1989-81	Except Tandem Rear Axle; Rear Axle # 25, 126, 184 with 15in x 4in or 15in x 5in Brakes; w/ 6 x 4 Wheel Drive			18E73	
		Except Tandem Rear Axle; Rear Axle # 47, 57,192, 193, 292 With 16in x 6in Brakes; w/ 6 x 4 Wheel Drive			18E77	
		Except Tandem Rear Axle; Rear Axles 39,189 with 15" X 7" or 16" X 6" Brakes - Rear Axles 144,186 with 15" X 7" Brakes; w/ 6 x 4 Wheel Drive			18E77	
		Except Tandem Rear Axle; w/ 14 1/8" X 3" Brakes; Ra120 Axle; w/ 6 x 4 Wheel Drive			18E123	
		Except Tandem Rear Axle; with # 29,30,39,127,187 Rear Axle; with 15in x 5in Brakes; w/ 6 x 4 Wheel Drive			18E23	
		Except Tandem Rear Axle; with # 29,30,39,127,187,189 Rear Axle; with 16in x 5in Brakes; w/ 6 x 4 Wheel Drive			18E23	
		Except Tandem Rear Axle; with # 29,30,39,42,44,186,199 Rear Axle; with 15in x 6in Brakes; w/ 6 x 4 Wheel Drive			18E23	
		Except Tandem Rear Axle; with 15in x 7in Brakes; 199 Rear Axle; w/ 6 x 4 Wheel Drive			18E23	
		FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3"; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15 X 3-1/2" Brakes; FA101 Axle w/ 15" X 3" Brakes, Or FA74, 100, 109, 208 Axles w/ 15" X 3" Brakes; FA101, 103, 109, 127 Axles w/ 15" X 3-1/2" Brakes	Left		18E71	
		FA74 Axles with 15 X 3 Manual Adjusting Brakes or FA74, 99, 109 Axles with 15 X 3 Automatic Adjusting Brakes or FA103, 109 Axles with 15 X 3-1/2 Automatic Adjusting Brakes; w/ 6 x 4 Wheel Drive	Left		18E78	
			Right		18E79	
		RWD; Bore 1-1/4in; w/ 15" X 3" Brakes; FA78,81	Left		18E4	
			Right		18E5	
		RWD; Bore 1-1/8in; w/ 15" X 3" Brakes; FA78,81	Left		18E6	
			Right		18E7	
		RWD; Except Tandem Rear Axle; Rear Axle # 25, 126, 184 with 15in x 4in or 15in x 5in Brakes			18E73	
		RWD; Except Tandem Rear Axle; Rear Axle # 39, 189 with 15in x 7in or 16in x 6in Brakes; Rear Axle Codes 144, 186 With 15in x 7in Brakes; with 15in x 7in Brakes			18E77	

International – S2554 (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	1989-81	RWD; Except Tandem Rear Axle; Rear Axle # 47, 57,192, 193, 292 With 16in x 6in Brakes		18E77	
		RWD; Except Tandem Rear Axle; w/ 14 1/8" X 3" Brakes; Ra120 Axle		18E123	
		RWD; Except Tandem Rear Axle; with # 29,30,39,127,187 Rear Axle; with 15in x 5in Brakes		18E23	
		RWD; Except Tandem Rear Axle; with # 29,30,39,127,187,189 Rear Axle; with 16in x 5in Brakes		18E23	
		RWD; Except Tandem Rear Axle; with # 29,30,39,42,44,186,199 Rear Axle; with 15in x 6in Brakes		18E23	
		RWD; Except Tandem Rear Axle; with 15in x 7in Brakes; 199 Rear Axle		18E23	
		RWD; FA69 Axles with 14 X 2-1/2in Manual Adjusting Brakes or FA69 Axles with 14 X 2-1/2in Automatic Adjusting Brakes or FA71, 73 Axles with 15 X 3in Automatic Adjusting Brakes; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3"; FA101 Axle w/ 15" X 3" Brakes, Or FA74, 100, 109, 208 Axles w/ 15" X 3" Brakes; FA101, 103, 109, 127 Axles w/ 15" X 3-1/2" Brakes	Right	18E72	
		RWD; FA74 Axles with 15 X 3 Manual Adjusting Brakes or FA74, 99, 109 Axles with 15 X 3 Automatic Adjusting Brakes or FA103, 109 Axles with 15 X 3-1/2 Automatic Adjusting Brakes	Left	18E78	
			Right	18E79	
		RWD; w/ 15" X 3 1/2" Brakes; FA139,208,211,215,218,219	Left	18E119	
			Right	18E120	
		RWD; with 15in x 5in Brakes; FA118, 127, 139 Axles w/ 15" X 5" Brakes Or FA209 w/ 15" X 3" Brakes	Left	18E287	
			Right	18E288	
		RWD; with 16in x 2-1/4in Brakes; FA57,59		18E1	
		w/ 15" X 3 1/2" Brakes; FA139,208,211,215,218,219; w/ 6 x 4 Wheel Drive	Left	18E119	
			Right	18E120	
		w/ 15" X 3" Brakes; 1 1/4" Bore Diameter; FA78,81; w/ 6 x 4 Wheel Drive	Left	18E4	
			Right	18E5	
		w/ 15" X 3" Brakes; 1 1/8" Bore Diameter; FA78,81; w/ 6 x 4 Wheel Drive	Left	18E6	
			Right	18E7	
		w/ FA69 Axle; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3"; FA101 Axle w/ 15" X 3" Brakes, Or FA74, 100, 109, 208 Axles w/ 15" X 3" Brakes; FA101, 103, 109, 127 Axles w/ 15" X 3-1/2" Brakes; w/ 6 x 4 Wheel Drive; w/ 14" X 2 1/2" Brakes	Right	18E72	
		with 15in x 5in Brakes; FA118, 127, 139 Axles w/ 15" X 5" Brakes Or FA209 w/ 15" X 3" Brakes; w/ 6 x 4 Wheel Drive	Left	18E287	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	1989-81	with 15in x 5in Brakes; FA118, 127, 139 Axles w/ 15" X 5" Brakes Or FA209 w/ 15" X 3" Brakes; w/ 6 x 4 Wheel Drive	Right	18E288	
		with 16in x 2-1/4in Brakes; FA57,59; w/ 6 x 4 Wheel Drive		18E1	

International – TerraStar

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2018-10		Left		18FR2182N	
			Right		18FR2181N	
			Left		18FR2182	
					18FR2182C	
					18R2182	
			Right		18FR2181	
					18FR2181C	
		18R2181				
2017-10	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR2181DN		
		Right		18FR2181DN		
Rear						
Disc Brake Caliper	2018-10		Left		18FR2182N	
			Right		18FR2181N	
			Left		18FR2182	
					18FR2182C	
					18R2182	
			Right		18FR2181	
					18FR2181C	
		18R2181				
2017-10	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR2181DN		
		Right		18FR2181DN		

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2017-10		Right	18J383949	
Rear					
Brake Hydraulic Hose	2017-10	25" Long		18J383931	

International – TerraStar (Cont.)



Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2018-10		14D1066M	17D1066MH	
				17D1066SDH	
Rear					
Disc Brake Pad Set	2018-10		14D1066M	17D1066MH	
				17D1066SDH	
Rear					
Parking Brake Shoe	2018-10	Drum In Hat Parking Brake		17854B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2018-10	Hat Shaped 10 Hole Rotor	18A2435A	18A2435	
			18A2435AC		
Rear					
Disc Brake Rotor	2018-10	Hat Shaped 10 Hole Rotor	18A2435A	18A2435	
			18A2435AC		

International – TranStar

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-15	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2019-15	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-15	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2019-15	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-15	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2020-15	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-15	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2020-15	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

International – WorkStar 7400
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-15	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2020-15	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-15	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2020-15	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

International – WorkStar 7400 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2020-15	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

International – WorkStar 7600

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-15	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2020-15	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-15	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2020-15	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Isuzu – FRR

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2004-00	Left		18J383252	
		Right		18J383252	
	1998-95	Left		18J384181	
		Right		18J384181	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Shoe	2004-00	w/ 14.29" x 5.87" Brakes		17833R	
	1998			17833R	
	1998-95	w/12.60" x 5.71" Brakes		17727R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Drum	2004-00		18B87838A	18B7838	
	1998-95		18B87840A	18B7840	
Rear					
Brake Drum	2004-01		18B87833A	18B7833	
	2000	From 02/1999	18B87833A	18B7833	
	1998	To 1/31/99	18B87834A	18B7834	
	1997-96		18B87834A	18B7834	
	1995	From 02/1994	18B87834A	18B7834	

Isuzu – FSR
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	1994	5-Speed Manual Transmission; Thru 12/93		18P1092	
		6-Speed Manual Transmission; Thru 12/93		18P1094	
		Thru 12/93		18P1093	
	1993-87	5-Speed Manual Transmission		18P1092	
		6-Speed Manual Transmission		18P1094	
				18P1093	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	2002-96	w/ 2.50" Dual Piston Dayton Caliper		18FR814		
				18FR814N		
				18R814		
		with 11,000 or 12,000 lb. Front Axle; Bendix Calipers		18FR813		
				18FR813N		
				18R813		
Rear						
Disc Brake Caliper	2002-98	4 Piston Caliper; w/ 10mm Brake Hose Inlet	Left		18FR2495	
			Right		18FR2494	
		Caliper Inlet With Tube Seat; 4 Piston Caliper	Left		18FR2497	
					18FR2497N	
					18R2497	
			Right		18FR2496	
					18FR2496N	
	2002-96	w/ 2.50" Dual Piston Dayton Caliper		18FR814		
				18FR814N		
				18R814		
		w/ 2.88" Dual Piston Bendix Caliper		18FR813		

Isuzu – FSR (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2002-96	w/ 2.88" Dual Piston Bendix Caliper		18FR813N	
				18R813	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2002-97			18J1617	
	1998-95	Left		18J4889	
		Right		18J4889	
	1996	with 20.375in Overall Length		18J1617	
		with 33.22in Overall Length		18J901	
	1995-87			18J901	
	1994-91	Except RPO Code PK4 (Low Deck Cab & Chassis) Left		18J4889	
		Right		18J4889	
	1990	Left		18J4889	
		Right		18J4889	
Rear					
Brake Hydraulic Hose	2002-97	Except Low Profile Option		18J1610	
		Low Profile		18J1609	
	1996-93			18J1507	
	1992	From 6/92		18J1507	
		Thru 5/92 Right		18J1517	
	1991-87	Right		18J1517	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2002-96			18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2002-96	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2002-98	4 Piston Dayton Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2002-96	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
			w/ 2.88" Dual Piston Bendix Caliper		17D225M

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2002-96	w/ 2.88" Dual Piston Bendix Caliper		17D225MH	
Driveline					
Parking Brake Shoe	2002-96	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
	1991-87			171009B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2002-97	Except Tapped Holes For ABS Exciter Ring	18A177A	18A177	
	2002-96	Tapped Holes For ABS Exciter Ring		18A1419	
		w/ 11,000 to 12,000 lb. Front Axle; Bendix Caliper		18A1221	
Rear					
Disc Brake Rotor	2002-98	4 Piston Dayton Caliper	18A1220A	18A1220	
	2002-96	Rotor Diameter 390mm; w/ 19,000 lb. Rear Axle		18A1221	
		U Shaped 10 Hole Rotor; w/ 21,000 to 23,000 lb Rear Axle	18A692A		
		w/ 19,000 lb. Rear Axle; w/ 375mm Brakes		18A1420	
		with Dayton Caliper; 15,000 lb. Rear Axle		18A1419	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1994	From 01/1994; with Manual Adjuster; Thru 9/94	Left Forward	18E409	
			Left Rearward	18E841	
			Right Forward	18E410	
			Right Rearward	18E842	
		Low Deck; Thru 12/93	Left	18E411	
			Right	18E412	
	1993-92	Except Low Deck	Left Forward	18E409	
			Left Rearward	18E841	
			Right Forward	18E410	
			Right Rearward	18E842	
	1993-90	Low Deck	Left	18E411	
			Right	18E412	

Isuzu – FSR (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Drum Brake Wheel Cylinder	1991-90	Except Low Deck	Left		18E409	
			Right		18E410	
	1989-87		Left		18E409	
			Right		18E410	
Rear						
Drum Brake Wheel Cylinder	1994-89	11/2" Bore Diameter	Left Forward		18E785	
			Left Rearward		18E413	
			Right Forward		18E415	
			Right Rearward		18E414	
	1994-87	Bore 1.73in	Left Forward		18E350	
			Left Rearward		18E348	
			Right Forward		18E349	
			Right Rearward		18E347	

Isuzu – FTR

Cable

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear						
Parking Brake Cable	1989-88	5-Speed Manual Transmission	Right		18P1092	
		6-Speed Manual Transmission	Right		18P1094	
			Right		18P1093	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2011-04	64mm 4 Piston Calipers	Left		18FR2502N	
					18R2502	
			Right		18FR2503N	
		70mm 4 Piston Calipers	Left		18FR2496	
					18FR2496N	
			Right		18FR2497	
					18FR2497N	
	2003	64mm 4 Piston Calipers; From 4/03	Left		18FR2502N	
					18R2502	
			Right		18FR2503N	
			Left		18FR2496	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)							
Disc Brake Caliper	2003	70mm 4 Piston Calipers; From 4/03	Left		18FR2496N		
			Right		18FR2497		
					18FR2497N		
					18R2497		
	2002-97	w/ 2.50" Dual Piston Dayton Caliper; w/ 8,100 lb. Front Axle			18FR814		
					18FR814N		
					18R814		
		with 11,000 or 12,000 lb. Front Axle; w/ 2.88" Dual Piston Bendix Caliper			18FR813		
					18FR813N		
					18R813		
	1996	From 03/1996; w/ 2.50" Dual Piston Dayton Caliper; w/ 8,100 lb. Front Axle			18FR814		
					18FR814N		
					18R814		
		with 11,000 or 12,000 lb. Front Axle; From 03/1996; w/ 2.88" Dual Piston Bendix Caliper			18FR813		
					18FR813N		
					18R813		
Rear							
Disc Brake Caliper	2011-04	64mm 4 Piston Calipers	Left		18FR2502N		
					18R2502		
			Right		18FR2503N		
		70mm 4 Piston Calipers	Left		18FR2496		
					18FR2496N		
			Right		18FR2497		
					18FR2497N		
					18R2497		
			2003	64mm 4 Piston Calipers; From 4/03	Left		18FR2502N
						18R2502	
		Right				18FR2503N	
		70mm 4 Piston Calipers; From 4/03		Left		18FR2496	
						18FR2496N	
				Right		18FR2497	
						18FR2497N	
						18R2497	
	2002-99	w/ Dayton 4 Steel Piston Caliper; w/ M10 x 1.5 Caliper Inlet	Left		18FR2495		
			Right		18FR2494		
	2002-97	w/ 2.50" Dual Piston Dayton Caliper			18FR814		
					18FR814N		
					18R814		
		w/ 2.88" Dual Piston Bendix Caliper			18FR813		
					18FR813N		
					18R813		
	1998	From 03/1998; w/ Dayton 4 Steel Piston Caliper; w/ M10 x 1.5 Caliper Inlet	Left		18FR2495		

Isuzu – FTR (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Disc Brake Caliper	1998	From 03/1998; w/ Dayton 4 Steel Piston Caliper; w/ M10 x 1.5 Caliper Inlet	Right		18FR2494	
	1996	From 03/1996; w/ 2.50" Dual Piston Dayton Caliper			18FR814	
					18FR814N	
					18R814	
		From 03/1996; w/ 2.88" Dual Piston Bendix Caliper			18FR813	
					18FR813N	
					18R813	
Front						
Disc Brake Caliper Piston	2011-04	70mm 4 Piston Calipers			18K2420	
	2003	70mm 4 Piston Calipers; From 4/03			18K2420	
Rear						
Disc Brake Caliper Piston	2011-04	70mm 4 Piston Calipers			18K2420	
	2003	70mm 4 Piston Calipers; From 4/03			18K2420	
	2002-99	w/ Dayton 4 Phenolic Piston Caliper			18K2420	
	1998	From 03/1998; w/ Dayton 4 Phenolic Piston Caliper			18K2420	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2019-18				18J383954	
	2009-04		Right		18J384260	
	2003	From 4/03	Right		18J384260	
	2002-97				18J1617	
	1996-88	Air Over Hydraulic Brake System			18J1507	
	1994-89	with Hydraulic Brake System; Low Deck			18J901	
Rear						
Brake Hydraulic Hose	2019-18				18J383251	
	2009-04	Except Flat Low Profile; w/ 19,000 lb. Rear Axle; Except Air Suspension	Left		18J4125	
			Right		18J4124	
		w/ Rear Air Suspension	Left		18J384345	
			Right		18J384346	
	2003	Except Flat Low Profile; w/ 19,000 lb. Rear Axle; Except Air Suspension; From 4/03	Left		18J4125	
			Right		18J4124	
		w/ Rear Air Suspension; From 4/03	Left		18J384345	
			Right		18J384346	
	1996-88		Center		18J1506	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-97			18M870	
	1996	Disc Brakes		18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-18			17D827M	
				17D827MH	
	2011-03	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2002-96	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2011-99	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2002-96	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
	1998	From 03/1998; 4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Driveline					
Parking Brake Shoe	2011-96	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
	1996-88	Drum Brakes; Manual Transmission; 8.5" Diameter		171009B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2019-18		18B87832A	18B7832	
Front					
Disc Brake Rotor	2018		18A1696A	18A1696	
	2011-10		18A1696A	18A1696	
	2011-03	Hat Shaped 10 Hole Rotor	18A2426A	18A2426	
	2002-97	Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.50" Dual Piston Dayton Caliper		18A1419	
		Hat Shaped 5 Hole Rotor; w/o ABS Mounting Holes; w/ 2.50" Dual Piston Dayton Caliper	18A177A	18A177	
	2002-96	Hat Shaped 10 Hole Rotor; w/ 11,000 to 12,000 lb. Front Axle; w/ 2.88" Dual Piston Bendix Caliper		18A1222	

Isuzu – FTR (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	1996	Hat Shaped 5 Hole Rotor; From 03/1996; w/o ABS Mounting Holes; w/ 2.50" Dual Piston Dayton Caliper	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring; From 03/1996; w/ 2.50" Dual Piston Dayton Caliper		18A1419	
Rear					
Disc Brake Rotor	2011-03	Hat Shaped 10 Hole Rotor; 15,000lb or 19,000lb Axle	18A2426A	18A2426	
		U Shaped 10 Hole Rotor; w/ 21,000 lb. Rear Axle	18A2772A	18A2772	
	2002-99	4 Piston Caliper	18A1220A	18A1220	
	2002-97	Hat Shaped 10 Hole Rotor; Tapped Holes For ABS Exciter Ring; Rotor Diameter 375mm; 19000 # Single Rear Axle Or 34000 # Tandem Rear Axle		18A1420	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring; 15,000 lb. Rear Axle		18A1419	
		Hat Shaped 5 Hole Rotor; w/o ABS Mounting Holes; 15,000 lb. Rear Axle	18A177A	18A177	
		U Shaped 10 Hole Rotor; w/ 21,000 to 23,000 lb Rear Axle	18A692A		
		with 15.38in Diameter Rotor; with 19000lb Axle(s); Hat Shaped; 10 Hole Rotor; with Dual Piston Caliper		18A1221	
	2002-96	Hat Shaped 10 Hole Rotor; Rotor Diameter 390mm; 19000 # Single Rear Axle Or 34000 # Tandem Rear Axle		18A1222	
	1998	From 03/1998; 4 Piston Caliper	18A1220A	18A1220	
	1996	Hat Shaped 5 Hole Rotor; From 03/1996; w/o ABS Mounting Holes; 15,000 lb. Rear Axle	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring; From 03/1996; 15,000 lb. Rear Axle		18A1419	
		U Shaped 10 Hole Rotor; From 03/1996; w/ 21,000 to 23,000 lb Rear Axle	18A692A		

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1994	From 01/1994; Manual Adjusting Brakes; To 9/94	Left		18E343	
			Right		18E344	
	1993	To 12/93	Left		18E343	
			Right		18E344	
	1992-89		Right		18E344	
	1992-88		Left		18E343	
	1988	From 9/86	Right		18E344	
Rear						
Drum Brake Wheel Cylinder	1994	Manual Adjusting Brakes			18E342	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	1993-88			18E342	

Isuzu – FVR
Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2009-03	Caliper Inlet With Tube Seat	Left		18FR2497	
					18FR2497N	
					18R2497	
			Right		18FR2496	
					18FR2496N	
	2002-98	w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		
				18R813		
	2002-96	w/ 2.50" Dual Piston Dayton Caliper		18FR814		
				18FR814N		
				18R814		
Rear						
Disc Brake Caliper	2009-03	Caliper Inlet With Tube Seat	Left		18FR2497	
					18FR2497N	
					18R2497	
			Right		18FR2496	
					18FR2496N	
	2002-99	Caliper Inlet w/o Tube Seat; 70mm 4 Piston Calipers	Left		18FR2495	
			Right		18FR2494	
	2002-98	w/ 2.50" Dual Piston Dayton Caliper		18FR814		
				18FR814N		
				18R814		
		w/ 2.88" Dual Piston Bendix Caliper		18FR813		
				18FR813N		
				18R813		
Front						
Disc Brake Caliper Piston	2006-04	70mm 4 Piston Calipers			18K2420	
Rear						
Disc Brake Caliper Piston	2006-04	70mm 4 Piston Calipers			18K2420	
Hoses						
	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2009-04		Right		18J384260	

Isuzu – FVR (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Hydraulic Hose	2002-97			18J1617	
Rear					
Brake Hydraulic Hose	2009-06	w/ Rear Air Suspension Left		18J384345	
	2009-03	with Leaf Springs Left		18J4125	
		Right		18J4124	
	2007-06	w/ Rear Air Suspension Right		18J384346	
	2002-97	Except Low Profile Option		18J1610	
		Low Profile		18J1609	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-97			18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-03	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2002-96	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Rear					
Disc Brake Pad Set	2009	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2008-06		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2005-02	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2002-96	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
				17D224MH	

Driveline

Parking Brake Shoe	2009-96	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-03		18A2426A	18A2426	
	2002-97	Hat Shaped 5 Hole Rotor	18A177A	18A177	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2002-97	Hat Shaped; 10 Hole Rotor		18A1222	
Rear					
Disc Brake Rotor	2009-03	Hat Shaped; 10 Hole Rotor; w/ 19,000 lb. Rear Axle	18A2426A	18A2426	
	2002-97	4 Piston Caliper	18A1220A	18A1220	
		with 14.75in Diameter Rotor; with 19000lb Axle(s); Hat Shaped; 10 Hole Rotor; with Dual Piston Caliper		18A1420	
		with 15.38in Diameter Rotor; with 19000lb Axle(s); Hat Shaped; 10 Hole Rotor; with Dual Piston Caliper		18A1221	

Isuzu – FXR
Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	2008-07			18J4124	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-07			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2008-07		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2008-07		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	

Isuzu – HTR
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2008-05	64mm 4 Piston Calipers	Left	18FR2503N	
			Right	18FR2502N	
				18R2502	
		Caliper Inlet With Tube Seat; 70mm 4 Piston Calipers	Left	18FR2497	
				18FR2497N	
				18R2497	

Isuzu – HTR (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	2008-05	Caliper Inlet With Tube Seat; 70mm 4 Piston Calipers	Right		18FR2496	
					18FR2496N	
Rear						
Disc Brake Caliper	2008-05	64mm 4 Piston Calipers	Left		18FR2503N	
			Right		18FR2502N	
					18R2502	
		Caliper Inlet With Tube Seat; 70mm 4 Piston Calipers	Left		18FR2497	
					18FR2497N	
					18R2497	
			Right		18FR2496	
					18FR2496N	
Front						
Disc Brake Caliper Piston	2008-05	70mm 4 Piston Calipers; w/ 10,000 lb - 12,000 lb Front Axle			18K2420	
Rear						
Disc Brake Caliper Piston	2008-05	with 19,000lb or 21,000lb Rear Axle; 70mm 4 Piston Calipers			18K2420	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2008-05	w/ RPO Code FM8 (8,000 Lb Capacity Front Axle)	Left		18J384136	
			Right		18J384145	
Rear						
Brake Hydraulic Hose	2008-05	Except Flat Low Profile; with 19,000lb or 21,000lb Rear Axle; Except Air Suspension	Left		18J4125	
			Right		18J4124	
		w/ Rear Air Suspension	Left		18J384345	
			Right		18J384346	

Master Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2008-05				18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2008-05		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2008-05		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline					
Parking Brake Shoe	2008-05	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2008-05		18A2426A	18A2426	
Rear					
Disc Brake Rotor	2008-05	Hat Shaped 10 Hole Rotor	18A2426A	18A2426	
		U Shaped 10 Hole Rotor	18A2772A	18A2772	

Isuzu – HVR
Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2008-05	Caliper Inlet With Tube Seat; 64mm 4 Piston Calipers; w/ RPO Code FM8 (8,000 Lb Capacity Front Axle)	Left		18FR2503N	
			Right		18FR2502N	
					18R2502	
		Caliper Inlet With Tube Seat; 70mm 4 Piston Calipers; w/ 10,000 lb - 12,000 lb Front Axle	Left		18FR2497	
					18FR2497N	
			Right		18R2497	
				18FR2496		
				18FR2496N		
Rear						
Disc Brake Caliper	2008-05	Caliper Inlet With Tube Seat; with 19,000lb or 21,000lb Rear Axle; 70mm 4 Piston Calipers	Left		18FR2497	
					18FR2497N	
			Right		18R2497	
				18FR2496		
				18FR2496N		
Front						
Disc Brake Caliper Piston	2008-05	with 10,000lb - 12,000lb Front Axle; 70mm 4 Piston Calipers			18K2420	
Rear						
Disc Brake Caliper Piston	2008-05	with 19,000lb or 21,000lb Rear Axle; 70mm 4 Piston Calipers			18K2420	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2008-05	w/ RPO Code FM8 (8,000 Lb Capacity Front Axle)	Left	18J384136	
			Right	18J384145	
Rear					
Brake Hydraulic Hose	2008-06	w/ Rear Air Suspension	Left	18J384345	

Isuzu – HVR (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2008-05	Except Low Profile Option	Right	18J4124	
		w/ Air Suspension	Right	18J384346	
		with 19000lb or 21000lb Rear Axle; Except Low Profile Option	Left	18J4125	
	2007	with 19000lb or 21000lb Rear Axle; Except Low Profile Option	Right	18J4124	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2008-05			18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2008-05		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2008-05		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Driveline					
Parking Brake Shoe	2008-05	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2008-05		18A2426A	18A2426	
Rear					
Disc Brake Rotor	2008-05	Hat Shaped 10 Hole Rotor	18A2426A	18A2426	
		U Shaped 10 Hole Rotor	18A2772A	18A2772	

Isuzu – NPR

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2018-05	Left		18FR2543	
				18R2543	
		Right		18FR2542	
				18R2542	
	2004	Left		18FR2543	
				18R2543	
		Right		18FR2542	
				18R2542	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2004	GAS; From 7/04	Left	18FR2543	
				18R2543	
			Right	18FR2542	
				18R2542	
		GAS; To 6/04	Left	18FR2439	
				18R2439	
			Right	18FR2438	
				18R2438	
	2003	DIESEL; To 12/03	Left	18FR2439	
				18R2439	
			Right	18FR2438	
				18R2438	
		GAS	Left	18FR2439	
				18R2439	
			Right	18FR2438	
				18R2438	
	2002-99		Left	18FR2439	
				18R2439	
			Right	18FR2438	
				18R2438	
	1998	DIESEL; From 01/1998; w/ Caliper Casting # AD54T	Left	18FR2439	
				18R2439	
			Right	18FR2438	
				18R2438	
		GAS	Left	18FR2439	
				18R2439	
			Right	18FR2438	
				18R2438	
	1997	DIESEL; To 12/1997; w/ Caliper Casting # AD76T / 35-16	Left	18FR1401	
			Right	18FR1400	
		GAS; From 10/1997; w/ Caliper Casting # AD54T	Left	18FR2439	
				18R2439	
			Right	18FR2438	
				18R2438	
		GAS; To 09/97; w/ Caliper Casting # AD76T / 35-16	Left	18FR1401	
			Right	18FR1400	
	1996-94		Left	18FR1401	
			Right	18FR1400	
	1993-88	Front Disc Brakes	Left	18FR1401	
			Right	18FR1400	
	1987	From 08/1987; Front Disc Brakes	Left	18FR1401	
			Right	18FR1400	

Isuzu – NPR (Cont.)

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2018-12	DIESEL		18J383908	
		GAS; 13 3/8" Long		18J383908	
	2011-08			18J383908	
	2007	DIESEL		18J383908	
	2007-05	GAS; 16" Wheels; 15 1/2" Overall Length		18J4890	
	2007-04	GAS; 16 1/2" Long; 19.5" Wheels		18J383929	
		GAS; 16" Wheels; 16 1/4" Long		18J1424	
	2006-04	DIESEL; 13 3/8" Long		18J383908	
	2006-00	DIESEL; 15 1/2" Overall Length		18J4890	
	2006-99	DIESEL; 16 1/4" Long		18J1424	
	2004	GAS; 15 1/2" Overall Length; w/ 16 Inch Wheels		18J4890	
	2003-00	GAS; 15 1/2" Overall Length		18J4890	
	2003-98	16 1/2" Long		18J383929	
	1999	15 1/2" Overall Length		18J4890	
	1998	DIESEL; From 01/1998; 15 1/2" Overall Length		18J4890	
		DIESEL; From 01/1998; 16 1/4" Long		18J1424	
		GAS; 15 1/2" Overall Length		18J4890	
	1997	DIESEL; To 12/1997		18J1424	
		GAS; From 10/1997; 15 1/2" Overall Length		18J4890	
		GAS; From 10/1997; 16 1/2" Long		18J383929	
		GAS; To 09/97		18J1424	
	1996-94			18J1424	
	1993-88	Front Disc Brakes		18J1424	
	1993-87	Front Drum		18J752	
	1987	From 08/1987; Front Disc Brakes		18J1424	
	1986			18J752	

Rear

Brake Hydraulic Hose	2018-99			18J383251	
	2018-86	Center		18J383250	
	1999	DIESEL; To 12/1998		18J1440	
	1997	DIESEL; From 7/97		18J1440	
		Thru 6/97		18J1440	
	1996-87			18J1440	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2018-13	GAS		18M391472	
	2012-98			18M391472	
	1997	From 11/97		18M391472	
	1995	To 10/1995		18M391472	

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	1994	From 09/1994; Front Disc Brakes		18M391472	
		Front Disc Brakes; Cab & Chassis; To 8/94		18M480	
	1993	Front Drum Brakes; Cab & Chassis; w/ 14,250 lb. GVW; To 11/93		18M767	
		Front Drum Brakes; Stripped Chassis; To 11/93		18M768	
		Front Drum Brakes; w/ 11,000 lb. GVW; w/ 13,000 lb. GVW; Cab & Chassis; To 11/93		18M480	
	1993-88	Front Disc Brakes; Cab & Chassis		18M480	
	1992	Front Drum Brakes; Cab & Chassis; w/ 14,250 lb. GVW		18M767	
		Front Drum Brakes; Stripped Chassis		18M768	
		Front Drum Brakes; w/ 11,000 lb. GVW; w/ 13,000 lb. GVW; Cab & Chassis		18M480	
	1991	From 01/1991; Front Drum Brakes; Cab & Chassis; w/ 14,250 lb. GVW		18M767	
		From 01/1991; Front Drum Brakes; Stripped Chassis		18M768	
		From 01/1991; Front Drum Brakes; w/ 11,000 lb. GVW; w/ 13,000 lb. GVW; Cab & Chassis		18M480	
		To 12/90; Cab & Chassis; Front Drum Brakes		18M770	
	1990-88	Front Drum; Cab & Chassis		18M770	
	1987	From 08/1987; Front Disc Brakes; Cab & Chassis		18M480	
	1987-86	Front Drum; Cab & Chassis; From 9/86		18M770	
		To 8/86; Cab & Chassis		18M482	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2018-99			17D825M	
				17D825MH	
	1998	DIESEL; From 01/1998; w/ Caliper Casting # AD54T		17D825M	
				17D825MH	
		GAS		17D825M	
				17D825MH	
	1997	DIESEL; To 12/1997; w/ Caliper Casting # AD76T / 35-16		17D546M	
		GAS; From 10/1997; w/ Caliper Casting # AD54T		17D825M	
				17D825MH	
		GAS; w/ Caliper Casting # AD76T / 35-16; To 09/97		17D546M	
	1996-88			17D546M	
	1987	From 08/1987		17D546M	

Isuzu – NPR (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Shoe	1993	Front Drum Brakes; w/ 14,250 lb. GVW; w/ 320mm X 100mm Brakes; To 11/93		17699R	
	1992	Front Drum Brakes; w/ 14,250 lb. GVW; w/ 320mm X 100mm Brakes		17699R	
	1991	From 01/1991; Front Drum Brakes; w/ 14,250 lb. GVW; w/ 320mm X 100mm Brakes		17699R	
	1986			17612R	
Rear					
Drum Brake Shoe	2018-16	320mm X 100mm Rear Brakes		17699R	
	2012-11	320mm X 100mm Rear Brakes		17699R	
	2009-98	320mm X 100mm Rear Brakes		17699R	
	2008-87	320mm X 75mm Brakes		17612R	
	1997	DIESEL; To 12/1997; w/ 14,250 lb. GVW; 320mm X 100mm Rear Brakes		17699R	
		GAS; From 10/1997; 320mm X 100mm Rear Brakes		17699R	
		GAS; with 13,250lbs Gross Vehicle Weight (GVW); 320mm X 100mm Rear Brakes; To 09/97		17699R	
	1996-95	DIESEL; w/ 14,250 lb. GVW; 320mm X 100mm Rear Brakes		17699R	
		GAS; with 13,250lbs Gross Vehicle Weight (GVW); 320mm X 100mm Rear Brakes		17699R	
	1994	DIESEL; From 09/1994; w/ 14,250 lb. GVW; 320mm X 100mm Rear Brakes		17699R	
		GAS; with 13,250lbs Gross Vehicle Weight (GVW); From 09/1994; 320mm X 100mm Rear Brakes		17699R	
		w/ 13,000 lb. GVW; w/ 14,250 lb. GVW; 320mm X 100mm Rear Brakes; To 8/94		17699R	
	1993-89	w/ 13,000 lb. GVW; w/ 14,250 lb. GVW; 320mm X 100mm Rear Brakes		17699R	
	1988	From 09/1988; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW; 320mm X 100mm Rear Brakes		17699R	
	1986			17612R	

Driveline

Parking Brake Shoe	2011	GAS; 11" X 2" Driveline Parking Brake		17823B	
	2009-95	GAS; 11" X 2" Driveline Parking Brake		17823B	
	1994-87	11" X 2" Driveline Parking Brake		17823B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Drum	1993	Front Drum Brakes; w/ 11,000 lb. GVW; w/ 13,000 lb. GVW; To 11/93; 320mm X 75mm Brakes	18B87831A	18B7831	
		Front Drum Brakes; w/ 14,250 lb. GVW; To 11/93		18B415	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Drum	1992	Front Drum Brakes; w/ 11,000 lb. GVW; w/ 13,000 lb. GVW; 320mm X 75mm Brakes	18B87831A	18B7831	
		Front Drum Brakes; w/ 14,250 lb. GVW		18B415	
	1991	From 01/1991; Front Drum Brakes; w/ 11,000 lb. GVW; w/ 13,000 lb. GVW; 320mm X 75mm Brakes	18B87831A	18B7831	
		From 01/1991; Front Drum Brakes; w/ 14,250 lb. GVW		18B415	
	1990	Front Drum Brakes; To 12/90; 320mm X 75mm Brakes	18B87831A	18B7831	
	1989-87	Front Drum Brakes; 320mm X 75mm Brakes	18B87831A	18B7831	
Rear					
Brake Drum	2018-11	DIESEL; 320mm X 75mm Rear Brakes	18B87831A	18B7831	
		GAS; 320mm X 100mm Rear Brakes		18B415	
	2010	320mm X 100mm Rear Brakes		18B415	
		Applies to Diesel Fuel Systems Only; 320mm X 75mm Rear Brakes	18B87831A	18B7831	
	2009-02	DIESEL; 320mm X 75mm Rear Brakes	18B87831A	18B7831	
	2008-02	GAS; 320mm X 100mm Rear Brakes		18B415	
	2001	DIESEL; 320mm X 75mm Brakes	18B87831A	18B7831	
		GAS; 320mm X 75mm Brakes; To 06/01	18B87831A	18B7831	
		GAS; From 07/2001; 320mm X 100mm Rear Brakes		18B415	
	2000-98	320mm X 75mm Brakes	18B87831A	18B7831	
	1997	DIESEL; To 12/1997; Except 14,250 lb. GVW; 320mm X 75mm Rear Brakes	18B87831A	18B7831	
		DIESEL; To 12/1997; w/ 14,250 lb. GVW; 320mm X 100mm Rear Brakes		18B415	
		GAS; Except 13,250lbs GVW; 320mm X 75mm Rear Brakes; To 09/97	18B87831A	18B7831	
		GAS; From 10/1997; 320mm X 75mm Rear Brakes	18B87831A	18B7831	
		GAS; with 13,250lbs Gross Vehicle Weight (GVW); To 09/97; 320mm X 100mm Rear Brakes		18B415	
	1996-95	DIESEL; Except 14,250 lb. GVW; 320mm X 75mm Rear Brakes	18B87831A	18B7831	
		DIESEL; w/ 14,250 lb. GVW; 320mm X 100mm Rear Brakes		18B415	
		GAS; Except 13,250lbs GVW; 320mm X 75mm Rear Brakes	18B87831A	18B7831	
		GAS; with 13,250lbs Gross Vehicle Weight (GVW); 320mm X 100mm Rear Brakes		18B415	
	1994	DIESEL; From 09/1994; Except 14,250 lb. GVW; 300mm X 75mm Brakes	18B87831A	18B7831	
		DIESEL; From 09/1994; w/ 14,250 lb. GVW; 320mm X 100mm Rear Brakes		18B415	
		GAS; From 09/1994; Except 13,250lbs GVW; 320mm X 75mm Rear Brakes	18B87831A	18B7831	

Isuzu – NPR (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Drum	1994	GAS; From 09/1994; with 13,250lbs Gross Vehicle Weight (GVW); 320mm X 100mm Rear Brakes		18B415	
		w/ 11,000 lb. GVW; 320mm X 75mm Rear Brakes; To 8/94	18B87831A	18B7831	
		w/ 13,000 lb. GVW; w/ 14,250 lb. GVW; 320mm X 100mm Rear Brakes; To 8/94		18B415	
	1993	Except Flat Low Profile; w/ 11,000 lb. GVW; 320mm X 75mm Rear Brakes; To 11/93	18B87831A	18B7831	
		Except Flat Low Profile; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW; 320mm X 100mm Rear Brakes; To 11/93		18B415	
		From 12/1993; w/ 11,000 lb. GVW; 320mm X 75mm Rear Brakes	18B87831A	18B7831	
		From 12/1993; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW; 320mm X 100mm Rear Brakes		18B415	
	1992-89	Except Flat Low Profile; w/ 11,000 lb. GVW; 320mm X 75mm Rear Brakes	18B87831A	18B7831	
		Except Flat Low Profile; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW; 320mm X 100mm Rear Brakes		18B415	
	1988	320mm X 75mm Brakes; To 8/88	18B87831A	18B7831	
		Except Flat Low Profile; From 09/1988; w/ 11,000 lb. GVW; 320mm X 75mm Rear Brakes	18B87831A	18B7831	
		Except Flat Low Profile; From 09/1988; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW; 320mm X 100mm Rear Brakes		18B415	
	1987	320mm X 75mm Brakes	18B87831A	18B7831	

Front

Disc Brake Rotor	2018-99		18A1448A	18A1448	
	1998	DIESEL; From 01/1998	18A1448A	18A1448	
		GAS	18A1448A	18A1448	
	1997	DIESEL; To 12/1997		18A1449	
		GAS; From 10/1997	18A1448A	18A1448	
		GAS; To 09/1997		18A1449	
	1996-88			18A1449	
	1987	From 08/1987		18A1449	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1993	Except 14,250 lb. GVW; To 11/93; w/o Bleeder Screw	Left Lower	18E361	
			Right Forward	18E360	
		Except Bleeder Screw; w/ 14,250 lb. GVW; To 11/93	Right Rearward	18E779	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Drum Brake Wheel Cylinder	1993	w/ 14,250 lb. GVW; To 11/93; w/o Bleeder Screw	Left Rearward	18E401	
		with Bleeder Screw; Except 14,250 lb. GVW; To 11/93	Left Rearward	18E363	
			Right Rearward	18E362	
		with Bleeder Screw; w/ 14,250 lb. GVW; To 11/93	Left Forward	18E403	
			Right Forward	18E402	
	1992	Except 14,250 lb. GVW; w/o Bleeder Screw	Left Forward	18E361	
			Right Forward	18E360	
		Except Bleeder Screw; w/ 14,250 lb. GVW	Right Rearward	18E779	
		w/ 14,250 lb. GVW; w/o Bleeder Screw	Left Rearward	18E401	
		with Bleeder Screw; Except 14,250 lb. GVW	Right Rearward	18E362	
		with Bleeder Screw; w/ 14,250 lb. GVW	Left Forward	18E403	
			Right Forward	18E402	
	1992-91	with Bleeder Screw; Except 14,250 lb. GVW	Left Rearward	18E363	
	1991	Except Bleeder Screw; From 01/1991; w/ 14,250 lb. GVW	Right Rearward	18E779	
		From 01/1991; Except 14,250 lb. GVW; w/o Bleeder Screw	Left Forward	18E361	
			Right Forward	18E360	
		From 01/1991; w/ 14,250 lb. GVW; w/o Bleeder Screw	Left Rearward	18E401	
		with Bleeder Screw; From 01/1991; Except 14,250 lb. GVW	Right Rearward	18E362	
		with Bleeder Screw; From 01/1991; w/ 14,250 lb. GVW	Left Forward	18E403	
			Right Forward	18E402	
	1990	To 12/90; w/o Bleeder Screw	Left Forward	18E361	
			Right Forward	18E360	
		with Bleeder Screw; To 12/90	Left Rearward	18E363	
			Right Rearward	18E362	
	1989-86	w/o Bleeder Screw	Left Forward	18E361	
			Right Forward	18E360	

Isuzu – NPR (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Drum Brake Wheel Cylinder	1989-86	with Bleeder Screw	Left Rearward		18E363	
			Right Rearward		18E362	
Rear						
Drum Brake Wheel Cylinder	2018-11	DIESEL; with Bleeder Screw	Left Forward		18E1440	
			Left Rearward		18E1438	
		GAS; w/o Bleeder Screw	Right Rearward		18E1437	
			Left Forward		18E1443	
		GAS; with Bleeder Screw	Right Forward		18E1436	
	2017-11	DIESEL; w/o Bleeder Screw	Left Rearward		18E1442	
			Right Rearward		18E1441	
		DIESEL; with Bleeder Screw	Right Forward		18E1439	
	2009-04	DIESEL; w/o Bleeder Screw	Left Rearward		18E1442	
			Right Rearward		18E1441	
		DIESEL; with Bleeder Screw	Left Forward		18E1440	
			Right Forward		18E1439	
	2009-03	GAS; w/o Bleeder Screw	Left Rearward		18E1438	
			Right Rearward		18E1437	
		GAS; with Bleeder Screw	Left Forward		18E1443	
			Right Forward		18E1436	
	2004	DIESEL; 1.0625" Bore; To 02/28/03	Right Forward		18E338	
	2003	DIESEL; w/o Bleeder Screw; From 3/03	Left Rearward		18E1442	
			Right Rearward		18E1441	
		DIESEL; w/o Bleeder Screw; To 2/03	Left Forward		18E408	
			Right Rearward		18E407	
		DIESEL; with Bleeder Screw; From 3/03	Left Forward		18E1440	
			Right Forward		18E1439	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	2003	DIESEL; with Bleeder Screw; To 2/03	Left Rearward	18E1430	
			Right Forward	18E406	
	2002	GAS; 2 Required; w/o Bleeder Screw; To 6/02	Left	18E427	
			Left Rearward	18E1438	
		GAS; w/o Bleeder Screw; From 4/02	Right Rearward	18E1437	
			Right Rearward	18E781	
		GAS; w/o Bleeder Screw; To 3/02	Right Rearward	18E781	
			Right Forward	18E1443	
		GAS; with Bleeder Screw; From 07/2002	Left Forward	18E1436	
			Right Forward	18E780	
	2002-01	DIESEL; w/o Bleeder Screw	Left Forward	18E408	
			Right Rearward	18E407	
		DIESEL; with Bleeder Screw	Left Rearward	18E1430	
			Right Forward	18E406	
	2001	GAS; From 07/2001; 2 Required; w/o Bleeder Screw	Left	18E427	
			Right Rearward	18E781	
		GAS; w/o Bleeder Screw; To 6/01	Left Forward	18E408	
			Right Rearward	18E407	
		GAS; with Bleeder Screw; From 07/2001	Right Forward	18E780	
			Left Rearward	18E1430	
	2000	w/o Bleeder Screw	Left Forward	18E408	
			Left Rearward	18E1430	
	2000-99	with Bleeder Screw	Right Forward	18E406	
	2000-98	w/o Bleeder Screw	Right Rearward	18E407	
	1999	DIESEL; From 01/1999; w/o Bleeder Screw	Left Forward	18E408	
			Left Rearward	18E1430	

Isuzu – NPR (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	1999	GAS; From 02/1999; w/o Bleeder Screw; w/ ABS Brakes	Left Forward		18E408	
		GAS; w/o Bleeder Screw; w/o ABS; 2 Required; To 7/99	Left		18E408	
		GAS; with Bleeder Screw; From 02/1999; w/ ABS	Left Rearward		18E1430	
	1998	DIESEL; with Bleeder Screw; From 01/1998	Right Forward		18E406	
		GAS; with Bleeder Screw	Right Forward		18E406	
		w/o Bleeder Screw; 2 Required	Left		18E408	
	1997	DIESEL; To 12/1997; w/ 14,250 lb. GVW; 2 Required; w/o Bleeder Screw	Left		18E427	
		DIESEL; To 12/1997; w/ 14,250 lb. GVW; w/o Bleeder Screw	Right Rearward		18E781	
		DIESEL; To 12/1997; w/o Bleeder Screw; Except 14,250 lb. GVW	Right Rearward		18E407	
		DIESEL; To 12/1997; w/o Bleeder Screw; Except 14,250 lb. GVW; 2 Required	Left		18E408	
		DIESEL; with Bleeder Screw; To 12/1997; Except 14,250 lb. GVW	Right Forward		18E406	
		DIESEL; with Bleeder Screw; To 12/1997; w/ 14,250 lb. GVW	Right Forward		18E780	
		GAS; Except 13,250lbs GVW; To 09/1997; w/o Bleeder Screw	Right Rearward		18E407	
		GAS; Except 13,250lbs GVW; To 09/1997; w/o Bleeder Screw; 2 Required	Left		18E408	
		GAS; From 10/1997; w/o Bleeder Screw	Right Rearward		18E407	
		GAS; From 10/1997; w/o Bleeder Screw; 2 Required	Left		18E408	
		GAS; with 13,250lbs Gross Vehicle Weight (GVW); To 09/1997; 2 Required; w/o Bleeder Screw	Left		18E427	
		GAS; with 13,250lbs Gross Vehicle Weight (GVW); w/o Bleeder Screw; To 09/97	Right Rearward		18E781	
		GAS; with 13,250lbs Gross Vehicle Weight (GVW); with Bleeder Screw; To 09/97	Right Forward		18E780	
		GAS; with Bleeder Screw; Except 13,250lbs GVW; To 09/1997	Right Forward		18E406	
		GAS; with Bleeder Screw; From 10/1997	Right Forward		18E406	
	1997-94	DIESEL; 1.0625" Bore; Except RPO Code 6XC	Right Forward		18E338	
		GAS; 1.0625" Bore; Except RPO Code 6HR	Right Forward		18E338	
	1996-95	DIESEL; w/ 14,250 lb. GVW; 2 Required; w/o Bleeder Screw	Left		18E427	
		DIESEL; w/ 14,250 lb. GVW; w/o Bleeder Screw	Right Rearward		18E781	
		DIESEL; w/o Bleeder Screw; Except 14,250 lb. GVW	Right Rearward		18E407	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	1996-95	DIESEL; w/o Bleeder Screw; Except 14,250 lb. GVW; 2 Required	Left	18E408	
		DIESEL; with Bleeder Screw; Except 14,250 lb. GVW	Right Forward	18E406	
		DIESEL; with Bleeder Screw; w/ 14,250 lb. GVW	Right Forward	18E780	
		GAS; Except 13,250lbs GVW; w/o Bleeder Screw	Right Rearward	18E407	
		GAS; Except 13,250lbs GVW; w/o Bleeder Screw; 2 Required	Left	18E408	
		GAS; with 13,250lbs Gross Vehicle Weight (GVW); 2 Required; w/o Bleeder Screw	Left	18E427	
		GAS; with 13,250lbs Gross Vehicle Weight (GVW); w/o Bleeder Screw	Right Rearward	18E781	
		GAS; with 13,250lbs Gross Vehicle Weight (GVW); with Bleeder Screw	Right Forward	18E780	
		GAS; with Bleeder Screw; Except 13,250lbs GVW	Right Forward	18E406	
	1994	DIESEL; From 09/1994; w/ 14,250 lb. GVW; 2 Required; w/o Bleeder Screw	Left	18E427	
		DIESEL; From 09/1994; w/ 14,250 lb. GVW; w/o Bleeder Screw	Right Rearward	18E781	
		DIESEL; From 09/1994; w/o Bleeder Screw; Except 14,250 lb. GVW	Right Rearward	18E407	
		DIESEL; From 09/1994; w/o Bleeder Screw; Except 14,250 lb. GVW; 2 Required	Left	18E408	
		DIESEL; with Bleeder Screw; From 09/1994; Except 14,250 lb. GVW	Right Forward	18E406	
		DIESEL; with Bleeder Screw; From 09/1994; w/ 14,250 lb. GVW	Right Forward	18E780	
		GAS; Except 13,250lbs GVW; From 09/1994; w/o Bleeder Screw	Right Rearward	18E407	
		GAS; Except 13,250lbs GVW; From 09/1994; w/o Bleeder Screw; 2 Required	Left	18E408	
		GAS; with 13,250lbs Gross Vehicle Weight (GVW); From 09/1994; 2 Required; w/o Bleeder Screw	Left	18E427	
		GAS; with 13,250lbs Gross Vehicle Weight (GVW); From 09/1994; w/o Bleeder Screw	Right Rearward	18E781	
		GAS; with 13,250lbs Gross Vehicle Weight (GVW); with Bleeder Screw; From 09/1994	Right Forward	18E780	
		GAS; with Bleeder Screw; Except 13,250lbs GVW; From 09/1994	Right Forward	18E406	
		w/ 13,000 lb. GVW; w/ 14,250 lb. GVW; 2 Required; w/o Bleeder Screw; To 8/94	Left	18E427	
		w/ 13,000 lb. GVW; w/ 14,250 lb. GVW; w/o Bleeder Screw; To 8/94	Right Rearward	18E781	
		w/o Bleeder Screw; Except 13,000 lb. GVW; Except 14,250 lb. GVW; 2 Required; To 8/94	Left	18E408	
		w/o Bleeder Screw; Except 13,000 lb. GVW; Except 14,250 lb. GVW; To 8/94	Right Rearward	18E407	

Isuzu – NPR (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	1994	with Bleeder Screw; Except 13,000 lb. GVW; Except 14,250 lb. GVW; To 8/94	Right Forward		18E406	
		with Bleeder Screw; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW; To 8/94	Right Forward		18E780	
	1993	Except Flat Low Profile; Front Disc Brakes; w/o Bleeder Screw; Except 13,000 lb. GVW; 2 Required; To 11/93	Left		18E408	
		Except Flat Low Profile; w/o Bleeder Screw; Front Disc Brakes; Except 13,000 lb. GVW; To 11/93	Right Rearward		18E407	
		Flat Low Profile; Front Disc Brakes; w/o Bleeder Screw; 2 Required; To 11/93	Left		18E782	
		Flat Low Profile; Front Disc Brakes; w/o Bleeder Screw; To 11/93	Right Rearward		18E783	
		Flat Low Profile; with Bleeder Screw; Front Disc Brakes; To 11/93	Right Forward		18E784	
		From 12/1993; Front Disc Brakes; w/o Bleeder Screw; Except 13,000 lb. GVW; Except 14,250 lb. GVW; 2 Required	Left		18E408	
		From 12/1993; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW; 2 Required; w/o Bleeder Screw	Left		18E427	
		From 12/1993; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW; w/o Bleeder Screw	Right Rearward		18E781	
		From 12/1993; w/o Bleeder Screw; Except 13,000 lb. GVW; Except 14,250 lb. GVW	Right Rearward		18E407	
		Front Disc Brakes; w/ 13,000 lb. GVW; 2 Required; w/o Bleeder Screw; To 11/93	Left		18E427	
		Front Disc Brakes; w/ 13,000 lb. GVW; w/o Bleeder Screw; To 11/93	Right Rearward		18E781	
		Front Drum; Except Flat Low Profile; Except 14,250 lb. GVW; 2 Required; To 11/93; w/o Bleeder Screw	Left		18E341	
		Front Drum; Except Flat Low Profile; w/o Bleeder Screw; Except 14,250 lb. GVW; To 11/93	Right Rearward		18E337	
		Front Drum; Flat Low Profile; w/o Bleeder Screw; 2 Required; To 11/93	Left		18E359	
		Front Drum; Flat Low Profile; w/o Bleeder Screw; To 11/93	Right Rearward		18E358	
		Front Drum; w/o Bleeder Screw; w/ 14,250 lb. GVW; 2 Required; To 11/93	Left		18E422	
		Front Drum; w/o Bleeder Screw; w/ 14,250 lb. GVW; To 11/93	Right Rearward		18E404	
		Front Drum; with Bleeder Screw; Except Flat Low Profile; Except 14,250 lb. GVW; To 11/93	Right Forward		18E336	
		with Bleeder Screw; Except Flat Low Profile; Front Disc Brakes; Except 13,000 lb. GVW; To 11/93	Right Forward		18E406	
		with Bleeder Screw; Flat Low Profile; Front Drum Brakes; To 11/93	Right Forward		18E357	
		with Bleeder Screw; From 12/1993; Except 13,000 lb. GVW; Except 14,250 lb. GVW	Right Forward		18E406	

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	1993	with Bleeder Screw; From 12/1993; w/ 13,000 lb. GVW; w/ 14,250 lb. GVW	Right Forward		18E780	
		with Bleeder Screw; Front Disc Brakes; w/ 13,000 lb. GVW; To 11/93	Right Forward		18E780	
		with Bleeder Screw; w/ 14,250 lb. GVW; To 11/93; Front Drum Brakes	Right Forward		18E405	
	1993-92	GAS; Except Flat Low Profile; 1.0625" Bore; Except RPO Code 6HR	Right Forward		18E338	
	1993-91	DIESEL; Except Flat Low Profile; 1.0625" Bore; Front Disc Brakes	Right Forward		18E338	
	1992	Except Flat Low Profile; Front Disc Brakes; w/o Bleeder Screw; Except 13,000 lb. GVW; 2 Required; From 8/92	Left		18E408	
		Except Flat Low Profile; w/o Bleeder Screw; Front Disc Brakes; Except 13,000 lb. GVW; From 8/92	Right Rearward		18E407	
		Except Flat Low Profile; w/o Bleeder Screw; Front Disc Brakes; To 7/92	Right Rearward		18E407	
		Flat Low Profile; Front Disc Brakes; w/o Bleeder Screw	Right Rearward		18E783	
		Flat Low Profile; Front Disc Brakes; w/o Bleeder Screw; 2 Required	Left		18E782	
		Flat Low Profile; with Bleeder Screw; Front Disc Brakes	Right Forward		18E784	
		Front Disc Brakes; w/ 13,000 lb. GVW; 2 Required; w/o Bleeder Screw; From 8/92	Left		18E427	
		Front Disc Brakes; w/ 13,000 lb. GVW; w/o Bleeder Screw; From 8/92	Right Rearward		18E781	
		Front Drum; Except Flat Low Profile; Except 14,250 lb. GVW; 2 Required; w/o Bleeder Screw	Left		18E341	
		Front Drum; Except Flat Low Profile; w/o Bleeder Screw; Except 14,250 lb. GVW	Right Rearward		18E337	
		Front Drum; w/o Bleeder Screw; w/ 14,250 lb. GVW	Right Rearward		18E404	
		Front Drum; w/o Bleeder Screw; w/ 14,250 lb. GVW; 2 Required	Left		18E422	
		Front Drum; with Bleeder Screw; Except Flat Low Profile; Except 14,250 lb. GVW	Right Forward		18E336	
		with Bleeder Screw; Except Flat Low Profile; Front Disc Brakes; Except 13,000 lb. GVW; From 8/92	Right Forward		18E406	
		with Bleeder Screw; Except Flat Low Profile; Front Disc Brakes; To 7/92	Right Forward		18E406	
		with Bleeder Screw; Front Disc Brakes; w/ 13,000 lb. GVW; From 8/92	Right Forward		18E780	
		with Bleeder Screw; w/ 14,250 lb. GVW; Front Drum Brakes	Right Forward		18E405	
	1992-89	Front Drum; Flat Low Profile; w/o Bleeder Screw	Right Rearward		18E358	
		Front Drum; Flat Low Profile; w/o Bleeder Screw; 2 Required	Left		18E359	

Isuzu – NPR (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	1992-89	with Bleeder Screw; Flat Low Profile; Front Drum Brakes	Right Forward		18E357	
	1991	Flat Low Profile; From 01/1991; Front Disc Brakes; w/o Bleeder Screw	Right Rearward		18E783	
		Flat Low Profile; From 01/1991; Front Disc Brakes; w/o Bleeder Screw; 2 Required	Left		18E782	
		Flat Low Profile; with Bleeder Screw; From 01/1991; Front Disc Brakes	Right Forward		18E784	
		Front Drum; Except Flat Low Profile; From 01/1991; Except 14,250 lb. GVW; 2 Required; w/o Bleeder Screw	Left		18E341	
		Front Drum; Except Flat Low Profile; From 01/1991; w/o Bleeder Screw; Except 14,250 lb. GVW	Right Rearward		18E337	
		Front Drum; From 01/1991; w/o Bleeder Screw; w/ 14,250 lb. GVW	Right Rearward		18E404	
		Front Drum; From 01/1991; w/o Bleeder Screw; w/ 14,250 lb. GVW; 2 Required	Left		18E422	
		Front Drum; with Bleeder Screw; Except Flat Low Profile; From 01/1991; Except 14,250 lb. GVW	Right Forward		18E336	
		with Bleeder Screw; From 01/1991; w/ 14,250 lb. GVW; Front Drum Brakes	Right Forward		18E405	
	1991-89	Except Flat Low Profile; Front Disc Brakes; w/o Bleeder Screw; 2 Required	Left		18E408	
		Except Flat Low Profile; w/o Bleeder Screw; Front Disc Brakes	Right Rearward		18E407	
		with Bleeder Screw; Except Flat Low Profile; Front Disc Brakes	Right Forward		18E406	
	1990	Flat Low Profile; Front Disc Brakes; 2 Required; w/o Bleeder Screw; To 12/90	Left		18E366	
		Flat Low Profile; Front Disc Brakes; w/o Bleeder Screw; To 12/90	Right Rearward		18E365	
		Flat Low Profile; with Bleeder Screw; Front Disc Brakes; To 12/90	Right Forward		18E364	
		Front Drum; Except Flat Low Profile; 2 Required; To 12/90; w/o Bleeder Screw	Left		18E341	
		Front Drum; Except Flat Low Profile; w/o Bleeder Screw; To 12/90	Right Rearward		18E337	
		Front Drum; with Bleeder Screw; Except Flat Low Profile; To 12/90	Right Forward		18E336	
	1990-89	Except Flat Low Profile; 1.0625" Bore; Front Disc Brakes	Right Forward		18E338	
	1989	Flat Low Profile; Front Disc Brakes; 2 Required; w/o Bleeder Screw	Left		18E366	
		Flat Low Profile; Front Disc Brakes; w/o Bleeder Screw	Right Rearward		18E365	
		Flat Low Profile; with Bleeder Screw; Front Disc Brakes	Right Forward		18E364	
		Front Drum; Except Flat Low Profile; 2 Required; w/o Bleeder Screw	Left		18E341	
		Front Drum; Except Flat Low Profile; w/o Bleeder Screw	Right Rearward		18E337	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	1989	Front Drum; with Bleeder Screw; Except Flat Low Profile	Right Forward	18E336	
	1988	1.0625" Bore; Front Disc Brakes	Right Forward	18E338	
		Except Flat Low Profile; From 09/1988; Front Disc Brakes; w/o Bleeder Screw; 2 Required	Left	18E408	
		Except Flat Low Profile; From 09/1988; w/o Bleeder Screw; Front Disc Brakes	Right Rearward	18E407	
		Flat Low Profile; From 09/1988; Front Disc Brakes; 2 Required; w/o Bleeder Screw	Left	18E366	
		Flat Low Profile; From 09/1988; Front Disc Brakes; w/o Bleeder Screw	Right Rearward	18E365	
		Flat Low Profile; with Bleeder Screw; From 09/1988; Front Disc Brakes	Right Forward	18E364	
		Front Disc Brakes; w/o Bleeder Screw; 2 Required; To 8/88	Left	18E408	
		Front Drum; 2 Required; To 8/88; w/o Bleeder Screw	Left	18E341	
		Front Drum; Except Flat Low Profile; From 09/1988; 2 Required; w/o Bleeder Screw	Left	18E341	
		Front Drum; Except Flat Low Profile; From 09/1988; w/o Bleeder Screw	Right Rearward	18E337	
		Front Drum; Flat Low Profile; From 09/1988; w/o Bleeder Screw	Right Rearward	18E358	
		Front Drum; Flat Low Profile; From 09/1988; w/o Bleeder Screw; 2 Required	Left	18E359	
		Front Drum; w/o Bleeder Screw; To 8/88	Right Rearward	18E337	
		Front Drum; with Bleeder Screw; Except Flat Low Profile; From 09/1988	Right Forward	18E336	
		Front Drum; with Bleeder Screw; To 8/88	Right Forward	18E336	
		w/o Bleeder Screw; Front Disc Brakes; To 8/88	Right Rearward	18E407	
		with Bleeder Screw; Except Flat Low Profile; From 09/1988; Front Disc Brakes	Right Forward	18E406	
		with Bleeder Screw; Flat Low Profile; From 09/1988; Front Drum Brakes	Right Forward	18E357	
		with Bleeder Screw; Front Disc Brakes; To 8/88	Right Forward	18E406	
	1987	From 08/1987; Front Disc Brakes; w/o Bleeder Screw; 2 Required	Left	18E408	
		From 08/1987; w/o Bleeder Screw; Front Disc Brakes	Right Rearward	18E407	
		Front Drum; w/o Bleeder Screw	Right Rearward	18E337	
		Front Drum; with Bleeder Screw	Right Forward	18E336	
		with Bleeder Screw; From 08/1987; Front Disc Brakes	Right Forward	18E406	

Isuzu – NPR (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	1987-86	Front Drum; 2 Required; w/o Bleeder Screw	Left		18E341	
	1986	w/o Bleeder Screw	Right Rearward		18E337	
		with Bleeder Screw	Right Forward		18E336	

Isuzu – NPR-HD

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2018-12	GAS	Left		18FR2443	
			Right		18FR2442	
	2018-05	DIESEL	Left		18FR2543	
					18R2543	
			Right		18FR2542	
					18R2542	
	2009-05	GAS	Left		18FR2443	
			Right		18FR2442	
	2004	DIESEL; From 7/04	Left		18FR2543	
					18R2543	
			Right		18FR2542	
					18R2542	
		GAS; From 7/04	Left		18FR2443	
			Right		18FR2442	
		GAS; w/ Caliper Casting # AD57T/5702; To 6/04	Left		18FR2441	
			Right		18FR2440	
	2003	DIESEL; To 12/03	Left		18FR2439	
					18R2439	
			Right		18FR2438	
					18R2438	
	2003-00	GAS; w/ Caliper Casting # AD57T/5702	Left		18FR2441	
			Right		18FR2440	
					18R2440	
	2002-99	DIESEL	Left		18FR2439	
					18R2439	
			Right		18FR2438	
					18R2438	
	1999	GAS; From 02/1999; with 363mm Diameter Rotor; w/ ABS; w/ Caliper Casting # AD57T/5702	Left		18FR2441	
			Right		18FR2440	
					18R2440	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2019-17	DIESEL		18J383908	
	2017-16	GAS	Left	18J384163	
			Right	18J384163	
	2016-14	L4 5.2L 317cid; Turbocharged; Vin Begins w/ 6		18J383908	
	2016-12	V8 6.0L 5967cc 364cid; Vin Begins w/ 6		18J383908	
	2015-06		Left	18J384163	
			Right	18J384163	
	2013-12	L4 5.2L 317cid; Vin Begins w/ 6		18J383908	
	2011-10	Vin Begins w/ 6		18J383908	
	2009-08	V8 6.0L 5967cc 364cid; Vin Begins w/ 6		18J383908	
	2009-05	L4 5.2L 317cid; Vin Begins w/ 6		18J383908	
	2005	11.60" Long	Left	18J384163	
			Right	18J384163	
	2004	DIESEL; Thru 12/03		18J4890	
		GAS; Thru 6/04; 10,000 To 14,000 Lb GVW		18J4890	
		L4 4.8L 290cid; VIN Begins With 4		18J383908	
	2004-00	GAS		18J383929	
	2003-01	DIESEL		18J4890	
	2003-00	GAS; 10,000 To 14,000 Lb GVW		18J4890	
	1999	GAS; From 02/1999		18J383929	
		GAS; From 06/1999; 10,000 To 14,000 Lb GVW		18J4890	
		Thru 05/1999		18J4890	
Rear					
Brake Hydraulic Hose	2019	DIESEL		18J383251	
	2018-99		Center	18J383250	
				18J383251	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2012-99	DIESEL		18M391472	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2021-12	GAS		17D827M	
				17D827MH	
	2018-99	DIESEL		17D825M	
				17D825MH	
	2009-00	GAS		17D827M	
				17D827MH	

Isuzu – NPR-HD (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	1999	GAS; From 02/1999; with 363mm Diameter Rotor; w/ Caliper Casting # AD57T/5702; w/ ABS		17D827M	
				17D827MH	
		To 06/1999; Rotor Diameter 310mm; w/ Caliper Casting # AD57T/A918; w/o ABS		17D826M	
Rear					
Drum Brake Shoe	2019-09	DIESEL; 320mm X 100mm Rear Brakes		17699R	
	2018-12	GAS; with 320mm x 120mm Rear Brakes		17792R	
	2009-99	GAS; with 320mm x 120mm Rear Brakes		17792R	
	2008-99	320mm X 100mm Rear Brakes		17699R	
		320mm X 75mm Brakes		17612R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2018-12	GAS	18B87830A	18B7830	
	2018-10	DIESEL		18B415	
	2011-10	Gasoline Engine	18B87830A	18B7830	
	2009-99	GAS	18B87830A	18B7830	
	2008-99	DIESEL		18B415	
Front					
Disc Brake Rotor	2019-99	DIESEL	18A1448A	18A1448	
	2018-12	GAS	18A1696A	18A1696	
	2009-00	GAS	18A1696A	18A1696	
	1999	GAS; From 02/1999; with 363mm Diameter Rotor; w/ ABS	18A1696A	18A1696	
		GAS; To 06/1999; Rotor Diameter 310mm; w/o ABS		18A1661	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	2010	with Bleeder Screw; Gasoline Engine		18E1434	
Rear					
Drum Brake Wheel Cylinder	2019-04	DIESEL; w/o Bleeder Screw	Left Rearward	18E1438	
			Right Rearward	18E1437	
		DIESEL; with Bleeder Screw	Left Forward	18E1443	
			Right Forward	18E1436	
	2018-12	GAS; w/o Bleeder Screw	Right Rearward	18E1433	
		GAS; with Bleeder Screw	Left Forward	18E1434	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	2018-12	GAS; with Bleeder Screw	Right Forward	18E1432	
	2017-12	GAS; w/o Bleeder Screw	Left Rearward	18E1435	
	2011	with Bleeder Screw; Gasoline Engine	Left Forward	18E1434	
	2011-10	Gasoline Engine; w/o Bleeder Screw	Left Rearward	18E1435	
			Right Rearward	18E1433	
		with Bleeder Screw; Gasoline Engine	Right Forward	18E1432	
	2008-03	GAS; w/o Bleeder Screw	Left Rearward	18E1435	
			Right Rearward	18E1433	
		GAS; with Bleeder Screw	Left Forward	18E1434	
			Right Forward	18E1432	
	2003	DIESEL; w/o Bleeder Screw; From 3/03	Left Rearward	18E1438	
			Right Rearward	18E1437	
		DIESEL; w/o Bleeder Screw; To 2/03	Left Forward	18E427	
			Right Rearward	18E781	
		DIESEL; with Bleeder Screw; From 3/03	Left Forward	18E1443	
			Right Forward	18E1436	
		DIESEL; with Bleeder Screw; To 2/03	Left Rearward	18E1431	
			Right Forward	18E780	
	2002	GAS; From 07/2002; w/o Bleeder Screw	Left Rearward	18E1435	
			Right Rearward	18E1433	
		GAS; w/o Bleeder Screw; To 6/02	Left Forward	18E1446	
			Right Rearward	18E1445	
		GAS; with Bleeder Screw; From 07/2002	Left Forward	18E1434	
			Right Forward	18E1432	
		GAS; with Bleeder Screw; To 6/02	Right Forward	18E1444	
	2002-00	DIESEL; w/o Bleeder Screw	Left Forward	18E427	

Isuzu – NPR-HD (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	2002-00	DIESEL; with Bleeder Screw	Left Rearward		18E1431	
	2002-99	DIESEL; w/o Bleeder Screw	Right Rearward		18E781	
		DIESEL; with Bleeder Screw	Right Forward		18E780	
	2001-00	GAS; w/o Bleeder Screw	Left Forward		18E1446	
	2001-99	GAS; w/o Bleeder Screw	Right Rearward		18E1445	
		GAS; with Bleeder Screw	Right Forward		18E1444	
	1999	DIESEL; From 01/1999; w/o Bleeder Screw	Left Forward		18E427	
		DIESEL; with Bleeder Screw; From 01/1999	Left Rearward		18E1431	
		GAS; From 02/1999; w/o Bleeder Screw; w/ ABS	Left Forward		18E1446	
		GAS; To 06/1999; 2 Required; w/o Bleeder Screw; w/o ABS	Left		18E1446	

Isuzu – NPR-XD

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2019-15		Left		18FR2443	
			Right		18FR2442	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2018-15				18J383954	
Rear						
Brake Hydraulic Hose	2018-15				18J383251	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2021-15			17D827M	
				17D827MH	
Rear					
Drum Brake Shoe	2018-15			17792R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2019-15		18B87830A	18B7830	
Front					
Disc Brake Rotor	2019-15		18A1696A	18A1696	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2019-15	w/o Bleeder Screw	Left Rearward	18E1435	
			Right Rearward	18E1433	
		with Bleeder Screw	Left Forward	18E1434	
			Right Forward	18E1432	

Isuzu – NQR
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2019-05		Left	18FR2443	
			Right	18FR2442	
	2004	From 01/2004	Left	18FR2443	
			Right	18FR2442	
		To 12/03	Left	18FR2441	
			Right	18FR2440	
				18R2440	
	2003-00		Left	18FR2441	
			Right	18FR2440	
				18R2440	
	1999	From 01/1999	Left	18FR2441	
			Right	18FR2440	
				18R2440	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2018-16			18J383954	
	2018-05	Right		18J384163	
	2014-10			18J383954	
	2010-05	Left		18J384163	
	2004-99			18J383929	

Isuzu – NQR (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	2018-99			18J383251	
	2018-98	Center		18J383250	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-16			17D827M	
				17D827MH	
	2014-00			17D827M	
				17D827MH	
	1999	From 01/1999		17D827M	
				17D827MH	
	1998	To 12/1998		17D826M	
			Rear		
Drum Brake Shoe	2018-99	with 320mm x 120mm Rear Brakes		17792R	
	1998	with 320mm x 120mm Rear Brakes; From 01/1998		17792R	
	1997-94	w/12.60" x 5.71" Brakes		17727R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2019-10		18B87830A	18B7830	
	2007-98		18B87830A	18B7830	
	1997-94			18B415	
Front					
Disc Brake Rotor	2019-16		18A1696A	18A1696	
	2014-00		18A1696A	18A1696	
	1999	From 01/1999	18A1696A	18A1696	
		To 12/1998		18A1661	
	1998	From 01/1998		18A1661	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2019-04	w/o Bleeder Screw	Left Rearward	18E1435	
			Right Rearward	18E1433	
		with Bleeder Screw	Left Forward	18E1434	
			Right Forward	18E1432	

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	2003	w/o Bleeder Screw; From 1/03	Left Rearward		18E1435	
			Right Rearward		18E1433	
		with Bleeder Screw; From 1/03	Left Forward		18E1434	
			Right Forward		18E1432	
	2002	w/o Bleeder Screw; To 12/02	Left Forward		18E1446	
			Right Rearward		18E1445	
		with Bleeder Screw; To 12/02	Left Rearward		18E1447	
			Right Forward		18E1444	
	2001-00	w/o Bleeder Screw	Left Forward		18E1446	
		with Bleeder Screw	Left Rearward		18E1447	
	2001-99	w/o Bleeder Screw	Right Rearward		18E1445	
		with Bleeder Screw	Right Forward		18E1444	
	1999	From 01/1999; w/o Bleeder Screw	Left Forward		18E1446	
		with Bleeder Screw; From 01/1999	Left Rearward		18E1447	
	1998	From 01/1998; To 12/1998; 2 Required; w/o Bleeder Screw	Left		18E1446	
		From 01/1998; w/o Bleeder Screw	Right Rearward		18E1445	
		with Bleeder Screw; From 01/1998	Right Forward		18E1444	

Isuzu – NRR
Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2018-05		Left		18FR2443	
			Right		18FR2442	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2018-11				18J383954	
	2010	From 6/10			18J383954	
		To 05/10			18J384163	

Isuzu – NRR (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Hydraulic Hose	2009-05			18J384163	
	1994-88	Left		18J384181	
		Right		18J384181	
Rear					
Brake Hydraulic Hose	2018-05	Center		18J383250	
				18J383251	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1988	Front Drum; From 8/88		18M482	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2018-05			17D827M	
				17D827MH	
Rear					
Drum Brake Shoe	2018-05	363mm X 149mm Rear Brakes		17833R	
Driveline					
Parking Brake Shoe	1994-88	8.5" Diameter; Manual Transmission		171009B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Drum	1994-88		18B87840A	18B7840	
Rear					
Brake Drum	2017-06		18B87832A	18B7832	
	2005	From 01/2004	18B87832A	18B7832	
	1994-88		18B87839A	18B7839	
Front					
Disc Brake Rotor	2018-05		18A1696A	18A1696	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1994-88	Left		18E352	
		Right		18E351	
Rear					
Drum Brake Wheel Cylinder	1994-88	Left Forward		18E354	
		Left Rearward		18E356	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	1994-88	Right Forward		18E353	
		Right Rearward		18E355	

Isuzu – Reach
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2015-11	Left		18FR2542	
				18R2542	
		Right		18FR2543	
				18R2543	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2015-11			18J383908	
Rear					
Brake Hydraulic Hose	2015-11			18J383251	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2013-11			18M391472	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2015-11			17D825M	
				17D825MH	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2015-11		18B87831A	18B7831	
Front					
Disc Brake Rotor	2015-11		18A1448A	18A1448	

Isuzu – Reach (Cont.)

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear						
Drum Brake Wheel Cylinder	2015-11	w/o Bleeder Screw	Left Rearward		18E1442	
			Right Rearward		18E1441	
		with Bleeder Screw	Left Forward		18E1440	
			Right Forward		18E1439	

Iveco – EuroTurbo 335T

Pads & Shoes

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Pad Set	1990-87				17D1027M	
Rear						
Disc Brake Pad Set	1990-87				17D1027M	

Iveco – EuroTurbo 340T

Pads & Shoes

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Pad Set	1990-87				17D1027M	

Iveco – EuroTurbo 435T

Pads & Shoes

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Pad Set	1990-87				17D1027M	
Rear						
Disc Brake Pad Set	1990-87				17D1027M	

Iveco – EuroTurbo 450T

Pads & Shoes

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Pad Set	1990-87				17D1027M	
Rear						
Disc Brake Pad Set	1990-87				17D1027M	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-14	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2014-13	Wabco PAN19 ADB Caliper		17D1438MHD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-14	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2019-14	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Kenworth – K300
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2005	2.60in Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
	2005-00	2.88in Piston Caliper		17D786AM	
				17D786AMH	
	2004-01	2.60" Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
	2000	2.60in Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		2.88" Dual Piston Rail Slide Bendix Caliper		17D225M	
				17D225MH	
	1999-94	2.60" Piston Caliper		17D184M	
				17D184MH	
		2.88in Piston Caliper		17D225M	
			17D225MH		
Rear					
Disc Brake Pad Set	2005	2.60in Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
	2005-01	2.88in Piston Caliper		17D786AM	
				17D786AMH	
	2004-01	2.60" Piston Caliper	14D786M	17D786MH	

Kenworth – K300 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2004-01	2.60" Piston Caliper	14D786MH	17D786MHF1	
	2000	2.88" Dual Piston Rail Slide Bendix Caliper		17D225M	
				17D225MH	
		w/ 2.60" Dual Piston Bendix Rail Slide Caliper		17D184M	
				17D184MH	
		w/ 66mm Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Pin Slide Caliper		17D786AM	
				17D786AMH	
	1999-94	2.60" Piston Caliper		17D184M	
				17D184MH	
		2.88in Piston Caliper		17D225M	
				17D225MH	

Kenworth – K370

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-14	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2014-13	Wabco PAN19 ADB Caliper		17D1438MHD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-14	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2019-14	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Kenworth – T170

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2018-08	73mm Dual Piston Calipers		18FR1514	
				18FR1514N	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2018-08	73mm Dual Piston Calipers		18R1514	
		w/ 66mm Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
Rear					
Disc Brake Caliper	2018-08	73mm Dual Piston Calipers		18FR1514	
				18FR1514N	
				18R1514	
		w/ 66mm Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2018-08			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2018-08	73mm Dual Piston Calipers		17D786AM	
				17D786AMH	
		w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
Rear					
Disc Brake Pad Set	2018-08	73mm Dual Piston Calipers		17D786AM	
				17D786AMH	
		w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2018-08	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 3.21in Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.43in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	2012-08	Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	

Kenworth – T170 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2018-08	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 3.21in Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.43in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
		U Shaped 10 Hole Rotor; with Cast In ABS Exciter; 27mm Bolt Holes	18A80923A	18A80923	
	2012-08	Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	

Kenworth – T270

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2018-08	73mm Dual Piston Calipers		18FR1514	
				18FR1514N	
				18R1514	
		w/ 66mm Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
Rear					
Disc Brake Caliper	2018-08	73mm Dual Piston Calipers		18FR1514	
				18FR1514N	
				18R1514	
		w/ 66mm Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2018-08			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2018-08	73mm Dual Piston Calipers		17D786AM	
				17D786AMH	
		w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Pad Set	2018-08	73mm Dual Piston Calipers		17D786AM	
				17D786AMH	
		w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2018-08	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 3.21in Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.43in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	2012-08	Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
Rear					
Disc Brake Rotor	2018-08	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 3.21in Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.43in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
		U Shaped 10 Hole Rotor; with Cast In ABS Exciter; 27mm Bolt Holes	18A80923A	18A80923	
	2012-08	Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	

Kenworth – T300
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2008-02	73mm Dual Piston Calipers		18FR1514	
				18FR1514N	
				18R1514	
		w/ 66mm Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
Rear					
Disc Brake Caliper	2008-02	73mm Dual Piston Calipers		18FR1514	
				18FR1514N	
				18R1514	
		w/ 66mm Dual Piston Caliper		18FR1515	

Kenworth – T300 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2008-02	w/ 66mm Dual Piston Caliper		18FR1515N	
				18R1515	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2008-02			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2008-02	73mm Dual Piston Calipers		17D786AM	
				17D786AMH	
		w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
	2001-00	.800" Pad Overall Thickness	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		1.055" Pad Overall Thickness		17D786AM	
				17D786AMH	
	1999-98	2.60" Piston Caliper		17D184M	
				17D184MH	
		2.88in Piston Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2008-02	73mm Dual Piston Calipers		17D786AM	
				17D786AMH	
		w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
	2001-00	.800" Pad Overall Thickness	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		1.055" Pad Overall Thickness		17D786AM	
				17D786AMH	
	1999-98	2.60" Piston Caliper		17D184M	
				17D184MH	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2008-02	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 3.21in Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.43in Overall Height	18A1839A	18A1839	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2008-02	Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	2007-02	Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
Rear					
Disc Brake Rotor	2008-02	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 3.21in Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.43in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	2007-02	Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		U Shaped 10 Hole Rotor; with Cast In ABS Exciter; 27mm Bolt Holes	18A80923A	18A80923	

Kenworth – T370
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2018-08	73mm Dual Piston Calipers		18FR1514	
				18FR1514N	
				18R1514	
		w/ 66mm Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
Rear					
Disc Brake Caliper	2018-08	73mm Dual Piston Calipers		18FR1514	
				18FR1514N	
				18R1514	
		w/ 66mm Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2018-08			18M391540	

Kenworth – T370 (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-14	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2018-08	73mm Dual Piston Calipers		17D786AM	
				17D786AMH	
		w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
Rear					
Disc Brake Pad Set	2018-12	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
	2018-08	73mm Dual Piston Calipers		17D786AM	
				17D786AMH	
	2011	66mm Dual Piston Calipers; w/ 66mm Dual Piston Caliper; w/ Dual Piston Calipers	14D786M	17D786MH	
			14D786MH	17D786MHF1	
	2010-08	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-14	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2018-08	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 3.2in Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.43in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	2012-08	Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
Rear					
Disc Brake Rotor	2019-14	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2018-08	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 3.2in Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.43in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2018-08	Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
		U Shaped 10 Hole Rotor; with Cast In ABS Exciter; 27mm Bolt Holes	18A80923A	18A80923	
	2012-08	Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	

Kenworth – T600A
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2007			17D1369MD	
				17D1369MHD	

Kenworth – T660
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2010-08	Bendix ESD225 ADB Caliper		17D1441MHD	
Rear					
Disc Brake Pad Set	2019-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2010-08	Bendix ESD225 ADB Caliper		17D1441MHD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-08	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2010-07	152mm Tall; with 202mm Diameter Hub; Bendix ESD225 ADB Caliper		18A82481	
Rear					
Disc Brake Rotor	2019-08	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2010-07	152mm Tall; with 202mm Diameter Hub; Bendix ESD225 ADB Caliper		18A82481	

Kenworth – T680

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-11	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2020-11	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-11	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2019-11	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Kenworth – T700

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2015-14	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2015-14	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Kenworth – T800

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-14	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2010-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2010-04	Bendix ESD225 ADB Caliper		17D1441MHD	
Rear					
Disc Brake Pad Set	2020-14	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2020-14	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
	2010-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2010-04	Bendix ESD225 ADB Caliper		17D1441MHD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2010-04	152mm Tall; with 202mm Diameter Hub; Bendix ESD225 ADB Caliper		18A82481	
Rear					
Disc Brake Rotor	2019-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2010-04	152mm Tall; with 202mm Diameter Hub; Bendix ESD225 ADB Caliper		18A82481	

Kenworth – T880
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2021-11	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2021-11	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-11	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Kenworth – T880 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2019-11	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Kenworth – T2000

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2011-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2011-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2011-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2011-04	152mm Tall; with 202mm Diameter Hub; Bendix ESD225 ADB Caliper		18A82481	
Rear					
Disc Brake Rotor	2011-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2011-04	152mm Tall; with 202mm Diameter Hub; Bendix ESD225 ADB Caliper		18A82481	

Kenworth – W900

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2021-11	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2010-05			17D1369MD	
				17D1369MHD	
	2010-04	Bendix ESD225 ADB Caliper		17D1441MHD	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Pad Set	2021-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2010-04	Bendix ESD225 ADB Caliper		17D1441MHD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2010-04	152mm Tall; with 202mm Diameter Hub; Bendix ESD225 ADB Caliper		18A82481	
Rear					
Disc Brake Rotor	2019-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2010-04	152mm Tall; with 202mm Diameter Hub; Bendix ESD225 ADB Caliper		18A82481	

Kenworth – W990
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2021-19	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2021-19	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-19	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2019	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2020-19	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Kenworth – W990 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2019	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Mack – CHU

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2019-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-08	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2019-08	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Mack – CS200P Mid-Liner

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2001-86			18FR813	
				18FR813N	
				18R813	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2001-86			17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2001-86			17D225M	
				17D225MH	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2019-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-08	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2019-08	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Mack – Granite
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2021-15	Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1690MHD	
	2018-15	Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	
		Meritor EX225 L2 ADB Caliper - 216mm Pad		17D1370MHD	
Rear					
Disc Brake Pad Set	2018-15	Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	
		Meritor EX225 L2 ADB Caliper - 216mm Pad		17D1370MHD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-15	U Shaped 10 Hole Rotor; 143mm Tall		18A82480	
	2018-15	U Shaped 10 Hole Rotor; 131mm Tall		18A82083	
Rear					
Disc Brake Rotor	2019-15	U Shaped 10 Hole Rotor; 143mm Tall		18A82480	
	2018-15	U Shaped 10 Hole Rotor; 131mm Tall		18A82083	

Mack – MS200P Mid-Liner

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2001-84			18FR813	
				18FR813N	
				18R813	
	1982-80			18FR813	
				18FR813N	
				18R813	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2001-84			17D225M	
				17D225MH	
	1982-80			17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2001-84			17D225M	
				17D225MH	
	1982-80			17D225M	
				17D225MH	

Mack – MS250P Mid-Liner

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2001-86	with Tilt Cab		18FR813	
				18FR813N	
				18R813	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2001-86			17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2001-86			17D225M	
				17D225MH	

Calipers					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2001-86	with Tilt Cab		18FR813	
				18FR813N	
				18R813	

Pads & Shoes					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2001-86			17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2001-86			17D225M	
				17D225MH	
	1983			17D171M	

Mack – MS300T Mid-Liner

Calipers					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1996-86	with Tilt Cab		18FR813	
				18FR813N	
				18R813	

Pads & Shoes					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1996-86			17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	1984			17D171M	

Mack – Pinnacle

Pads & Shoes					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-18	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2020-18	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Mack – Pinnacle (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-18	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2020-18	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Mack – TerraPro

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2021-15	Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1690MHD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-15	U Shaped 10 Hole Rotor; 131mm Tall		18A82083	
	2018-15	U Shaped 10 Hole Rotor; 143mm Tall		18A82480	
Rear					
Disc Brake Rotor	2019-15	U Shaped 10 Hole Rotor; 131mm Tall		18A82083	
	2018-15	U Shaped 10 Hole Rotor; 143mm Tall		18A82480	

MAN – TGS

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2017-15	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MHD	
		Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD	
		Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MD	
Rear					
Disc Brake Pad Set	2017-15	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MHD	
		Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2017-15	Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MD	

MAN – TGX
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2018-15	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MHD	
		Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD	
		Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MD	
Rear					
Disc Brake Pad Set	2018-15	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MHD	
		Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD	
		Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MD	

Mercedes-Benz – Sprinter 4500
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-19			17D1268M	
				17D1268MH	
Rear					
Disc Brake Pad Set	2023-19	Electric Parking Brake; Solid Rotor		17D2201MH	
				17D2201SDH	
		Manual Parking Brake; Vented Rotor		17D2236MH	
				17D2236SDH	
Rear					
Parking Brake Shoe	2023-19			17940B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-19		18A2552A	18A2552	
			18A2552AC		
Rear					
Disc Brake Rotor	2023-19	Manual Parking Brake; Vented Rotor		18A2597	

Mitsubishi Fuso – Canter FE125

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	2013-12			18K2417	
Rear					
Disc Brake Caliper Bushing	2013-12			18K2417	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2014-12			18A2574	

Mitsubishi Fuso – Canter FE160

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	2013-12			18K2417	
Rear					
Disc Brake Caliper Bushing	2013-12			18K2417	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2014-12			18A2575	
Rear					
Disc Brake Rotor	2014-12			18A2555	

Mitsubishi Fuso – Canter FE180

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	2013-12			18K2417	
Rear					
Disc Brake Caliper Bushing	2013-12			18K2417	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2014-12			18A2575	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2014-12			18A2555	

Mitsubishi Fuso – FE
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2004-96	Rear Disc		17D734M	
		Rear Drum		17D735M	
				17D735MF1	
	1995	FE439; To 3/95		17D433BM	
		FE449; To 3/95		17D433BM	
		From 4/95		17D735M	
				17D735MF1	
	1994-92	FE439		17D433BM	
		FE449		17D433BM	
	1992-89	FE434		17D433BM	
	1991-89	FE444		17D433BM	
	1988-87	FE434; Single Piston Caliper		17D433BM	
Rear					
Disc Brake Pad Set	2004-96			17D734M	
	1990-89			17D389	
				17D389C	
				17D389M	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2004-96			18A2574	

Mitsubishi Fuso – FE120
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2005			17D1265MH	
				17D1265MHF1	
Rear					
Disc Brake Pad Set	2005			17D1265MH	
				17D1265MHF1	

Mitsubishi Fuso – FE120 (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2005			18A2574	

Mitsubishi Fuso – FE125

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline					
Parking Brake Shoe	2010			171045B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2008			18A2574	

Mitsubishi Fuso – FE140

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2007-06			17D1265MH	
				17D1265MHF1	
Rear					
Disc Brake Pad Set	2007-06			17D1265MH	
				17D1265MHF1	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2007-06			18A2574	

Mitsubishi Fuso – FE145

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2010-05			17D1265MH	
				17D1265MHF1	
Rear					
Disc Brake Pad Set	2010-05			17D1265MH	
				17D1265MHF1	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2011-05			18A2573	
Rear					
Disc Brake Rotor	2009-05			18A2574	

Mitsubishi Fuso – FE145CC
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2010-05			17D1265MH	
				17D1265MHF1	
Rear					
Disc Brake Pad Set	2010-05			17D1265MH	
				17D1265MHF1	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2011-05			18A2573	
Rear					
Disc Brake Rotor	2009-05			18A2574	

Mitsubishi Fuso – FE180
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2010-05			17D1265MH	
				17D1265MHF1	
Rear					
Disc Brake Pad Set	2010-05			17D1265MH	
				17D1265MHF1	
Driveline					
Parking Brake Shoe	2011			171045B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2011-05			18A2575	
Rear					
Disc Brake Rotor	2010-05			18A2555	

Mitsubishi Fuso – FE-CA

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2001	FE649		17D734M	
Rear					
Disc Brake Pad Set	2001	FE649		17D734M	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2001	FE649		18A2573	
Rear					
Disc Brake Rotor	2001	FE649		18A2574	

Mitsubishi Fuso – FE-HD

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2004-03			17D734M	
	2002-96			17D735M	
				17D735MF1	
Rear					
Disc Brake Pad Set	2004-96			17D734M	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2004-96			18A2574	

Mitsubishi Fuso – FE-SP

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2004-01	FE640; Front Disc; Rear Disc		17D734M	
		FE640; Rear Drum		17D735M	
				17D735MF1	
	2002-01	FE649; Front Disc; Rear Disc		17D734M	
	2000-96	Front Disc; Rear Disc		17D734M	
Rear					
Disc Brake Pad Set	2004-01	FE640		17D734M	
	2002-01	FE649		17D734M	
	2000-96			17D734M	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2004	FE640W		18A2573	
	2004-01	FE640		18A2573	
	2002	FE640W		18A2573	
	2001	FE649		18A2573	
	1999-96	FE649		18A2573	
Rear					
Disc Brake Rotor	2004-96			18A2574	

Mitsubishi Fuso – FG
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2001-98			17D682M	

Mitsubishi Fuso – FG140
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline					
Parking Brake Shoe	2011-05			171014B	

Mitsubishi Fuso – FH
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline					
Parking Brake Shoe	2004-88	w/ 8" x 2" Brakes		171013B	

Mitsubishi Fuso – FK
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline					
Parking Brake Shoe	2004-86			171013B	

Motor Coach Industries – D4005
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2017-13	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD	

Motor Coach Industries – D4005 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)						
Disc Brake Pad Set	2017-13	Lucas D Lisa ADB Caliper - 247mm Pad		17D1312MHD		
		Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD		
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD		
	2011	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD		
		Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD		
		Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD		
		Lucas D Lisa ADB Caliper - 247mm Pad		17D1312MHD		
		Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD		
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD		
		2009-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad			17D1203MHD		
	Lucas D Elsa 2 ADB Caliper - 248mm Pad			17D1310MHD		
	Lucas D Lisa ADB Caliper - 247mm Pad			17D1312MHD		
	Meritor EX225 H2 ADB Caliper - 248mm Pad			17D1311MHD		
	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers			17D1369MD		
	Rear					
	Disc Brake Pad Set	2017-13	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
Knorr SB-7, SN-7 ADB Calipers - 246mm Pad				17D1203MHD		
Lucas D Elsa 2 ADB Caliper - 248mm Pad				17D1310MHD		
Lucas D Lisa ADB Caliper - 247mm Pad				17D1312MHD		
Meritor EX225 H2 ADB Caliper - 248mm Pad				17D1311MHD		
Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers				17D1369MD		
2011		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD		
		Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD		
		Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD		
		Lucas D Lisa ADB Caliper - 247mm Pad		17D1312MHD		
		Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD		
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD		
2009-05		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD		
		Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD		

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2009-05	Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD	
		Lucas D Lisa ADB Caliper - 247mm Pad		17D1312MHD	
		Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2017-13	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		Hat Shaped 12 Hole Rotor; 131mm Tall; Unitized Wheel End; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82084	
		U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad; Non-Unitized Wheel End		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; w/ M16-2.0 Mounting Bolts		18A82480	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2011	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		Hat Shaped 12 Hole Rotor; 131mm Tall; Unitized Wheel End; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82084	
		U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad; Non-Unitized Wheel End		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; w/ M16-2.0 Mounting Bolts		18A82480	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2009-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		Hat Shaped 12 Hole Rotor; 131mm Tall; Unitized Wheel End; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82084	
		U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad; Non-Unitized Wheel End		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; w/ M16-2.0 Mounting Bolts		18A82480	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Motor Coach Industries – D4005 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2017-13	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		Hat Shaped 12 Hole Rotor; 131mm Tall; Unitized Wheel End; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82084	
		U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad; Non-Unitized Wheel End		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; w/ M16-2.0 Mounting Bolts		18A82480	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2011	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		Hat Shaped 12 Hole Rotor; 131mm Tall; Unitized Wheel End; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82084	
		U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad; Non-Unitized Wheel End		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; w/ M16-2.0 Mounting Bolts		18A82480	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2009-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		Hat Shaped 12 Hole Rotor; 131mm Tall; Unitized Wheel End; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82084	
		U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad; Non-Unitized Wheel End		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; w/ M16-2.0 Mounting Bolts		18A82480	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Motor Coach Industries – D4505

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-06	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2019-06	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
	2018-06	Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD	
		Lucas D Lisa ADB Caliper - 247mm Pad		17D1312MHD	
Rear					
Disc Brake Pad Set	2019-06	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
	2018-06	Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD	
		Lucas D Lisa ADB Caliper - 247mm Pad		17D1312MHD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2019-06	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		Hat Shaped 12 Hole Rotor; 131mm Tall; Unitized Wheel End; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82084	
		U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad; Non-Unitized Wheel End		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; w/ M16-2.0 Mounting Bolts		18A82480	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2019-06	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		Hat Shaped 12 Hole Rotor; 131mm Tall; Unitized Wheel End; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82084	
		U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad; Non-Unitized Wheel End		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; w/ M16-2.0 Mounting Bolts		18A82480	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Motor Coach Industries – J3500

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2021-19	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2021-19	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2021-19	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
	2020-19	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2021-19	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
	2020-19	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Motor Coach Industries – J4500

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-14	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2020-14	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2021-09	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
	2020-14	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2007	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2021-09	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
	2020-14	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2007	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Peterbilt – 200
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2000	2.60in Single Piston Caliper		17D184M	
				17D184MH	
	2000-94	2.88in Single Piston Caliper		17D225M	
				17D225MH	
	1998-94	2.60in Single Piston Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	2000	2.60in Single Piston Caliper		17D184M	
				17D184MH	
	2000-94	2.88in Single Piston Caliper		17D225M	
				17D225MH	
	1998-94	2.60in Single Piston Caliper		17D184M	
				17D184MH	

Peterbilt – 220
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2010	w/ 64mm Meritor 4 Piston Caliper	Left	18FR2503N	
			Right	18FR2502N	
		w/ 70mm Meritor 4 Piston Caliper		18R2502	
			Left	18FR2497	
				18FR2497N	
				18R2497	
			Right	18FR2496	
				18FR2496N	
	2007	w/ 64mm Meritor 4 Piston Caliper	Left	18FR2503N	
			Right	18FR2502N	
				18R2502	
		w/ 70mm Meritor 4 Piston Caliper	Left	18FR2497	

Peterbilt – 220 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	2007	w/ 70mm Meritor 4 Piston Caliper	Left		18FR2497N	
					18R2497	
		Right		18FR2496		
				18FR2496N		
Rear						
Disc Brake Caliper	2010	w/ 64mm Meritor 4 Piston Caliper	Left		18FR2503N	
			Right		18FR2502N	
				18R2502		
		w/ 70mm Meritor 4 Piston Caliper	Left		18FR2497	
					18FR2497N	
				18R2497		
		Right		18FR2496		
				18FR2496N		
	2007	w/ 64mm Meritor 4 Piston Caliper	Left		18FR2503N	
			Right		18FR2502N	
				18R2502		
		w/ 70mm Meritor 4 Piston Caliper	Left		18FR2497	
					18FR2497N	
				18R2497		
		Right		18FR2496		
				18FR2496N		

Pads & Shoes

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Pad Set	2014-13	Wabco PAN19 ADB Caliper			17D1438MHD	
	2010	Wabco PAN19 ADB Caliper			17D1438MHD	
	2007	Wabco PAN19 ADB Caliper			17D1438MHD	

Peterbilt – 325

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2012-08	73mm Dual Piston Calipers		18FR1514	
				18FR1514N	
				18R1514	
		w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
Rear					
Disc Brake Caliper	2012-08	73mm Dual Piston Calipers		18FR1514	
				18FR1514N	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2012-08	73mm Dual Piston Calipers		18R1514	
		w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2012-08			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2012-08	73mm Dual Piston Calipers		17D786AM	
				17D786AMH	
		w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
Rear					
Disc Brake Pad Set	2012-08	73mm Dual Piston Calipers		17D786AM	
				17D786AMH	
		w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2018-08	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 3.20in Overall Rotor Height	18A1429A	18A1429	
	2012-08	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.43in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
Rear					
Disc Brake Rotor	2018-13	U Shaped 10 Hole Rotor; with Cast In ABS Exciter; 21mm Bolt Holes	18A80922A	18A80922	
		U Shaped 10 Hole Rotor; with Cast In ABS Exciter; 27mm Bolt Holes	18A80923A	18A80923	
	2012-08	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 3.20in Overall Rotor Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.43in Overall Height	18A1839A	18A1839	

Peterbilt – 325 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2012-08	Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	

Peterbilt – 330

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2012-08	73mm Dual Piston Calipers		18FR1514	
				18FR1514N	
				18R1514	
		w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
Rear					
Disc Brake Caliper	2012-08	73mm Dual Piston Calipers		18FR1514	
				18FR1514N	
				18R1514	
		w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2012-08			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2012-08	73mm Dual Piston Calipers		17D786AM	
				17D786AMH	
		w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
	1999	L6 7.2L 441cid; 2.88in Dual Piston Calipers; w/ Dual Piston Calipers		17D225M	
				17D225MH	
		L6 8.3L 8268cc 504cid; 2.88in Dual Piston Calipers; w/ Dual Piston Calipers		17D225M	
	1999-95	2.60" Dual Piston Rail Slide Bendix Caliper		17D225MH	
				17D184M	
				17D184MH	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	1998-95	2.88in Dual Piston Calipers; w/ Dual Piston Calipers		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2012-08	73mm Dual Piston Calipers		17D786AM	
				17D786AMH	
		w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
	1999-95	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		2.88in Dual Piston Calipers; w/ Dual Piston Calipers		17D225M	
			17D225MH		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2018-08	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 3.20in Overall Rotor Height	18A1429A	18A1429	
	2012-08	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.43in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
Rear					
Disc Brake Rotor	2018-13	U Shaped 10 Hole Rotor; with Cast In ABS Exciter; 21mm Bolt Holes	18A80922A	18A80922	
		U Shaped 10 Hole Rotor; with Cast In ABS Exciter; 27mm Bolt Holes	18A80923A	18A80923	
	2012-08	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 3.20in Overall Rotor Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.43in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	

Peterbilt – 335
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2010-08	73mm Dual Piston Calipers		18FR1514	

Peterbilt – 335 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2010-08	73mm Dual Piston Calipers		18FR1514N	
				18R1514	
		w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
Rear					
Disc Brake Caliper	2010-08	73mm Dual Piston Calipers		18FR1514	
				18FR1514N	
				18R1514	
		w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2010-08			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2010-08	73mm Dual Piston Calipers		17D786AM	
				17D786AMH	
		w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
Rear					
Disc Brake Pad Set	2010-08	73mm Dual Piston Calipers		17D786AM	
				17D786AMH	
		w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2010-08	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 3.20in Overall Rotor Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.43in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2010-08	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 3.20in Overall Rotor Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.43in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	

Peterbilt – 337
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2012-10	73mm Dual Piston Calipers		18FR1514	
				18FR1514N	
				18R1514	
		w/ 66mm Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
Rear					
Disc Brake Caliper	2012-10	73mm Dual Piston Calipers		18FR1514	
				18FR1514N	
				18R1514	
		w/ 66mm Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2012-10			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-10	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
	2012-10	73mm Dual Piston Calipers		17D786AM	
				17D786AMH	
		w/ 66mm Dual Piston Caliper	14D786M	17D786MH	

Peterbilt – 337 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2012-10	w/ 66mm Dual Piston Caliper	14D786MH	17D786MHF1	
Rear					
Disc Brake Pad Set	2020-10	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
	2012-10	73mm Dual Piston Calipers		17D786AM	
				17D786AMH	
		w/ 66mm Dual Piston Caliper	14D786M 14D786MH	17D786MH 17D786MHF1	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-10	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2018-10	Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height	18A1429A	18A1429	
	2012-10	Hat Shaped 10 Hole Rotor; with 4.43in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor		18A82030	
Rear					
Disc Brake Rotor	2020-10	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2018-13	U Shaped 10 Hole Rotor; 21mm Bolt Holes	18A80922A	18A80922	
		U Shaped 10 Hole Rotor; with 1.059in Stud Holes; w/ Hydraulic Brakes	18A80923A	18A80923	
	2012-10	Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with 4.43in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor		18A82030	

Peterbilt – 348

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-10	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2020-10	Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2020-10	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-10	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2020-10	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Peterbilt – 365
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2020-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-08	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Peterbilt – 365 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2020-08	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Peterbilt – 367

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2020-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-08	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2020-08	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Peterbilt – 382

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2017-11	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2017-11	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2017-11	Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2017-11	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2017-11	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Peterbilt – 384
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2016-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2016-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2016-08	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2016-08	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Peterbilt – 386

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2015-06	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2015-06	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2016-06	Bendix ESD225 ADB Caliper		18A82481	
	2015-06	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2016-06	Bendix ESD225 ADB Caliper		18A82481	
	2015-06	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Peterbilt – 387

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2011-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2011-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2011-05	Bendix ESD225 ADB Caliper		18A82481	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2011-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2011-05	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Peterbilt – 388
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2015-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2015-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2015-08	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2015-08	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Peterbilt – 389
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Peterbilt – 389 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Pad Set	2020-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-08	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2020-08	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Peterbilt – 520

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-18	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2020-18	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-18	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2020-17	Bendix ESD225 ADB Caliper		18A82481	
Rear					
Disc Brake Rotor	2020-18	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2020-17	Bendix ESD225 ADB Caliper		18A82481	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-14	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2020-14	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-14	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2020-14	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Peterbilt – 579
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-13	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2020-13	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-13	Bendix ESD225 ADB Caliper		18A82481	

Peterbilt – 579 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2020-13	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2020-13	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Peterbilt – 587

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2017-11	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2017-11	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2018-11	Bendix ESD225 ADB Caliper		18A82481	
	2017-11	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2018-11	Bendix ESD225 ADB Caliper		18A82481	
	2017-11	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Pierce Mfg. Inc. – Arrow XT

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2015-13	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2011-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2015-13	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
	2011-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2015-13	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2011-05	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2015-13	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2011-05	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Pierce Mfg. Inc. – Custom
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2015-14	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2012-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	

Pierce Mfg. Inc. – Custom (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2012-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2015-14	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2012-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2015-14	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2012-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2015-14	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2012-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Pierce Mfg. Inc. – Dash

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2009-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2009-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2014-13	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2014-13	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2014-13	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2014-13	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Pierce Mfg. Inc. – Enclosed Cab
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-15	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2020-15	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-15	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2020-15	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Pierce Mfg. Inc. – Enforcer
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2011-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	

Pierce Mfg. Inc. – Enforcer (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2011-05	Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2011-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2011-05	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2011-05	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Pierce Mfg. Inc. – Impel

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2014-13	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
	2011-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2014-13	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
	2011-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2014-13	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2011-08	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2014-13	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2011-08	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Pierce Mfg. Inc. – Lance

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2008-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2008			17D1369MD	
				17D1369MHD	
	2007-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2008-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2008-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2014-13	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
	2011-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2014-13	Bendix ESD225 ADB Caliper		17D1441MHD	
				17D1369MD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
				17D1369MHD	
	2011-09			17D1369MD	
				17D1369MHD	
	2011-05	Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
	2008-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2014-13	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2011-05	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2014-13	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2011-05	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2014-13	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
	2011-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2014-13	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
	2011-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2014-13	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2011-05	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2014-13	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2011-05	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2014-13	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
	2011-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2014-13	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
	2011-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Bendix ESD225 ADB Caliper		17D1441MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2014-13	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2011-08	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2014-13	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2011-08	Bendix ESD225 ADB Caliper		18A82481	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2018-04	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	
Rear					
Disc Brake Pad Set	2018-04	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2018-04	U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82480	
Rear					
Disc Brake Rotor	2018-04	U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82480	

Prevost – Shell
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2018-10	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	
	2008-06	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	
	2004	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	
Rear					
Disc Brake Pad Set	2018-10	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	
	2008-06	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	

Prevost – Shell (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2008-06	Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	
	2004	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2018-10	U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82480	
	2008-06	U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82480	
	2004	U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82480	
Rear					
Disc Brake Rotor	2018-10	U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82480	
	2008-06	U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82480	
	2004	U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82480	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2018-07	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	
Rear					
Disc Brake Pad Set	2018-07	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2018-07	U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82480	
Rear					
Disc Brake Rotor	2018-07	U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82480	

Prevost – XL2
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2013-11	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	
	2009-04	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	
Rear					
Disc Brake Pad Set	2013-11	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	
	2009-04	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	

Prevost – XL2 (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2013-11	U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82480	
	2009-04	U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82480	
Rear					
Disc Brake Rotor	2013-11	U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82480	
	2009-04	U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82480	

Proterra – 35 Foot

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-18	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
	2015-12	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
	2010	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
Rear					
Disc Brake Pad Set	2020-18	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
	2015-12	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
	2010	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	

Proterra – 40 Foot

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-14	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Pad Set	2020-14	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	

Ram – 3500
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2017	Big Horn; Extended Cab or Crew Cab		18P96937	
		Laramie Longhorn; Extended Cab or Crew Cab		18P96937	
		Laramie; Extended Cab or Crew Cab		18P96937	
		SLT; Extended Cab or Crew Cab		18P96937	
	2016	Big Horn; Extended Crew Cab Pickup		18P96937	
		Laramie Longhorn; Extended Crew Cab Pickup		18P96937	
		Laramie; Extended Crew Cab Pickup		18P96937	
		Limited; Extended Crew Cab Pickup		18P96937	
		SLT; Extended Crew Cab Pickup		18P96937	
	2015-14	Crew Cab Pickup; 39 1/8in Length		18P96937	
		Extended Crew Cab Pickup; 39 1/8in Length		18P96937	
		Standard Cab Pickup; 39 1/8in Length		18P96937	
	2013-11	39-1/8" Length		18P96937	
Front					
Parking Brake Cable	2012-11	52in Length		18P2789	
Rear					
Parking Brake Cable	2017	Big Horn; Extended Cab or Crew Cab	Right	18P96937	
		L6 6.7L 408cid; Laramie; Cab & Chassis; With Dual Rear Wheels	Left	18P96938	
		L6 6.7L 408cid; SLT; Cab & Chassis; With Dual Rear Wheels	Left	18P96938	
		L6 6.7L 408cid; Tradesman; Cab & Chassis; With Dual Rear Wheels	Left	18P96938	
		Laramie Longhorn; Extended Cab or Crew Cab	Right	18P96937	
		Laramie; Extended Cab or Crew Cab	Right	18P96937	
		Limited; Extended Cab or Crew Cab	Right	18P96937	
		Lone Star; Extended Cab or Crew Cab	Right	18P96937	
		SLT; Extended Cab or Crew Cab	Right	18P96937	
		Standard Cab Pickup	Left	18P2693	
		V8 6.4L 6424cc 392cid; Laramie; With Dual Rear Wheels	Left	18P96938	
		V8 6.4L 6424cc 392cid; SLT; With Dual Rear Wheels	Left	18P96938	
		V8 6.4L 6424cc 392cid; Tradesman; With Dual Rear Wheels	Left	18P96938	

Ram – 3500 (Cont.)

Cable (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Parking Brake Cable	2016	Laramie; With Dual Rear Wheels	Left		18P96938	
		SLT; With Dual Rear Wheels	Left		18P96938	
		Tradesman; With Dual Rear Wheels	Left		18P96938	
	2015	L6 6.7L 408cid; Laramie; Cab & Chassis; With Dual Rear Wheels	Left		18P96938	
		L6 6.7L 408cid; SLT; Cab & Chassis; With Dual Rear Wheels	Left		18P96938	
		V8 5.7L 345cid; Laramie; Cab & Chassis; With Dual Rear Wheels	Left		18P96938	
		V8 5.7L 345cid; SLT; Cab & Chassis; With Dual Rear Wheels	Left		18P96938	
		V8 6.4L 6424cc 392cid; Laramie; With Dual Rear Wheels	Left		18P96938	
		V8 6.4L 6424cc 392cid; SLT; With Dual Rear Wheels	Left		18P96938	
	2015-14	L6 6.7L 408cid; Tradesman; Cab & Chassis; With Dual Rear Wheels	Left		18P96938	
		V8 5.7L 345cid; Tradesman; Cab & Chassis; With Dual Rear Wheels	Left		18P96938	
		V8 6.4L 6424cc 392cid; Tradesman; With Dual Rear Wheels	Left		18P96938	
	2014-13	Laramie; Cab & Chassis; With Dual Rear Wheels	Left		18P96938	
		SLT; Cab & Chassis; With Dual Rear Wheels	Left		18P96938	
	2013	ST; With Dual Rear Wheels	Left		18P96938	
		Tradesman; Cab & Chassis; With Dual Rear Wheels	Left		18P96938	
		with Long Bed; 138-7/16" Length	Right		18P2807	
	2012-11	138-7/16" Length	Right		18P2807	
		Cab & Chassis; With Dual Rear Wheels	Left		18P96938	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2018-11	Left		18FR12276		
				18FR12276C		
				18FR12276N		
				18R12276		
		Right		18FR12275		
				18FR12275C		
				18FR12275N		
				18R12275		
Rear						
Disc Brake Caliper	2018-16	Innovative dual-bleeder design can fit either left or right position without modification; Single Rear Wheels	Left		18FR12277DN	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty		
Rear (Cont.)								
Disc Brake Caliper	2018-16	Innovative dual-bleeder design can fit either left or right position without modification; Single Rear Wheels	Right		18FR12277DN			
		Single Rear Wheels	Left		18FR12278			
					18FR12278C			
					18R12278			
			Right		18FR12277			
					18FR12277C			
					18R12277			
			Left		18FR12278N			
		Right		18FR12277N				
		2018-11	Innovative dual-bleeder design can fit either left or right position without modification; Dual Rear Wheels			18FR12279DN		
			With Dual Rear Wheels	Left		18R12280		
						18FR12280		
	Right				18FR12279			
					18R12279			
	2015-11	with Single Rear Wheels (SRW)	Left		18FR12278			
					18FR12278C			
					18R12278			
			Right		18FR12277			
					18FR12277C			
					18R12277			
		with Single Rear Wheels (SRW); Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR12277DN			
			Right		18FR12277DN			
			with Single Rear Wheels (SRW)	Left		18FR12278N		
				Right		18FR12277N		
Front								
Disc Brake Caliper Bushing			2018-11			18K1940		
Rear								
Disc Brake Caliper Bushing	2017-11			18K1184				
Front								
Disc Brake Caliper Set	2018-11				18FR12275KSD			
Rear								
Disc Brake Caliper Set	2018-16	Single Rear Wheels			18FR12277KSD			
	2018-11	With Dual Rear Wheels			18FR12279KSD			
	2015-11	with Single Rear Wheels (SRW)			18FR12277KSD			

Ram – 3500 (Cont.)

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Brake Hydraulic Hose	2018-14	4WD	Left		18J383906	
			Right		18J383907	
		RWD	Left		18J384332	
					18J384334	
	2016-13	RWD	Right		18J384333	
	2013	Cab & Chassis	Right		18J4285	
		Crew Cab Pickup; 4WD	Left		18J383906	
			Right		18J383907	
		Crew Cab Pickup; RWD	Left		18J384332	
					18J384334	
		Extended Crew Cab Pickup; 4WD	Left		18J383906	
			Right		18J383907	
		Extended Crew Cab Pickup; RWD	Left		18J384332	
					18J384334	
		Standard Cab Pickup; 4WD	Left		18J383906	
			Right		18J383907	
		Standard Cab Pickup; RWD	Left		18J384332	
				18J384334		
	2012		Left		18J4286	
					18J4332	
			Right		18J4285	
	2011	4WD	Left		18J4286	
					18J4332	
		RWD	Right		18J4285	
			Left		18J4278	
			Right		18J4277	
Rear						
Brake Hydraulic Hose	2018-15	Crew Cab Pickup; w/ Air Springs	Right		18J384448	
		Extended Crew Cab Pickup; w/ Air Springs	Right		18J384448	
		Standard Cab Pickup; w/ Air Springs	Right		18J384448	
	2018-13		Right		18J384098	
	2017-15	w/ Auxillary Rear Spring	Center		18J384335	
			Center		18J384337	
					18J384338	
	2014-13				18J384337	
					18J384338	
	2012	Except Cab & Chassis	Right		18J384189	
		Laramie; Cab & Chassis	Left		18J383644	
			Right		18J383952	
	2012-11	Cab & Chassis	Center		18J383945	
	2011	2-Door; Standard Cab Pickup	Center		18J1953	
		4-Door; Crew Cab Pickup	Center		18J1953	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2011	4-Door; Extended Crew Cab Pickup	Center	18J1953	
		Cab & Chassis	Left	18J383644	
		Crew Cab Pickup	Left	18J4897	
		Extended Crew Cab Pickup	Left	18J4897	
		Laramie Longhorn	Right	18J383952	
		Laramie; Cab & Chassis	Right	18J4666	
		Laramie; Crew Cab Pickup	Right	18J383952	
		SLT; Cab & Chassis	Right	18J4666	
		SLT; Crew Cab Pickup	Right	18J383952	
		ST; Cab & Chassis	Right	18J4666	
		ST; Crew Cab Pickup	Right	18J383952	
		Standard Cab Pickup	Left	18J4897	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2018-16			18M391465	
	2015-13	Big Horn		18M391465	
		Laramie		18M391465	
		Laramie Longhorn		18M391465	
		Lone Star		18M391465	
		SLT		18M391465	
		Tradesman		18M391465	
	2013	ST		18M391465	
	2012			18M391465	
	2011			18M2656	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2022-19		14D2223MH	17D2223MH	
	2018-11		14D1399MH	17D1399MH	
			14D1399MHF1	17D1399MHF1	
				17D1399SDH	
Rear					
Disc Brake Pad Set	2023-19	With Dual Rear Wheels	14D2224MH	17D2224MH	
		with Single Rear Wheels (SRW)	14D2225MH	17D2225MH	
	2018-11		14D1400MH	17D1400MH	
			14D1400MHF1	17D1400SDH	
Rear					
Parking Brake Shoe	2021	Dual Rear Wheels		17854B	
		Single Rear Wheels		17847B	
	2020-11			17854B	

Ram – 3500 (Cont.)

Rotors & Drums					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-11		18A2680A	18A2680	
			18A2680AC	18A2680SD	
Rear					
Disc Brake Rotor	2023-21	Rotor Diameter 358mm; Dual Rear Wheels		18A2679SD	
		with Dual Rear Wheels (DRW); Rotor Diameter 358mm	18A2679A	18A2679	
			18A2679AC		
	2023-19	with Single Rear Wheels (SRW)	18A2679A	18A2679	
			18A2679AC	18A2679SD	
	2020-19	Rotor Diameter 358mm; Dual Rear Wheels	18A2679A	18A2679	
			18A2679AC	18A2679SD	
	2018-11		18A2679A	18A2679	
18A2679AC			18A2679SD		

Ram – 4000

Hoses					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2014	Left		18J384386	

Rotors & Drums					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2015-11		18A2680A	18A2680	
			18A2680AC		
Rear					
Disc Brake Rotor	2015-11		18A2679A	18A2679	
			18A2679AC		

Ram – 4500

Calipers					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2022-11	Innovative dual-bleeder design can fit either left or right position without modification	Left	18FR12599DN	
			Right	18FR12599DN	
			Left	18FR12600	
				18R12600	
			Right	18FR12599	
				18R12599	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear						
Disc Brake Caliper	2022-11	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR12599DN	
			Right		18FR12599DN	
			Left		18FR12600	
					18R12600	
			Right		18FR12599	
					18R12599	
Front						
Disc Brake Caliper Bushing	2020-11				18K1940	
Rear						
Disc Brake Caliper Bushing	2020-11				18K1940	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2019-11		Left	18J384273	
			Right	18J383629	
	2018-14		Left	18J384386	
Rear					
Brake Hydraulic Hose	2018-13		Center	18J384464	
			Left	18J384373	
			Right	18J384372	
	2012-11		Center	18J383607	
			Left	18J383650	
			Right	18J383651	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-11			17D1335MH	
				17D1335MHF1	
Rear					
Disc Brake Pad Set	2023-11			17D1335MH	
				17D1335MHF1	
Rear					
Parking Brake Shoe	2021-11			17847B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-11		18A2734A	18A2734	

Ram – 4500 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2023-20		18A81830A	18A81830	
			18A81830A	18A81830	
	2019-13		18A2812A	18A2812	
			18A2812AC		
	2012-11		18A2812A	18A2812	
			18A2812AC		

Ram – 5500

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2022-11	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR12599DN	
			Right		18FR12599DN	
			Left		18FR12600	
					18R12600	
			Right		18FR12599	
					18R12599	
Rear						
Disc Brake Caliper	2022-11	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR12599DN	
			Right		18FR12599DN	
			Left		18FR12600	
					18R12600	
			Right		18FR12599	
					18R12599	
Front						
Disc Brake Caliper Bushing	2020-11				18K1940	
Rear						
Disc Brake Caliper Bushing	2020-11				18K1940	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2019-11	Left		18J384273	
		Right		18J383629	
	2018-15	Left		18J384386	
Rear					
Brake Hydraulic Hose	2018-13	Center		18J384464	
		Left		18J384373	
		Right		18J384372	
	2012-11	Center		18J383607	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2012-11	Left		18J383650	
		Right		18J383651	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-11			17D1335MH	
				17D1335MHF1	
Rear					
Disc Brake Pad Set	2023-11			17D1335MH	
				17D1335MHF1	
Rear					
Parking Brake Shoe	2021-11			17847B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-11		18A2734A	18A2734	
Rear					
Disc Brake Rotor	2023-20		18A81830A	18A81830	
			18A81830A	18A81830	
			18A2812A	18A2812	
	2019-13		18A2812AC		
			18A2812A	18A2812	
	2012-11		18A2812A	18A2812	
			18A2812AC		

Ram – C/V
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	2015-12			18P96967	
Rear					
Parking Brake Cable	2015-14	Left		18P96976	
		Right		18P96977	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2015-12	w/ Dual Piston Front Caliper	Left	18FR12585	
				18R12585	
			Right	18FR12586	
				18R12586	

Ram – C/V (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)							
Disc Brake Caliper	2015-12	w/ Single Piston Calipers	Left		18FR2508		
					18FR2508C		
					18FR2508N		
					18R2508		
		Right		18FR2509			
				18FR2509C			
				18FR2509N			
				18R2509			
Rear							
Disc Brake Caliper	2015-13	Except Heavy Duty Brakes	Left		18FR2638		
					18FR2638C		
					18FR2638N		
					18R2638		
			Right		18FR2637		
					18FR2637C		
					18FR2637N		
					18R2637		
		Heavy Duty Brakes	Left		18FR12588		
					18FR12588N		
			Right		18R12588		
					18FR12587		
	2012		Left		18FR12587N		
					18R12587		
				Right		18FR2638	
						18FR2638C	
					18FR2638N		
					18R2638		
			Right		18FR2637		
					18FR2637C		
	18FR2637N						
	18R2637						
Front							
Disc Brake Caliper Bushing	2015-14	Except Heavy Duty Brakes			18K1184		
		Heavy Duty Brakes			18K2447		
	2013-12				18K1184		
Rear							
Disc Brake Caliper Bushing	2015-13	Except Heavy Duty Brakes			18K1184		
		Heavy Duty Brakes			18K2447		
	2012				18K1184		

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2015-12	Left		18J4076	
		Right		18J4075	
Rear					
Brake Hydraulic Hose	2015-12	Single Piston Front Calipers	Left		18J383449
	2014-13	Rotor Diameter 12in	Right		18J383450

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2015			18M2669	
	2014-12	Except Heavy Duty Brakes		18M2669	
		with Heavy Duty Brakes		18M391424	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2015-14	Except Heavy Duty Brakes	14D1273ACH	17D1273ACH	
				17D1273ACHF1	
	2015-12	2nd Generation, Copper Free Friction Formula; Heavy Duty Brakes		17D1589CHF1	
		Heavy Duty Brakes	14D1589CHF1		
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Heavy Duty Brakes	14D1589CH		
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper; Heavy Duty Brakes		17D1589CH	
	2013-12	with Standard Duty Brakes	14D1273ACH	17D1273ACH	
				17D1273ACHF1	
Rear					
Disc Brake Pad Set	2015-12	2nd Generation, Copper Free Friction Formula; w/ Dual Piston Front Caliper		17D1596CHF1	
		Single Piston Front Calipers	14D1719CHF1		
		Single Piston Front Calipers; 2nd Generation, Copper Free Friction Formula		17D1719CHF1	
		Single Piston Front Calipers	14D1719CH		
		Single Piston Front Calipers; Friction Contains Copper		17D1719CH	
		w/ Dual Piston Front Caliper	14D1596CH		
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper; w/ Dual Piston Front Caliper		17D1596CH	
		w/ Dual Piston Front Caliper	14D1596CHF1		

Ram – C/V (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2015-13	Rotor Diameter 330mm	18A2921A	18A2921	
			18A2921AC		
	2015-12	Rotor Diameter 302mm	18A2606A		
			18A2606AC		
Rear					
Disc Brake Rotor	2015-12	Single Piston Front Calipers	18A2558A	18A2558	
			18A2558AC	18A2558SD	
		w/ Dual Piston Front Caliper	18A2922A	18A2922	
			18A2922AC		

Spartan Motors – Diamond

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2008-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2008-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2008			18A82082	
	2008-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
	2007-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2008-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Spartan Motors – Force

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2012	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2012	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2012	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2012	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2012	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Spartan Motors – Furion
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2011-09	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2011-09	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2011-09	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2011-09	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Spartan Motors – Furion (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2011-09	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Spartan Motors – Gladiator

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2018-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2008-03	Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	
Rear					
Disc Brake Pad Set	2018-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2008-03	Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2018-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2008-03	U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82480	
Rear					
Disc Brake Rotor	2018-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2008-03	U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82480	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2018-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2008-03	Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	
Rear					
Disc Brake Pad Set	2018-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2008-03	Meritor EX225 H2 ADB Caliper - 248mm Pad		17D1311MHD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2018-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2008-03	U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82480	
Rear					
Disc Brake Rotor	2018-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
		U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2008-03	U Shaped 10 Hole Rotor; 131mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82083	
		U Shaped 10 Hole Rotor; 143mm Tall; Meritor EX225 H2 ADB Caliper - 248mm Pad		18A82480	

Spartan Motors – Metro Star X
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2016-13	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Spartan Motors – Metro Star X (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2018-13	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
	2016-13	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
Rear					
Disc Brake Rotor	2018-13	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
	2016-13	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	

Sterling Truck – 360

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-07	6 Hole Rotor		18A2573	
Rear					
Disc Brake Rotor	2009-07			18A2574	

Sterling Truck – Acterra

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2008-03	73mm Bosch Caliper		18FR1514	
				18FR1514N	
				18R1514	
		w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.60" Dual Piston Bendix Caliper		18FR1330	
				18FR1330N	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
		w/ 66mm Bosch Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
Rear					
Disc Brake Caliper	2008-03	73mm Bosch Caliper		18FR1514	
				18FR1514N	
				18R1514	
		w/ 2.50" Dual Piston Dayton Caliper		18FR814	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2008-03	w/ 2.50" Dual Piston Dayton Caliper		18FR814N	
				18R814	
		w/ 2.60" Dual Piston Bendix Caliper		18FR1330	
				18FR1330N	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
		w/ 66mm Bosch Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2008-03	73mm Bosch Caliper		17D786AM	
				17D786AMH	
		w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
w/ Bosch 66mm Piston Caliper	14D786M	17D786MH			
	14D786MH	17D786MHF1			
Rear					
Disc Brake Pad Set	2008-03	73mm Bosch Caliper		17D786AM	
				17D786AMH	
		w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
w/ Bosch 66mm Piston Caliper	14D786M	17D786MH			
	14D786MH	17D786MHF1			

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-06	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Sterling Truck – Acterra (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2008-03	Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
Rear					
Disc Brake Rotor	2009-06	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
	2008-03	Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		U Shaped 10 Hole Rotor; 21mm Bolt Holes	18A80922A	18A80922	
		U Shaped 10 Hole Rotor; 27mm Bolt Holes	18A80923A	18A80923	

Sterling Truck – Acterra 5500

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2007-01	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.60" Dual Piston Bendix Caliper		18FR1330	
				18FR1330N	
			w/ 2.88" Dual Piston Bendix Caliper		18FR813
				18FR813N	
				18R813	
		w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
	18FR1514N				
	18R1514				
Rear					
Disc Brake Caliper	2007-01	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.60" Dual Piston Bendix Caliper		18FR1330	
				18FR1330N	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
		w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2007-01	w/ 66mm Dual Piston Pin Slide Caliper		18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
Front					
Disc Brake Caliper Bushing	2005-01	M5500; 66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
Rear					
Disc Brake Caliper Bushing	2005-01	M5500; 66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2007-01	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2007-01	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2007-01	Non-ABS; with 4.43in Overall Height; Hat Shaped 10 Hole Rotor		18A1219	

Sterling Truck – Acterra 5500 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2007-01	with Cast In ABS Exciter; Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height	18A2664A		
		with Cast In ABS Exciter; Hat Shaped 10 Hole Rotor; with 4.44in Overall Height	18A1839A	18A1839	
		with Cast In ABS Exciter; Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
	2006-01	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Non-ABS; Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height		18A808	
Rear					
Disc Brake Rotor	2007-01	Non-ABS; with 4.43in Overall Height; Hat Shaped 10 Hole Rotor		18A1219	
		U Shaped 10 Hole Rotor; 21mm Bolt Holes	18A80922A	18A80922	
		U Shaped 10 Hole Rotor; 27mm Bolt Holes	18A80923A	18A80923	
		with Cast In ABS Exciter; Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height	18A2664A		
		with Cast In ABS Exciter; Hat Shaped 10 Hole Rotor; with 4.44in Overall Height	18A1839A	18A1839	
		with Cast In ABS Exciter; Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
	2006-01	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Non-ABS; Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height		18A808	

Sterling Truck – Acterra 6500

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2007-01	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.60" Dual Piston Bendix Caliper		18FR1330	
				18FR1330N	
			w/ 2.88" Dual Piston Bendix Caliper		18FR813
				18FR813N	
				18R813	
		w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
	18FR1514N				
	18R1514				
Rear					
Disc Brake Caliper	2007-01	w/ 2.50" Dual Piston Dayton Caliper		18FR814	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2007-01	w/ 2.50" Dual Piston Dayton Caliper		18FR814N	
				18R814	
		w/ 2.60" Dual Piston Bendix Caliper		18FR1330	
				18FR1330N	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
		w/ 66mm Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
Front					
Disc Brake Caliper Bushing	2005-01	M6500; 66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
Rear					
Disc Brake Caliper Bushing	2005-01	M6500; 66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2007-03	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
	2007-01	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	2002-01	M6500; w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2007-03	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
	2007-01	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	

Sterling Truck – Acterra 6500 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2007-01	w/ 66mm Bosch Dual Piston Caliper	14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
	2002-01	M6500; w/ 2.88" Dual Piston Bendix Caliper		17D786AMH	
				17D225M	
				17D225MH	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2007-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
	2007-01	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 3.20in Overall Rotor Height	18A2664A		
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2006-01	Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height; Non-ABS		18A808	
		Hat Shaped 10 Hole Rotor; with 4.44in Overall Height; Non-ABS		18A1219	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
Rear					
Disc Brake Rotor	2007-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
	2007-01	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 3.20in Overall Rotor Height	18A2664A		
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		U Shaped 10 Hole Rotor; 21mm Bolt Holes	18A80922A	18A80922	
		U Shaped 10 Hole Rotor; 27mm Bolt Holes	18A80923A	18A80923	
	2006-01	Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height; Non-ABS		18A808	
		Hat Shaped 10 Hole Rotor; with 4.44in Overall Height; Non-ABS		18A1219	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2007-01	w/ 2.60" Dual Piston Bendix Caliper		18FR1330	
				18FR1330N	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
		w/ 66mm Bosch Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	

Rear					
Disc Brake Caliper	2007-01	w/ 2.60" Dual Piston Bendix Caliper		18FR1330	
				18FR1330N	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
		w/ 66mm Bosch Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	

Front					
Disc Brake Caliper Bushing	2005-01	M7500; 66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	

Rear					
Disc Brake Caliper Bushing	2005-01	M7500; 66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2007-01	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		2.88" Dual Piston Rail Slide Bendix Caliper		17D225M	
				17D225MH	
		w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	

Rear					
Disc Brake Pad Set	2007-01	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	

Sterling Truck – Acterra 7500 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2007-01	2.60" Dual Piston Rail Slide Bendix Caliper		17D184MH	
		2.88" Dual Piston Rail Slide Bendix Caliper		17D225M	
				17D225MH	
		w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2007-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
	2007-01	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 3.20in Overall Rotor Height	18A2664A		
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
	2006-01	Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height; Non-ABS		18A808	
		Hat Shaped 10 Hole Rotor; with 4.44in Overall Height; Non-ABS		18A1219	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
Rear					
Disc Brake Rotor	2007-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
	2007-01	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 3.20in Overall Rotor Height	18A2664A		
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		U Shaped 10 Hole Rotor; 21mm Bolt Holes	18A80922A	18A80922	
		U Shaped 10 Hole Rotor; 27mm Bolt Holes	18A80923A	18A80923	
	2006-01	Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height; Non-ABS		18A808	
		Hat Shaped 10 Hole Rotor; with 4.44in Overall Height; Non-ABS		18A1219	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2009-08	39-1/8" Length		18P96937	
		with 15-1/8in Overall Length		18P96940	
Front					
Parking Brake Cable	2009-08	2-Door; Cab & Chassis		18P2789	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2010-08	Left		18FR12600	
				18R12600	
		Right		18FR12599	
				18R12599	
Rear					
Disc Brake Caliper	2010-08	Left		18FR12600	
				18R12600	
		Right		18FR12599	
				18R12599	
Front					
Disc Brake Caliper Bushing	2009-08			18K1940	
Rear					
Disc Brake Caliper Bushing	2009-08			18K1940	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2010-08			17D1335MH	
				17D1335MHF1	
Rear					
Disc Brake Pad Set	2010-08			17D1335MH	
				17D1335MHF1	
Rear					
Parking Brake Shoe	2010-08			17847B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2010-08		18A2734A	18A2734	
Rear					
Disc Brake Rotor	2010-08		18A2812A	18A2812	
			18A2812AC		

Sterling Truck – Bullet 55

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2008	39-1/8" Length		18P96937	
		with 15-1/8in Overall Length		18P96940	
Front					
Parking Brake Cable	2008	2-Door; Cab & Chassis		18P2789	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	2009-08			18K1940	
Rear					
Disc Brake Caliper Bushing	2009-08			18K1940	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2010-08			17D1335MH	
				17D1335MHF1	
Rear					
Disc Brake Pad Set	2010-08			17D1335MH	
				17D1335MHF1	
Rear					
Parking Brake Shoe	2010-08			17847B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2010-08		18A2734A	18A2734	
Rear					
Disc Brake Rotor	2010-08		18A2812A	18A2812	
			18A2812AC		

Sterling Truck – L7500

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2006-02	w/ 66mm Bosch Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper		18FR1514	
				18FR1514N	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2006-02	w/ 73mm Bosch Pin Slider Caliper		18R1514	
Rear					
Disc Brake Caliper	2006-02	w/ 66mm Bosch Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper		18FR1514	
				18FR1514N	
				18R1514	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2006-02	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2006-02	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2006-02	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 3.20in Overall Rotor Height	18A2664A		
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Non-ABS; Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height		18A808	
		Non-ABS; Hat Shaped 10 Hole Rotor; with 4.44in Overall Height		18A1219	
Rear					
Disc Brake Rotor	2006-02	Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 3.20in Overall Rotor Height	18A2664A		
		Hat Shaped 10 Hole Rotor; with Cast In ABS Exciter; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	

Sterling Truck – L7500 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2006-02	Non-ABS; Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height		18A808	
		Non-ABS; Hat Shaped 10 Hole Rotor; with 4.44in Overall Height		18A1219	

Sterling Truck – L8500

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2010-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2010-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Thomas – Saf-T-Liner

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2022-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2022-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2022-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2022-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

UD – 1200

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2004-99			18J383955	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2004-99			17D701M	
				17D701MF1	

UD – 1300

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2007-05			18J384061	
Rear					
Brake Hydraulic Hose	2007-05	Left		18J384062	
		Right		18J384062	
	1993-92	Left		18J384062	
		Right		18J384062	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2007-05			17D701M	
				17D701MF1	

UD – 1400

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Brake Hydraulic Hose	1998-94			18J1474	
Front					
Brake Hydraulic Hose	2010-05			18J384061	
	2004-94			18J383955	
Rear					
Brake Hydraulic Hose	2010-05			18J384062	
	2004-99			18J2007	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2010-94			17D701M	
				17D701MF1	

UD – 1800

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1998-89			18J380527	

UD – 2000

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	1998			18J380527	
	1994-89			18J380527	

UD – 3000

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1988	Right		18J1522	
Rear					
Brake Hydraulic Hose	1988	Center		18J1522	

Van Hool – C2045

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2014-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
	2014-03	Lucas D Elsa 1, D3 ADB Calipers - 249.4mm Pad		17D1407MHD	
				17D1407MD	
Rear					
Disc Brake Pad Set	2014-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
	2014-03	Lucas D Elsa 1, D3 ADB Calipers - 249.4mm Pad		17D1407MHD	
				17D1407MD	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2021-14	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD	
	2020-14	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2019-17			17D1407MD	
				17D1407MHD	
	2019-14	Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MD	
	2016-14	Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MHD	
Rear					
Disc Brake Pad Set	2021-14	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD	
	2020-14	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2019-14	Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MHD	
				17D1407MD	

Van Hool – T2100

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2014-06	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MHD	
		Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
		Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MD	
	2004	Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MHD	
		Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD	
		Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MD	
Rear					
Disc Brake Pad Set	2014-06	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MHD	

Van Hool – T2100 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2014-06	Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
		Lucas D Elsa 1, D3 ADB Calipers - 249.4mm Pad		17D1407MD	
	2004	Lucas D Elsa 1, D3 ADB Calipers - 249.4mm Pad		17D1407MHD	
		Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD	
		Lucas D Elsa 1, D3 ADB Calipers - 249.4mm Pad		17D1407MD	

Van Hool – TD925

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2017-09	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
	2017-08	Lucas D Elsa 1, D3 ADB Calipers - 249.4mm Pad		17D1407MHD	
				17D1407MD	
	2014-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
Rear					
Disc Brake Pad Set	2017-09	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
	2017-08	Lucas D Elsa 1, D3 ADB Calipers - 249.4mm Pad		17D1407MHD	
				17D1407MD	
	2014-08	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Van Hool – TDX Double Decker Coach

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2021-15	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2019-15	Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MHD	
				17D1407MD	
Rear					
Disc Brake Pad Set	2021-15	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Lucas D Elsa 2 ADB Caliper - 248mm Pad		17D1310MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
	2019-15	Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MHD	
				17D1407MD	

Van Hool – Tourist Coach TX

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-14	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	
		Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
		Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MD	
Rear					
Disc Brake Pad Set	2019-18			17D1203MHD	
	2019-14	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
		Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MHD	
		Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	
		Lucas D Elsa 1 , D3 ADB Calipers - 249.4mm Pad		17D1407MD	
	2017-14	Knorr SB-7, SN-7 ADB Calipers - 246mm Pad		17D1203MHD	

Volvo – 9700

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2010-09			17D1560MD	
				17D1560MHD	

Volvo – C40

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-22			17D1865M	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-22		18A82110A	18A82110	
			18A82110AC		
Rear					
Disc Brake Rotor	2023-22		18A82112A	18A82112	
			18A82112AC		

Volvo – C70

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2004-98	Rotor Diameter 11in	Left	18FR11229	
			Right	18FR11230	
Rear					
Disc Brake Caliper	2011-06		Left	18FR12745C	
				18FR12745N	
			Right	18FR12746C	
				18FR12746N	
	2004-98		Left	18FR1694	
				18R1694	
			Right	18FR1693	
18R1693					
Front					
Disc Brake Caliper Bushing	2013	300mm Rotor Diameter		18K1447	
		Rotor Diameter 320mm		18K1447	
	2012-06			18K1447	
	2004-98			18K274X	
Rear					
Disc Brake Caliper Bushing	2013-06			18K1447	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2013-12	Rotor Diameter 300mm		18J383705	
	2011	Rotor Diameter 300mm; Rotor Diameter 278mm		18J383705	
	2010-07	with 15in or 16in Wheels		18J383705	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Hydraulic Hose	2006			18J383705	
	2004-00	with 16in Wheels	Left	18J4750	
			Right	18J4750	
	2004-98	with 16in Wheels		18J4750	
Rear					
Brake Hydraulic Hose	2013-06			18J4751	
	2004-00		Left	18J173	
			Right Inner	18J173	
	2004-98	8.875" Length		18J173	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2001-98	w/o Traction Control		18M1202	
		with Traction Control		18M1188	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2013-12	Rotor Diameter 300mm	14D1044CF2		
		Rotor Diameter 300mm; 2nd Generation, Copper Free Friction Formula		17D1044CF2	
		Rotor Diameter 300mm; Original Part Design	14D1044C		
		Rotor Diameter 300mm; Revised F1 Part Design	14D1044CF1		
		Rotor Diameter 300mm; Original Part Design		17D1044C	
		Rotor Diameter 300mm; In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D1044CF1	
	2013-06	Rotor Diameter 320mm		17D1111DC	
				17D1111DM	
	2011-10	Rotor Diameter 300mm; Rotor Diameter 278mm	14D1044CF2		
		Rotor Diameter 300mm; Rotor Diameter 278mm; 2nd Generation, Copper Free Friction Formula		17D1044CF2	
		Rotor Diameter 300mm; Rotor Diameter 278mm; Original Part Design	14D1044C		
		Rotor Diameter 300mm; Rotor Diameter 278mm; Revised F1 Part Design	14D1044CF1		
		Rotor Diameter 300mm; Rotor Diameter 278mm; Original Part Design		17D1044C	

Volvo – C70 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2011-10	Rotor Diameter 300mm; Rotor Diameter 278mm; In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D1044CF1	
	2009-06	Rotor Diameter 300mm	14D1044CF2		
		Rotor Diameter 300mm; 2nd Generation, Copper Free Friction Formula		17D1044CF2	
		Rotor Diameter 300mm; Original Part Design	14D1044C		
		Rotor Diameter 300mm; Revised F1 Part Design	14D1044CF1		
		Rotor Diameter 300mm; Original Part Design		17D1044C	
		Rotor Diameter 300mm; In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D1044CF1	
	2005	16" Wheels		17D783M	
	2004-98	Rotor Diameter 302mm		17D840BM	
		with 11in Diameter Rotor		17D783M	

Rear

Disc Brake Pad Set	2013-06	2nd Generation, Copper Free Friction Formula		17D1095CHF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D1095CH	
			14D1095CH		
			14D1095CHF1		
	2004-98			17D541M	

Rear

Parking Brake Shoe	2004-98			17820B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2013-06	Rotor Diameter 320mm	18A2512A	18A2512	
			18A2512AC		
	2012-06	Rotor Diameter 300mm	18A2556A	18A2556	
			18A2556AC		
	2004-98	Rotor Diameter 302mm	18A1711A	18A1711	
		with 11in Diameter Rotor	18A706A	18A706	
			18A706AC		
Rear					
Disc Brake Rotor	2013-06		18A2476A	18A2476	
			18A2476AC		
	2004-98		18A705A	18A705	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2004-98		18A705AC		

Western Star – 4700SB
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-12	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2020-12	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Western Star – 4700SF
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-12	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2020-12	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Western Star – 4800SB
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-12	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2020-12	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Western Star – 4800SF
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2019-13	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2019-13	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	

Western Star – 4800SF (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2019-13	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MD	

Western Star – 4900EX

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2020-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Western Star – 4900FA

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2011-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2011-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Western Star – 4900SA

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2011-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2011-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Workhorse – FasTrack FT931

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2003-02	with 13in x 2-1/2in Rear Drum; Rotor Diameter 14.25in; without Dual Rear Wheels	18A274A		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2003-02	with 13in x 2-1/2in Rear Drum; Rotor Diameter 14.25in; without Dual Rear Wheels	18A274A		

Workhorse – FasTrack FT1260
Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2001-00	with 13in x 2-1/2in Rear Drum; Rotor Diameter 14.25in; without Dual Rear Wheels	18A274A		

Workhorse – FasTrack FT1261
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2003-02	13in x 3-1/2in Drum or Single Piston Rear Disc; 3.375in Single Piston Caliper	14D149MX	17D149MH	
				17D149MX	
		Dual Piston Caliper		17D184M	
				17D184MH	
		with 13in x 2-1/2in Rear Drum; 3.15" Single Piston Caliper	14D153MH	17D153MH	
	14D153MHF1				
Rear					
Disc Brake Pad Set	2003-02	Dual Piston Caliper		17D184M	
				17D184MH	
		Single Piston Caliper	14D149MX	17D149MH	
				17D149MX	
Rear					
Drum Brake Shoe	2003-02	13in x 3-1/2in Drum or Single Piston Rear Disc; 3.375in Single Piston Caliper	14452R	17452R	
			R452		
		with 13in x 2-1/2in Rear Drum; 3.15" Single Piston Caliper	14451R	17451R	
			R451		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2003-02	with 13in x 2-1/2in Rear Drum; Rotor Diameter 14.25in; without Dual Rear Wheels	18A274A		

Workhorse – FasTrack FT1460

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2001-00	with 13in x 2-1/2in Rear Drum; Rotor Diameter 14.25in; without Dual Rear Wheels	18A274A		

Workhorse – FasTrack FT1461

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2003-02	13in x 3-1/2in Drum or Single Piston Rear Disc; 3.375in Single Piston Caliper	14D149MX	17D149MH	
				17D149MX	
		Dual Piston Caliper		17D184M	
				17D184MH	
		with 13in x 2-1/2in Rear Drum; 3.15" Single Piston Caliper	14D153MH	17D153MH	
	14D153MHF1				
Rear					
Disc Brake Pad Set	2003-02	Dual Piston Caliper		17D184M	
				17D184MH	
		Single Piston Caliper	14D149MX	17D149MH	
				17D149MX	
Rear					
Drum Brake Shoe	2003-02	13in x 3-1/2in Drum or Single Piston Rear Disc; 3.375in Single Piston Caliper	14452R	17452R	
			R452		
		with 13in x 2-1/2in Rear Drum; 3.15" Single Piston Caliper	14451R	17451R	
			R451		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2003-02	with 13in x 2-1/2in Rear Drum; Rotor Diameter 14.25in; without Dual Rear Wheels	18A274A		

Workhorse – FasTrack FT1600

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2001-00	with 13in x 2-1/2in Rear Drum; Rotor Diameter 14.25in; without Dual Rear Wheels	18A274A		

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2003-02	13in x 3-1/2in Drum or Single Piston Rear Disc; 3.375in Single Piston Caliper	14D149MX	17D149MH	
				17D149MX	
		Dual Piston Caliper		17D184M	
				17D184MH	
		with 13in x 2-1/2in Rear Drum; 3.15" Single Piston Caliper	14D153MH	17D153MH	
			14D153MHF1		
Rear					
Disc Brake Pad Set	2003-02	Dual Piston Caliper		17D184M	
				17D184MH	
		Single Piston Caliper	14D149MX	17D149MH	
				17D149MX	
Rear					
Drum Brake Shoe	2003-02	13in x 3-1/2in Drum or Single Piston Rear Disc; 3.375in Single Piston Caliper	14452R	17452R	
			R452		
		with 13in x 2-1/2in Rear Drum; 3.15" Single Piston Caliper	14451R	17451R	
			R451		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2003-02	with 13in x 2-1/2in Rear Drum; Rotor Diameter 14.25in; without Dual Rear Wheels	18A274A		

Workhorse – FasTrack FT1800
Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2001-00	with 13in x 2-1/2in Rear Drum; Rotor Diameter 14.25in; without Dual Rear Wheels	18A274A		

Workhorse – FasTrack FT1801
Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2003-02	13in x 3-1/2in Drum or Single Piston Rear Disc; 3.375in Single Piston Caliper	14D149MX	17D149MH	
				17D149MX	
		Dual Piston Caliper		17D184M	
				17D184MH	
		with 13in x 2-1/2in Rear Drum; 3.15" Single Piston Caliper	14D153MH	17D153MH	
			14D153MHF1		

Workhorse – FasTrack FT1801 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Pad Set	2003-02	Dual Piston Caliper		17D184M	
				17D184MH	
		Single Piston Caliper	14D149MX	17D149MH	
				17D149MX	
Rear					
Drum Brake Shoe	2003-02	13in x 3-1/2in Drum or Single Piston Rear Disc; 3.375in Single Piston Caliper	14452R	17452R	
			R452		
		with 13in x 2-1/2in Rear Drum; 3.15" Single Piston Caliper	14451R	17451R	
			R451		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2003-02	with 13in x 2-1/2in Rear Drum; Rotor Diameter 14.25in; without Dual Rear Wheels	18A274A		

Workhorse – FasTrack FT1802

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2003-02	13in x 3-1/2in Drum or Single Piston Rear Disc; 3.375in Single Piston Caliper	14D149MX	17D149MH	
				17D149MX	
		Dual Piston Caliper		17D184M	
				17D184MH	
		with 13in x 2-1/2in Rear Drum; 3.15" Single Piston Caliper	14D153MH	17D153MH	
			14D153MHF1		
Rear					
Disc Brake Pad Set	2003-02	Dual Piston Caliper		17D184M	
				17D184MH	
		Single Piston Caliper	14D149MX	17D149MH	
				17D149MX	
Rear					
Drum Brake Shoe	2003-02	13in x 3-1/2in Drum or Single Piston Rear Disc; 3.375in Single Piston Caliper	14452R	17452R	
			R452		
		with 13in x 2-1/2in Rear Drum; 3.15" Single Piston Caliper	14451R	17451R	
			R451		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2003-02	with 13in x 2-1/2in Rear Drum; Rotor Diameter 14.25in; without Dual Rear Wheels	18A274A		

Workhorse – LF72

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2009-05	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	
		73mm Bosch Caliper; w/ Casting # 4153222		18FR1514	
				18FR1514N	
				18R1514	
Rear					
Disc Brake Caliper	2009-05	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515	
				18FR1515N	
				18R1515	
		73mm Bosch Caliper; w/ Casting # 4153222		18FR1514	
				18FR1514N	
				18R1514	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-05			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-05	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		73mm Bosch Caliper; w/ Casting # 4153222		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2009-05	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		73mm Bosch Caliper; w/ Casting # 4153222		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2009-05			17980B	

Workhorse – LF72 (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2009-05		18A1839A	18A1839	

Workhorse – P30

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2003-00	13" X 3-1/2" Drum Or Single Piston Rear Disc; Stripped Chassis; 3.38" Single Piston Bendix Front Caliper	Left		
				18FR652	
				18FR652N	
				18R652	
			Right	18FR651	
				18FR651N	
				18R651	
Rear					
Disc Brake Caliper	2005-00	Rear Disc		18FR1408	
				18R1408	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2003-00	Stripped Chassis		18M230	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2005-04	Dual Piston Caliper		17D184M	
				17D184MH	
		Single Piston Caliper	14D149MX	17D149MH	
				17D149MX	
	2003-00	13in x 3-1/2in Drum or Single Piston Rear Disc; 3.375in Single Piston Caliper	14D149MX	17D149MH	
				17D149MX	
	2000	Dual Piston Caliper		17D184M	
				17D184MH	
		with 13in x 2-1/2in Rear Drum; 3.15" Single Piston Caliper	14D153MH	17D153MH	
			14D153MHF1		
Rear					
Disc Brake Pad Set	2005-01	Single Piston Caliper		17D184M	
				17D184MH	
	2005-00	Rear Disc	14D149MX	17D149MH	
				17D149MX	
	2000	Dual Piston Caliper		17D184M	
				17D184MH	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Shoe	2003-00	13in x 3-1/2in Drum or Single Piston Rear Disc; 3.375in Single Piston Caliper	14452R	17452R	
			R452		
	2000	with 13in x 2-1/2in Rear Drum; 3.15" Single Piston Caliper	14451R	17451R	
			R451		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2003-00	11in x 2in Driveline Parking Brake; Stripped Chassis		18B407	
		with 13in x 3-1/2in Brakes; Stripped Chassis	18B254A		
	2000	with 13in x 2-1/2in Brakes; Stripped Chassis		18B111	
Front					
Disc Brake Rotor	2000	Front Disc; Rear Disc; 10 Hole Rotor; Stripped Chassis	18A230A		
		Front Disc; Rear Disc; 5 Hole Rotor; Stripped Chassis	18A686A	18A686	
		with 13in x 2-1/2in Rear Drum; Rotor Diameter 14.25in; without Dual Rear Wheels	18A274A		
Rear					
Disc Brake Rotor	2005-00	Rear Disc	18A717A	18A717	
	2000	with Single Piston Caliper; Stripped Chassis	18A230A		
Front					
Disc Brake Rotor and Hub Assembly	2003-00	4-Wheel ABS; with 13in x 2-1/2in Rear Drum; Stripped Chassis; without Dual Rear Wheels	18A616A		
		INDEPENDENT Front Suspension; With Dual Rear Wheels; Stripped Chassis; w/ 13" X 3 1/2" Brake Drum	18A97A	18A97	
		Rear Drum; 4-Wheel ABS; With Dual Rear Wheels; Stripped Chassis; Front Disc Brakes; w/ Independent Front Suspension; w/ 13" X 3 1/2" Brake Drum	18A617A	18A617	
		with Front I-Beam Axle; With Dual Rear Wheels; Stripped Chassis; w/ 13" X 3 1/2" Brake Drum	18A950A		
	2000	w/ 12.5" Front Rotor; Stripped Chassis; w/ 13" X 3 1/2" Brake Drum; without Dual Rear Wheels	18A616A		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2003-00	Stripped Chassis; w/ 13" X 3 1/2" Brake Drum		18E1362	

Workhorse – P30 (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	2000	with 13in x 2-1/2in Rear Drum; Stripped Chassis		18E112	

Workhorse – P32

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	2005-99	w/ Dual Piston Calipers		18FR1408		
				18R1408		
		w/ Single Piston Calipers	Left		18FR652	
					18FR652N	
			Right		18R652	
					18FR651	
			18FR651N			
			18R651			
Rear						
Disc Brake Caliper	2005-99	w/ Dual Piston Calipers		18FR1408		
				18R1408		
		w/ Single Piston Calipers	Left		18FR652	
					18FR652N	
			Right		18R652	
					18FR651	
			18FR651N			
			18R651			

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	2005-99	Rear Disc Brakes	Left Lower	18J1310	
			Right Lower	18J1272	
		Upper		18J380005	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2005-99			18M230	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2005-99	w/ Dual Piston Calipers		17D184M	
				17D184MH	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2005-99	w/ Single Piston Calipers	14D149MX	17D149MH	
				17D149MX	
Rear					
Disc Brake Pad Set	2005-99	w/ Dual Piston Calipers		17D184M	
				17D184MH	
		w/ Single Piston Calipers	14D149MX	17D149MH	
				17D149MX	
Rear					
Drum Brake Shoe	2005-99	w/ Rear Drum Brakes; w/ 13" x 3 1/2" Rear Brakes	14452R	17452R	
			R452		
		with Single Rear Wheels (SRW); w/ Rear Drum Brakes; w/ 13" X 2 1/2" Rear Brakes	14451R	17451R	
			R451		
Driveline					
Parking Brake Shoe	2005-99	11" X 2" Driveline Parking Brake		17823B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2005-99	w/ Rear Drum Brakes; w/ 13" X 2 1/2" Rear Brakes		18B111	
		w/ Rear Drum Brakes; w/ 13" x 3 1/2" Rear Brakes	18B254A		
Brake Drum	2005-02	11" X 2" Driveline Parking Brake		18B407	
	2000-99	11" X 2" Driveline Parking Brake		18B407	
Front					
Disc Brake Rotor	2005-99	Front Disc; Rear Disc; Hat Shaped 10 Hole Rotor; with Single Piston Caliper	18A230A		
		Front Disc; Rear Disc; Hat Shaped 5 Hole Rotor; with Dual Piston Caliper	18A686A	18A686	
	2003-02	2-Wheel ABS; with 13in x 2-1/2in Rear Drum; Rotor Diameter 14.25in; without Dual Rear Wheels	18A274A		
	2000	2-Wheel ABS; with 13in x 2-1/2in Rear Drum; Rotor Diameter 14.25in; without Dual Rear Wheels	18A274A		
Rear					
Disc Brake Rotor	2005-99	Hat Shaped 10 Hole Rotor; with Single Piston Caliper	18A230A		
		w/ Dual Piston Rear Calipers	18A717A	18A717	
Front					
Disc Brake Rotor and Hub Assembly	2005-03	Rear Drum; 4-Wheel ABS; with Dual Rear Wheels (DRW); w/ Independent Front Suspension; w/ 13" x 3 1/2" Rear Brakes	18A617A	18A617	
	2005-99	4-Wheel ABS; with Single Rear Wheels (SRW); w/ Independent Front Suspension; w/ Rear Drum Brakes; w/ 13" X 2 1/2" Rear Brakes	18A616A		

Workhorse – P32 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor and Hub Assembly	2005-99	with Dual Rear Wheels (DRW); Front I Beam Axle; Rear Drum Brakes	18A950A		
		with Dual Rear Wheels (DRW); w/ Independent Front Suspension; w/ Rear Drum Brakes; w/ 13" x 3 1/2" Rear Brakes; 2 Wheel ABS	18A97A	18A97	
		with Single Rear Wheels (SRW); Rear Drum Brakes; w/ Rear Wheel ABS Brakes	18A21A		
	2002-99	with Dual Rear Wheels (DRW); w/ Independent Front Suspension; w/ 13" x 3 1/2" Rear Brakes; 4-Wheel ABS; Rear Drum Brakes	18A617A	18A617	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2005-02	w/ Rear Drum Brakes; w/ 13" x 3 1/2" Rear Brakes		18E1362	
	2005-99	w/ Rear Drum Brakes; w/ 13" X 2 1/2" Rear Brakes		18E112	
	2000-99	w/ Rear Drum Brakes; w/ 13" x 3 1/2" Rear Brakes		18E1362	

Workhorse – P42

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2005-99	Dual Piston Caliper		18FR1408	
				18R1408	
Rear					
Disc Brake Caliper	2005-99	Dual Piston Caliper		18FR1408	
				18R1408	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	2005-99	Center		18J380005	
		Left Lower		18J1310	
		Right Lower		18J1272	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2005-99			18M230	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2005-99	Dual Piston Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	2005-99	Dual Piston Caliper		17D184M	
				17D184MH	
Driveline					
Parking Brake Shoe	2005-99	11" X 2" Driveline Parking Brake		17823B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Drum	2005-99	11" X 2" Driveline Parking Brake		18B407	
Front					
Disc Brake Rotor	2005-99	10 Hole Rotor; 4 Wheel Disc Brakes	18A230A		
		with Dual Piston Caliper	18A686A	18A686	
Rear					
Disc Brake Rotor	2005-99	with Dual Piston Caliper	18A717A	18A717	
		with Single Piston Caliper; 4 Wheel Disc Brakes	18A230A		
Front					
Disc Brake Rotor and Hub Assembly	2004		18A950A		

Workhorse – R26
Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2009-07	64mm 4 Piston Calipers	Left		18FR2503N	
			Right		18FR2502N	
					18R2502	
		70mm 4 Piston Calipers	Left		18FR2497	
					18FR2497N	
					18R2497	
		Right		18FR2496		
				18FR2496N		
Rear						
Disc Brake Caliper	2009-07	64mm 4 Piston Calipers	Left		18FR2503N	
			Right		18FR2502N	
					18R2502	
		70mm 4 Piston Calipers	Left		18FR2497	
					18FR2497N	
					18R2497	
		Right		18FR2496		
				18FR2496N		

Workhorse – R26 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Piston	2009-07	70mm 4 Piston Calipers		18K2420	
Rear					
Disc Brake Caliper Piston	2009-07	70mm 4 Piston Calipers		18K2420	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-07			18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-07		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2009-07		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Driveline					
Parking Brake Shoe	2009-07	12" X 3" Driveline Parking Brake		17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-07		18A2426A	18A2426	
Rear					
Disc Brake Rotor	2009-07		18A2426A	18A2426	

Workhorse – W16

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-06	GAS; w/ Delco Master Cylinder		18M2429	
		w/ Diesel; w/ Bosch Master Cylinder		18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-06			17D1027M	
Rear					
Disc Brake Pad Set	2009-06			17D1027M	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-06	Hat Shaped 10 Hole Rotor	18A2770A	18A2770	
Rear					
Disc Brake Rotor	2009-06	U Shaped 5 Hole Rotor; Rotor Includes ABS Sensor Ring	18A2771A	18A2771	

Workhorse – W18
Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-06			18M2429	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-06			17D1027M	
Rear					
Disc Brake Pad Set	2009-06			17D1027M	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-06	Hat Shaped 10 Hole Rotor	18A2770A	18A2770	
Rear					
Disc Brake Rotor	2009-06	U Shaped 5 Hole Rotor; Rotor Includes ABS Sensor Ring	18A2771A	18A2771	

Workhorse – W20
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2009-01	66mm Dual Piston Calipers		18FR1515	
				18FR1515N	
				18R1515	
Rear					
Disc Brake Caliper	2009-01	66mm Dual Piston Calipers		18FR1515	
				18FR1515N	
				18R1515	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2009-01	30" Long	Left	18J383933	

Workhorse – W20 (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Hydraulic Hose	2009-01	30" Long Right		18J383925	
Rear					
Brake Hydraulic Hose	2009-01	34" Long Right		18J383923	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-01			18M391540	
	2003-02			18M230	

Pads & Shoes

Front					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-01	66mm Dual Piston Calipers	14D786M	17D786MH	
			14D786MH	17D786MHF1	
Rear					
Disc Brake Pad Set	2009-01	66mm Dual Piston Calipers	14D786M	17D786MH	
			14D786MH	17D786MHF1	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-01	Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height	18A2664A		
		Hat Shaped 10 Hole Rotor; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor	18A2663A	18A2663	
Rear					
Disc Brake Rotor	2009-01	Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height	18A2664A		
		Hat Shaped 10 Hole Rotor; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor	18A2663A	18A2663	

Workhorse – W21

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2009-07	66mm Dual Piston Calipers		18FR1515	
				18FR1515N	
				18R1515	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper	2009-07	66mm Dual Piston Calipers		18FR1515	
				18FR1515N	
				18R1515	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2009-07	30" Long	Left		18J383933	
		30" Long.	Right		18J383925	
Rear						
Brake Hydraulic Hose	2009-07	34" Long	Right		18J383923	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-07			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-07	66mm Dual Piston Calipers	14D786M	17D786MH	
			14D786MH	17D786MHF1	
Rear					
Disc Brake Pad Set	2009-07	66mm Dual Piston Calipers	14D786M	17D786MH	
			14D786MH	17D786MHF1	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-07	Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height	18A2664A		
		Hat Shaped 10 Hole Rotor; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor	18A2663A	18A2663	
Rear					
Disc Brake Rotor	2009-07	Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height	18A2664A		
		Hat Shaped 10 Hole Rotor; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor	18A2663A	18A2663	

Workhorse – W22

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2009-01	66mm Dual Piston Calipers		18FR1515	
				18FR1515N	
				18R1515	
Rear					
Disc Brake Caliper	2009-01	66mm Dual Piston Calipers		18FR1515	
				18FR1515N	
				18R1515	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2009-01	30" Long Left		18J383933	
		30" Long. Right		18J383925	
Rear					
Brake Hydraulic Hose	2009-04	Right		18J383923	
	2003-02	34" Long Right		18J383923	
	2001	Right		18J383923	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-01			18M391540	
	2003-02			18M230	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-01	66mm Dual Piston Calipers	14D786M	17D786MH	
			14D786MH	17D786MHF1	
Rear					
Disc Brake Pad Set	2009-01	66mm Dual Piston Calipers	14D786M	17D786MH	
			14D786MH	17D786MHF1	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-01	Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height	18A2664A		
		Hat Shaped 10 Hole Rotor; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor	18A2663A	18A2663	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2009-01	Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height	18A2664A		
		Hat Shaped 10 Hole Rotor; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor	18A2663A	18A2663	

Workhorse – W24
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2009-04	Left		18FR2497	
				18FR2497N	
				18R2497	
		Right		18FR2496	
				18FR2496N	
Rear					
Disc Brake Caliper	2009-04	Left		18FR2497	
				18FR2497N	
				18R2497	
		Right		18FR2496	
				18FR2496N	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-04			18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-04		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2009-04		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-04		18A2426A	18A2426	

Workhorse – W24 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2009-04	Hat Shaped 10 Hole Rotor	18A2426A	18A2426	
		U Shaped 10 Hole Rotor	18A2772A	18A2772	

Workhorse – W25

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2009-05	Left		18FR2497	
				18FR2497N	
				18R2497	
		Right		18FR2496	
				18FR2496N	
Rear					
Disc Brake Caliper	2009-05	Left		18FR2497	
				18FR2497N	
				18R2497	
		Right		18FR2496	
				18FR2496N	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-05			18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-05		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2009-05		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-05		18A2426A	18A2426	
Rear					
Disc Brake Rotor	2009-05	Hat Shaped 10 Hole Rotor	18A2426A	18A2426	
		U Shaped 10 Hole Rotor	18A2772A	18A2772	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2011-06	52mm Piston Diameter; w/ Brembo Caliper Casting # 2x 52/28 - 929305	Left	18FR12867C	
				18FR12867N	
		Right	18FR12868C		
			18FR12868N		
	2005-04		18FR1408		
			18R1408		
Rear					
Disc Brake Caliper	2005-04		18FR1408		
			18R1408		

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2011-06	32.25in Long; w/ 52mm Caliper; w/ Brembo Caliper Casting # 2x 52/28 - 929305	Left		18J383981
		w/ 68mm Caliper; w/ Brembo Caliper Casting # 5662.02; 34.75" Long			18J4922
Rear					
Brake Hydraulic Hose	2011-06	w/ 52mm Caliper; w/ Brembo Caliper Casting # 2x 52/28 - 929305	Lower		18J383967
			Upper		18J383966
		w/ 68mm Caliper; w/ Brembo Caliper Casting # 5662.02	Lower		18J4923

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2011-06	Rectangular Reservoir; w/ Bosch Master Cylinder; 2" Bore Diameter		18M870	
		Rectangular Reservoir; w/ Delco Master Cylinder; 40mm Bore Diameter		18M2429	
		with Oval Shaped Reservoir; 1 1/4" Bore Diameter		18M2718	
	2005-04	Rectangular Reservoir; 40mm Bore Diameter		18M949	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2011-06	52mm Piston Diameter; w/ Brembo Caliper Casting # 2x 52/28 - 929305		17D1268M	
				17D1268MH	
		68mm Piston Diameter; w/ Brembo Caliper Casting # 5662.02		17D1027M	
	2005-04	66mm Dual Piston Calipers; w/ Rail Slide Caliper		17D184M	
				17D184MH	

Workhorse – W42 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Pad Set	2011-06	52mm Piston Diameter; w/ Brembo Caliper Casting # 2x 52/28 - 929305		17D1268M	
				17D1268MH	
	2005-04	68mm Piston Diameter; w/ Brembo Caliper Casting # 5662.02		17D1027M	
				17D184M	
Drum Brake Shoe	2011-06	11" X 2" Driveline Parking Brake; Requires 1/2 Set		17D184MH	
				17280B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2011-06	Hat Shaped 10 Hole Rotor	18A2770A	18A2770	
		Hat Shaped 8 Hole Rotor	18A2763A	18A2763	
		U Shaped 8 Hole Rotor		18A2593	
	2005-04		18A686A	18A686	
Rear					
Disc Brake Rotor	2011-06	U Shaped 10 Hole Rotor	18A2718A	18A2718	
		U Shaped 5 Hole Rotor	18A2771A	18A2771	
	2005-04		18A717A	18A717	
		Rear			
Disc Brake Rotor and Hub Assembly	2011-06	U Shaped 8 Hole Rotor		18A2645	

Workhorse – W62

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2011-07			18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2011-07		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2011-07		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2011-07		18A2426A	18A2426	
Rear					
Disc Brake Rotor	2011-07	Hat Shaped 10 Hole Rotor	18A2426A	18A2426	
		U Shaped 10 Hole Rotor	18A2772A	18A2772	

Workhorse Custom Chassis – P32
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	2007-99	w/ Dual Piston Calipers		18FR1408		
				18R1408		
		w/ Single Piston Calipers	Left		18FR652	
					18FR652N	
					18R652	
				Right		18FR651
			18FR651N			
				18R651		
Rear						
Disc Brake Caliper	2007-99	w/ Dual Piston Calipers		18FR1408		
				18R1408		
		w/ Single Piston Calipers	Left		18FR652	
					18FR652N	
					18R652	
				Right		18FR651
			18FR651N			
				18R651		

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	2007-99	Rear Disc Brakes Left Lower		18J1310	
				18J1272	
		Upper		18J380005	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2007-99			18M230	

Workhorse Custom Chassis – P32 (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2007-99	w/ Dual Piston Calipers		17D184M	
				17D184MH	
		w/ Single Piston Calipers	14D149MX	17D149MH	
				17D149MX	
Rear					
Disc Brake Pad Set	2007-99	w/ Dual Piston Calipers		17D184M	
				17D184MH	
		w/ Single Piston Calipers	14D149MX	17D149MH	
				17D149MX	
Rear					
Drum Brake Shoe	2007-99	w/ Rear Drum Brakes; w/ 13" x 3 1/2" Rear Brakes	14452R	17452R	
			R452		
		with Single Rear Wheels (SRW); w/ Rear Drum Brakes; w/ 13" X 2 1/2" Rear Brakes	14451R	17451R	
			R451		
Driveline					
Parking Brake Shoe	2007-99	11" X 2" Driveline Parking Brake		17823B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2007-99	w/ Rear Drum Brakes; w/ 13" X 2 1/2" Rear Brakes		18B111	
		w/ Rear Drum Brakes; w/ 13" x 3 1/2" Rear Brakes	18B254A		
Brake Drum	2007-02	11" X 2" Driveline Parking Brake		18B407	
	2000-99	11" X 2" Driveline Parking Brake		18B407	
Front					
Disc Brake Rotor	2007-99	Front Disc; Rear Disc; Hat Shaped 10 Hole Rotor; with Single Piston Caliper	18A230A		
		Front Disc; Rear Disc; Hat Shaped 5 Hole Rotor; with Dual Piston Caliper	18A686A	18A686	
	2003-02	2-Wheel ABS; with 13in x 2-1/2in Rear Drum; Rotor Diameter 14.25in; without Dual Rear Wheels	18A274A		
	2000	2-Wheel ABS; with 13in x 2-1/2in Rear Drum; Rotor Diameter 14.25in; without Dual Rear Wheels	18A274A		
Rear					
Disc Brake Rotor	2007-99	Hat Shaped 10 Hole Rotor; with Single Piston Caliper	18A230A		
		w/ Dual Piston Rear Calipers	18A717A	18A717	
Front					
Disc Brake Rotor and Hub Assembly	2007	Rear Drum; 4-Wheel ABS; with Dual Rear Wheels (DRW); w/ Independent Front Suspension; w/ 13" x 3 1/2" Rear Brakes	18A617A	18A617	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor and Hub Assembly	2007-99	4-Wheel ABS; with Single Rear Wheels (SRW); w/ Independent Front Suspension; w/ Rear Drum Brakes; w/ 13" X 2 1/2" Rear Brakes	18A616A		
		with Dual Rear Wheels (DRW); Front I Beam Axle; Rear Drum Brakes	18A950A		
		with Dual Rear Wheels (DRW); w/ Independent Front Suspension; w/ Rear Drum Brakes; w/ 13" x 3 1/2" Rear Brakes; 2 Wheel ABS	18A97A	18A97	
		with Single Rear Wheels (SRW); Rear Drum Brakes; w/ Rear Wheel ABS Brakes	18A21A		
	2006	with Dual Rear Wheels (DRW); w/ Independent Front Suspension; w/ 13" x 3 1/2" Rear Brakes; 4-Wheel ABS; Rear Drum Brakes	18A617A	18A617	
	2005-03	Rear Drum; 4-Wheel ABS; with Dual Rear Wheels (DRW); w/ Independent Front Suspension; w/ 13" x 3 1/2" Rear Brakes	18A617A	18A617	
	2002-99	with Dual Rear Wheels (DRW); w/ Independent Front Suspension; w/ 13" x 3 1/2" Rear Brakes; 4-Wheel ABS; Rear Drum Brakes	18A617A	18A617	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2007-02	w/ Rear Drum Brakes; w/ 13" x 3 1/2" Rear Brakes		18E1362	
	2007-99	w/ Rear Drum Brakes; w/ 13" X 2 1/2" Rear Brakes		18E112	
	2000-99	w/ Rear Drum Brakes; w/ 13" x 3 1/2" Rear Brakes		18E1362	

Workhorse Custom Chassis – P42

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2005-99	Dual Piston Caliper		18FR1408	
				18R1408	
Rear					
Disc Brake Caliper	2005-99	Dual Piston Caliper		18FR1408	
				18R1408	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	2005-99	Center		18J380005	

Workhorse Custom Chassis – P42 (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2005-99		Left Lower	18J1310	
			Right Lower	18J1272	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2005-99			18M230	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2005-99	Dual Piston Caliper		17D184M	
				17D184MH	
Rear					
Disc Brake Pad Set	2005-99	Dual Piston Caliper		17D184M	
				17D184MH	
Driveline					
Parking Brake Shoe	2005-99	11" X 2" Driveline Parking Brake		17823B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Drum	2005-99	11" X 2" Driveline Parking Brake		18B407	
Front					
Disc Brake Rotor	2005-99	10 Hole Rotor; 4 Wheel Disc Brakes	18A230A		
		with Dual Piston Caliper	18A686A	18A686	
Rear					
Disc Brake Rotor	2005-99	with Dual Piston Caliper	18A717A	18A717	
		with Single Piston Caliper; 4 Wheel Disc Brakes	18A230A		
Front					
Disc Brake Rotor and Hub Assembly	2004		18A950A		

Workhorse Custom Chassis – R26

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2008-07	64mm 4 Piston Calipers	Left	18FR2503N	
			Right	18FR2502N	
		70mm 4 Piston Calipers		18R2502	
			Left	18FR2497	
				18FR2497N	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2008-07	70mm 4 Piston Calipers	Left	18R2497	
			Right	18FR2496	
				18FR2496N	
Rear					
Disc Brake Caliper	2008-07	64mm 4 Piston Calipers	Left	18FR2503N	
			Right	18FR2502N	
				18R2502	
		70mm 4 Piston Calipers	Left	18FR2497	
				18FR2497N	
				18R2497	
			Right	18FR2496	
				18FR2496N	
Front					
Disc Brake Caliper Piston	2008-07	70mm 4 Piston Calipers		18K2420	
Rear					
Disc Brake Caliper Piston	2008-07	70mm 4 Piston Calipers		18K2420	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2008-07			18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2008-07		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2008-07		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Driveline					
Parking Brake Shoe	2008-07	12" X 3" Driveline Parking Brake		17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2008-07		18A2426A	18A2426	
Rear					
Disc Brake Rotor	2008-07		18A2426A	18A2426	

Workhorse Custom Chassis – W18

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2010-06			18M2429	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2010-06			17D1027M	
Rear					
Disc Brake Pad Set	2010-06			17D1027M	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2010-06	Hat Shaped 10 Hole Rotor	18A2770A	18A2770	
Rear					
Disc Brake Rotor	2010-06	U Shaped 5 Hole Rotor; Rotor Includes ABS Sensor Ring	18A2771A	18A2771	

Workhorse Custom Chassis – W22

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2011-01	66mm Dual Piston Calipers		18FR1515	
				18FR1515N	
				18R1515	
Rear					
Disc Brake Caliper	2011-01	66mm Dual Piston Calipers		18FR1515	
				18FR1515N	
				18R1515	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2011-10	30" Long Right		18J383925	
	2011-01	30" Long Left		18J383933	
	2009-01	30" Long. Right		18J383925	
Rear					
Brake Hydraulic Hose	2011-10	34" Long Right		18J383923	
	2009-04	Right		18J383923	
	2003-02	34" Long Right		18J383923	
	2001	Right		18J383923	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2011-01			18M391540	
	2003-02			18M230	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2011-01	66mm Dual Piston Calipers	14D786M	17D786MH	
			14D786MH	17D786MHF1	
Rear					
Disc Brake Pad Set	2011-01	66mm Dual Piston Calipers	14D786M	17D786MH	
			14D786MH	17D786MHF1	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2011-01	Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height	18A2664A		
		Hat Shaped 10 Hole Rotor; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor	18A2663A	18A2663	
Rear					
Disc Brake Rotor	2011-01	Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height	18A2664A		
		Hat Shaped 10 Hole Rotor; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor	18A2663A	18A2663	

Workhorse Custom Chassis – W24

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2011	Left		18FR2497	
				18FR2497N	
				18R2497	
		Right		18FR2496	
				18FR2496N	
				18R2497	
	2009-07	Left		18FR2497	
				18FR2497N	
				18R2497	
		Right		18FR2496	
				18FR2496N	
	2005-04	Left		18FR2497	

Workhorse Custom Chassis – W24 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)						
Disc Brake Caliper	2005-04	Left		18FR2497N		
				18R2497		
		Right		18FR2496		
				18FR2496N		
Rear						
Disc Brake Caliper	2011	Left		18FR2497		
				18FR2497N		
				18R2497		
		Right		18FR2496		
				18FR2496N		
		2009-07	Left		18FR2497	
					18FR2497N	
				18R2497		
	Right			18FR2496		
				18FR2496N		
	2005-04	Left		18FR2497		
				18FR2497N		
				18R2497		
		Right		18FR2496		
			18FR2496N			

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-07			18M870	
	2005-04			18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-07		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2005-04		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2009-07		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2005-04		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2011		18A2426A	18A2426	
	2009-07		18A2426A	18A2426	
	2005-04		18A2426A	18A2426	
Rear					
Disc Brake Rotor	2011	Hat Shaped 10 Hole Rotor	18A2426A	18A2426	
		U Shaped 10 Hole Rotor	18A2772A	18A2772	
	2009-07	Hat Shaped 10 Hole Rotor	18A2426A	18A2426	
		U Shaped 10 Hole Rotor	18A2772A	18A2772	
	2005-04	Hat Shaped 10 Hole Rotor	18A2426A	18A2426	
		U Shaped 10 Hole Rotor	18A2772A	18A2772	

Workhorse Custom Chassis – W42

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2012-06	52mm Piston Diameter; w/ Brembo Caliper Casting # 2x 52/28 - 929305	Left		18FR12867C
					18FR12867N
			Right		18FR12868C
					18FR12868N

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2012-06	32.25in Long; w/ 52mm Caliper; w/ Brembo Caliper Casting # 2x 52/28 - 929305	Left	18J383981	
		w/ 68mm Caliper; w/ Brembo Caliper Casting # 5662.02; 34.75" Long		18J4922	
Rear					
Brake Hydraulic Hose	2012-06	w/ 52mm Caliper; w/ Brembo Caliper Casting # 2x 52/28 - 929305	Lower	18J383967	
			Upper	18J383966	
		w/ 68mm Caliper; w/ Brembo Caliper Casting # 5662.02	Lower	18J4923	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2012-06	Rectangular Reservoir; w/ Bosch Master Cylinder; 2" Bore Diameter		18M870	
		Rectangular Reservoir; w/ Delco Master Cylinder; 40mm Bore Diameter		18M2429	
		with Oval Shaped Reservoir; 1 1/4" Bore Diameter		18M2718	

Workhorse Custom Chassis – W42 (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2012-06	52mm Piston Diameter; w/ Brembo Caliper Casting # 2x 52/28 - 929305		17D1268M	
				17D1268MH	
		68mm Piston Diameter; w/ Brembo Caliper Casting # 5662.02		17D1027M	
Rear					
Disc Brake Pad Set	2012-06	52mm Piston Diameter; w/ Brembo Caliper Casting # 2x 52/28 - 929305		17D1268M	
				17D1268MH	
		68mm Piston Diameter; w/ Brembo Caliper Casting # 5662.02		17D1027M	
Drum Brake Shoe	2012-06	11" X 2" Driveline Parking Brake; Requires 1/2 Set		17280B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2012-06	Hat Shaped 10 Hole Rotor	18A2770A	18A2770	
		Hat Shaped 8 Hole Rotor	18A2763A	18A2763	
		U Shaped 8 Hole Rotor		18A2593	
Rear					
Disc Brake Rotor	2012-06	U Shaped 10 Hole Rotor	18A2718A	18A2718	
		U Shaped 5 Hole Rotor	18A2771A	18A2771	
Rear					
Disc Brake Rotor and Hub Assembly	2012-06	U Shaped 8 Hole Rotor		18A2645	

Workhorse Custom Chassis – W52

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2005-02			18FR1515	
				18FR1515N	
				18R1515	
Rear					
Disc Brake Caliper	2005-02			18FR1515	
				18FR1515N	
				18R1515	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2005-02			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2005-02		14D786M	17D786MH	
			14D786MH	17D786MHF1	
Rear					
Disc Brake Pad Set	2005-02		14D786M	17D786MH	
			14D786MH	17D786MHF1	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2005-02	Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height	18A2664A		
		Hat Shaped 10 Hole Rotor; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor	18A2663A	18A2663	
Rear					
Disc Brake Rotor	2005-02	Hat Shaped 10 Hole Rotor; with 3.20in Overall Rotor Height	18A2664A		
		Hat Shaped 10 Hole Rotor; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor	18A2663A	18A2663	

Workhorse Custom Chassis – W62

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2012-07			18M870	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2012-07		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2012-07		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2012-07		18A2426A	18A2426	

Workhorse Custom Chassis – W62 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2012-07	Hat Shaped 10 Hole Rotor	18A2426A	18A2426	
		U Shaped 10 Hole Rotor	18A2772A	18A2772	



SCHOOL BUS APPLICATIONS



MEDIUM DUTY SCHOOL BUS BRAKE PADS

Brakes for type "A" applications
also available



MAKE	APPLICATION	LOCATION	ACDELCO GOLD ROTOR	ACDELCO SILVER ROTOR	ACDELCO GOLD NEW CALIPER	ACDELCO GOLD REMAN CALIPER	ACDELCO GOLD FRICTION	ACDELCO SILVER FRICTION	FITMENT NOTES
Blue Bird	2001 & up All American / Vision	Front	18A2426	18A2426A	18FR2502N 18FR2503N	NA	17D1032MX	14D1032MX	70 mm Quad Piston Calipers 4-20 mm Mounting Holes
Blue Bird	2001 & up All American / Vision	Rear	18A2772	18A2772A	18FR2502N 18FR2503N	NA	17D1032MX	14D1032MX	70 mm Quad Piston Calipers 4-20 mm Mounting Holes
Blue Bird	1998-03 TC2000/ All American	Front	18A1429	18A1429A	18FR1514N	18FR1514	17D786AM	NA	73 mm Dual Piston Calipers
Blue Bird	1998-03 TC2000/ All American	Rear	18A1839	18A1839A	18FR1514N	18FR1514	17D786AM	NA	73 mm Dual Piston Calipers
Blue Bird	1997-03 CV200 / GM B7 SB Chassis	Front or Rear	18A1221	NA	18FR813N	18FR813	17D225M	NA	2.88" Dual Piston Caliper
Blue Bird	1997-03 CV200 / GM B7 SB Chassis	Front or Rear	18A1220	18A1220A	18FR813N	18FR813	17D225M	NA	2.88" Dual Piston Caliper
IC Bus	2009 & up CE Series	Front or Rear	18A2887	18A2887A	18FR12845N 18FR12846N	NA	17D1032MX	14D1032MX	70 mm Quad Piston Calipers 6-14 mm Mounting Holes
IC Bus	1998-09 CE Series	Front or Rear	18A1430	18A1430A	18FR1515N	18FR1515	17D786MH	14D786M	66 mm Dual Piston Calipers, Thin Pad 0.800"
IC Bus	1998-09 CE Series	Front or Rear	18A1429	18A1429A	18FR1514N	18FR1514	17D786AM	NA	73 mm Dual Piston Calipers, Thick Pad 1.080"
IC Bus	1998-09 CE Series	Rear	18A1839	18A1839A	18FR1514N	18FR1514	17D786AM	NA	73 mm Dual Piston Calipers, Thick Pad 1.080"
International	1991-97 3800 SB Chassis	Front or Rear	18A1429	18A1429A	18FR813N	18FR813	17D225M	NA	2.88" Dual Piston Caliper
International	1991-97 3800 SB Chassis	Rear	18A1839	18A1839A	18FR813N	18FR813	17D225M	NA	2.88" Dual Piston Caliper
Thomas	2004 & up C2	Front or Rear	18A1429	18A1429A	18FR1514N	18FR1514	17D786AM	NA	73 mm Dual Piston Calipers, Thick Pad 1.080"
Thomas	2004 & up C2	Rear	18A80923	18A80923A	18FR1514N	18FR1514	17D786AM	NA	73 mm Dual Piston Calipers, Thick Pad 1.080"

Continued on Next Page

MEDIUM DUTY SCHOOL BUS BRAKE PADS

Brakes for type "A" applications
also available



MAKE	APPLICATION	LOCATION	ACDELCO GOLD ROTOR	ACDELCO SILVER ROTOR	ACDELCO GOLD NEW CALIPER	ACDELCO GOLD REMAN CALIPER	ACDELCO GOLD FRICTION	ACDELCO SILVER FRICTION	FITMENT NOTES
Thomas	2000 & up EF / ER / MVP	Front or Rear	18A2426	18A2426A	18FR2502N 18FR2503N	NA	17D1032MX	14D1032MX	70 mm Quad Piston Calipers 4-20 mm Mounting Holes
Thomas	1998-06 Freightliner FS65 Chassis	Front or Rear	18A1429	18A1429A	18FR1330N	18FR1330	17D184MH	NA	2.60" Dual Piston Calipers
Thomas	1998-06 Freightliner FS65 Chassis	Rear	18A80922	18A80922A	18FR1330N	18FR1330	17D184MH	NA	2.60" Dual Piston Calipers
Thomas	1998-06 Freightliner FS65 Chassis	Front or Rear	18A1429	18A1429A	18FR813N	18FR813	17D225M	NA	2.88" Dual Piston Caliper
Thomas	1998-06 Freightliner FS65 Chassis	Rear	18A1839	18A1839A	18FR813N	18FR813	17D225M	NA	2.88" Dual Piston Caliper
Thomas	1998-06 Freightliner FS65 Chassis	Front or Rear	18A1429	18A1429A	18FR1514N	18FR1514	17D786AM	NA	73 mm Dual Piston Calipers, Thick Pad 1.080"
Thomas	1998-06 Freightliner FS65 Chassis	Rear	18A80922	18A80922A	18FR1514N	18FR1514	17D786AM	NA	73 mm Dual Piston Calipers, Thick Pad 1.080"

Blue Bird – All American FE

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	2018-03	64mm 4 Piston Calipers	Left		18FR2503N	
	2018-99	64mm 4 Piston Calipers	Right		18FR2502N	
					18R2502	
		70mm 4 Piston Calipers	Left		18FR2497	
					18FR2497N	
					18R2497	
			Right		18FR2496	
					18FR2496N	
Rear						
Disc Brake Caliper	2018-03	64mm 4 Piston Calipers	Left		18FR2503N	
			Right		18FR2502N	
					18R2502	
	2018-99	70mm 4 Piston Calipers	Left		18FR2497	
					18FR2497N	
					18R2497	
			Right		18FR2496	
					18FR2496N	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	2009	with School Bus Package		18J382957	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2018-99	Reservoir Not Included; Remote Mounted Reservoir		18M911	
		Cylinder W/Reservoir		18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2018-99		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2020-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2018-99		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline					
Parking Brake Shoe	2018-99	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2019-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
	2018-99		18A2426A	18A2426	
Rear					
Disc Brake Rotor	2020-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2019-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
	2018-03	Hat Shaped 5 Hole Rotor		18A643	
	2017-99	U Shaped 10 Hole Rotor	18A2772A	18A2772	

Blue Bird – All American RE

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
Rear					
Disc Brake Pad Set	2020-05	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2019-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
Rear					
Disc Brake Rotor	2020-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2019-05	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	

Blue Bird – TC1000

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	2000-97	2.88in Dual Piston Rail Slide Caliper; Except Air Ride Suspension		18FR813		
				18FR813N		
				18R813		
		66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515		
				18FR1515N		
				18R1515		
		w/ 64mm Meritor 4 Piston Caliper	Left		18FR2503N	
			Right		18FR2502N	
					18R2502	
		w/ 70mm Meritor 4 Piston Caliper	Left		18FR2497	
					18FR2497N	
					18R2497	
			Right		18FR2496	
					18FR2496N	
		w/ 73mm Bosch Pin Slider Caliper			18FR1514	
					18FR1514N	
					18R1514	
Rear						
Disc Brake Caliper	2000-97	2.88in Dual Piston Rail Slide Caliper; Except Air Ride Suspension		18FR813		
				18FR813N		
				18R813		
		66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269		18FR1515		
				18FR1515N		
				18R1515		
		w/ 64mm Meritor 4 Piston Caliper	Left		18FR2503N	
			Right		18FR2502N	
					18R2502	
		w/ 70mm Meritor 4 Piston Caliper	Left		18FR2497	
					18FR2497N	
					18R2497	
			Right		18FR2496	
					18FR2496N	
		w/ 73mm Bosch Pin Slider Caliper			18FR1514	
					18FR1514N	
					18R1514	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2000-97			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2000-98	66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 2.88" Dual Piston Rail Slide Caliper		17D225M	
				17D225MH	
	2000-97	w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
		Meritor 4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	1997	2.88in Dual Piston Calipers; w/ Dual Piston Calipers		17D225M	
				17D225MH	

Rear					
Disc Brake Pad Set	2000-98	2.88in Dual Piston Rail Slide Caliper		17D225M	
				17D225MH	
		66mm Bosch Dual Piston Pin Slide Caliper; Casting # 4153269	14D786M	17D786MH	
			14D786MH	17D786MHF1	
	2000-97	w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
		Meritor 4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	1997	2.88in Dual Piston Calipers; w/ Dual Piston Calipers		17D225M	
				17D225MH	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2000-98	10 Hole; Hat Shaped; Meritor 4 Piston Caliper	18A2426A	18A2426	
		10 Hole; Hat Shaped; with 3.20in Overall Rotor Height	18A1429A	18A1429	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
	2000-97	10 Hole; Hat Shaped; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor; w/o ABS Ring	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter	18A2663A	18A2663	
		U Shaped 5 Hole Rotor Hat and Cast Wheels	18A1353A	18A1353	

Rear					
Disc Brake Rotor	2000-98	10 Hole; Hat Shaped; with 3.20in Overall Rotor Height	18A1429A	18A1429	
		U Shaped 10 Hole Rotor; Meritor 4 Piston Caliper	18A2772A	18A2772	
	2000-97	10 Hole; Hat Shaped; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor; w/o ABS Ring	18A663A	18A663	

Blue Bird – TC1000 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2000-97	Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter	18A2663A	18A2663	
	1997	U Shaped 5 Hole Rotor	18A460A		

Blue Bird – TC2000

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	2004	73mm Dual Piston Calipers; w/ Dual Piston Calipers		18FR1514		
				18FR1514N		
				18R1514		
	2004-98	70mm 4 Piston Calipers	Left		18FR2497	
					18FR2497N	
					18R2497	
			Right		18FR2496	
					18FR2496N	
					18R1515	
		w/ 66mm Dual Piston Caliper		18FR1515		
				18FR1515N		
				18R1515		
	2003-98	64mm 4 Piston Calipers	Left		18FR2503N	
					18FR2502N	
			Right		18R2502	
		73mm Dual Piston Calipers			18FR1514	
					18FR1514N	
				18R1514		
	1997-89	w/ 2.88" Dual Piston Rail Slide Caliper; w/o Air Suspension		18FR813		
				18FR813N		
				18R813		
Rear						
Disc Brake Caliper	2004	73mm Dual Piston Calipers; w/ Dual Piston Calipers		18FR1514		
				18FR1514N		
				18R1514		
	2004-98	70mm 4 Piston Calipers	Left		18FR2497	
					18FR2497N	
					18R2497	
			Right		18FR2496	
					18FR2496N	
					18R1515	
		w/ 66mm Dual Piston Caliper		18FR1515		
				18FR1515N		
				18R1515		
	2003-98	64mm 4 Piston Calipers	Left		18FR2503N	
			Right		18FR2502N	
					18R2502	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2003-98	73mm Dual Piston Calipers		18FR1514	
				18FR1514N	
				18R1514	
	1997-89	w/ 2.88" Dual Piston Rail Slide Caliper; w/o Air Suspension		18FR813	
				18FR813N	
				18R813	
Front					
Disc Brake Caliper Piston	2004-98	70mm 4 Piston Calipers		18K2420	
Rear					
Disc Brake Caliper Piston	2004-98	70mm 4 Piston Calipers		18K2420	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2004-02	11" Long		18J4369	
		14" Length		18J4368	
	2004-92	38" Long		18J383377	
	2002-99	36.25" Long		18J4365	
	1989	36.45" Length		18J1411	
Rear					
Brake Hydraulic Hose	2004-92	39" Long		18J382796	
	2004-91	12 1/2" Long Right		18J1409	
		22" Long Center		18J1412	
		8.750" Length Left		18J1410	
	2004-90			18J383911	
	2002-99	30.5" Length		18J4366	
	1990-89	12 1/2" Long		18J1409	
		18.85" Length Center		18J1413	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2004-89	Reservoir Not Included; Remote Mounted Reservoir		18M911	
		w/ Reservoir		18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2004	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
	2004-98	4 Piston Caliper	14D1032MH	17D1032MH	

Blue Bird – TC2000 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2004-98	4 Piston Caliper	14D1032MX	17D1032MX	
		73mm Dual Piston Pin Slide Calipers		17D786AM	
				17D786AMH	
	2004-92	2.88in Dual Piston Rail Slide Caliper		17D225M	
				17D225MH	
	2003-98	w/ 66mm Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
	1991-89	73mm Dual Piston Rail Slide Caliper		17D225M	
				17D225MH	

Rear					
Disc Brake Pad Set	2004	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
	2004-98	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
		73mm Dual Piston Pin Slide Calipers		17D786AM	
				17D786AMH	
	2004-92	2.88in Dual Piston Rail Slide Caliper		17D225M	
				17D225MH	
	2003-98	w/ 66mm Dual Piston Pin Slide Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
	1991-89	73mm Dual Piston Rail Slide Caliper		17D225M	
				17D225MH	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2004	with 3.20in Overall Rotor Height; with Dual Piston Caliper; 10 Hole Rotor Hat	18A1429A	18A1429	
	2004-98	Hat Shaped 10 Hole Rotor; Meritor 4 Piston Caliper	18A2426A	18A2426	
	2004-92	Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
	2004-89	10 Hole Rotor; with Cast In ABS Exciter; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor; w/o ABS	18A663A	18A663	
		U Shaped 10 Hole Rotor; with Dual Piston Caliper	18A1218A		
		U Shaped 5 Hole Rotor Hat and Cast Wheels	18A1353A	18A1353	
	2003-98	Hat Shaped; 10 Hole Rotor; with 3.20in Overall Rotor Height	18A1429A	18A1429	
	2003-92	Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter	18A2663A	18A2663	
	1997-89	with 3.20in Overall Rotor Height; with Dual Piston Caliper; 10 Hole Rotor Hat	18A1429A	18A1429	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2004	with 3.20in Overall Rotor Height; with Dual Piston Caliper; 10 Hole Rotor Hat	18A1429A	18A1429	
	2004-98	U Shaped 10 Hole Rotor; Meritor 4 Piston Caliper	18A2772A	18A2772	
	2004-89	10 Hole Rotor; with Cast In ABS Exciter; with 4.44in Overall Height	18A1839A	18A1839	
		Hat Shaped 10 Hole Rotor; Meritor 4 Piston Caliper	18A2426A	18A2426	
		Hat Shaped 6 Hole Rotor; w/o ABS	18A663A	18A663	
		U Shaped 10 Hole Rotor; with Dual Piston Caliper	18A1218A		
		U Shaped 5 Hole Rotor; with Dual Piston Caliper	18A460A		
	2003-98	Hat Shaped; 10 Hole Rotor; with 3.20in Overall Rotor Height	18A1429A	18A1429	
	2003-92	Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter	18A2663A	18A2663	
	1997-89	U Shaped 5 Hole Rotor	18A2772A	18A2772	
		with 3.20in Overall Rotor Height; with Dual Piston Caliper; 10 Hole Rotor Hat	18A1429A	18A1429	

Blue Bird – Vision School Bus

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2018-04	64mm 4 Piston Calipers	Left		18FR2503N	
			Right		18FR2502N	
					18R2502	
		70mm 4 Piston Calipers	Left		18FR2497	
					18FR2497N	
					18R2497	
			Right		18FR2496	
					18FR2496N	
Rear						
Disc Brake Caliper	2018-04	64mm 4 Piston Calipers	Left		18FR2503N	
			70mm 4 Piston Calipers	Left		18FR2497
					18FR2497N	
					18R2497	
		Right			18FR2496	
				18FR2496N		
Front						
Disc Brake Caliper Piston	2018-04	Phenolic; 70mm 4 Piston Calipers			18K2420	
Rear						
Disc Brake Caliper Piston	2018-04	Phenolic; 70mm 4 Piston Calipers			18K2420	

Blue Bird – Vision School Bus (Cont.)

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2018-04	with Plastic Reservoir		18M391540	
		with Remote Reservoir		18M911	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-12	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2018-04		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Rear					
Disc Brake Pad Set	2020-12	Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		17D1369MHD	
				17D1369MD	
	2018-04		14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
Driveline					
Parking Brake Shoe	2018-04	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-12	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
	2020-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2018-04		18A2426A	18A2426	
Rear					
Disc Brake Rotor	2020-12	Flat Splined Disc; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82081G	
	2020-05	U Shaped 10 Hole Rotor; 150mm Tall; Bendix ADB22X, ADB22X-LT, ADB225, Knorr SK-7 ADB Calipers		18A82082	
	2018-09	Rotor Diameter 390mm	18A2772A	18A2772	
	2008-04		18A2772A	18A2772	

Chevrolet – B7

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2002-93	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2002-93	w/ 2.88" Dual Piston Bendix Caliper		18FR813N	
				18R813	
Rear					
Disc Brake Caliper	2002-93	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
Front					
Disc Brake Caliper Bushing	1997-93	FMSI Number: 7142-D225		18K1395	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2002-97	Non-ABS		18J1611	
		w/ ABS Brakes		18J1617	
	1996-93			18J1611	
Rear					
Brake Hydraulic Hose	2002-97	Non-ABS; EATON 15040S Rear Axle; Dana S150-S Rear Axle; Eaton 19060T Rear Axle	Right	18J1287	
		Non-ABS; EATON 15040S Rear Axle; EATON 19050S Rear Axle; Dana S150-S Rear Axle; Eaton 19060T Rear Axle	Left	18J1286	
		Non-ABS; Eaton 19060S Rear Axle	Left	18J1607	
			Right	18J1608	
		w/ ABS Brakes	Left	18J1614	
			Right	18J1615	
		w/o ABS	Center	18J1417	
	1996-93		Center	18J1417	
			Left	18J1286	
			Right	18J1287	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2002-93	2" Bore; Bendix Caliper		18M870	
		with Dayton Caliper; 1 3/4" Bore Diameter		18M838	

Chevrolet – B7 (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2002-93	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2002-93	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	2002-93	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Drum	1994-93	Generic Steel Disc Wheels		18B355	
Rear					
Brake Drum	1998-93	Front Disc; Rear Drum; with .94in Stud Holes; with 8.78in Diameter Hub Hole; with 10 Bolt Holes		18B356	
	1997-93	Front Disc; Rear Drum; with 5 Bolt Holes		18B353	
		Front Disc; Rear Drum; with 9in Diameter Hub Hole; with .81in Stud Holes; with 10 Bolt Holes		18B354	
Front					
Disc Brake Rotor	2002-93	Hat Shaped 10 Hole Rotor; w/ 2.88" Dual Piston Bendix Caliper		18A1222	
		Hat Shaped 5 Hole Rotor; with Dayton Caliper; Except Tapped Holes For ABS Exciter Ring	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; with Dayton Caliper; Tapped Holes For ABS Exciter Ring		18A1419	
Rear					
Disc Brake Rotor	2002-93	Hat Shaped 10 Hole Rotor; w/ 2.88" Dual Piston Bendix Caliper		18A1222	
		Hat Shaped 5 Hole Rotor; with Dayton Caliper; Except Tapped Holes For ABS Exciter Ring	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; with Dayton Caliper; Tapped Holes For ABS Exciter Ring		18A1419	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1991-80	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
Rear					
Disc Brake Caliper	1991-80	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
Front					
Disc Brake Caliper Bushing	1991-80	FMSI Number: 7142-D225		18K1395	
Rear					
Disc Brake Caliper Bushing	1991-88	FMSI Number: 7142-D225		18K1395	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1991-88	Front Disc; w/ 2.50" Dual Piston Dayton Caliper; 21.93" Long		18J1517	
		Front Disc; w/ 2.88" Dual Piston Bendix Caliper		18J1408	
	1987-83	26.12" Length		18J372	
		Front Disc; 21.93" Length		18J1517	
	1987-80	Front Drum; Rear Drum; 23.19" Length		18J371	
		Front Drum; Rear Drum; 25.375in Length		18J1807	
		Front Drum; Rear Drum; 29.38" Length		18J374	
	1982-80	Front Drum; Rear Drum; 26.12" Length		18J372	
		Front Drum; Rear Drum; Located at Master Cylinder; 9.13" Length		18J857	
Rear					
Brake Hydraulic Hose	1991-83	Front Disc Brakes; 18 5/8" Long	Center	18J554	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1991-88	w/ 15,000 lb. Rear Axle		18M892	
		w/ 19,000 lb. Rear Axle		18M284	
	1987-85	Front Disc Brakes		18M284	

Chevrolet – B60 (Cont.)

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	1987-80	Front Drum Brakes		18M246	
	1984-80	Front Disc Brakes; w/ 5,000 lb. Front Axle		18M246	
		Front Disc Brakes; w/ 7,000 lb. Front Axle		18M284	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1991-88	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
	1987-80	Front Disc Brakes; w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Front Disc Brakes; w/ 2.88" Dual Piston Bendix Caliper			17D225M		
		17D225MH			
Rear					
Disc Brake Pad Set	1991-88	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
	1987-80	Front Disc Brakes; w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
Front Disc Brakes; w/ 2.88" Dual Piston Bendix Caliper			17D225M		
		17D225MH			
Front					
Drum Brake Shoe	1987-80	with Automatic Adjusting Brakes; w/ 15" X 3" Front Brakes		17321R	
Rear					
Drum Brake Shoe	1987-80	w/ 15" x 4" Rear Brakes		17427R	
		w/ 15" X 6" Rear Shoes		17381R	
		w/ 15" X 7" Rear Shoes		17383R	
Driveline					
Parking Brake Shoe	1991-88	11" X 2" Driveline Parking Brake		17823B	
	1991-83	Front Disc Brakes; w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
	1987-83	Front Disc Brakes; 11" X 2" Driveline Parking Brake		17823B	
Rotors & Drums					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1991-88	Hat Shaped 10 Hole Rotor; w/ 2.88" Dual Piston Bendix Caliper	18A176A	18A176	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)						
Disc Brake Rotor	1991-88	Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.50" Dual Piston Dayton Caliper		18A1419		
		Hat Shaped 5 Hole Rotor; w/ 2.50" Dual Piston Dayton Caliper; Non-ABS	18A177A	18A177		
		Hat Shaped 6 Hole Rotor; w/ 2.50" Dual Piston Dayton Caliper		18A810		
	1991-80	Stepped Hat 5 Hole Rotor; w/ 2.50" Dual Piston Dayton Caliper; Non-ABS		18A632		
	1987-80	Hat Shaped 10 Hole Rotor; Front Disc Brakes; w/ 2.88" Dual Piston Bendix Caliper	18A176A	18A176		
		Hat Shaped 5 Hole Rotor; Front Disc Brakes; w/ 2.50" Dual Piston Dayton Caliper; Non-ABS	18A177A	18A177		
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring; Front Disc Brakes; w/ 2.50" Dual Piston Dayton Caliper		18A1419		
		Hat Shaped 6 Hole Rotor; Front Disc Brakes; w/ 2.50" Dual Piston Dayton Caliper		18A810		
	Rear					
	Disc Brake Rotor	1991-88	Hat Shaped 10 Hole Rotor; w/ 2.88" Dual Piston Bendix Caliper	18A176A	18A176	
Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.50" Dual Piston Dayton Caliper				18A1419		
Hat Shaped 5 Hole Rotor; w/ 2.50" Dual Piston Dayton Caliper; Non-ABS			18A177A	18A177		
Hat Shaped 6 Hole Rotor; w/ 2.50" Dual Piston Dayton Caliper				18A810		
U Shaped 10 Hole Rotor; w/ 2.88" Dual Piston Bendix Caliper			18A692A			
1991-80		Stepped Hat 5 Hole Rotor; w/ 2.50" Dual Piston Dayton Caliper; Non-ABS		18A632		
1987-80		Hat Shaped 10 Hole Rotor; Front Disc Brakes; w/ 2.88" Dual Piston Bendix Caliper	18A176A	18A176		
		Hat Shaped 5 Hole Rotor; Front Disc Brakes; w/ 2.50" Dual Piston Dayton Caliper; Non-ABS	18A177A	18A177		
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring; Front Disc Brakes; w/ 2.50" Dual Piston Dayton Caliper		18A1419		
		Hat Shaped 6 Hole Rotor; Front Disc Brakes; w/ 2.50" Dual Piston Dayton Caliper		18A810		
		U Shaped 10 Hole Rotor	18A692A			

Chevrolet – B60 (Cont.)

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1987-80	w/ 15" X 3 1/2" Front Brakes; Manual Adjusting Brakes	Left		18E86	
			Right		18E87	
		w/ 15" X 3" Brakes; Manual Adjusting Brakes	Left		18E4	
		with Automatic Adjusting Brakes; w/ 15" X 3 1/2" Front Brakes	Left		18E58	
			Right		18E59	
		with Automatic Adjusting Brakes; w/ 15" X 3" Brakes	Left		18E6	
		Right		18E7		
		with Manual Adjusting Brakes; w/ 15" X 3" Brakes	Right		18E5	
Rear						
Drum Brake Wheel Cylinder	1987-80	15" X 6" Rear Brakes; w/ 15" X 3" Front Brakes			18E23	
		w/ 15" X 4" or 15" X 5" Brakes	Left		18E82	
			Right		18E83	
		w/ 15" X 6" or 15" X 7" Rear Shoes; w/ 15" X 3 1/2" Front Brakes			18E26	

Ford – B-600

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	1989-86	2.88 Dual Piston Dayton Caliper			18FR815	
	1989-84	w/ 2.50" Dual Piston Dayton Caliper			18FR814	
					18FR814N	
					18R814	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	1989-86	32.62 Length			18J394	
	1985-84	Front Disc; Rear Drum; 32.62 Length			18J394	
	1985-80	Front Drum; Rear Drum; with 6000lb & 7000lb Front Axle	Left Upper		18J391	
			Lower		18J388	
			Right Lower		18J389	
			Right Upper		18J392	
		Front Drum; Rear Drum; with 9,000lb Front Axle	Left Upper		18J385	
			Lower		18J387	
			Right Lower		18J386	
			Right Upper		18J384	

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Brake Hydraulic Hose	1983-80	Front Disc; Rear Drum; with 6000lb & 7000lb Front Axle	Left Front		18J391	
			Rearward		18J388	
			Right Front		18J392	
		Front Disc; Rear Drum; with 9,000lb Front Axle	Forward		18J384	
			Left Rear		18J385	
			Right Rear		18J386	
Rear						
Brake Hydraulic Hose	1994-90	Front Disc Brakes			18J893	
	1985-84	with 15in x 4in Rear Drum; 21.38in Length			18J75	
	1983-80				18J84	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1980	Front Disc; Rear Drum; Power Brakes; with Hydro-Boost; with Split Hydro-Max		18M250	
		Front Drum; Rear Drum; Manual Brakes; Split System; 1 3/4" Bore Diameter		18M250	
		Front Drum; Rear Drum; Power Brakes; with Hydraulic Booster; 1 1/2" Bore Diameter		18M249	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1994-84	2.50" Dual Piston Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Caliper		17D236M	
Drum Brake Shoe	1983-80	w/ 14" X 2 1/2" Brakes		17361R	
		w/ 15" X 3" Brakes		17321R	
Rear					
Drum Brake Shoe	1989-84	Optional; with 15in x 6in Brakes		17543R	
		with 15in x 5in Brakes		17542R	
	1983-80	with 15in x 6in Brakes		17381R	
		with 15in x 7in Brakes		17383R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1994-93	10 Hole Rotor Hat; 14.75" Rotor Diameter		18A691	
		Hat Shaped 10 Hole Rotor		18A1414	
	1994-86	U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		
		U Shaped 6 Hole Rotor; 8-3/4" Bolt Circle	18A341A		
	1993-84	Hat Shaped 6 Hole Rotor; 14.75" Rotor Diameter		18A178	

Ford – B-600 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	1989-80	Hat Shaped 6 Hole Rotor; Rotor Diameter 15.62in		18A1216	

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front							
Drum Brake Wheel Cylinder	1983-80	Bore 1-1/4in; w/ 15" X 3" Brakes	Left Lower		18E71		
			Left Upper		18E94		
			Right Lower		18E72		
			Right Upper		18E95		
Rear							
Drum Brake Wheel Cylinder	1989-84	with 15in x 5in Rear Brakes; Expander Assembly; When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced; 1 3/4" Bore Diameter	Left Rearward		18E418		
			Right Rearward		18E419		
		with 15in x 5in Rear Brakes; When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced; 1 3/4" Bore Diameter	Left Forward		18E278		
			Right Forward		18E277		
		with 15in x 6in Rear Brakes; Expander Assembly; 1 5/8" Bore Diameter	Left Rearward		18E418		
			Right Rearward		18E419		
		with 15in x 6in Rear Brakes; 1 5/8" Bore Diameter	Right Forward		18E279		
			Left Forward		18E280		
		1985-84	with 15in x 4in Brakes; 1 1/2" Bore Diameter			18E67	
		1983-80	Front Disc; Rear Drum	Left		18E71	
				Right		18E72	
			Front Drum; Rear Drum; with 15in x 5in Rear Brakes; w/ 15" x 4" Rear Brakes				18E67
	Front Drum; Rear Drum; with 15in x 6in Rear Brakes; 1 1/2" Bore Diameter				18E73		

Ford – B-700

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1989-86	2.88 Dual Piston Dayton Caliper w/ 2.50" Dual Piston Dayton Caliper		18FR815	
				18FR814	
				18FR814N	
				18R814	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1989-84	32.62 Length		18J394	
	1985-80	with 6000lb & 7000lb Front Axle	Lower	18J388	
			Right Lower	18J389	
		with 6000lb & 7000lb Front Axle; Split System	Left Upper	18J391	
			Right Upper	18J392	
		with 9000lb GVW Front Axle	Left Upper	18J385	
	1984-80	with 9000lb GVW Front Axle	Right Upper	18J384	
	1983-80	with 6000lb & 7000lb Front Axle	Left Front	18J391	
			Rearward	18J388	
			Right Front	18J392	
		with 9000lb GVW Front Axle	Lower	18J387	
			Right Lower	18J386	
Rear					
Brake Hydraulic Hose	1994-90			18J893	
	1989-84	20.25in Length		18J893	
	1983-80	21.38in Length		18J75	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1994-90	with Dual System Hydro-Max		18M391540	
		with Split Hydro-Max		18M315	
	1989-84	with Hydro-Boost; with Split Hydro-Max; 1 3/4" Bore Diameter		18M315	
	1983-80	Single Hydro Power Booster; 1 1/2" Bore Diameter		18M249	
	1980	Front Disc; Rear Drum; Power Brakes; with Hydro-Boost; with Split Hydro-Max		18M250	
		Front Drum; Rear Drum; Power Brakes; Dual Hydro Power Booster		18M250	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1994-84	2.50" Dual Piston Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Caliper		17D236M	
Drum Brake Shoe	1989-84	w/ 15" X 3" Brakes		17321R	
	1983-80	Optional		17321R	
Rear					
Drum Brake Shoe	1989-84	with 15in x 5in Brakes		17542R	
		with 15in x 6in Brakes		17543R	

Ford – B-700 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Shoe	1983-80	with 15in x 6in Brakes		17381R	
		with 15in x 7in Brakes		17383R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	1989-84	with 1.28in Bolt Diameter; with 8.78in Diameter Hub Hole; with Spoke Wheels; with 10 Bolt Holes; with 15in x 7in Brakes		18B348	
		with Disc Style Wheels; with 10 Bolt Holes; with 15in x 7in Brakes		18B329	
Front					
Disc Brake Rotor	1994-84	U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		
	1993	To 10/1993; Hat Shaped 6 Hole Rotor		18A178	
	1992-84	Hat Shaped 6 Hole Rotor		18A178	
	1989-84	U Shaped 6 Hole Rotor; 8-3/4" Bolt Circle	18A341A		

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1983-80	Bore 1-1/4in; w/ 15" X 3" Brakes	Left Lower		18E71	
			Left Upper		18E94	
			Right Lower		18E72	
			Right Upper		18E95	
		Bore 1-1/8in; w/ 15" X 3" Brakes	Left Lower		18E52	
			Left Upper		18E78	
			Right Lower		18E53	
			Right Upper		18E79	
Rear						
Drum Brake Wheel Cylinder	1989-84	Expander Assembly; When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced; with 15in x 5in Brakes; 1 3/4" Bore Diameter	Left Rearward		18E418	
			Right Rearward		18E419	
		Expander Assembly; with 15in x 7in Brakes; with 15in x 6in Brakes; 1 5/8" Bore Diameter	Left Rearward		18E418	
			Right Rearward		18E419	
		When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced; with 15in x 5in Brakes; 1 3/4" Bore Diameter	Left Forward		18E278	

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	1989-84	When Replacing Cylinders with 1-5/8in Bore Both Left and Right Cylinders Should Be Replaced; with 15in x 5in Brakes; 1 3/4" Bore Diameter	Right Forward		18E277	
			Right Forward		18E279	
			Left Forward		18E280	
	1983-80	Bore 1-1/4in	Left Lower		18E71	
			Left Upper		18E71	
			Right Lower		18E72	
			Right Upper		18E72	
		with 15in x 5in Brakes; 1 5/8" Bore Diameter	Lower		18E70	
			Upper		18E70	
		with 15in x 7in Brakes; with 15in x 6in Brakes; 1 1/2" Bore Diameter	Lower		18E73	
			Upper		18E73	

Ford – B-800
Master Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1998-95				18M2338	

Pads & Shoes

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Pad Set	1998-95	w/ 2.88" Dual Piston Caliper			17D236M	

Rotors & Drums

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Rotor	1998-95	U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle		18A179A		

Ford – B-7000
Master Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1987-84				18M315	
	1983				18M317	

Ford – B-7000 (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1987-84	2.50" Dual Piston Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Caliper		17D236M	
Drum Brake Shoe	1983			17321R	
Rear					
Drum Brake Shoe	1987-84	with 15in x 6in Brakes		17543R	
	1983	with 15in x 6in Brakes		17381R	
		with 15in x 7in Brakes		17383R	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1987-84	Hat Shaped 6 Hole Rotor		18A178	
		U Shaped 6 Hole Rotor; 11-1/4" Bolt Circle	18A179A		

Freightliner – FS65

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2008-99	w/ 66mm Bosch Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper		18FR1514	
				18FR1514N	
				18R1514	
	1998-96	2.60" Dual Piston Rail Slide Bendix Caliper		18FR2189	
				18FR2189N	
				18R2189	
Rear					
Disc Brake Caliper	2008-99	w/ 66mm Bosch Dual Piston Pin Slide Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Bosch Pin Slider Caliper		18FR1514	
				18FR1514N	
				18R1514	
	1998-96	2.60" Dual Piston Rail Slide Bendix Caliper		18FR2189	
				18FR2189N	
				18R2189	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2005-98	18" Long	Left		18J383380	
			Right		18J383381	
Rear						
Brake Hydraulic Hose	2007-02	38" Overall Length			18J383376	
	2005-98	21.880" Long		Right	18J383379	
		47.5" Overall Length		Left	18J383378	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2008-96	w/ Fluid Level Sensor		18M391540	
		w/o Low Fluid Level Sensor		18M885	
	2001-99	BOSCH Cylinder Casting # 2234930		18M1203	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2008-99	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	1998-96	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		2.88" Dual Piston Rail Slide Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2008-99	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	1998-96	2.60" Dual Piston Rail Slide Bendix Caliper		17D184M	
				17D184MH	
		2.88" Dual Piston Rail Slide Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	2008-99	12" X 3" Driveline Parking Brake		17980B	
	1998-96	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2008-96	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	

Freightliner – FS65 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2008-96	Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes		18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	
Rear					
Disc Brake Rotor	2008-96	Hat Shaped 10 Hole Rotor; 3.21" Overall Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; w/ 19.3 mm Mounting Holes		18A82030	
		Hat Shaped 6 Hole Rotor; with 14.6mm Mounting Holes	18A2951A	18A2951	

GMC – B7

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2002-93	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
Rear					
Disc Brake Caliper	2002-93	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
Front					
Disc Brake Caliper Bushing	2002-93	FMSI Number: 7142-D225		18K1395	
Rear					
Disc Brake Caliper Bushing	2000-93	FMSI Number: 7142-D225		18K1395	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2002-97	Non-ABS		18J1611	
		w/ ABS Brakes		18J1617	
	1996-93			18J1611	
Rear					
Brake Hydraulic Hose	2002-97	Non-ABS; EATON 15040S Rear Axle; Dana S150-S Rear Axle; Eaton 19060T Rear Axle	Right	18J1287	
		Non-ABS; EATON 15040S Rear Axle; EATON 19050S Rear Axle; Dana S150-S Rear Axle; Eaton 19060T Rear Axle	Left	18J1286	
		Non-ABS; Eaton 19060S Rear Axle	Left	18J1607	
			Right	18J1608	
		w/ ABS Brakes	Left	18J1614	
			Right	18J1615	
	1996-93		Left	18J1286	
			Right	18J1287	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2002-93	2" Bore; Bendix Caliper		18M870	
		with Dayton Caliper; 1 3/4" Bore Diameter		18M838	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2002-93	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
			17D224MH		
Rear					
Disc Brake Pad Set	2002-93	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		with 2.50in Dual Piston Dayton Caliper		17D224M	
			17D224MH		
Driveline					
Parking Brake Shoe	2002-93	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Drum	1994-93	Generic Steel Disc Wheels		18B355	

GMC – B7 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	1998-93	Front Disc; Rear Drum; with .94in Stud Holes; with 8.78in Diameter Hub Hole; with 10 Bolt Holes		18B356	
	1997-93	Front Disc; Rear Drum; with 5 Bolt Holes		18B353	
		Front Disc; Rear Drum; with 9in Diameter Hub Hole; with .81in Stud Holes; with 10 Bolt Holes		18B354	
Front					
Disc Brake Rotor	2002-97	with 10000lb & 11000lb Front Axle; with Brake Rotor Casting # 23-123434-005; with 10 Bolt Holes; w/ 19,000 lb. Rear Axle		18A1222	
	2002-93	with 5 Bolt Holes; 5.41in Deep Pilot Hole; Tapped Holes For ABS Exciter Ring		18A1419	
		without 15000lb Rear Axle; with 10 Bolt Holes	18A176A	18A176	
	2000-93	Hat Shaped 5 Hole Rotor; with Dayton Caliper; Except Tapped Holes For ABS Exciter Ring	18A177A	18A177	
Rear					
Disc Brake Rotor	2002-97	19060S, 19060T EATON Rear Axle Stamped HPK, HPM, HXC; with Brake Rotor Casting # 23-123489-005	18A1220A	18A1220	
	2002-93	with 5 Bolt Holes; 5.41in Deep Pilot Hole; Tapped Holes For ABS Exciter Ring		18A1419	
		without 15000lb Rear Axle; with 10 Bolt Holes	18A176A	18A176	
	2000-93	Hat Shaped 5 Hole Rotor; with Dayton Caliper; Except Tapped Holes For ABS Exciter Ring	18A177A	18A177	

GMC – B6000

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1991-80	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	
Rear					
Disc Brake Caliper	1991-80	w/ 2.50" Dual Piston Dayton Caliper		18FR814	
				18FR814N	
				18R814	
		w/ 2.88" Dual Piston Bendix Caliper		18FR813	
				18FR813N	
				18R813	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	1991-88	FMSI Number: 7142-D225		18K1395	
Rear					
Disc Brake Caliper Bushing	1991-88	FMSI Number: 7142-D225		18K1395	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1991-88	Front Disc Brakes; w/ 2.50" Dual Piston Dayton Caliper; 21.93" Long		18J1517	
		Front Disc Brakes; w/ 2.88" Dual Piston Bendix Caliper		18J1408	
	1987-83	26.12" Length		18J372	
		Front Disc Brakes; 21.93" Long		18J1517	
	1982-80	Front Drum; Rear Drum; with # FO50 Front Axle; 23.19" Length		18J371	
	1981-80	Front Drum; Rear Drum; 29.38" Length		18J374	
Rear					
Brake Hydraulic Hose	1991-83	Front Disc Brakes; 18 5/8" Long	Center	18J554	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1991-88	w/ 15,000 lb. Rear Axle		18M892	
		w/ 19,000 lb. Rear Axle		18M284	
	1987-85	Front Disc Brakes		18M284	
	1987-80	Front Drum Brakes		18M246	
	1984-80	Front Disc Brakes; w/ 5,000 lb. Front Axle		18M246	
		Front Disc Brakes; w/ 7,000 lb. Front Axle		18M284	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1991-88	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
	1987-80	Front Disc Brakes; w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		Front Disc Brakes; w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	

GMC – B6000 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Pad Set	1991-88	w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
	1987-80	Front Disc Brakes; w/ 2.50" Dual Piston Dayton Caliper		17D224M	
				17D224MH	
		Front Disc Brakes; w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Front					
Drum Brake Shoe	1987-80	with Automatic Adjusting Brakes; w/ 15" X 3" Front Brakes		17321R	
Rear					
Drum Brake Shoe	1987-80	w/ 15" x 4" Rear Brakes		17427R	
		w/ 15" X 6" Rear Shoes		17381R	
		w/ 15" X 7" Rear Shoes		17383R	
Driveline					
Parking Brake Shoe	1991-88	11" X 2" Driveline Parking Brake		17823B	
	1991-83	Front Disc Brakes; w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
	1987-83	Front Disc Brakes; 11" X 2" Driveline Parking Brake		17823B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1991-88	Hat Shaped 10 Hole Rotor; w/ 2.88" Dual Piston Bendix Caliper	18A176A	18A176	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.50" Dual Piston Dayton Caliper		18A1419	
		Hat Shaped 5 Hole Rotor; w/ 2.50" Dual Piston Dayton Caliper; Non-ABS	18A177A	18A177	
		Hat Shaped 6 Hole Rotor; w/ 2.50" Dual Piston Dayton Caliper		18A810	
	1991-80	Stepped Hat 5 Hole Rotor; w/ 2.50" Dual Piston Dayton Caliper; Non-ABS		18A632	
	1987-80	Hat Shaped 10 Hole Rotor; Front Disc Brakes; w/ 2.88" Dual Piston Bendix Caliper	18A176A	18A176	
		Hat Shaped 5 Hole Rotor; Front Disc Brakes; w/ 2.50" Dual Piston Dayton Caliper; Non-ABS	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring; Front Disc Brakes; w/ 2.50" Dual Piston Dayton Caliper		18A1419	
		Hat Shaped 6 Hole Rotor; Front Disc Brakes; w/ 2.50" Dual Piston Dayton Caliper		18A810	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	1991-88	Hat Shaped 10 Hole Rotor; w/ 2.88" Dual Piston Bendix Caliper	18A176A	18A176	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring; w/ 2.50" Dual Piston Dayton Caliper		18A1419	
		Hat Shaped 5 Hole Rotor; w/ 2.50" Dual Piston Dayton Caliper; Non-ABS	18A177A	18A177	
		Hat Shaped 6 Hole Rotor; w/ 2.50" Dual Piston Dayton Caliper		18A810	
		U Shaped 10 Hole Rotor; w/ 2.88" Dual Piston Bendix Caliper	18A692A		
	1991-80	Stepped Hat 5 Hole Rotor; w/ 2.50" Dual Piston Dayton Caliper; Non-ABS		18A632	
	1987-80	Hat Shaped 10 Hole Rotor; Front Disc Brakes; w/ 2.88" Dual Piston Bendix Caliper	18A176A	18A176	
		Hat Shaped 5 Hole Rotor; Front Disc Brakes; w/ 2.50" Dual Piston Dayton Caliper; Non-ABS	18A177A	18A177	
		Hat Shaped 5 Hole Rotor; Tapped Holes For ABS Exciter Ring; Front Disc Brakes; w/ 2.50" Dual Piston Dayton Caliper		18A1419	
		Hat Shaped 6 Hole Rotor; Front Disc Brakes; w/ 2.50" Dual Piston Dayton Caliper		18A810	
		U Shaped 10 Hole Rotor	18A692A		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Drum Brake Wheel Cylinder	1987-80	w/ 15" X 3 1/2" Front Brakes; Manual Adjusting Brakes	Left		18E86	
			Right		18E87	
		w/ 15" X 3" Brakes; Manual Adjusting Brakes	Left		18E4	
		with Automatic Adjusting Brakes; w/ 15" X 3 1/2" Front Brakes	Left		18E58	
			Right		18E59	
		with Automatic Adjusting Brakes; w/ 15" X 3" Brakes	Left		18E6	
			Right		18E7	
		with Manual Adjusting Brakes; w/ 15" X 3" Brakes	Right		18E5	
Rear						
Drum Brake Wheel Cylinder	1987-80	15" X 6" Rear Brakes; w/ 15" X 3" Front Brakes			18E23	
		w/ 15" X 4" or 15" X 5" Brakes	Left		18E82	
			Right		18E83	
		w/ 15" X 6" or 15" X 7" Rear Shoes; w/ 15" X 3 1/2" Front Brakes			18E26	

IC Corporation – AE School Bus

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2015		Left		18FR2182N	
			Right		18FR2181N	
			Left		18FR2182	
					18FR2182C	
					18R2182	
			Right		18FR2181	
					18FR2181C	
					18R2181	
Rear						
Disc Brake Caliper	2015		Left		18FR2182N	
			Right		18FR2181N	
			Left		18FR2182	
					18FR2182C	
					18R2182	
			Right		18FR2181	
					18FR2181C	
					18R2181	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2015		Right		18J383949	
Rear						
Brake Hydraulic Hose	2015	25" Long			18J383931	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2015		14D1066M	17D1066MH	
				17D1066SDH	
Rear					
Disc Brake Pad Set	2015		14D1066M	17D1066MH	
				17D1066SDH	
Parking Brake Shoe	2015			17854B	

Rotors & Drums

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Rotor	2015			18A2812A	18A2812	
				18A2812AC		

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2015		18A2812A	18A2812	
			18A2812AC		

IC Corporation – BE School Bus
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	2015-10	64mm 4 Piston Calipers	Left		18FR12848N	
			Right		18FR12847N	
		70mm 4 Piston Calipers	Left		18FR12846N	
			Right		18FR12845N	
	2009-08	w/ 66mm Dual Piston Caliper			18FR1515	
					18FR1515N	
					18R1515	
		w/ 73mm Dual Piston Caliper			18FR1514	
					18FR1514N	
					18R1514	
Rear						
Disc Brake Caliper	2015-10	64mm 4 Piston Calipers	Left		18FR12848N	
			Right		18FR12847N	
		70mm 4 Piston Calipers	Left		18FR12846N	
			Right		18FR12845N	
	2009-08	w/ 66mm Dual Piston Caliper			18FR1515	
					18FR1515N	
					18R1515	
		w/ 73mm Dual Piston Caliper			18FR1514	
					18FR1514N	
					18R1514	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2015-10	37" long		18J383918	
	2009-08	40" Long		18J383377	
		w/ 66mm Dual Piston Caliper		18J383375	
Rear					
Brake Hydraulic Hose	2015-08	39" Long		18J382796	
	2009-08	w/ 66mm Dual Piston Caliper		18J383374	
					18J383373

IC Corporation – BE School Bus (Cont.)

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-08			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2015-10	Meritor 4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-08	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2015-10	Meritor 4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-08	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Caliper		17D786AM	
				17D786AMH	
Parking Brake Shoe	2015-08			17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2015-10		18A2887A	18A2887	
	2009-08	Hat Shaped 10 Hole Rotor	18A1429A	18A1429	
			18A2664A		
			Hat Shaped 5 Hole Rotor	18A1430A	18A1430
Rear					
Disc Brake Rotor	2015-10		18A2887A	18A2887	
	2009-08	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
			18A2664A		
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	

IC Corporation – CE Integrated

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2015-10	w/ 64mm Meritor 4 Piston Caliper	Left	18FR12848N	
			Right	18FR12847N	
		w/ 70mm Meritor 4 Piston Caliper	Left	18FR12846N	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)						
Disc Brake Caliper	2015-10	w/ 70mm Meritor 4 Piston Caliper	Right		18FR12845N	
	2009-05	w/ 66mm Dual Piston Caliper			18FR1515	
					18FR1515N	
					18R1515	
		w/ 73mm Dual Piston Caliper			18FR1514	
					18FR1514N	
					18R1514	
	Rear					
Disc Brake Caliper	2015-10	w/ 64mm Meritor 4 Piston Caliper	Left		18FR12848N	
			Right		18FR12847N	
		w/ 70mm Meritor 4 Piston Caliper	Left		18FR12846N	
			Right		18FR12845N	
	2009-05	w/ 66mm Dual Piston Caliper			18FR1515	
					18FR1515N	
					18R1515	
		w/ 73mm Dual Piston Caliper			18FR1514	
					18FR1514N	
					18R1514	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2015-09	37" long		18J383918	
	2015-07	33" Long		18J383375	
		40" Long		18J383377	
	2014-05	Located at Master Cylinder; Secondary		18J384100	
	2005	33" Long		18J383375	
		40" Long		18J383377	
Rear					
Brake Hydraulic Hose	2015-05	39" Long		18J382796	
		43" Long		18J383911	
	2014-05	Located at Master Cylinder; Primary		18J384101	
	2012-10			18J544	
	2009-07	w/ 66mm Dual Piston Caliper		18J383374	
		w/ 73mm Dual Piston Caliper		18J383373	
	2005	w/ 66mm Dual Piston Caliper		18J383374	
		w/ 73mm Dual Piston Caliper		18J383373	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009	w/ Bosch Master Cylinder		18M391540	

IC Corporation – CE Integrated (Cont.)

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	2008-05			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2015-10	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-05	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2015-10	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-05	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2015-05			17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2015-10		18A2887A	18A2887	
	2009-05	Hat Shaped 10 Hole Rotor	18A1429A	18A1429	
			18A2664A		
			Hat Shaped 5 Hole Rotor	18A1430A	18A1430
Rear					
Disc Brake Rotor	2015-10		18A2887A	18A2887	
	2009-05	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
			18A2664A		
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	

IC Corporation – CE School Bus

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2018-10	w/ 64mm Meritor 4 Piston Caliper	Left	18FR12848N	
			Right	18FR12847N	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	2018-10	w/ 70mm Meritor 4 Piston Caliper	Left		18FR12846N	
			Right		18FR12845N	
	2004-03	w/ 66mm Dual Piston Caliper			18FR1515	
					18FR1515N	
					18R1515	
		w/ 73mm Dual Piston Caliper			18FR1514	
					18FR1514N	
					18R1514	
Rear						
Disc Brake Caliper	2018-10	w/ 64mm Meritor 4 Piston Caliper	Left		18FR12848N	
			Right		18FR12847N	
		w/ 70mm Meritor 4 Piston Caliper	Left		18FR12846N	
			Right		18FR12845N	
	2004-03	w/ 66mm Dual Piston Caliper			18FR1515	
					18FR1515N	
					18R1515	
		w/ 73mm Dual Piston Caliper			18FR1514	
				18FR1514N		
				18R1514		

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2015-10	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
	2014-10	Located at Master Cylinder; Secondary		18J384100	
	2004	Located at Master Cylinder; Secondary		18J384100	
	2004-03	33" Long		18J383375	
		40" Long		18J383377	
Rear					
Brake Hydraulic Hose	2015-10	39" Long		18J382796	
		43" Long		18J383911	
	2014-10	Located at Master Cylinder; Primary		18J384101	
	2012-10			18J544	
	2004	Located at Master Cylinder; Primary		18J384101	
	2004-03	39" Long		18J382796	
		43" Long		18J383911	
		w/ 66mm Dual Piston Caliper		18J383374	
		w/ 73mm Dual Piston Caliper		18J383373	

IC Corporation – CE School Bus (Cont.)

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2004-03			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2017-10	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2004-03	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2017-10	4 Piston Caliper	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2004-03	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2017-10			17980B	
	2004-03			17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2017-10		18A2887A	18A2887	
	2004-03	Hat Shaped 10 Hole Rotor	18A1429A	18A1429	
			18A2664A		
			Hat Shaped 5 Hole Rotor	18A1430A	18A1430
Rear					
Disc Brake Rotor	2017-10		18A2887A	18A2887	
	2004-03	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
			18A2664A		
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	

IC Corporation – RE Commercial

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2016-10	64mm 4 Piston Calipers Left		18FR12847N	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)						
Disc Brake Caliper	2016-10	64mm 4 Piston Calipers	Right		18FR12848N	
		70mm 4 Piston Calipers	Left		18FR12846N	
			Right		18FR12845N	
	2009-03	w/ 66mm Dual Piston Caliper			18FR1515	
					18FR1515N	
					18R1515	
		w/ 73mm Dual Piston Caliper			18FR1514	
					18FR1514N	
					18R1514	
Rear						
Disc Brake Caliper	2016-10	64mm 4 Piston Calipers	Left		18FR12847N	
			Right		18FR12848N	
		70mm 4 Piston Calipers	Left		18FR12846N	
			Right		18FR12845N	
	2009-03	w/ 66mm Dual Piston Caliper			18FR1515	
					18FR1515N	
					18R1515	
		w/ 73mm Dual Piston Caliper			18FR1514	
					18FR1514N	
			18R1514			

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2016-03	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
Rear					
Brake Hydraulic Hose	2016-03	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009	w/ Bosch Master Cylinder		18M391540	
	2008-03			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2018-10	w/ 4 Piston Calipers	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	

IC Corporation – RE Commercial (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2009-03	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2018-10	w/ 4 Piston Calipers	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-03	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2016-03			17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2018-10	w/ 4 Piston Calipers	18A2887A	18A2887	
	2009-03	Hat Shaped 10 Hole Rotor	18A1429A	18A1429	
			18A2664A		
			Hat Shaped 5 Hole Rotor	18A1430A	18A1430
Rear					
Disc Brake Rotor	2018-10	w/ 4 Piston Calipers	18A2887A	18A2887	
	2009-03	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	

IC Corporation – RE Integrated

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2005	w/ 66mm Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Caliper		18FR1514	
				18FR1514N	
				18R1514	
Rear					
Disc Brake Caliper	2005	w/ 66mm Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Caliper		18FR1514	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2005	w/ 73mm Dual Piston Caliper		18FR1514N	
				18R1514	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2005	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
Rear					
Brake Hydraulic Hose	2005	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2005			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2005	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2005	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2005			17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2005	Hat Shaped 10 Hole Rotor	18A1429A	18A1429	
			18A2664A		
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	

IC Corporation – RE Integrated (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2005	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	

IC Corporation – RE School Bus

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2016-10	64mm 4 Piston Calipers	Left	18FR12847N	
			Right	18FR12848N	
		70mm 4 Piston Calipers	Left	18FR12846N	
			Right	18FR12845N	
	2009-03	w/ 66mm Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Caliper		18FR1514	
				18FR1514N	
				18R1514	
Rear					
Disc Brake Caliper	2016-10	64mm 4 Piston Calipers	Left	18FR12847N	
			Right	18FR12848N	
		70mm 4 Piston Calipers	Left	18FR12846N	
			Right	18FR12845N	
	2009-03	w/ 66mm Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Caliper		18FR1514	
				18FR1514N	
				18R1514	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2016-03	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
Rear					
Brake Hydraulic Hose	2016-03	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009	w/ Bosch Master Cylinder		18M391540	
	2008-03			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2018-10	w/ 4 Piston Calipers	14D1032MH	17D1032MH	
			14D1032MX	17D1032MX	
	2009-03	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2018-10	w/ 4 Piston Calipers	14D1032MX	17D1032MX	
			14D1032MH	17D1032MH	
	2009-03	w/ 66mm Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Dual Piston Caliper		17D786AM	
				17D786AMH	
Driveline					
Parking Brake Shoe	2016-03			17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2018-10	w/ 4 Piston Calipers	18A2887A	18A2887	
	2009-03	Hat Shaped 10 Hole Rotor	18A1429A	18A1429	
			18A2664A		
			Hat Shaped 5 Hole Rotor	18A1430A	18A1430
Rear					
Disc Brake Rotor	2018-10	w/ 4 Piston Calipers	18A2887A	18A2887	
	2009-03	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor	18A1430A	18A1430	

International – 3000
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2002-98	w/ 66mm Bosch Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	

International – 3000 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)						
Disc Brake Caliper	2002-98	w/ 73mm Dual Piston Pin Slide Caliper		18FR1514		
				18FR1514N		
				18R1514		
	1997-96	w/ 2.60" Dual Piston Bendix Caliper; Except Air Suspension		18FR1330		
				18FR1330N		
		w/ 2.88" Dual Piston Bendix Caliper; Except Air Suspension		18FR813		
				18FR813N		
				18R813		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
	18FR651N					
	18R651					
Rear						
Disc Brake Caliper	2002-98	w/ 66mm Bosch Dual Piston Caliper		18FR1515		
				18FR1515N		
				18R1515		
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514		
				18FR1514N		
				18R1514		
	1997-96	w/ 2.60" Dual Piston Bendix Caliper; Except Air Suspension		18FR1330		
				18FR1330N		
		w/ 2.88" Dual Piston Bendix Caliper; Except Air Suspension		18FR813		
				18FR813N		
		18R813				
Front						
Disc Brake Caliper Bushing	2002-98	w/ 66mm Dual Piston Caliper		18K1167		
Rear						
Disc Brake Caliper Bushing	2002-98	w/ 66mm Dual Piston Caliper		18K1167		
Hoses						
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Brake Hydraulic Hose	2002-98	33" Long		18J383375		
		37" long		18J383918		
		40" Long		18J383377		
	1997-96	w/ 2.60" Dual Piston Caliper; w/ 10,000 lb - 12,000 lb Front Axle		18J1406		
		w/ 2.88" Dual Piston Caliper; w/ 8,000 lb Front Axle		18J1407		

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	2002-98	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	
	1997-96	11 3/4" Long Lower		18J545	
		19" Long Center		18J1296	
		24 1/2" Long; w/ 2 Female Fittings Lower		18J315	
		32.5" Long Lower		18J862	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1999	w/ Bosch Master Cylinder		18M391540	
	1998-96			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2002-98	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	1997-96	w/ 2.60" Dual Piston Bendix Caliper; w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2002-98	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	1997-96	w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	2002-96	12" X 3" Driveline Parking Brake		17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2002-98	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	

International – 3000 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2002-98	Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	2002-96	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
	1997-96	Hat Shaped 6 Hole Rotor	18A2951A	18A2951	
		U Shaped 10 Hole Rotor	18A1218A		
Rear					
Disc Brake Rotor	2002-98	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	2002-96	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
	1997-96	Hat Shaped 6 Hole Rotor	18A2951A	18A2951	

International – 3000FE

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	1999-98	w/ 66mm Bosch Dual Piston Caliper		18FR1515		
				18FR1515N		
				18R1515		
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514		
				18FR1514N		
				18R1514		
	1997	w/ 2.60" Dual Piston Bendix Caliper; Except Air Suspension		18FR1330		
				18FR1330N		
		w/ 2.88" Dual Piston Bendix Caliper; Except Air Suspension		18FR813		
				18FR813N		
				18R813		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
					18R651	
Rear						
Disc Brake Caliper	1999-98	w/ 66mm Bosch Dual Piston Caliper		18FR1515		
				18FR1515N		
				18R1515		
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514		

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	1999-98	w/ 73mm Dual Piston Pin Slide Caliper		18FR1514N	
				18R1514	
	1997	w/ 2.60" Dual Piston Bendix Caliper; Except Air Suspension		18FR1330	
				18FR1330N	
		w/ 2.88" Dual Piston Bendix Caliper; Except Air Suspension		18FR813	
				18FR813N	
			18R813		
Front					
Disc Brake Caliper Bushing	1999-98	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
		w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
Rear					
Disc Brake Caliper Bushing	1999-98	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
		w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1999-98	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
	1997	w/ 2.60" Dual Piston Caliper; w/ 10,000 lb - 12,000 lb Front Axle		18J1406	
		w/ 2.88" Dual Piston Caliper; w/ 8,000 lb Front Axle		18J1407	
Rear					
Brake Hydraulic Hose	1999	43" Long		18J383911	
	1999-98	37" long		18J4365	
		39" Long		18J382796	
	1997	11 3/4" Long		18J545	
		19" Long		18J1296	
		32.5" Long	Lower		18J862

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1999	w/ Bosch Master Cylinder		18M391540	
	1998-97			18M391540	

International – 3000FE (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1999-98	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	1997	w/ 2.60" Dual Piston Bendix Caliper; w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	1999-98	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	1997	w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
		w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	

Driveline

Parking Brake Shoe	1999-97	12" X 3" Driveline Parking Brake		17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1999-98	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	1999-97	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
	1997	Hat Shaped 6 Hole Rotor	18A2951A	18A2951	
		U Shaped 10 Hole Rotor	18A1218A		
Rear					
Disc Brake Rotor	1999-98	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	1999-97	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
	1997	Hat Shaped 6 Hole Rotor	18A2951A	18A2951	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2002-00	w/ 66mm Bosch Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
Rear					
Disc Brake Caliper	2002-00	w/ 66mm Bosch Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
Front					
Disc Brake Caliper Bushing	2002-00	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
Rear					
Disc Brake Caliper Bushing	2002-00	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2002-00	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
Rear					
Brake Hydraulic Hose	2002-00	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2002-00	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
Rear					
Disc Brake Pad Set	2002-00	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	

International – 3000IC (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Driveline					
Parking Brake Shoe	2002-00	12" X 3" Driveline Parking Brake		17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2002-00	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
Rear					
Disc Brake Rotor	2002-00	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	

International – 3000RE

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2005	w/ 66mm Bosch Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
	2002-98	w/ 66mm Bosch Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
	1997-96	w/ 2.60" Dual Piston Bendix Caliper; Except Air Suspension		18FR1330	
				18FR1330N	
		w/ 2.88" Dual Piston Bendix Caliper; Except Air Suspension		18FR813	
				18FR813N	
				18R813	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	1997-96	w/ 3.38" Single Piston Bendix Caliper	Left		18FR652
					18FR652N
					18R652
		Right		18FR651	
				18FR651N	
				18R651	
Rear					
Disc Brake Caliper	2005	w/ 66mm Bosch Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
	2002-98	w/ 66mm Bosch Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
	1997-96	w/ 2.60" Dual Piston Bendix Caliper; Except Air Suspension		18FR1330	
				18FR1330N	
		w/ 2.88" Dual Piston Bendix Caliper; Except Air Suspension		18FR813	
				18FR813N	
			18R813		
Front					
Disc Brake Caliper Bushing	2005	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
	2002	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
Rear					
Disc Brake Caliper Bushing	2005	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
	2002	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
Hoses					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2005	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
	2002-98	33" Long		18J383375	
		37" long		18J383918	

International – 3000RE (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Hydraulic Hose	2002-98	40" Long		18J383377	
	1997-96	w/ 2.60" Dual Piston Caliper; w/ 10,000 lb - 12,000 lb Front Axle		18J1406	
		w/ 2.88" Dual Piston Caliper; w/ 8,000 lb Front Axle		18J1407	
Rear					
Brake Hydraulic Hose	2005	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	
	2002-99	39" Long		18J382796	
	2002-98	37" long		18J4365	
		43" Long		18J383911	
	1997-96	11 3/4" Long Lower		18J545	
		19" Long Center		18J1296	
		32.5" Long Lower		18J862	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1999	w/ Bosch Master Cylinder		18M391540	
	1998-96			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2005	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	2002	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	2000-98	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	1997-96	w/ 2.60" Dual Piston Bendix Caliper; w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2005	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2005	w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	2002	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	2000-98	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	1997-96	w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	

Driveline

Parking Brake Shoe	2005	12" X 3" Driveline Parking Brake		17980B	
	2002-96	12" X 3" Driveline Parking Brake		17980B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2005	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	2002-98	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	2002-96	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
	1997-96	Hat Shaped 6 Hole Rotor	18A2951A	18A2951	
		U Shaped 10 Hole Rotor	18A1218A		

Rear

Disc Brake Rotor	2005	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	

International – 3000RE (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2005	Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	2002-98	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	2002-96	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
	1997-96	Hat Shaped 6 Hole Rotor	18A2951A	18A2951	

International – 3400

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	2002-98	w/ 66mm Bosch Dual Piston Caliper		18FR1515		
				18FR1515N		
				18R1515		
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514		
				18FR1514N		
				18R1514		
	1997-96	w/ 2.60" Dual Piston Caliper; Except Air Suspension		18FR1330		
				18FR1330N		
		w/ 2.88" Dual Piston Bendix Caliper; Except Air Suspension		18FR813		
				18FR813N		
				18R813		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
					18R651	
Rear						
Disc Brake Caliper	2002-98	w/ 66mm Bosch Dual Piston Caliper		18FR1515		
				18FR1515N		
				18R1515		
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514		
				18FR1514N		
				18R1514		
	1997-96	w/ 2.60" Dual Piston Caliper; Except Air Suspension		18FR1330		

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	1997-96	w/ 2.60" Dual Piston Caliper; Except Air Suspension		18FR1330N	
		w/ 2.88" Dual Piston Bendix Caliper; Except Air Suspension		18FR813	
				18FR813N	
				18R813	
Front					
Disc Brake Caliper Bushing	2002-98	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
		w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
Rear					
Disc Brake Caliper Bushing	2002-98	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
		w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2002-98	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
	1997-96	w/ 2.60" Dual Piston Caliper; w/ 10,000 lb - 12,000 lb Front Axle		18J1406	
		w/ 2.88" Dual Piston Caliper; w/ 8,000 lb Front Axle		18J1407	
Rear					
Brake Hydraulic Hose	2002-98	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	
	1997-96	19" Long	Center	18J1296	
		24.50" Length		18J315	
		32.5" Long	Lower	18J862	
				18J545	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2002-96			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2002-98	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	

International – 3400 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2002-98	w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	1997-96	w/ 2.60" Dual Piston Bendix Caliper; w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2002-98	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	1997-96	w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	2002-96	12" X 3" Driveline Parking Brake		17980B	
	2001-96	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2002-98	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	2002-96	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
	1997-96	Hat Shaped 6 Hole Rotor	18A2951A	18A2951	
		U Shaped 10 Hole Rotor	18A1218A		
Rear					
Disc Brake Rotor	2002-98	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	2002-96	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
	1997-96	Hat Shaped 6 Hole Rotor	18A2951A	18A2951	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Caliper	2002-01	w/ 66mm Bosch Dual Piston Caliper		18FR1515		
				18FR1515N		
				18R1515		
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514		
				18FR1514N		
				18R1514		
		1999-98	w/ 66mm Bosch Dual Piston Caliper		18FR1515	
					18FR1515N	
					18R1515	
	w/ 73mm Dual Piston Pin Slide Caliper			18FR1514		
				18FR1514N		
				18R1514		
	1997-92		w/ 2.60" Dual Piston Bendix Caliper; Except Air Suspension		18FR1330	
					18FR1330N	
			w/ 2.88" Dual Piston Bendix Caliper; Except Air Suspension		18FR813	
				18FR813N		
				18R813		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
				18FR651N		
				18R651		
Rear						
Disc Brake Caliper	2002-01	w/ 66mm Bosch Dual Piston Caliper		18FR1515		
				18FR1515N		
				18R1515		
		w/ 73mm Dual Piston Pin Slide Caliper		18FR1514		
				18FR1514N		
				18R1514		
		1999-98	w/ 66mm Bosch Dual Piston Caliper		18FR1515	
					18FR1515N	
					18R1515	
	w/ 73mm Dual Piston Pin Slide Caliper			18FR1514		
				18FR1514N		
				18R1514		
	1997-92		w/ 2.60" Dual Piston Bendix Caliper; Except Air Suspension		18FR1330	
					18FR1330N	
			w/ 2.88" Dual Piston Bendix Caliper; Except Air Suspension		18FR813	
				18FR813N		
				18R813		

International – 3600 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	2001	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
	1999-98	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
		w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
Rear					
Disc Brake Caliper Bushing	2001	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
	1999-98	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	
		w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2002-01	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
	1999-98	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
	1997-92	w/ 2.60" Dual Piston Caliper; w/ 10,000 lb - 12,000 lb Front Axle		18J1406	
		w/ 2.88" Dual Piston Caliper; w/ 10,000 lb. Front Axle		18J1407	
Rear					
Brake Hydraulic Hose	2002-01	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	
	1999-98	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	
	1997-92	11 3/4" Long		18J545	
		19" Long	Center	18J1296	
		24.50" Length		18J315	
		32.5" Long	Lower	18J862	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2002-01			18M391540	
	1999-92			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2002-01	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	1999-98	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	1997-92	w/ 2.60" Dual Piston Bendix Caliper; w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2002-01	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	1999-98	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	1997-92	w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	2002-01	12" X 3" Driveline Parking Brake		17980B	
	1999-92	12" X 3" Driveline Parking Brake		17980B	
		Short Conventional; Stripped Chassis; w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2002-01	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	1999-98	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	

International – 3600 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	1999-98	Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	1999-94	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
	1999-92	Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
	1997-93	Non-ABS; Hat Shaped; 10 Hole Rotor; with 3.20in Overall Rotor Height		18A808	
	1997-92	Hat Shaped 6 Hole Rotor; Non-ABS	18A663A	18A663	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter	18A2951A	18A2951	
		U Shaped 10 Hole Rotor	18A1218A		
	1993-92	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		U Shaped 5 Hole Rotor	18A1217A		

Rear

Disc Brake Rotor	2002-01	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	1999-98	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	1999-94	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
	1999-92	Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
	1997-94	Non-ABS; with 3.21in Overall Height; Hat Shaped; 10 Hole Rotor		18A808	
	1997-92	Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter	18A2951A	18A2951	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1994-92	w/ 15" X 3" Brakes; FA89,91,98; FA71,73,101; FA101	Left	18E52	
			Right	18E53	
Rear					
Drum Brake Wheel Cylinder	1994-92	Axle # FA71,FA73; Axle # FA74,FA100,FA101,FA103,FA109,FA127,FA208; w/ 15" X 3" Brakes; w/ 15" X 3 1/2" Brakes	Left	18E71	

Wheel Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Wheel Cylinder	1994-92	Axle # FA71,FA73; Axle # FA74,FA100,FA101,FA103,FA109,FA127,FA208; w/ 15" X 3" Brakes; w/ 15" X 3 1/2" Brakes	Right	18E72	
		Bore 1-1/4in; w/ 15" X 3" Brakes; FA78,81	Left	18E4	
			Right	18E5	
		Bore 1-1/8in; w/ 15" X 3" Brakes; FA78,81	Left	18E6	
			Right	18E7	
		FA74 Axles with 15 X 3 Manual Adjusting Brakes or FA74, 99, 109 Axles with 15 X 3 Automatic Adjusting Brakes or FA103, 109 Axles with 15 X 3-1/2 Automatic Adjusting Brakes	Left	18E78	
			Right	18E79	
		Rear Axle # 25, 126, 184 with 15in x 4in or 15in x 5in Brakes		18E73	
		Rear Axle # 47, 57,192, 193, 292 With 16in x 6in Brakes		18E77	
		Rear Axles 39,189 with 15" X 7" or 16" X 6" Brakes - Rear Axles 144,186 with 15" X 7" Brakes		18E26	
		w/ 15" X 3 1/2" Brakes; FA139,208,211,215,218,219	Left	18E119	
			Right	18E120	
		with # 29,30,39,127,187 Rear Axle; with 15in x 5in Brakes		18E23	
		with # 29,30,39,127,187,189 Rear Axle; with 16in x 5in Brakes		18E23	
		with # 29,30,39,42,44,186,199 Rear Axle; with 15in x 6in Brakes		18E23	
		with # 47,57,192,193,292 Rear Axle; w/ 16" X 6" Brakes		18E23	
		with 15in x 5in Brakes; FA118, 127, 139 Axles w/ 15" X 5" Brakes Or FA209 w/ 15" X 3" Brakes	Left	18E287	
			Right	18E288	
		with 15in x 7in Brakes; 199 Rear Axle		18E23	

International – 3700
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	1994-90	w/ 2.60" Dual Piston Bendix Caliper; Except Air Suspension		18FR1330	
				18FR1330N	
		w/ 2.88" Dual Piston Bendix Caliper; Except Air Suspension		18FR813	
				18FR813N	
				18R813	
		w/ 3.38" Single Piston Bendix Caliper	Left	18FR652	
				18FR652N	
				18R652	
			Right	18FR651	
				18FR651N	
				18R651	

International – 3700 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper	1994-90	w/ 2.60" Dual Piston Bendix Caliper; Except Air Suspension		18FR1330	
				18FR1330N	
		w/ 2.88" Dual Piston Bendix Caliper; Except Air Suspension		18FR813	
				18FR813N	
				18R813	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1994-90	w/ 2.60" Dual Piston Caliper; w/ 10,000 lb - 12,000 lb Front Axle		18J1406	
		w/ 2.88" Dual Piston Caliper; w/ 8,000 lb Front Axle		18J1407	
Rear					
Brake Hydraulic Hose	1994-90	11 3/4" Long		18J545	
		19" Long	Center	18J1296	
		24.50" Length		18J315	
		32.5" Long	Lower	18J862	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1994-90			18M391540	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1994-90	w/ 2.60" Dual Piston Bendix Caliper; w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	1994-90	w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	1994-90	12" X 3" Driveline Parking Brake		17980B	
		Stripped Chassis; Conventional Cab; w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1994	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
	1994-93	Non-ABS; Hat Shaped; 10 Hole Rotor; with 3.20in Overall Rotor Height		18A808	
	1994-90	Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor	18A2951A 18A663A	18A2951 18A663	
		U Shaped 10 Hole Rotor	18A1218A		
		with 4.43in Overall Height; Hat Shaped; 10 Hole Rotor; Non-ABS		18A1219	
	1993-90	Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Stepped Hat 5 Hole Rotor; Non-ABS		18A643	
		U Shaped 5 Hole Rotor	18A1217A		

Rear					
Disc Brake Rotor	1994	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Non-ABS; with 3.21in Overall Height; Hat Shaped; 10 Hole Rotor		18A808	
	1994-90	Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor	18A2951A	18A2951	

Wheel Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Drum Brake Wheel Cylinder	1994-90	w/ 15" X 3" Brakes; FA89,91,98; FA71,73,101; FA101	Left		18E52	
			Right		18E53	
Rear						
Drum Brake Wheel Cylinder	1994-91	with # 47,57,192,193,292 Rear Axle; w/ 16" X 6" Brakes			18E23	
	1994-90	Bore 1-1/4in; w/ 15" X 3" Brakes; FA78,81	Left		18E4	
			Right		18E5	
		Bore 1-1/8in; w/ 15" X 3" Brakes; FA78,81	Left		18E6	
			Right		18E7	
		FA69 Axles with 14 X 2-1/2in Manual Adjusting Brakes or FA69 Axles with 14 X 2-1/2in Automatic Adjusting Brakes or FA71, 73 Axles with 15 X 3in Automatic Adjusting Brakes; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3"; FA101 Axle w/ 15" X	Left		18E71	
			Right		18E72	
		FA74 Axles with 15 X 3 Manual Adjusting Brakes or FA74, 99, 109 Axles with 15 X 3 Automatic Adjusting Brakes or FA103, 109 Axles with 15 X 3-1/2 Automatic Adjusting Brakes	Left		18E78	

International – 3700 (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	1994-90	FA74 Axles with 15 X 3 Manual Adjusting Brakes or FA74, 99, 109 Axles with 15 X 3 Automatic Adjusting Brakes or FA103, 109 Axles with 15 X 3-1/2 Automatic Adjusting Brakes	Right		18E79	
		Rear Axle # 25, 126, 184 with 15in x 4in or 15in x 5in Brakes			18E73	
		Rear Axle # 47, 57, 192, 193, 292 With 16in x 6in Brakes			18E77	
		Rear Axles 39, 189 with 15" X 7" or 16" X 6" Brakes - Rear Axles 144, 186 with 15" X 7" Brakes			18E26	
		w/ 15" X 3 1/2" Brakes; FA139, 208, 211, 215, 218, 219	Left		18E119	
			Right		18E120	
		with # 29, 30, 39, 127, 187 Rear Axle; with 15in x 5in Brakes			18E23	
		with # 29, 30, 39, 127, 187, 189 Rear Axle; with 16in x 5in Brakes			18E23	
		with # 29, 30, 39, 42, 44, 186, 199 Rear Axle; with 15in x 6in Brakes			18E23	
		with 15in x 5in Brakes; FA118, 127, 139 Axles w/ 15" X 5" Brakes Or FA209 w/ 15" X 3" Brakes	Left		18E287	
			Right		18E288	
		with 15in x 7in Brakes; 199 Rear Axle			18E23	

International – 3800

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2004-98	w/ 73mm Dual Piston Pin Slide Caliper			18FR1514	
					18FR1514N	
					18R1514	
	2003-98	w/ 66mm Bosch Dual Piston Caliper			18FR1515	
					18FR1515N	
					18R1515	
	1997-90	w/ 2.60" Dual Piston Bendix Caliper; Except Air Suspension			18FR1330	
					18FR1330N	
		w/ 2.88" Dual Piston Bendix Caliper; Except Air Suspension			18FR813	
					18FR813N	
					18R813	
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
					18R651	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper	2004-98	w/ 73mm Dual Piston Pin Slide Caliper		18FR1514	
				18FR1514N	
				18R1514	
	2003-98	w/ 66mm Bosch Dual Piston Caliper		18FR1515	
				18FR1515N	
				18R1515	
	1997-90	w/ 2.60" Dual Piston Bendix Caliper; Except Air Suspension		18FR1330	
				18FR1330N	
		w/ 2.88" Dual Piston Bendix Caliper; Except Air Suspension		18FR813	
				18FR813N	
				18R813	

Front					
Disc Brake Caliper Bushing	2004-98	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
	2003-98	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	

Rear					
Disc Brake Caliper Bushing	2004-98	w/ Disc Brakes; w/ 66mm Dual Piston Caliper		18K1167	
	2003-98	66mm Or 73mm Dual Piston Pin Slide Caliper		18K1167	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2004-98	33" Long		18J383375	
		37" long		18J383918	
		40" Long		18J383377	
	1997-90	w/ 2.60" Dual Piston Caliper; w/ 10,000 lb - 12,000 lb Front Axle		18J1406	
		w/ 2.88" Dual Piston Caliper; w/ 8,000 lb Front Axle		18J1407	
Rear					
Brake Hydraulic Hose	2004-03	w/ 66mm Dual Piston Caliper		18J383374	
	2004-00	73mm Dual Piston Calipers; w/ Dual Piston Calipers		18J383373	
	2004-98	37" long		18J4365	
		39" Long		18J382796	
		43" Long		18J383911	
	2002	66mm Dual Piston Calipers; w/ 66mm Dual Piston Caliper; w/ Dual Piston Calipers		18J383374	
	2001-00	w/ 66mm Dual Piston Caliper		18J383374	
	1997-90	11 3/4" Long		18J545	
		19" Long	Center	18J1296	

International – 3800 (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	1997-90	24.50" Length		18J315	
		32.5" Long Lower		18J862	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2004-90			18M391540	
	2001-99			18M911	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2004-98	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	1997-90	w/ 2.60" Dual Piston Bendix Caliper; w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	2004-98	w/ 66mm Bosch Dual Piston Caliper	14D786M	17D786MH	
			14D786MH	17D786MHF1	
		w/ 73mm Bosch Pin Slider Caliper		17D786AM	
				17D786AMH	
	1997-90	w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2004-98	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	2004-94	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2004-90	Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
	2003-98	with Cast In ABS Exciter; Hat Shaped; 10 Hole Rotor; with 3.20in Overall Rotor Height; 40 Cooling Vanes	18A2664A		
	1997-93	Non-ABS; Hat Shaped; 10 Hole Rotor; with 3.20in Overall Rotor Height		18A808	
	1997-90	Hat Shaped 6 Hole Rotor	18A2951A	18A2951	
			18A663A	18A663	
		U Shaped 10 Hole Rotor	18A1218A		
	1993-90	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		U Shaped 5 Hole Rotor	18A1217A		
Rear					
Disc Brake Rotor	2004-98	Hat Shaped 5 Hole Rotor; Non-ABS		18A643	
		Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Hat Shaped 6 Hole Rotor; with Cast In ABS Exciter		18A82030	
	2004-94	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
	2004-90	Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
	1997-90	Hat Shaped 6 Hole Rotor	18A2951A	18A2951	
Wheel Cylinder					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Drum Brake Wheel Cylinder	1994-90	w/ 15" X 3" Brakes; FA89,91,98; FA71,73,101; FA101	Left	18E52	
			Right	18E53	
Rear					
Drum Brake Wheel Cylinder	1994-91	with # 47,57,192,193,292 Rear Axle; w/ 16" X 6" Brakes		18E23	
	1994-90	Bore 1-1/4in; w/ 15" X 3" Brakes; FA78,81	Left	18E4	
			Right	18E5	
		Bore 1-1/8in; w/ 15" X 3" Brakes; FA78,81	Left	18E6	
			Right	18E7	
			FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3"; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15 X 3-1/2" Brakes; FA101 Axle w/ 15" X 3" Brakes, Or FA74, 100, 109, 208 Axles w/ 15" X 3" Brakes; FA101, 103, 109, 127 Axles w/ 15" X 3	Left	18E71

International – 3800 (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	1994-90	FA69 Axles with 14 X 2-1/2in Manual Adjusting Brakes or FA69 Axles with 14 X 2-1/2in Automatic Adjusting Brakes or FA71, 73 Axles with 15 X 3in Automatic Adjusting Brakes; FA69 Axle w/ 14" X 2-1/2" Brakes Or FA71, 73 Axles w/ 15" X 3"; FA101 Axle w/ 15" X	Right		18E72	
		FA74 Axles with 15 X 3 Manual Adjusting Brakes or FA74, 99, 109 Axles with 15 X 3 Automatic Adjusting Brakes or FA103, 109 Axles with 15 X 3-1/2 Automatic Adjusting Brakes	Left		18E78	
			Right		18E79	
		Rear Axle # 25, 126, 184 with 15in x 4in or 15in x 5in Brakes			18E73	
		Rear Axle # 47, 57, 192, 193, 292 With 16in x 6in Brakes			18E77	
		Rear Axles 39, 189 with 15" X 7" or 16" X 6" Brakes - Rear Axles 144, 186 with 15" X 7" Brakes			18E26	
		w/ 15" X 3 1/2" Brakes; FA139, 208, 211, 215, 218, 219	Left		18E119	
			Right		18E120	
		with # 29, 30, 39, 127, 187 Rear Axle; with 15in x 5in Brakes			18E23	
		with # 29, 30, 39, 127, 187, 189 Rear Axle; with 16in x 5in Brakes			18E23	
		with # 29, 30, 39, 42, 44, 186, 199 Rear Axle; with 15in x 6in Brakes			18E23	
		with 15in x 5in Brakes; FA118, 127, 139 Axles w/ 15" X 5" Brakes Or FA209 w/ 15" X 3" Brakes	Left		18E287	
			Right		18E288	
		with 15in x 7in Brakes; 199 Rear Axle			18E23	

International – 3900FC

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	1996	w/ 2.88" Dual Piston Bendix Caliper; Except Air Suspension			18FR813	
					18FR813N	
					18R813	
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
					18R651	
	1994-91	w/ 2.60" Dual Piston Bendix Caliper; Except Air Suspension			18FR1330	
					18FR1330N	
		w/ 2.88" Dual Piston Bendix Caliper; Except Air Suspension			18FR813	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)						
Disc Brake Caliper	1994-91	w/ 2.88" Dual Piston Bendix Caliper; Except Air Suspension		18FR813N		
				18R813		
		w/ 3.38" Single Piston Bendix Caliper	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
					18R651	
Rear						
Disc Brake Caliper	1996	w/ 2.88" Dual Piston Bendix Caliper; Except Air Suspension		18FR813		
				18FR813N		
				18R813		
	1994-91	w/ 2.60" Dual Piston Bendix Caliper; Except Air Suspension		18FR1330		
				18FR1330N		
		w/ 2.88" Dual Piston Bendix Caliper; Except Air Suspension		18FR813		
				18FR813N		
				18R813		

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	1996	w/ 2.60" Dual Piston Caliper; w/ 10,000 lb - 12,000 lb Front Axle		18J1406	
		w/ 2.88" Dual Piston Caliper; w/ 8,000 lb Front Axle		18J1407	
	1994-91	w/ 2.60" Dual Piston Caliper; w/ 10,000 lb - 12,000 lb Front Axle		18J1406	
		w/ 2.88" Dual Piston Caliper; w/ 8,000 lb Front Axle		18J1407	
Rear					
Brake Hydraulic Hose	1996	11 3/4" Long		18J545	
		19" Long	Center	18J1296	
		32.5" Long	Lower	18J862	
	1994-91	11 3/4" Long		18J545	
		19" Long	Center	18J1296	
		24.50" Length		18J315	
		32.5" Long	Lower	18J862	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	1996			18M911	
	1994-91			18M911	

International – 3900FC (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	1996	w/ 2.60" Dual Piston Bendix Caliper; w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
	1994-91	w/ 2.60" Dual Piston Bendix Caliper; w/ 3.38" Single Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Rear					
Disc Brake Pad Set	1996	w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
	1994-91	w/ 2.60" Dual Piston Bendix Caliper		17D184M	
				17D184MH	
		w/ 2.88" Dual Piston Bendix Caliper		17D225M	
				17D225MH	
Driveline					
Parking Brake Shoe	1996	12" X 3" Driveline Parking Brake		17980B	
	1994-91	12" X 3" Driveline Parking Brake		17980B	
		Forward Control; Stripped Chassis; w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1996	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor	18A2951A	18A2951	
		U Shaped 10 Hole Rotor	18A1218A		
	1994	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
	1994-93	Non-ABS; Hat Shaped; 10 Hole Rotor; with 3.20in Overall Rotor Height		18A808	
	1994-91	Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor	18A2951A	18A2951	
			18A663A	18A663	
		U Shaped 10 Hole Rotor	18A1218A		
		with 4.43in Overall Height; Hat Shaped; 10 Hole Rotor; Non-ABS		18A1219	
	1993-91	Hat Shaped 5 Hole Rotor; with Cast In ABS Exciter	18A1430A	18A1430	
		Stepped Hat 5 Hole Rotor; Non-ABS		18A643	
		U Shaped 5 Hole Rotor	18A1217A		

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	1996	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
		Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor	18A2951A	18A2951	
	1994	Hat Shaped 10 Hole Rotor; 3.20" Height	18A1429A	18A1429	
	1994-91	Hat Shaped 10 Hole Rotor; 4.43" Overall Height	18A1839A	18A1839	
		Hat Shaped 6 Hole Rotor	18A2951A	18A2951	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	1994-91	Rear Axle # 25, 126, 184 with 15in x 4in or 15in x 5in Brakes		18E73	
		Rear Axle # 39, 189 with 15in x 7in or 16in x 6in Brakes; Rear Axle Codes 144, 186 With 15in x 7in Brakes; Rear Axle # 47, 57, 192, 193, 292 With 16in x 6in Brakes; with 15in x 7in Brakes		18E77	
		Rear Axles 39, 189 with 15" X 7" or 16" X 6" Brakes - Rear Axles 144, 186 with 15" X 7" Brakes		18E26	
		w/ 14 1/8" X 3" Brakes; Ra120 Axle		18E123	
		with # 29, 30, 39, 127, 187 Rear Axle; with 15in x 5in Brakes		18E23	
		with # 29, 30, 39, 127, 187, 189 Rear Axle; with 16in x 5in Brakes		18E23	
		with # 29, 30, 39, 42, 44, 186, 199 Rear Axle; with 15in x 6in Brakes		18E23	
		with 15in x 7in Brakes; 199 Rear Axle		18E23	



Fleet Applications



FLEET COVERAGE

LAST MILE DELIVERY VEHICLES



FORD TRANSIT CONNECT

2010-2013

PADS/SHOES:

- 17D970C or 17D970M (F); 17974B

ROTORS/DRUMS:

- 18A2729 (F); 18B600

CALIPERS:

- 18FR12249 (FL); 18FR12250 (FR)

2014 - Wheel base of 104.8"

PADS/SHOES:

- 17D1044C (F); 17D1095CH (R)

ROTORS/DRUMS:

- 18A2962 (F); 18A2963 (R)

CALIPERS:

- 18FR12621 or 18FR12621C (FL);
- 18FR12622 or 18FR12622C;
- 18FR12807C or 18FR12870N (RL);
- 18FR12808C or 18FR12808N (RR)

2014 - Wheel base of 120.6"

2015-2018

PADS/SHOES:

- 17D1645C (F); 17D1095CH (R)

ROTORS/DRUMS:

- 18A2962 (F); 18A2963 (R)

CALIPERS:

- 18FR12621 or 18FR12621C (FL)
- 18FR12622 or 18FR12622C;
- 18FR12807C or 18FR12870N (RL);
- 18FR12808C or 18FR12808N (RR)



FORD TRANSIT 350HD

2015, 2016 SRW, 2016 DRW, 2017-2018

PADS:

- 17D1774MH (F), 17D1774MHSV;
- 17D1775MH (R), 17D1775MHSV (R)

ROTORS:

- 18A81782 (F); 2015 - 18A81790 (R), 2016 SRW - 18A81939 (R), 2016 DRW & 2017-2018 - 18A81790 (R)

CALIPERS:

- 18FR12875N (FL); 18FR12876N (FR)



MERCEDES SPRINTER 2500

2010-2015 & 2016-2017 Carry Up

PADS:

- 17D1316MH (F); 17D1317MH (R)

ROTORS:

- 18A2552 (F); 18A2579 (R)

CALIPERS:

- 18FR12320 (FL); 18FR12319 (FR);
- 18FR12321 (RL); 18FR12322 (RR)

WARRANTY – US Only

**24 MONTH/
UNLIMITED
MILE
LIMITED WARRANTY**

ACDelco Gold brake products have a 24 month/Unlimited mile limited warranty. Effective on parts purchased April 1, 2018 and later to the original retail purchaser. Contact seller for limited warranty part details, qualifications, and possible labor coverage.

ACDelco Silver brake products have a 12 month/Unlimited mile limited warranty. Effective on parts purchased April 1, 2018 and later to the original retail purchaser. Contact seller for limited warranty part details, qualifications, and possible labor coverage.

FLEET COVERAGE

LAST MILE DELIVERY VEHICLES



NISSAN NV200

2013-2019

PADS/SHOES:

- 17D1094CH (F); 171052B (R)

ROTORS/DRUMS:

- 18A2798 (F), 18A27981A (F);
- 18B7846A (R)

CALIPERS:

- Coming soon



NISSAN NV 3500

2012-2018

PADS:

- 17D1411CH (F), 17D1411MHSV (F),
- 17D1411SDH; 17D1411ACH (R)

ROTORS:

- 18A2932 (R), 18A2932SD (R)

CALIPERS:

- Coming soon



NISSAN NV 2500

2012-2018

PADS:

- 17D1411CH (F), 17D1411MHSV (F),
- 17D1411SDH (F);
- 17D1411ACH (R)

ROTORS:

- 18A2933 (F), 18A2933SD (F);
- 18A2932 (R), 18A2932SD (R)

CALIPERS:

- Coming soon



RAM PROMASTER CITY

2015-2018

PADS/SHOES:

- 17D1721C (F); 171080B

ROTORS/DRUMS:

- 18A81950 (R), 18A81950SD (R);
- 18B7869A



CHEVY CITY EXPRESS

2015-2018

PADS/SHOES:

- 17D1094CH (F); 171052B (R)

ROTORS/DRUMS:

- 18A81042 (F), 18A81042SD (F);
- 18B7846A (R)

CALIPERS:

- Coming soon

WARRANTY – US Only

**24 MONTH/
UNLIMITED
MILE
LIMITED WARRANTY**

ACDelco Gold brake products have a 24 month/Unlimited mile limited warranty. Effective on parts purchased April 1, 2018 and later to the original retail purchaser. Contact seller for limited warranty part details, qualifications, and possible labor coverage.

ACDelco Silver brake products have a 12 month/Unlimited mile limited warranty. Effective on parts purchased April 1, 2018 and later to the original retail purchaser. Contact seller for limited warranty part details, qualifications, and possible labor coverage.

©2023 General Motors. All rights reserved. The marks appearing in this ad are the trademarks or service marks of GM, its subsidiaries, affiliates or licensors.

Calipers					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper Bushing	2004			18K2416	

Chevrolet – City Express

Calipers						
	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2018-15	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR12951DN	
			Right		18FR12951DN	
Front						
Disc Brake Caliper Bushing	2016-15				18K2071	

Master Cylinder					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2018-15			18M391535	

Pads & Shoes					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2018-15	2nd Generation, Copper Free Friction Formula		17D1094CHF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D1094CH	
			14D1094CH		
			14D1094CHF1		
Rear					
Drum Brake Shoe	2018-15			171052B	

Rotors & Drums					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2018-15		18B7846A	18B7846	
Front					
Disc Brake Rotor	2018-15		18A81042A	18A81042	
				18A81042SD	

Chevrolet – City Express (Cont.)

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2018-15			18E370258	

Chevrolet – Express 1500

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2014-03			18P97206	
Front					
Parking Brake Cable	2004-03			18P97445	
	2002	144" Length		18P2692	
	2001-96			18P2501	
Rear					
Parking Brake Cable	2014-03	Left		18P96865	
		Right		18P96866	
	2002-96	Left		18P2018	
		Right		18P1812	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2014-09	Right		18R2659	
				18R2660	
				18FR2660	18R2660PV
				18FR2660C	
				18FR2660N	
		Left		18R2660C	
				18FR2659	18R2659PV
				18FR2659C	
				18FR2659N	
				18R2659C	
	2008-03	Left		18FR1379	18R1379PV
				18FR1379C	
				18FR1379N	
				18R1379	
				18R1379C	
		Right		18FR1378	18R1378PV
				18FR1378C	
				18FR1378N	
	2002-96	Right		18R1378	
				18R1378C	
				18R745	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2002-96	Left		18R746	
				18FR746	
				18FR746C	
				18FR746N	
				18R746C	
		Right		18FR745	
				18FR745C	
				18FR745N	
Rear					
Disc Brake Caliper	2014-03	Left		18FR2165	
				18FR2165N	
				18R2516	
		Right		18FR2166	
				18FR2166N	
				18R2517	
Front					
Disc Brake Caliper Bushing	2013-09			18K1169	
	2002-96			18K1524	
Rear					
Disc Brake Caliper Bushing	2013-03			18K2416	
Front					
Disc Brake Caliper Piston	2002-96			18K2390	
Front					
Disc Brake Caliper Set	2014-09				18FR2659KSD
	2008-03				18FR1378KSD
Rear					
Disc Brake Caliper Set	2014-03				18FR2165KSD

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2014-10	Left		18J383554	
	2014-03	Right		18J4395	
	2009-03	Left		18J4394	
	2002-96	Left		18J3627	
		Right		18J1653	
Rear					
Brake Hydraulic Hose	2014	Left		18J4623	
	2014-03	Right		18J4396	
	2013-08	Except Active Brake Control Left		18J4884	

Chevrolet – Express 1500 (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2013-08	with Active Brake Control Left		18J4623	
	2007-03	Left		18J4884	
	2002-96	Center		18J2064	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2014-11			18M2580	
	2010-09	Except Active Brake Control		18M2581	
		with Active Brake Control		18M2580	
	2008	Except Active Brake Control		18M2563	
		with Active Brake Control		18M2579	
	2007-03			18M2404	
	2002-96			18M794	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2014-09	2nd Generation, Copper Free Friction Formula		17D1367CHF1	
		Revised F1 Part Design			17D1367MHPVF
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D1367CH	
			14D1367CH	17D1367SDH	
	2008-03	2nd Generation, Copper Free Friction Formula		17D785CHF1	
		Original Part Design		17D785MH	
		Revised F1 Part Design		17D785MHF1	
		Friction Contains Copper		17D785CH	
			14D785CH	17D785SDH	
			14D785CHF1		
			14D785MH		
	2002-96	2nd Generation, Copper Free Friction Formula		17D369CHF1	
		Friction Contains Copper		17D369CH	
			14D369CH	17D369MH	
			14D369CHF1	17D369MX	
			14D369MX		
Rear					
Disc Brake Pad Set	2014-03	2nd Generation, Copper Free Friction Formula		17D974ACHF1	
		Friction Contains Copper		17D974ACH	
				17D974AM	
			14D974ACH	17D974AMH	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2014-03		14D974ACHF1	17D974ASDH	
Rear					
Drum Brake Shoe	2002-96		B473	17473R	
Rear					
Parking Brake Shoe	2014-03		14781B	17781B	
			B781		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2002-96		18B276A	18B276	
Front					
Disc Brake Rotor	2014-09		18A1705A	18A1705	18A1705PV
			18A1705AC	18A1705SD	
	2008-03		18A925A	18A925	
			18A925AC	18A925SD	
Rear					
Disc Brake Rotor	2014-03		18A1412A	18A1412	
			18A1412AC	18A1412SD	
Front					
Disc Brake Rotor and Hub Assembly	2002-96		18A503A	18A503	
			18A503AC	18A503SD	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2002-96	15/16" Bore Diameter		18E394	

Chevrolet – Express 2500
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2018-12	w/ 135" Wheelbase		18P97247	
		w/ 155" Wheelbase		18P97246	
	2010-08	w/ 135" Wheelbase		18P97206	
		w/ 155" Wheelbase		18P97207	
	2007-03	135.0" Wheelbase		18P97206	
		155.0" Wheelbase		18P97207	
	2002-96			18P1825	
Front					
Parking Brake Cable	2004-03			18P97445	

Chevrolet – Express 2500 (Cont.)

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)						
Parking Brake Cable	2002	144" Length		18P2692		
	2001-96			18P2501		
Intermediate						
Parking Brake Cable	2011	34" Overall Length		18P97248		
		38.0in Length		18P97247		
		53.7" Overall Length		18P97244		
		57.7in Length		18P97246		
Rear						
Parking Brake Cable	2018-03	Left		18P96865		
		Right		18P96866		
	2002	with 10-1/2in Ring Gear	Left		18P1820	
			Right		18P1815	
		with 8-1/2in Ring Gear	Left		18P2018	
			Right		18P1812	
	2001-96	with 7,300lb Gross Vehicle Weight (GVW)	Left		18P2018	
			Right		18P1812	
		with 7700lb Axle(s); with 8600lb Axle(s)	Left		18P1820	
			Right		18P1815	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2020-08	Original Part Design	Left	18R1381	
			Right	18R1380	
			Left	18FR1381	18R1381SV
				18FR1381C	
				18FR1381N	
				18R1381F1	
			Right	18FR1380	18R1380SV
				18FR1380C	
				18FR1380N	
				18R1380F1	
	2007-03	8500 And 8600 Pound Gross Vehicle Weight	Left	18FR1381	18R1381SV
				18FR1381C	
				18FR1381N	
				18R1381F1	
			Right	18FR1380	18R1380SV
				18FR1380C	
				18FR1380N	
				18R1380F1	
		Original Part Design; 8500 And 8600 Pound Gross Vehicle Weight	Left	18R1381	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	2007-03	Original Part Design; 8500 And 8600 Pound Gross Vehicle Weight	Right		18R1380	
	2006-03	w/ 7300 GVW	Left		18FR1379	18R1379PV
					18FR1379C	
					18FR1379N	
					18R1379	
					18R1379C	
			Right		18FR1378	18R1378PV
					18FR1378C	
					18FR1378N	
					18R1378	
					18R1378C	
	2002-01	DIESEL; w/ 7,700 lb GVW; 8600 lb. G.V.W.	Left		18FR982	
					18FR982C	
					18FR982N	
					18R982	
					18R982F1	
			Right		18FR981	
					18FR981C	
					18FR981N	
					18R981	
					18R981F1	
		GAS; 8600 lb. G.V.W.; w/ 7700 Lb. GVW	Left		18FR742	
					18FR742C	
					18FR742N	
					18R742	
					18R742F1	
			Right		18FR741	
					18FR741C	
					18FR741N	
					18R741	
					18R741F1	
	2002-96	w/ 7300 GVW	Right		18R745	
			Left		18R746	
					18FR746	
					18FR746C	
					18FR746N	
					18R746C	
			Right		18FR745	
					18FR745C	
	2001	CNG; 8600 lb. G.V.W.; w/ 7700 Lb. GVW	Left		18FR742	
					18FR742C	

Chevrolet – Express 2500 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)							
Disc Brake Caliper	2001	CNG; 8600 lb. G.V.W.; w/ 7700 Lb. GVW	Left		18FR742N		
					18R742		
					18R742F1		
			Right		18FR741		
					18FR741C		
					18FR741N		
					18R741		
					18R741F1		
	2000-96	8600 lb. G.V.W.; w/ 7700 Lb. GVW	Left		18FR742		
					18FR742C		
					18FR742N		
					18R742		
			Right		18R742F1		
					18FR741		
					18FR741C		
					18FR741N		
					18R741		
					18R741F1		
Rear							
Disc Brake Caliper	2017-07	Original Part Design	Left		18R2171		
			Right		18R2172		
			Left		18FR2171	18R2171SV	
					18FR2171C		
					18FR2171N		
					18R2171F1		
			Right		18FR2172	18R2172SV	
					18FR2172C		
					18FR2172N		
					18R2172F1		
	2006	GVW 8,500 Lbs.; 8,600 Lb. GVW	Right		18FR2172	18R2172SV	
					18FR2172C		
					18FR2172N		
					18R2172F1		
		Original Part Design; GVW 8,500 Lbs.; 8,600 Lb. GVW	Right		18R2172		
	2006-03	GVW 8,500 Lbs.; 8,600 Lb. GVW	Left		18FR2171	18R2171SV	
					18FR2171C		
					18FR2171N		
					18R2171F1		
			Original Part Design; GVW 8,500 Lbs.; 8,600 Lb. GVW	Left		18R2171	
w/ 7300 GVW	Left		18FR2169	18R2169SV			
		Right		18FR2170	18R2170SV		

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Disc Brake Caliper	2005	Original Part Design; w/ 8,500 lb. GVW; 8,600 Lb. GVW	Right		18R2172	
			w/ 8,500 lb. GVW; 8,600 Lb. GVW	Right		18FR2172
					18FR2172C	
					18FR2172N	
					18R2172F1	
	2004-03	GVW 8,500 Lbs.; 8,600 Lb. GVW	Right		18FR2172	18R2172SV
					18FR2172C	
					18FR2172N	
					18R2172F1	
			Original Part Design; GVW 8,500 Lbs.; 8,600 Lb. GVW	Right		18R2172
Front						
Disc Brake Caliper Bushing	2002	BI-FUEL	Inner		18K1524	
	2002-01	GAS	Inner		18K1524	
	2001	CNG	Inner		18K1524	
	2000-96		Inner		18K1524	
Rear						
Disc Brake Caliper Bushing	2017-03				18K1934	
Front						
Disc Brake Caliper Piston	2002-96	w/ 7300 lb. GVW			18K2390	
Front						
Disc Brake Caliper Set	2006-03	w/ 7300 GVW				18FR1378KSD

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2017-06		Left		18J4878	
			Right		18J4879	
	2005-03	8600lb GVW	Left		18J4878	
			Right		18J4879	
		with 7,300lb Gross Vehicle Weight (GVW)	Left		18J4394	
			Right		18J4395	
	2002-96	with Hydraulic Booster	Left		18J1422	
			Right		18J2052	
		with Vacuum Booster	Left		18J3627	
			Right		18J1653	
Rear						
Brake Hydraulic Hose	2019-08	with Active Brake Control	Left		18J4623	
	2019-03		Right		18J4396	
	2014-08	Except Active Brake Control	Left		18J4884	

Chevrolet – Express 2500 (Cont.)

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2007-03	Left		18J4884	
	2002-96	Center		18J2064	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2019-09	with Active Brake Control		18M2568	
	2014-09	Except Active Brake Control		18M2557	
	2008	Except Active Brake Control		18M391082	
		with Active Brake Control		18M2564	
	2007-06			18M2426	
	2005-03	8600lb GVW		18M2426	
		with 7,300lb Gross Vehicle Weight (GVW)		18M2404	
	2002-96	with Hydraulic Booster		18M970	
		with Vacuum Booster		18M794	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-18			17D784BMH	
				17D784BSDH	
	2017-06	2nd Generation, Copper Free Friction Formula		17D784CHF1	
		Friction Contains Copper		17D784CH	
			14D784CH	17D784MH	17D784MHSV
			14D784CHF1	17D784MXH	
			14D784MH	17D784SDH	
	2005-03	2nd Generation, Copper Free Friction Formula; 8600lb GVW		17D784CHF1	
		8600lb GVW	14D784CH	17D784MH	17D784MHSV
			14D784CHF1	17D784MXH	
			14D784MH	17D784SDH	
		Friction Contains Copper; 8600lb GVW		17D784CH	
		with 7,300lb Gross Vehicle Weight (GVW)	14D785CH	17D785SDH	
			14D785CHF1		
			14D785MH		
		with 7,300lb Gross Vehicle Weight (GVW); 2nd Generation, Copper Free Friction Formula		17D785CHF1	
		with 7,300lb Gross Vehicle Weight (GVW); Original Part Design		17D785MH	
		with 7,300lb Gross Vehicle Weight (GVW); Revised F1 Part Design		17D785MHF1	
		with 7,300lb Gross Vehicle Weight (GVW); Friction Contains Copper		17D785CH	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2002	BI-FUEL; 2nd Generation, Copper Free Friction Formula; w/ 7700 Lb. GVW		17D370CHF1	
		BI-FUEL; Friction Contains Copper; w/ 7700 Lb. GVW		17D370CH	
		BI-FUEL; w/ 7700 Lb. GVW	14D370CH	17D370MH	
			14D370CHF1		
			14D370CHF2		
			14D370MH		
		BI-FUEL; with 7,300lb Gross Vehicle Weight (GVW)	14D369CH	17D369MH	
			14D369CHF1	17D369MX	
			14D369MX		
		BI-FUEL; with 7,300lb Gross Vehicle Weight (GVW); 2nd Generation, Copper Free Friction Formula		17D369CHF1	
		BI-FUEL; with 7,300lb Gross Vehicle Weight (GVW); Friction Contains Copper		17D369CH	
		GAS; 2nd Generation, Copper Free Friction Formula; 8600lb GVW		17D370CHF1	
		GAS; 2nd Generation, Copper Free Friction Formula; w/ 7700 Lb. GVW		17D370CHF1	
		GAS; 8600lb GVW	14D370CH	17D370MH	
			14D370CHF1		
			14D370CHF2		
			14D370MH		
		GAS; Friction Contains Copper; 8600lb GVW		17D370CH	
		GAS; Friction Contains Copper; w/ 7700 Lb. GVW		17D370CH	
		GAS; w/ 7700 Lb. GVW	14D370CH	17D370MH	
			14D370CHF1		
			14D370CHF2		
			14D370MH		
	2002-01	DIESEL	14D459CH	17D459MH	
			14D459CHF1		
			14D459M		
			14D459MH		
		DIESEL; 2nd Generation, Copper Free Friction Formula		17D459CHF1	
		DIESEL; Friction Contains Copper		17D459CH	
		GAS; with 7,300lb Gross Vehicle Weight (GVW)	14D369CH	17D369MH	
			14D369CHF1	17D369MX	
			14D369MX		
		GAS; with 7,300lb Gross Vehicle Weight (GVW); 2nd Generation, Copper Free Friction Formula		17D369CHF1	
		GAS; with 7,300lb Gross Vehicle Weight (GVW); Friction Contains Copper		17D369CH	

Chevrolet – Express 2500 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)						
Disc Brake Pad Set	2001	CNG; 2nd Generation, Copper Free Friction Formula; 8600lb GVW; w/ 7,700 lb GVW		17D370CHF1		
		CNG; 8600lb GVW; w/ 7,700 lb GVW	14D370CH	17D370MH		
			14D370CHF1			
			14D370CHF2			
			14D370MH			
		CNG; Friction Contains Copper; 8600lb GVW; w/ 7,700 lb GVW		17D370CH		
		CNG; with 7,300lb Gross Vehicle Weight (GVW)	14D369CH	17D369MH		
			14D369CHF1	17D369MX		
			14D369MX			
		CNG; with 7,300lb Gross Vehicle Weight (GVW); 2nd Generation, Copper Free Friction Formula		17D369CHF1		
		CNG; with 7,300lb Gross Vehicle Weight (GVW); Friction Contains Copper		17D369CH		
		GAS; 2nd Generation, Copper Free Friction Formula; 8600lb GVW; w/ 7,700 lb GVW		17D370CHF1		
			GAS; 8600lb GVW; w/ 7,700 lb GVW	14D370CH	17D370MH	
				14D370CHF1		
				14D370CHF2		
				14D370MH		
		GAS; Friction Contains Copper; 8600lb GVW; w/ 7,700 lb GVW		17D370CH		
	2000-96	2nd Generation, Copper Free Friction Formula; 8600lb GVW		17D370CHF1		
		8600lb GVW	14D370CH	17D370MH		
			14D370CHF1			
			14D370CHF2			
			14D370MH			
		Friction Contains Copper; 8600lb GVW		17D370CH		
		with 7,300lb Gross Vehicle Weight (GVW)	14D369CH	17D369MH		
			14D369CHF1	17D369MX		
			14D369MX			
		with 7,300lb Gross Vehicle Weight (GVW); 2nd Generation, Copper Free Friction Formula		17D369CHF1		
		with 7,300lb Gross Vehicle Weight (GVW); Friction Contains Copper		17D369CH		
Rear						
Disc Brake Pad Set	2020-03	2nd Generation, Copper Free Friction Formula		17D974CHF1		
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D974CH		
			14D974CH	17D974MH	17D974MHSV	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2020-03		14D974CHF1	17D974SDH	
Rear					
Drum Brake Shoe	2002-96	11 5/32" X 2 3/4" Brake Shoe	B473	17473R	
		with 13in x 2-1/2in Brakes	14451R	17451R	
			14452R	17452R	
		with 13in x 3-1/2in Brakes	R451		
			R452		
Rear					
Parking Brake Shoe	2023-09			17962B	
	2008-03		14771B	17771B	
			B771		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2002-96	Vacuum Brake System; with 6 Lug Wheels; 11 5/32" X 2 3/4" Brake Shoe		18B187	
		with 13in x 2-1/2in Brakes; with Hydraulic Brake System; with 8 Lug Wheels	18B147A	18B147	
		with Hydraulic Brake System; with 8 Lug Wheels; with 13in x 3-1/2in Brakes	18B277A	18B277	
Front					
Disc Brake Rotor	2022-21		18A1206A	18A1206	
			18A1206AC	18A1206SD	
	2020-07		18A927A	18A927	
			18A927AC	18A927SD	
	2006	w/ 8,500 or 8,600 lb. GVW	18A927A	18A927	
			18A927AC	18A927SD	
	2006-03	with 7,300lb Gross Vehicle Weight (GVW)	18A925A	18A925	
			18A925AC	18A925SD	
	2005-03	with 8500lb & 8600lb GVW	18A927A	18A927	
			18A927AC	18A927SD	
Rear					
Disc Brake Rotor	2023-17		18A2437A	18A2437	
			18A2437AC		
	2016-11	RPO Code GH0	18A926A	18A926	
			18A926AC	18A926SD	
		RPO Code GU6	18A2437A	18A2437	
			18A2437AC		
	2010	V8 4.8L 294cid	18A928A	18A928	
			18A928AC		
		V8 6.0L 5967cc 364cid	18A928A	18A928	
			18A928AC		
	2010-06	V8 6.6L 6599cc 403cid	18A926A	18A926	

Chevrolet – Express 2500 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2010-06	V8 6.6L 6599cc 403cid	18A926AC	18A926SD	
	2009-08	V8 4.8L 294cid; w/ Electronic Stability Control	18A2437A	18A2437	
			18A2437AC		
		V8 4.8L 294cid; w/o Electronic Stability Control	18A928A	18A928	
			18A928AC		
		V8 6.0L 5967cc 364cid; w/ Electronic Stability Control	18A2437A	18A2437	
			18A2437AC		
		V8 6.0L 5967cc 364cid; w/o Electronic Stability Control	18A928A	18A928	
			18A928AC		
	2007-06	V8 4.8L 294cid	18A928A	18A928	
			18A928AC		
		V8 6.0L 5967cc 364cid	18A928A	18A928	
			18A928AC		
	2005-03	with 7,300lb Gross Vehicle Weight (GVW)	18A1753A	18A1753	
		with 8500lb & 8600lb GVW	18A928A	18A928	
			18A928AC		
Front					
Disc Brake Rotor and Hub Assembly	2002-96	with 7,300lb Gross Vehicle Weight (GVW)	18A737A	18A737	
			18A737AC		
		with 7700lb & 8600lb GVW	18A507A	18A507	
			18A507AC		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2002-01	DIESEL		18E1362	
	2002-96	GAS; with 7,300lb Gross Vehicle Weight (GVW); with 6 Lug Wheels		18E394	
		GAS; with 7700lb & 8600lb GVW; with 8 Lug Wheels		18E112	
	2001	CNG; with 7,300lb Gross Vehicle Weight (GVW); with 6 Lug Wheels		18E394	
		CNG; with 7700lb & 8600lb GVW; with 8 Lug Wheels		18E112	
	2000-96	DIESEL		18E292	

Chevrolet – Express 3500

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2018-12	Except Cutaway Chassis; w/ 135" Wheelbase		18P97247	
		Except Cutaway Chassis; w/ 155" Wheelbase		18P97246	

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center (Cont.)					
Parking Brake Cable	2018-11	with Cutaway Chassis; w/ 139" Wheelbase		18P97102	
		with Cutaway Chassis; w/ 159" Wheelbase		18P97103	
	2016-11	with Cutaway Chassis; w/ 177" Wheelbase		18P97104	
	2010-06	w/ 155" Wheelbase		18P97207	
	2005-03	139.0" Wheelbase		18P97102	
		155.0" Wheelbase		18P97207	
		159.0" Wheelbase		18P97103	
		177.0" Wheelbase		18P97104	
	2002-96	155.0" Wheelbase		18P1825	
		159.0" Wheelbase		18P1825	
		177.0" Wheelbase		18P1824	
Front					
Parking Brake Cable	2004-03			18P97445	
	2002-96	110.31" Length		18P2690	
		144" Length		18P2692	
Intermediate					
Parking Brake Cable	2011	38.0in Length; Except Cutaway Chassis; w/ 135" Wheelbase		18P97247	
		57.7in Length; Except Cutaway Chassis; w/ 155" Wheelbase		18P97246	
		Except Cutaway Chassis; 34" Overall Length		18P97248	
		Except Cutaway Chassis; 53.7" Overall Length		18P97244	
	2010-06	w/ 139" Wheelbase		18P97102	
		w/ 159" Wheelbase		18P97103	
		w/ 177" Wheelbase		18P97104	
Rear					
Parking Brake Cable	2018-17	Left		18P96865	
	2018-16	Right		18P96866	
	2016	Base; Except 14040 GVW	Left	18P96865	
	2016-15	LS	Left	18P96865	
		LT	Left	18P96865	
	2016-13	Cutaway Chassis; Except 14040 GVW	Right	18P97608	
	2015	Base; Except 14040lb GVW	Left	18P96865	
		Base; Except Cutaway Chassis	Right	18P96866	
		LS	Right	18P96866	
		LT	Right	18P96866	
	2014	Except 14040lb GVW	Left	18P96865	
	2014-12	Except Cutaway Chassis	Right	18P96866	
	2013	Except Cutaway Chassis; GVW 14,040 LBS	Left	18P96865	
	2012	Under 9,900 lb. GVW	Left	18P96865	
	2012-09	Cutaway Chassis; Under 9,900 lb. GVW	Right	18P97608	
	2011-09	135.0" Wheelbase	Left	18P96865	

Chevrolet – Express 3500 (Cont.)

Cable (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Parking Brake Cable	2011-09	139.0" Wheelbase; with Single Rear Wheels (SRW)	Left		18P96865	
		155.0" Wheelbase	Left		18P96865	
	2011-03	135.0" Wheelbase	Right		18P96866	
		155.0" Wheelbase	Right		18P96866	
	2008-03	Cutaway Chassis	Right		18P97608	
			Left		18P96865	
	2002-01	139.0" Wheelbase	Left		18P2655	
			Right		18P2656	
		159.0" Wheelbase	Left		18P2655	
			Right		18P2656	
		177.0" Wheelbase	Left		18P2655	
			Right		18P2656	
	2002-96	G31405 Body	Left		18P1820	
			Right		18P1815	
		G31406 Body	Left		18P1820	
			Right		18P1815	
		G31705 Body	Left		18P1820	
			Right		18P1815	
		G31706 Body	Left		18P1820	
			Right		18P1815	
	2000-96	G31503 Body	Left		18P1827	
			Right		18P1813	
		G31532 Body	Left		18P1827	
			Right		18P1813	
		G31803 Body	Left		18P1827	
			Right		18P1813	
		G31832 Body	Left		18P1827	
			Right		18P1813	
		G31903 Body	Left		18P1827	
			Right		18P1813	
		G31932 Body	Left		18P1827	
			Right		18P1813	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2020-17	Original Part Design; Single Rear Wheels	Left		18R1381	
			Right		18R1380	
		Single Rear Wheels	Left		18FR1381	18R1381SV
					18FR1381C	
					18FR1381N	
					18R1381F1	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	2020-17	Single Rear Wheels	Right		18FR1380	18R1380SV
					18FR1380C	
					18FR1380N	
					18R1380F1	
	2019-03	Original Part Design; With Dual Rear Wheels	Left		18R1996	
			Right		18R1995	
		With Dual Rear Wheels	Left		18FR1996	18R1996SV
					18FR1996C	
					18FR1996N	
					18R1996F1	
			Right		18FR1995	18R1995SV
					18FR1995C	
					18FR1995N	
					18R1995F1	
	2016-03	with Single Rear Wheels (SRW)	Left		18FR1381	18R1381SV
					18FR1381C	
					18FR1381N	
					18R1381F1	
			Right		18FR1380	18R1380SV
					18FR1380C	
					18FR1380N	
					18R1380F1	
		with Single Rear Wheels (SRW); Original Part Design	Left		18R1381	
			Right		18R1380	
	2002-01	with Single Rear Wheels (SRW); Rotor Thickness - 39.1mm	Left		18FR982	
					18FR982C	
					18FR982N	
					18R982	
					18R982F1	
			Right		18FR981	
					18FR981C	
					18FR981N	
					18R981	
					18R981F1	
	2002-96	With Dual Rear Wheels	Left		18FR982	
					18FR982C	
					18FR982N	
					18R982	
					18R982F1	
			Right		18FR981	
					18FR981C	
					18FR981N	
		18R981				

Chevrolet – Express 3500 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty			
Front (Cont.)									
Disc Brake Caliper	2002-96	With Dual Rear Wheels	Right		18R981F1				
		with Single Rear Wheels (SRW); 32.7mm Rotor Thickness	Left		18FR742				
					18FR742C				
					18FR742N				
					18R742				
					18R742F1				
			Right		18FR741				
					18FR741C				
					18FR741N				
					18R741				
				18R741F1					
Rear									
Disc Brake Caliper	2020-09	With Dual Rear Wheels	Left		18FR12667C				
					18R12667C				
		Right		18FR12668C					
				18R12668C					
	2017	Original Part Design; Single Rear Wheels	Left		18R2171				
			Right		18R2172				
		Single Rear Wheels	Left		18FR2171	18R2171SV			
					18FR2171C				
					18FR2171N				
					18R2171F1				
			Right		18FR2172	18R2172SV			
					18FR2172C				
					18FR2172N				
					18R2172F1				
				2016-03	with Single Rear Wheels (SRW)	Left		18FR2171	18R2171SV
								18FR2171C	
		18FR2171N							
		18R2171F1							
	Right		18FR2172			18R2172SV			
			18FR2172C						
			18FR2172N						
			18R2172F1						
	with Single Rear Wheels (SRW); Original Part Design	Left		18R2171					
		Right		18R2172					
		2008-03	Original Part Design; With Dual Rear Wheels	Left		18R2436			
				Right		18R2437			
With Dual Rear Wheels	Left			18FR2436					
				18R2436F1					
	Right			18FR2437					
				18R2437F1					

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	2001	Cutaway Van; 139.0" Wheelbase; with Single Rear Wheels (SRW)	Inner	18K1524	
	2000-96	with Single Rear Wheels (SRW)	Inner	18K1524	
	1996	with 13in x 2-1/2in Brakes	Outer	18K1525	
Rear					
Disc Brake Caliper Bushing	2017-08	With Dual Rear Wheels		18K1933	
		with Single Rear Wheels (SRW)		18K1934	
	2007-03			18K1934	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2017-12	Left		18J4878	
	2017-03	Right		18J4879	
	2011-06	with Active Brake Control Left		18J4878	
	2005-04	Left		18J4878	
	2003	with Active Brake Control Left		18J4878	
	2002-96	With Dual Rear Wheels Left		18J4007	
		Right		18J4008	
		with Single Rear Wheels (SRW) Left		18J1422	
Right			18J2052		
Rear					
Brake Hydraulic Hose	2019	Right		18J4396	
	2019-16	with Active Brake Control Left		18J4623	
	2019-15	Except Vehicle Stability Control; With Dual Rear Wheels; Cutaway Chassis Right		18J383739	
	2018-17	Cutaway Van; Single Rear Wheels Right		18J4393	
	2016-15	Base; Except Cutaway Chassis Left		18J4623	
		with Single Rear Wheels (SRW); Cutaway Van Right		18J4393	
		Right		18J4396	
	2015-14	LS Left		18J4623	
		LT Left		18J4623	
	2014	Base; Cutaway Van; w/o Dynamic Stability Control Left		18J383628	
		Right		18J383739	
		Base; Cutaway Van; with Dynamic Stability Control Right		18J4393	
		Base; Extended Cargo Van Left		18J4623	
		Right		18J4396	
		Base; Standard Cargo Van Left		18J4623	
		Right		18J4396	
		LS Right		18J4396	
		LT Right		18J4396	

Chevrolet – Express 3500 (Cont.)

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Brake Hydraulic Hose	2013	Base; Except Cutaway Chassis	Left		18J4623	
		Except Vehicle Stability Control; With Dual Rear Wheels; Cutaway Chassis	Right		18J383739	
		LS; Except Cutaway Chassis	Left		18J4623	
		LT; Except Cutaway Chassis	Left		18J4623	
		V8 6.0L 5967cc 364cid; LS	Left		18J4623	
		V8 6.0L 5967cc 364cid; LT	Left		18J4623	
		with Single Rear Wheels (SRW); Cutaway Van	Right		18J4393	
	2013-03	Standard Cargo Van	Right		18J4396	
		Standard Passenger Van	Right		18J4396	
	2012	Standard Cargo Van; with Active Brake Control	Left		18J4623	
	2012-10	Standard Cargo Van; Except Active Brake Control	Left		18J4884	
		with Cutaway Chassis; With Dual Rear Wheels	Left		18J383628	
	2012-09	With Dual Rear Wheels; Cutaway Chassis	Right		18J383739	
	2012-05	Cutaway Van; with Single Rear Wheels (SRW)	Left		18J4622	
			Right		18J4393	
		Standard Passenger Van; Except Active Brake Control	Left		18J4884	
	2012-04	Standard Passenger Van; with Active Brake Control	Left		18J4623	
	2009	Cutaway Van; 90 Degree Bend At Caliper; With Dual Rear Wheels	Right		18J383046	
	2009-06	Standard Cargo Van	Left		18J4884	
	2008-05	Cutaway Van; With Dual Rear Wheels	Left		18J4392	
			Right		18J383046	
	2005	Extended Cargo Van	Right		18J4396	
		Extended Cargo Van; Except Active Brake Control	Left		18J4884	
		Extended Cargo Van; with Active Brake Control	Left		18J4623	
		Extended Passenger Van	Right		18J4396	
		Extended Passenger Van; Except Active Brake Control	Left		18J4884	
		Extended Passenger Van; with Active Brake Control	Left		18J4623	
		Standard Cargo Van; Except Active Brake Control	Left		18J4884	
		Standard Cargo Van; with Active Brake Control	Left		18J4623	
	2004-03	Cutaway Van	Left		18J4622	
			Right		18J4393	
		Standard Cargo Van	Left		18J4884	
	2003	Standard Passenger Van	Left		18J4884	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2002-96	Center		18J2064	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2019-09	with Active Brake Control		18M2568	
	2017-09	Except Active Brake Control		18M2557	
	2008	Except Active Brake Control		18M391082	
		with Active Brake Control		18M2564	
	2007-04	Except Active Brake Control		18M2426	
		with Active Brake Control		18M2425	
	2003			18M2426	
	2002-96			18M970	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-18			17D784BMH	
				17D784BSDH	
	2017-03	2nd Generation, Copper Free Friction Formula		17D784CHF1	
		Friction Contains Copper		17D784CH	
			14D784CH	17D784MH	17D784MHSV
			14D784CHF1	17D784MXH	
			14D784MH	17D784SDH	
	2002-96	2nd Generation, Copper Free Friction Formula; With Dual Rear Wheels		17D459CHF1	
		Friction Contains Copper; With Dual Rear Wheels		17D459CH	
		With Dual Rear Wheels	14D459CH	17D459MH	
			14D459CHF1		
			14D459M		
			14D459MH		
		with Single Rear Wheels (SRW)	14D370CH	17D370MH	
			14D370CHF1		
			14D370CHF2		
			14D370MH		
		with Single Rear Wheels (SRW); 2nd Generation, Copper Free Friction Formula		17D370CHF1	
		with Single Rear Wheels (SRW); Friction Contains Copper		17D370CH	
Rear					
Disc Brake Pad Set	2020-17	2nd Generation, Copper Free Friction Formula; Single Rear Wheels		17D974CHF1	
		Single Rear Wheels	14D974CH	17D974MH	17D974MHSV

Chevrolet – Express 3500 (Cont.)



Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2020-17	Single Rear Wheels	14D974CHF1	17D974SDH	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper; Single Rear Wheels		17D974CH	
		2020-09	2nd Generation, Copper Free Friction Formula; With Dual Rear Wheels	14D1411CHF1	17D1411CHF1
	In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper; With Dual Rear Wheels		14D1411CH	17D1411CH	
	With Dual Rear Wheels			17D1411MH	17D1411MHSV
				17D1411SDH	
	2016-13		with Single Rear Wheels (SRW)	14D974CH	17D974MH
		14D974CHF1		17D974SDH	
		with Single Rear Wheels (SRW); 2nd Generation, Copper Free Friction Formula		17D974CHF1	
		with Single Rear Wheels (SRW); In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D974CH	
	2012	with Single Rear Wheels (SRW); without Police Package	14D974CH	17D974MH	17D974MHSV
			14D974CHF1	17D974SDH	
		with Single Rear Wheels (SRW); without Police Package; 2nd Generation, Copper Free Friction Formula		17D974CHF1	
		with Single Rear Wheels (SRW); without Police Package; In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D974CH	
	2011-03	with Single Rear Wheels (SRW)	14D974CH	17D974MH	17D974MHSV
			14D974CHF1	17D974SDH	
		with Single Rear Wheels (SRW); 2nd Generation, Copper Free Friction Formula		17D974CHF1	
		with Single Rear Wheels (SRW); In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D974CH	
	2008-03	2nd Generation, Copper Free Friction Formula; With Dual Rear Wheels		17D989CHF1	
		With Dual Rear Wheels		17D989C	
		Friction Contains Copper; With Dual Rear Wheels		17D989CH	
		With Dual Rear Wheels	14D989CH	17D989M	
			14D989CHF1	17D989MXH	
			14D989CHF2		
Rear					
Drum Brake Shoe	2002-96		14452R	17452R	
			R452		

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Parking Brake Shoe	2023-22	SRW		17962B	
		with Dual Rear Wheels (DRW)		17973B	
	2021-18			17962B	
	2019-13	Except Vehicle Stability Control		17973B	
	2017-13	with Vehicle Stability Control		17962B	
	2012-11	Cutaway Van		17973B	
		Extended Cargo Van		17962B	
		Extended Passenger Van		17962B	
		Standard Cargo Van		17962B	
		Standard Passenger Van		17962B	
	2010			17962B	
	2009	Cutaway Van		17973B	
		Extended Cargo Van		17962B	
		Extended Passenger Van		17962B	
		Standard Cargo Van		17962B	
		Standard Passenger Van		17962B	
	2008	Except 10,000lb GVW		17962B	
		with 10,000lb Gross Vehicle Weight (GVW)		17973B	
	2007-03		14771B	17771B	
			B771		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2002-96	With Dual Rear Wheels	18B254A		
		with Single Rear Wheels (SRW)	18B277A	18B277	
		with Single Rear Wheels (SRW); with 13in Brakes	18B277A	18B277	
Front					
Disc Brake Rotor	2022-16	Over 9,600 lb GVW	18A1193A	18A1193	
			18A1193AC		
	2022-03	w/ Single Rear Wheels (SRW); w/ 8,600 or 9,600 lb. GVW	18A1206A	18A1206	
			18A1206AC	18A1206SD	
	2015-13	Base; Over 9,600 lb GVW	18A1193A	18A1193	
			18A1193AC		
	2012-03	Over 9,600 lb GVW	18A1193A	18A1193	
			18A1193AC		
Rear					
Disc Brake Rotor	2023-18	with Single Rear Wheels (SRW)	18A2437A	18A2437	
			18A2437AC		
	2020-11	With Dual Rear Wheels	18A2630A	18A2630	
	2017-12	with Single Rear Wheels (SRW); w/ RPO Code GU6	18A2437A	18A2437	

Chevrolet – Express 3500 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2017-12	with Single Rear Wheels (SRW); w/ RPO Code GU6	18A2437AC		
	2016-11	RPO Code GH0; with Single Rear Wheels (SRW)	18A926A	18A926	
			18A926AC	18A926SD	
	2012-11	with Single Rear Wheels (SRW); w/ RPO Code GU6; w/ Posi-Traction (G80)	18A928A	18A928	
			18A928AC		
	2011	with Single Rear Wheels (SRW); w/ RPO Code GU6; Except RPO Code G80 Limited Slip Rear Axle	18A2437A	18A2437	
			18A2437AC		
	2010-09	Cutaway Van; With Dual Rear Wheels	18A2630A	18A2630	
	2010-06	Cutaway Van; with Single Rear Wheels (SRW); Except RPO Code G80 Limited Slip Rear Axle; w/ 91mm Tall Rear Discs	18A926A	18A926	
			18A926AC	18A926SD	
		Cutaway Van; with Single Rear Wheels (SRW); RPO Code G80 Limited Slip Rear Axle	18A928A	18A928	
			18A928AC		
		Cutaway Van; with Single Rear Wheels (SRW); w/o Limited Slip Axle	18A2437A	18A2437	
			18A2437AC		
		Extended Cargo Van; with Single Rear Wheels (SRW); w/ 86mm Tall Rear Discs	18A2437A	18A2437	
			18A2437AC		
		Extended Cargo Van; with Single Rear Wheels (SRW); w/ 91mm Tall Rear Discs	18A926A	18A926	
			18A926AC	18A926SD	
		Extended Passenger Van; with Single Rear Wheels (SRW); w/ 86mm Tall Rear Discs	18A2437A	18A2437	
			18A2437AC		
		Extended Passenger Van; with Single Rear Wheels (SRW); w/ 91mm Tall Rear Discs	18A926A	18A926	
			18A926AC	18A926SD	
		Standard Cargo Van; with Single Rear Wheels (SRW); w/ 86mm Tall Rear Discs	18A2437A	18A2437	
			18A2437AC		
		Standard Cargo Van; with Single Rear Wheels (SRW); w/ 91mm Tall Rear Discs	18A926A	18A926	
			18A926AC	18A926SD	
	Standard Passenger Van; with Single Rear Wheels (SRW); w/ 86mm Tall Rear Discs	18A2437A	18A2437		
		18A2437AC			
	Standard Passenger Van; with Single Rear Wheels (SRW); w/ 91mm Tall Rear Discs	18A926A	18A926		
		18A926AC	18A926SD		
	2008-06	Cutaway Van; With Dual Rear Wheels	18A1417A	18A1417	
			18A1417AC		
	2005	with Single Rear Wheels (SRW); 4.63" Center Hole	18A2437A	18A2437	
			18A2437AC		
	2005-03	with 12.80in Diameter Rotor; With Dual Rear Wheels	18A1417A	18A1417	
			18A1417AC		
		with 4.84in Center Hole; with Single Rear Wheels (SRW)	18A926A	18A926	
			18A926AC	18A926SD	
Front					
Disc Brake Rotor and Hub Assembly	2002-01	with 39.1mm Rotor Thickness; with Single Rear Wheels (SRW)	18A1320A	18A1320	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor and Hub Assembly	2002-96	With Dual Rear Wheels	18A874A	18A874	
			18A874AC		
		with Single Rear Wheels (SRW); 32.7mm Rotor Thickness	18A507A	18A507	
			18A507AC		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2002-96	With Dual Rear Wheels		18E1362	
		with Single Rear Wheels (SRW)		18E292	
	1996	with Single Rear Wheels (SRW); 1" Bore Diameter		18E292	

Chevrolet – Express Cargo

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2016	Over 14,000lb GVW	Left		18FR1996	18R1996SV
					18FR1996C	
					18FR1996N	
					18R1996F1	
			Right		18FR1995	18R1995SV
					18FR1995C	
					18FR1995N	
					18R1995F1	
		Over 14,000lb GVW; Original Part Design	Left		18R1996	
			Right		18R1995	
		Under 14000lb GVW	Left		18FR2353	
			Right		18FR2352	
Rear						
Disc Brake Caliper	2016	Except 3.42 Axle Ratio; Except 3.54 Axle Ratio	Left		18FR2171	18R2171SV
					18FR2171C	
					18FR2171N	
					18R2171F1	
			Right		18FR2172	18R2172SV
					18FR2172C	
					18FR2172N	
					18R2172F1	
		Original Part Design; Except 3.42 Axle Ratio; Except 3.54 Axle Ratio	Left		18R2171	
			Right		18R2172	

Chevrolet – Express Cargo (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Rotor	2017-10		18A926A	18A926	
			18A926AC		

Dodge – Sprinter 2500

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Parking Brake Cable	2009-07			18P97140	
	2006-03			18P97139	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2009-07		Left		18FR12320	
				18R12320		
			Right		18FR12319	
				18R12319		
	2006-03	Single Piston Caliper; w/ 276mm Rotors	Left		18FR2317	
			Right		18FR2316	
		w/ Bosch Brakes	Left		18FR2331	
				18R2331		
			Right		18FR2330	
				18R2330		
		w/ Wabco Caliper; Dual Piston Caliper; w/ 285mm Disc	Left		18FR2423	
				18R2423		
			Right		18FR2422	
Rear						
Disc Brake Caliper	2009-07		Left		18FR12321	
				18R12321		
			Right		18FR12322	
				18R12322		
	2006	Lower Hose Inlet; Rotor Diameter 285mm; w/ Bosch Brakes	Left		18FR2419	
				18R2419		
			Right		18FR2418	
				18R2418		
	2006-03	w/ ATE Calipers; Single Piston Caliper	Left		18FR2427	
			Right		18FR2426	
		w/ Bosch Caliper; Single Piston Caliper	Left		18FR2420	
				18R2420		
	2005	Rotor Diameter 285mm; w/ Bosch Brakes	Left		18FR2331	
				18R2331		
			Right		18FR2330	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Disc Brake Caliper	2005	Rotor Diameter 285mm; w/ Bosch Brakes	Right		18R2330	
		w/ Bosch Caliper; Single Piston Caliper	Right		18FR2421	
					18R2421	
	2004	w/ Bosch Brakes	Left		18FR2419	
					18R2419	
			Right		18FR2418	
					18R2418	
		w/ Wabco Caliper	Left		18FR2425	
			Right		18FR2424	
	2003	Rotor Diameter 285mm; w/ Wabco Caliper	Left		18FR2425	
			Right		18FR2424	
w/ Bosch Caliper; Single Piston Caliper		Right		18FR2421		
				18R2421		
Front						
Disc Brake Caliper Bushing	2009-07				18K16212	
Rear						
Disc Brake Caliper Bushing	2009-07				18K1932	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2009-07			18J4159	
	2006-03			18J3989	
Rear					
Brake Hydraulic Hose	2009-07			18J4159	
	2006-03			18J3989	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-07			18M2481	
	2006-03	Cargo Van Only		18M2380	
		Passenger Van		18M2436	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-07			17D1316MH	
				17D1316MHF1	
	2006-03	Dual Piston Caliper; w/ 285mm Disc; w/ Clip Style Wear Sensor		17D1136M	

Dodge – Sprinter 2500 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2006-03	Dual Piston Caliper; w/ 285mm Disc; w/ Pin Style Wear Sensor		17D949MH	
		Single Piston Caliper; w/ 276mm Rotors; w/ Pin Style Wear Sensor		17D950M	
Rear					
Disc Brake Pad Set	2009-07			17D1317MH	
	2006-03	w/ ATE Calipers; w/ Pin Style Wear Sensor		17D1006M	
		w/ Bosch Caliper		17D928M	
Rear					
Parking Brake Shoe	2009-07			17938B	
	2006-03			17866B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2009-07		18A2552A	18A2552	
			18A2552AC		
	2006-03	Counter Sunk Hole In Rotor Hat; w/ 276mm Rotors		18A1613	
		Stepped Hole In Rotor Hat; w/ 276mm Rotors	18A1461A	18A1461	
		w/ 285mm Disc	18A2327A	18A2327	
			18A2327AC		
Rear					
Disc Brake Rotor	2009-07		18A2579A	18A2579	
			18A2579AC		
	2006-03	Counter Sunk Hole In Rotor Hat	18A1462A	18A1462	
			18A1462AC		
		with 285mm Rear Rotors		18A2341	

Dodge – Sprinter 3500

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Parking Brake Cable	2008-07			18P97131	
	2006-03	Left		18P97141	
		Right		18P97142	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2009-07	Left		18FR12868C	
				18FR12868N	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	2009-07		Right		18FR12867C	
				18FR12867N		
	2006-03	w/ Bosch Brakes	Left		18FR2331	
				18R2331		
		Right		18FR2330		
				18R2330		
		w/ Wabco Caliper; Dual Piston Caliper	Left		18FR2423	
				18R2423		
	Right		18FR2422			
		2005-03	Single Piston Caliper	Left		18FR2317
Right				18FR2316		
Rear						
Disc Brake Caliper	2009-07	with Dual Rear Wheels (DRW)	Left		18FR12657	
				18FR12657N		
				18R12657		
			Right		18FR12658	
					18FR12658N	
				18R12658		
		with Single Rear Wheels (SRW)	Left		18FR12321	
				18R12321		
			Right		18FR12322	
					18R12322	
	2006	w/ Bosch Brakes	Left		18FR2419	
				18R2419		
			Right		18FR2418	
					18R2418	
		w/ Wabco Caliper	Left		18FR2422	
			Right		18FR2423	
					18R2423	
		w/ Wabco Caliper; Dual Piston Caliper	Left		18FR2423	
				18R2423		
			Right		18FR2422	
	2005-04	Upper Hose Inlet; Rotor Diameter 285mm; w/ Bosch Brakes	Left		18FR2331	
				18R2331		
			Right		18FR2330	
					18R2330	
	2005-03	Lower Hose Inlet; Rotor Diameter 285mm; w/ Bosch Brakes	Left		18FR2419	
				18R2419		
			Right		18FR2418	
					18R2418	
		Solid Rotor; w/ ATE Rear Calipers; Single Piston Caliper	Left		18FR2427	
			Right		18FR2426	

Dodge – Sprinter 3500 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Disc Brake Caliper	2005-03	Solid Rotor; w/ Bosch Caliper; Single Piston Caliper	Left		18FR2420	
					18R2420	
			Right		18FR2421	
					18R2421	
		w/ Wabco Caliper; Dual Piston Caliper; Vented Rotor	Left		18FR2425	
			Right		18FR2424	

Front

Disc Brake Caliper Bushing	2009-07				18K16212	

Rear

Disc Brake Caliper Bushing	2009-07				18K1931	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2009-07				18J4159	
	2006-03				18J3989	
Rear						
Brake Hydraulic Hose	2009-07	with Dual Rear Wheels (DRW)			18J4573	
	2006-03	Vented Rotor			18J3990	
	2005-03	Solid Rotor			18J3989	

Master Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2009-07				18M2481	
	2006				18M2436	
	2005-03	Cargo Van Only			18M2380	
		Passenger Van			18M2436	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2009-07			17D1268M	
				17D1268MH	
	2006-03	285mm Rotor Diameter; w/ Clip Style Wear Sensor		17D1136M	
		285mm Rotor Diameter; w/ Pin Style Wear Sensor		17D949MH	
	2005-03	w/ 276mm Rotors; w/ Pin Style Wear Sensor		17D950M	
Rear					
Disc Brake Pad Set	2009-07	with Dual Rear Wheels (DRW)		17D1318MH	
		with Single Rear Wheels (SRW)		17D1317MH	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2006-03	with Vented Rotors; 285mm Rotor Diameter; w/ Clip Style Wear Sensor		17D1136M	
		with Vented Rotors; 285mm Rotor Diameter; w/ Pin Style Wear Sensor		17D949MH	
	2005-03	w/ ATE Calipers; w/ Solid Disc; w/ Pin Style Wear Sensor		17D1006M	
		w/ Bosch Caliper; w/ Solid Disc		17D928M	
Rear					
Parking Brake Shoe	2009-07	with Dual Rear Wheels (DRW)		17940B	
		with Single Rear Wheels (SRW)		17938B	
	2005-03	w/ Solid Disc		17866B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Rotor	2009-07		18A2552A	18A2552		
			18A2552AC			
	2006-03	w/ 285mm Disc; w/ 16" Wheels	18A2327A	18A2327		
			18A2327AC			
	2005-03	Counter Sunk Hole In Rotor Hat; w/ 276mm Rotors; Thru Front Axle Y422059; Thru Front Axle S482213		18A1613		
		Stepped Hole In Rotor Hat; w/ 276mm Rotors; From Front Axle Y422060; From Front Axle S482214	18A1461A	18A1461		
Rear						
Disc Brake Rotor	2009-07	Solid Rotor; with Single Rear Wheels (SRW)	18A2579A	18A2579		
			18A2579AC			
		with Dual Rear Wheels (DRW); Vented Rotor		18A2597		
	2006			18A2341		
		2005-03	Counter Sunk Hole In Rotor Hat; w/ Solid Disc; To Axle Stamped L874988, X304860, Z16213	18A1462A	18A1462	
				18A1462AC		
	Vented Rotor		18A2341			

Ford – E-350 Club Wagon
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2005-03	17-1/16" Length		18P1974	
		36-7/8" Length		18P1787	
		55" Length		18P1788	
	2003	29" Length		18P1790	
		49-1/2" Length		18P1793	
		66-15/16in Length		18P1791	

Ford – E-350 Club Wagon (Cont.)

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	2005-03	74-13/16" Length		18P1861	
	2003	113-3/4" Length		18P1860	
Rear					
Parking Brake Cable	2005-03	Left		18P2783	
		Right		18P2688	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2005-03	Left		18FR2010	18R2010SV
				18FR2010C	
				18FR2010N	
				18R2010	
		Right		18FR2009	18R2009SV
				18FR2009C	
				18FR2009N	
				18R2009	
Rear					
Disc Brake Caliper	2005-03	Left		18FR1407	18R1407SV
				18FR1407C	
				18FR1407N	
				18R1407	
		Right		18FR1406	18R1406SV
				18FR1406C	
				18FR1406N	
				18R1406	
Front					
Disc Brake Caliper Bushing	2005-03			18K16122	
Rear					
Disc Brake Caliper Bushing	2005-03			18K16122	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2005	From 4/19/05	Left	18J4508	
			Right	18J4527	
		Thru 4/18/05	Left	18J1226	
			Right	18J1199	
	2004		Left	18J1226	
	2004-03		Right	18J1199	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Hydraulic Hose	2003	4-Wheel ABS Left		18J1226	
Rear					
Brake Hydraulic Hose	2005	10000lb GVW and Over Left		18J1601	
		Except Vehicle Stability Control; Under 9600lb GVW Left		18J1601	
		Under 9600lb GVW; with Vehicle Stability Control Left		18J4772	
		with 9600lb Gross Vehicle Weight (GVW) Left		18J4238	
	2005-04	10000lb GVW and Over Right		18J4342	
		Under 9600lb GVW Right		18J4341	
		with 9600lb Gross Vehicle Weight (GVW) Right		18J4518	
	2005-03	Center		18J1225	
	2004-03	Left		18J1601	
	2003	Right		18J4341	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2005			18M2743	
	2004-03	w/o Cruise Control		18M903	
	2003	Cruise Control		18M906	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2005-03		14D655CH	17D655MH	
			14D655M		
			14D655MH		
Rear					
Disc Brake Pad Set	2005-03	2nd Generation, Copper Free Friction Formula	14D802CHF2		
		Friction Contains Copper	14D802CHF1		
			14D802CH	17D802MH	
			14D802M		
			14D802MH		
Rear					
Drum Brake Shoe	2003	with 12in x 3in Brakes	14314R	17314R	
			R358		
Rear					
Parking Brake Shoe	2005	From 11/29/04		17854B	
	2003		14771B	17771B	
			B771		

Ford – E-350 Club Wagon (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2003	with 4.70in Center Hole; without Dual Rear Wheels		18B324	
		With Dual Rear Wheels		18B170	
Rear					
Disc Brake Rotor	2005-03	with Single Rear Wheels (SRW)	18A933A	18A933	
			18A933AC		
	2005-02	With Dual Rear Wheels	18A960A	18A960	
			18A960AC		
Front					
Disc Brake Rotor and Hub Assembly	2005-03	With Dual Rear Wheels	18A724A	18A724	
			18A724AC		
		without Dual Rear Wheels	18A723A	18A723	
			18A723AC		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2005-03	With Dual Rear Wheels Left		18E857	
		Right		18E89	

Ford – E-350 Econoline

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Self-Adjuster Cable	2000-75			18K2357	
Center					
Parking Brake Cable	2000	17-1/16" Length		18P1974	
		29" Length		18P1790	
		36-7/8" Length		18P1787	
		49-1/2" Length		18P1793	
		55" Length		18P1788	
		66-15/16in Length		18P1791	
Front					
Parking Brake Cable	2000-99	113-3/4" Length		18P1860	
		74-13/16" Length		18P1861	
		87-5/8in Length		18P1859	
	1998-97	107-15/16" Length		18P2626	
		81-3/4" Length		18P1772	
	1998-96	90-7/8" Length		18P2627	
	1996-92	100-1/2" Length		18P1242	
		75-3/4in Length		18P1244	
	1994-92	with 108-1/4in Overall Length		18P1243	

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Parking Brake Cable	1991-88	126-1/4" Length		18P898	
		142" Length		18P919	
		160" Length		18P920	
	1991-84	143-7/8" Length		18P455	
		164-1/2" Length		18P789	
	1987	134-3/8" Length; From 2/87		18P775	
		134-3/8" Length; To 2/87		18P239	
	1987-84	150-3/8" Length		18P538	
		168-1/4" Length		18P540	
	1986-80	134-3/8" Length		18P239	
	1983	167" Length		18P499	
	1983-80	150-3/8" Length		18P238	
	1979-75	138-3/4" Length		18P148	
Intermediate					
Parking Brake Cable	1999-97	17-1/16" Length		18P1974	
		29" Length		18P1790	
		49-1/2" Length		18P1793	
		66-15/16in Length		18P1791	
	1999-96	55" Length		18P1788	
	1999-95	36-7/8" Length		18P1787	
	1996-95	139" Length		18P1172	
		52-1/4" Length		18P264	
		70-1/2" Length		18P1795	
	1994			18P1773	
Rear					
Parking Brake Cable	2000	57-1/16" Length	Left	18P2783	
		99-5/16" Length	Right	18P2688	
	2000-99	102-3/8" Length	Right	18P1957	
		104-1/4" Length	Left	18P2060	
		57-3/8" Length	Left	18P2085	
		97-3/4" Length	Right	18P2084	
	1998	138.0" Wheelbase; 102-3/8" Length	Right	18P1957	
		158.0" Wheelbase	Right	18P2060	
		176.0" Wheelbase	Right	18P2060	
	1998-95	with 56-1/4in Overall Length	Left	18P1775	
	1997	102-3/8" Length	Left	18P1957	
			Right	18P1957	
	1996-95	102-3/16" Length	Right	18P1774	
	1996-92	100-1/2" Length	Right	18P1253	
		52-3/4" Length	Left	18P1251	
		98-1/2" Length	Right	18P1252	
	1991-80		Left	18P384	
			Right	18P383	

Ford – E-350 Econoline (Cont.)

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Parking Brake Cable	1979-75	69-3/4" Length	Left	18P676	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2000-97	Left		18FR2010	18R2010SV
				18FR2010C	
				18FR2010N	
				18R2010	
		Right		18FR2009	18R2009SV
				18FR2009C	
				18FR2009N	
				18R2009	
	1996	Left		18FR2010	18R2010SV
				18FR2010C	
				18FR2010N	
				18R2010	
		Right		18FR2009	18R2009SV
				18FR2009C	
				18FR2009N	
				18R2009	
		Left		18FR1148	18R1148SV
				18FR1148C	
				18FR1148N	
				18R1148	
		Right		18FR1147	18R1147SV
				18FR1147C	
				18FR1147N	
				18R1147	
	1995	Left		18FR1148	18R1148SV
				18FR1148C	
				18FR1148N	
		Right		18R1148	
				18FR1147	18R1147SV
				18FR1147C	
	1994-92	Left		18FR1048	
				18R1048	
		Right		18FR1047	
				18R1047	
	1991	Left		18FR1054	
				18FR1054C	
				18FR1054N	
				18R1054	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front (Cont.)							
Disc Brake Caliper	1991	From 3/91; Phenolic Piston	Right		18FR1053		
					18FR1053C		
					18FR1053N		
					18R1053		
		with Aluminum Piston; To 03/1991	Left		18FR802		
					18R802		
				Right		18FR801	
						18R801	
		1990-86	with Aluminum Piston	Left		18FR802	
						18R802	
				Right		18FR801	
						18R801	
	1985-80	Dual Piston Caliper	Left		18FR798		
					18R798		
			Right		18FR797		
					18R797		
	1979-78	Single Rear Wheels	Right		18FR603		
					18R603		
	1979-77	With Dual Rear Wheels	Left		18FR796		
					18R796		
			Right		18FR795		
					18R795		
	1979-76	Single Rear Wheels	Left		18FR604		
					18R604		
	1977-76	with Single Rear Wheels (SRW)	Right		18FR603		
					18R603		
	1976	Early; With Dual Rear Wheels	Left		18FR800		
					18R800		
			Right		18FR799		
				Late; With Dual Rear Wheels	Left		18FR796
						18R796	
			Right		18FR795		
				18R795			
	1975	Dual Piston Caliper	Left		18FR1982		
			Right		18FR1983		
		Single Piston Caliper	Left		18FR604		
					18R604		
			Right		18FR603		
					18R603		
Rear							
Disc Brake Caliper	2000-99		Left		18FR1407	18R1407SV	
					18FR1407C		
					18FR1407N		

Ford – E-350 Econoline (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2000-99		Left	18R1407	
			Right	18FR1406	18R1406SV
				18FR1406C	
				18FR1406N	
				18R1406	
Front					
Disc Brake Caliper Bushing	2000-95			18K16122	
Rear					
Disc Brake Caliper Bushing	2000-99			18K16122	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2000-95	4-Wheel ABS	Left	18J1226	
			Right	18J1199	
	1998-95	2-Wheel ABS	Left	18J2047	
	1994	4-Wheel ABS	Left	18J1143	
			Right	18J1144	
	1994-92	2-Wheel ABS	Left	18J981	
			Right	18J1046	
	1991-82		Left	18J2285	
	1991-81		Right	18J2284	
	1981	From 2/81	Left	18J2285	
		Thru 2/81	Left	18J162	
	1980-78		Right	18J1437	
	1980-77		Left	18J82	
	1977		Right	18J83	
	1976	From Chassis # A75001	Left	18J82	
			Right	18J83	
	1976-75	To Chassis # A75000	Right	18J381195	
Rear					
Brake Hydraulic Hose	2000	From 1/10/00	Right	18J4341	
		Thru 1/9/00	Right	18J4342	
	2000-99		Left	18J1601	
	2000-92		Center	18J1225	
	1999		Right	18J4342	
	1991-90		Center	18J850	
	1989		Center	18J645	
	1988	From 1/88	Center	18J645	
	1987-86		Center	18J405	
	1985	From 03/1985	Center	18J405	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	1985	Thru 3/85	Center	18J110	
	1984-78		Center	18J110	
	1979-75	58in Length	Right	18P375	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2000-99	Except Stripped Chassis		18M1281	
		Stripped Chassis; Cruise Control		18M906	
		w/o Cruise Control; Stripped Chassis		18M903	
	1998-97	Cruise Control; without Dual Rear Wheels		18M814	
		Except Cutaway Chassis; w/o Cruise Control; Except Stripped Chassis		18M809	
		with Cutaway Chassis; w/o Cruise Control; Stripped Chassis		18M811	
		with Cutaway Chassis; With Dual Rear Wheels; Stripped Chassis; Cruise Control		18M810	
		with Cutaway Chassis; with Hydro-Boost; Stripped Chassis		18M766	
	1996-95	Cargo Van Only; Passenger Van; Cruise Control		18M676	
		Cargo Van Only; Passenger Van; Except Cruise Control		18M1755	
		Stripped Chassis; Cruise Control; Cutaway Chassis		18M678	
		w/o Cruise Control; Stripped Chassis; Cutaway Chassis		18M353	
	1994	Cruise Control; Except Stripped Chassis		18M676	
		Cruise Control; Stripped Chassis		18M678	
		Over 9,500lb GVW; w/o Cruise Control; Stripped Chassis		18M353	
		Under 9500lb GVW; w/o Cruise Control		18M1755	
	1993			18M1755	
	1992			18M631	
	1991-87	Stripped Chassis		18M353	
		Under 9500lb GVW; Except Stripped Chassis		18M1753	
	1986-84			18M236	
	1983-77			18M97	
	1976			18M69	
	1975			18M1061	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2000-95		14D655CH	17D655MH	
			14D655M		

Ford – E-350 Econoline (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2000-95		14D655MH		
	1994-92	with 12in Brakes		17D557M	
				17D557MH	
	1991	From 4/91	14D450M	17D450M	
				17D450MH	
		To 03/1991	14D120M	17D120M	
1990-76		14D120M	17D120M		
Rear					
Disc Brake Pad Set	2000-98	2nd Generation, Copper Free Friction Formula	14D802CHF2		
		Friction Contains Copper	14D802CHF1		
			14D802CH	17D802MH	
			14D802M		
			14D802MH		
Rear					
Drum Brake Shoe	2000-92	with 12in x 3in Brakes	14314R	17314R	
			R358		
	1998-92	with 12-1/8in x 3-1/2in Brakes	14583R	17583R	
			R583		
	1991-90	With Dual Rear Wheels	14583R	17583R	
			R583		
	1991-87	without Dual Rear Wheels	14314R	17314R	
			R358		
	1989-87	with 12-1/8in x 3-1/2in Brakes; With Dual Rear Wheels	14583R	17583R	
			R583		
		with 12in x 3in Brakes; With Dual Rear Wheels	14314R	17314R	
			R358		
	1986-80		14314R	17314R	
			R358		
	1979	with 12in x 2-1/2in Brakes	14316B	17316R	
			B316L		
		with 12in x 3in Brakes	14314R	17314R	
R358					
1978-75		14314R	17314R		
		R358			
Driveline					
Parking Brake Shoe	2000-97	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
Rear					
Parking Brake Shoe	2000-99		14771B	17771B	
			B771		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2000-95	with 4.70in Center Hole; without Dual Rear Wheels		18B324	
	2000-92	with 5in Center Hole; without Dual Rear Wheels		18B279	
	1998-90	With Dual Rear Wheels		18B170	
	1991-87	without Dual Rear Wheels		18B141	
	1989-87	with 12-1/8in x 3-1/2in Brakes; With Dual Rear Wheels		18B170	
		with 12in x 3in Brakes; With Dual Rear Wheels		18B52	
	1986-81	With Dual Rear Wheels		18B52	
	1986-75	without Dual Rear Wheels		18B42	
	1976	To Chassis # A75000; With Dual Rear Wheels		18B52	
	1975	With Dual Rear Wheels		18B52	
Front					
Disc Brake Rotor	1994	2-Wheel ABS; With Dual Rear Wheels	18A46A		
	1993-77	With Dual Rear Wheels	18A46A		
	1976-75	From Chassis # A75001; With Dual Rear Wheels	18A46A		
		To Chassis # A75000; With Dual Rear Wheels	18A1346A		
Rear					
Disc Brake Rotor	2000-99	with Driveline Mounted Parking Brake; With Dual Rear Wheels	18A881A	18A881	
			18A881AC		
		with Single Rear Wheels (SRW)	18A933A	18A933	
			18A933AC		
	2000-96	Drum In Hat Parking Brake; With Dual Rear Wheels	18A960A	18A960	
			18A960AC		
	1998-96	without Dual Rear Wheels	18A933A	18A933	
			18A933AC		
	1996	With Dual Rear Wheels	18A960A	18A960	
			18A960AC		
Front					
Disc Brake Rotor and Hub Assembly	2000-99	With Dual Rear Wheels	18A724A	18A724	
			18A724AC		
		with Single Rear Wheels (SRW)	18A723A	18A723	
			18A723AC		
	1998-95	2-Wheel ABS; With Dual Rear Wheels	18A725A	18A725	
		2-Wheel ABS; without Dual Rear Wheels	18A722A	18A722	
		4-Wheel ABS; With Dual Rear Wheels	18A724A	18A724	
			18A724AC		
		4-Wheel ABS; without Dual Rear Wheels	18A723A	18A723	
			18A723AC		
1994	2-Wheel ABS; without Dual Rear Wheels	18A715A	18A715		

Ford – E-350 Econoline (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor and Hub Assembly	1994	4-Wheel ABS; without Dual Rear Wheels	18A714A	18A714	
	1993-92	without Dual Rear Wheels	18A504A		
	1991-86	without Dual Rear Wheels	18A428A		
	1985-81	without Dual Rear Wheels	18A64A	18A64	
	1980	From 11/1980; without Dual Rear Wheels	18A64A	18A64	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2000-95	without Dual Rear Wheels	Left	18E1133	
			Right	18E433	
	2000-93	With Dual Rear Wheels	Left	18E857	
			Right	18E89	
	1994-93	1 1/16" Bore Diameter; without Dual Rear Wheels	Left	18E97	
			Right	18E96	
	1994-90	Bore 1-1/8in; with 12-1/8in x 3-1/2in Brakes	Left	18E40	
			Right	18E41	
	1992-90	with 12-1/8in x 3-1/2in Brakes; 1 1/16" Bore Diameter	Left	18E97	
			Right	18E96	
		with 12in x 3in Brakes; With Dual Rear Wheels	Left	18E857	
			Right	18E89	
	1992-84	with 12in x 3in Brakes; without Dual Rear Wheels	Left	18E969	
			Right	18E960	
	1989-84	With Dual Rear Wheels	Left	18E40	
			Right	18E41	
	1983-82	with 12in x 3in Brakes	Left	18E969	
			Right	18E960	
	1981-79	w/o School Bus Package	Left	18E926	
			Right	18E76	
		with School Bus Package	Left	18E969	
			Right	18E960	
	1978-75		Left	18E926	
			Right	18E76	

Ford – E-350 Econoline Club Wagon

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Self-Adjuster Cable	2000-77			18K2357	
Center					
Parking Brake Cable	2002-00	17-1/16" Length		18P1974	

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center (Cont.)					
Parking Brake Cable	2002-00	29" Length		18P1790	
		36-7/8" Length		18P1787	
		49-1/2" Length		18P1793	
		66-15/16in Length		18P1791	
	2000	55" Length		18P1788	
Front					
Parking Brake Cable	2002-99	113-3/4" Length		18P1860	
		74-13/16" Length		18P1861	
	1998-97	107-15/16" Length		18P2626	
		81-3/4" Length		18P1772	
	1996	90-7/8" Length		18P2627	
	1996-95	100-1/2" Length		18P1242	
	1996-92	75-3/4in Length		18P1244	
	1993-92	100-1/2" Length		18P1242	
		with 108-1/4in Overall Length		18P1243	
	1991-88	126-1/4" Length		18P898	
		142" Length		18P919	
		160" Length		18P920	
	1991-84	143-7/8" Length		18P455	
		164-1/2" Length		18P789	
	1987	134-3/8" Length; From 2/87		18P775	
		134-3/8" Length; To 2/87		18P239	
	1987-84	150-3/8" Length		18P538	
		168-1/4" Length		18P540	
	1986-80	134-3/8" Length		18P239	
	1983	167" Length		18P499	
	1983-80	150-3/8" Length		18P238	
	1979-77	138-3/4" Length		18P148	
Intermediate					
Parking Brake Cable	1999	66 15/16" Long		18P1791	
	1999-97	17-1/16" Length		18P1974	
		29" Length		18P1790	
		49-1/2" Length		18P1793	
	1999-96	55" Length		18P1788	
	1999-95	36-7/8" Length		18P1787	
	1998-97	66-15/16in Length		18P1791	
	1996-95	139" Length		18P1172	
		52-1/4" Length		18P264	
		70-1/2" Length		18P1795	
	1994			18P1773	
Rear					
Parking Brake Cable	2002-01	57-1/16" Length	Left	18P2783	
		99-5/16" Length	Right	18P2688	

Ford – E-350 Econoline Club Wagon (Cont.)

Cable (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Parking Brake Cable	2000-99	57-3/8" Length	Left		18P2085	
		97-3/4" Length	Right		18P2084	
	1998-97	102-3/8" Length	Left		18P1957	
			Right		18P1957	
	1998-95	with 56-1/4in Overall Length	Left		18P1775	
	1996-95	102-3/16" Length	Right		18P1774	
		52-3/4" Length	Left		18P1251	
	1996-92	100-1/2" Length	Right		18P1253	
		98-1/2" Length	Right		18P1252	
	1994-92		Left		18P1251	
	1991-80		Left		18P384	
			Right		18P383	
	1979-77	69-3/4" Length	Left		18P676	

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2002-97		Left		18FR2010	18R2010SV
					18FR2010C	
					18FR2010N	
					18R2010	
			Right		18FR2009	18R2009SV
					18FR2009C	
					18FR2009N	
					18R2009	
	1996	From 9/5/96	Left		18FR2010	18R2010SV
					18FR2010C	
					18FR2010N	
					18R2010	
			Right		18FR2009	18R2009SV
					18FR2009C	
					18FR2009N	
					18R2009	
		Thru 9/4/96	Left		18FR1148	18R1148SV
					18FR1148C	
					18FR1148N	
					18R1148	
			Right		18FR1147	18R1147SV
					18FR1147C	
					18FR1147N	
					18R1148	
	1995		Left		18FR1148	18R1148SV
					18FR1148C	
					18FR1148N	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	1995		Left	18R1148	
			Right	18FR1147	18R1147SV
				18FR1147C	
				18FR1147N	
	1994-92		Left	18FR1048	
			Right	18R1048	
				18FR1047	
				18R1047	
	1991	From 3/91; Phenolic Piston	Left	18FR1054	
				18FR1054C	
				18FR1054N	
				18R1054	
			Right	18FR1053	
				18FR1053C	
				18FR1053N	
				18R1053	
		with Aluminum Piston; To 03/1991	Left	18FR802	
				18R802	
			Right	18FR801	
				18R801	
	1990-86	with Aluminum Piston	Left	18FR802	
				18R802	
			Right	18FR801	
				18R801	
	1985-80	Dual Piston Caliper	Left	18FR798	
				18R798	
			Right	18FR797	
				18R797	
	1979-77	Single Rear Wheels	Left	18FR604	
				18R604	
		With Dual Rear Wheels	Left	18FR796	
				18R796	
			Right	18FR795	
				18R795	
		with Single Rear Wheels (SRW)	Right	18FR603	
				18R603	
Rear					
Disc Brake Caliper	2002-99		Left	18FR1407	18R1407SV
			Right	18FR1407C	
				18FR1407N	
				18R1407	
			18FR1406	18R1406SV	
			18FR1406C		

Ford – E-350 Econoline Club Wagon (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2002-99	Right		18FR1406N	
				18R1406	
Front					
Disc Brake Caliper Bushing	2002-95			18K16122	
Rear					
Disc Brake Caliper Bushing	2002-01			18K16122	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2002-00	Left		18J1226	
	2002-95	Right		18J1199	
	1999-95	4-Wheel ABS Left		18J1226	
	1998-95	2-Wheel ABS Left		18J2047	
	1994	4-Wheel ABS Left		18J1143	
		Right		18J1144	
	1994-92	2-Wheel ABS Left		18J981	
		Right		18J1046	
	1991-82	Left		18J2285	
	1991-81	Right		18J2284	
	1981	From 2/81 Left		18J2285	
		Thru 2/81 Left		18J162	
	1980-78	Right		18J1437	
	1980-77	Left		18J82	
	1977	Right		18J83	
Rear					
Brake Hydraulic Hose	2002-01	Right		18J4341	
	2002-99	Left		18J1601	
	2001-92	Center		18J1225	
	2000	From 1/10/00 Right		18J4341	
		Thru 1/9/00 Right		18J4342	
	1999	Right		18J4342	
	1991-90	Center		18J850	
	1989	Center		18J645	
	1988	From 1/88 Center		18J645	
	1987-86	Center		18J405	
	1985	From 03/1985 Center		18J405	
		Thru 3/85 Center		18J110	
	1984-78	Center		18J110	
	1979-77	58" Long Right		18P375	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2002-99	Cruise Control		18M906	
		w/o Cruise Control		18M903	
	1998-97	Cruise Control; without Dual Rear Wheels		18M814	
		Except Cutaway Chassis; w/o Cruise Control; Except Stripped Chassis		18M809	
		with Cutaway Chassis; w/o Cruise Control; Stripped Chassis		18M811	
		with Cutaway Chassis; With Dual Rear Wheels; Stripped Chassis; Cruise Control		18M810	
	1996-95	Cargo Van Only; Passenger Van; Cruise Control		18M676	
		Cargo Van Only; Passenger Van; Except Cruise Control		18M1755	
		Stripped Chassis; Cruise Control; Cutaway Chassis		18M678	
		w/o Cruise Control; Stripped Chassis; Cutaway Chassis		18M353	
	1994	Cruise Control; Except Stripped Chassis		18M676	
		Cruise Control; Stripped Chassis		18M678	
		Over 9,500lb GVW; w/o Cruise Control; Stripped Chassis		18M353	
		Under 9500lb GVW; w/o Cruise Control		18M1755	
	1993			18M1755	
	1992			18M631	
	1991-87	Stripped Chassis		18M353	
		Under 9500lb GVW; Except Stripped Chassis		18M1753	
	1986-84			18M236	
	1983-77			18M97	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2002-95		14D655CH	17D655MH	
			14D655M		
			14D655MH		
	1994-92	with 12in Brakes		17D557M	
				17D557MH	
	1991	From 4/91	14D450M	17D450M	
				17D450MH	
		To 03/1991	14D120M	17D120M	
	1990-77		14D120M	17D120M	
Rear					
Disc Brake Pad Set	2002-98	2nd Generation, Copper Free Friction Formula	14D802CHF2		
		Friction Contains Copper	14D802CHF1		
			14D802CH	17D802MH	

Ford – E-350 Econoline Club Wagon (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2002-98		14D802M		
			14D802MH		
Rear					
Drum Brake Shoe	2000-92	with 12in x 3in Brakes	14314R	17314R	
			R358		
	1998-92	with 12-1/8in x 3-1/2in Brakes	14583R	17583R	
			R583		
	1991-90	With Dual Rear Wheels	14583R	17583R	
			R583		
	1991-87	without Dual Rear Wheels	14314R	17314R	
			R358		
	1989-87	with 12-1/8in x 3-1/2in Brakes; With Dual Rear Wheels	14583R	17583R	
			R583		
		with 12in x 3in Brakes; With Dual Rear Wheels	14314R	17314R	
			R358		
	1986-80		14314R	17314R	
			R358		
	1979	with 12in x 2-1/2in Brakes	14316B	17316R	
			B316L		
		with 12in x 3in Brakes	14314R	17314R	
			R358		
	1978-77		14314R	17314R	
			R358		
Rear					
Parking Brake Shoe	2002-99		14771B	17771B	
			B771		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2001			18B324	
	2000-95	with 4.70in Center Hole; without Dual Rear Wheels		18B324	
	2000-92	with 5in Center Hole; without Dual Rear Wheels		18B279	
	1998-90	With Dual Rear Wheels		18B170	
	1991-87	without Dual Rear Wheels		18B141	
	1989-87	with 12-1/8in x 3-1/2in Brakes; With Dual Rear Wheels		18B170	
		with 12in x 3in Brakes; With Dual Rear Wheels		18B52	
	1986-81	With Dual Rear Wheels		18B52	
	1986-77	without Dual Rear Wheels		18B42	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	1994	2-Wheel ABS; With Dual Rear Wheels	18A46A		
	1993-77	With Dual Rear Wheels	18A46A		
Rear					
Disc Brake Rotor	2002-99	with Single Rear Wheels (SRW)	18A933A	18A933	
			18A933AC		
	2002-97	Drum In Hat Parking Brake; With Dual Rear Wheels	18A960A	18A960	
			18A960AC		
	1998-96	With Dual Rear Wheels	18A960A	18A960	
			18A960AC		
		without Dual Rear Wheels	18A933A	18A933	
			18A933AC		
Front					
Disc Brake Rotor and Hub Assembly	2002-01	with Single Rear Wheels (SRW)	18A723A	18A723	
			18A723AC		
	2002-00	With Dual Rear Wheels	18A724A	18A724	
			18A724AC		
	2000	without Dual Rear Wheels	18A723A	18A723	
			18A723AC		
	1999-95	4-Wheel ABS; With Dual Rear Wheels	18A724A	18A724	
			18A724AC		
		4-Wheel ABS; without Dual Rear Wheels	18A723A	18A723	
			18A723AC		
	1998-95	2-Wheel ABS; With Dual Rear Wheels	18A725A	18A725	
		2-Wheel ABS; without Dual Rear Wheels	18A722A	18A722	
	1994	2-Wheel ABS; without Dual Rear Wheels	18A715A	18A715	
		4-Wheel ABS; without Dual Rear Wheels	18A714A	18A714	
	1993-92	without Dual Rear Wheels	18A504A		
	1991-86	without Dual Rear Wheels	18A428A		
	1985-81	without Dual Rear Wheels	18A64A	18A64	
	1980	From 11/1980; without Dual Rear Wheels	18A64A	18A64	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2002-93	With Dual Rear Wheels	Left	18E857	
			Right	18E89	
	2000-95	without Dual Rear Wheels	Left	18E1133	
			Right	18E433	
	1994-93	1 1/16" Bore Diameter; without Dual Rear Wheels	Left	18E97	
			Right	18E96	
	1994-90	Bore 1-1/8in; with 12-1/8in x 3-1/2in Brakes	Left	18E40	

Ford – E-350 Econoline Club Wagon (Cont.)

Wheel Cylinder (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Drum Brake Wheel Cylinder	1994-90	Bore 1-1/8in; with 12-1/8in x 3-1/2in Brakes	Right		18E41	
	1992-90	with 12-1/8in x 3-1/2in Brakes; 1 1/16" Bore Diameter	Left		18E97	
			Right		18E96	
		with 12in x 3in Brakes; With Dual Rear Wheels	Left		18E857	
			Right		18E89	
	1992-84	with 12in x 3in Brakes; without Dual Rear Wheels	Left		18E969	
			Right		18E960	
	1989-84	With Dual Rear Wheels	Left		18E40	
			Right		18E41	
	1983-82	with 12in x 3in Brakes	Left		18E969	
			Right		18E960	
		w/o School Bus Package	Left		18E926	
			Right		18E76	
	1981-79	with School Bus Package	Left		18E969	
			Right		18E960	
	1978-77		Left		18E926	
			Right		18E76	

Ford – E-350 Super Duty

Cable

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear						
Drum Brake Self-Adjuster Cable	2000-99				18K2357	
Center						
Parking Brake Cable	2015-14	158.0" Wheelbase; 17.90" Length			18P97271	
	2015-13	176.0" Wheelbase; 37" Length			18P96897	
	2011-10	158.0" Wheelbase; 29" Length			18P1787	
	2011-07	176.0" Wheelbase; 37" Length			18P96897	
	2010	158.0" Wheelbase; 17.90" Length			18P97271	
	2009	158.0" Wheelbase			18P97271	
	2008-07	158.0" Wheelbase; 36-7/8" Length			18P1787	
		Base; 158.0" Wheelbase; 17.90" Length			18P97271	
	2006-04	17-1/16" Length			18P1974	
		29" Length			18P1790	
		36-7/8" Length			18P1787	
		49-1/2" Length			18P1793	
		55" Length			18P1788	
		66-15/16in Length			18P1791	
	2000	17-1/16" Length			18P1974	
		29" Length			18P1790	
		36-7/8" Length			18P1787	

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center (Cont.)					
Parking Brake Cable	2000	49-1/2" Length		18P1793	
		55" Length		18P1788	
		66-15/16in Length		18P1791	
Front					
Parking Brake Cable	2015	Except Stripped Chassis		18P1861	
	2014-08	74-13/16" Length		18P1861	
	2007	74-13/16" Length; Except Stripped Chassis		18P1861	
	2006-04	113-3/4" Length		18P1860	
		74-13/16" Length		18P1861	
	2000-99	113-3/4" Length		18P1860	
		74-13/16" Length		18P1861	
		87-5/8in Length		18P1859	
Intermediate					
Parking Brake Cable	2019-18	w/ 158.0" Wheelbase		18P97271	
		w/ 176.0" Wheelbase		18P96897	
	2017	w/ 158" Wheelbase		18P97271	
		w/ 176" Wheelbase		18P96897	
	2016	17.90" Length; w/ 158" Wheelbase		18P97271	
		w/ 176" Wheelbase; 37" Length		18P96897	
	2013-12	Base; Center; w/ 158" Wheelbase; 17.9" Overall Length		18P97271	
	2011	158.0" Wheelbase; 17.9" Overall Length		18P97271	
	1999	17-1/16" Length		18P1974	
		29" Length		18P1790	
		36-7/8" Length		18P1787	
		49-1/2" Length		18P1793	
		55" Length		18P1788	
		66-15/16in Length		18P1791	
Rear					
Parking Brake Cable	2019-08	Right		18P96915	
	2015-08	Left		18P96896	
	2007	Except Cutaway Chassis Left		18P97295	
		Right		18P2688	
		with Cutaway Chassis Left		18P97281	
	2006-04	Left		18P2783	
		Right		18P2688	
	2000	57-1/16" Length Left		18P2783	
		99-5/16" Length Right		18P2688	
	2000-99	102-3/8" Length Right		18P1957	
		104-1/4" Length Left		18P2060	
		57-3/8" Length Left		18P2085	
		97-3/4" Length Right		18P2084	

Ford – E-350 Super Duty (Cont.)

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2021	Left		18R2666	18R2666SV
				18FR2666	
				18FR2666C	
				18FR2666N	
		Right		18FR2665	18R2665SV
				18FR2665C	
				18FR2665N	
				18R2665	
	2019-08	Left		18R2666	18R2666SV
				18FR2666	
				18FR2666C	
				18FR2666N	
		Right		18FR2665	18R2665SV
				18FR2665C	
				18FR2665N	
				18R2665	
	2007-99	Left		18FR2010	18R2010SV
				18FR2010C	
				18FR2010N	
				18R2010	
		Right		18FR2009	18R2009SV
				18FR2009C	
				18FR2009N	
				18R2009	
Rear					
Disc Brake Caliper	2021	Left		18FR2670	18R2670SV
				18FR2670C	
				18FR2670N	
				18R2670	
		Right		18FR2669	
				18FR2669C	
				18FR2669N	
				18R2669	
	2019-08	Left		18FR2670	18R2670SV
				18FR2670C	
				18FR2670N	
				18R2670	
		Right		18FR2669	
				18FR2669C	
				18FR2669N	
				18R2669	
	2007-99	Left		18FR1407	18R1407SV
				18FR1407C	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2007-99	Left		18FR1407N	
				18R1407	
		Right		18FR1406	18R1406SV
				18FR1406C	
				18FR1406N	
				18R1406	
Front					
Disc Brake Caliper Bushing	2017-08			18K1184	
	2007-99			18K16122	
Rear					
Disc Brake Caliper Bushing	2017-11			18H1224	
	2010-08			18K1933	
	2007-99			18K16122	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2019-08	Left		18J383314	
		Right		18J383439	
	2007-06	Left		18J4508	
		Right		18J4527	
	2005	From 4/19/05	Left	18J4508	
			Right	18J4527	
		Thru 4/18/05	Left	18J1226	
			Right	18J1199	
	2004	Left	18J1226		
		Right	18J1199		
	2000-99	4-Wheel ABS	Left	18J1226	
			Right	18J1199	
Rear					
Brake Hydraulic Hose	2019-18	w/ 7,800 Lb GVW	Right	18J4811	
	2019-17	Except Electronic Stability Program	Left	18J4238	
	2019-14	w/ Electronic Stability Control	Left	18J384411	
	2018		Right	18J4239	
	2017-15	w/ 7,800 Lb GVW; Single Rear Wheels	Right	18J4811	
	2017-09	With Dual Rear Wheels	Right	18J4239	
	2016	w/o Electronic Stability Control; w/ 7,800 lb. Rear Axle Assembly	Left	18J4238	
	2015	Except Electronic Stability Program	Left	18J4238	
	2014-11	with 7800lb Axle(s); without Dual Rear Wheels	Right	18J4811	
	2014-08	Except Vehicle Stability Control; without 7800lb Axle(s)	Left	18J1601	

Ford – E-350 Super Duty (Cont.)

Hoses (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Brake Hydraulic Hose	2014-08	with 7800lb Axle(s); Except Vehicle Stability Control	Left		18J4238	
	2013	Except Roll Stability Control; without 7800lb Axle(s)	Left		18J1601	
		From 12/19/2012; w/ Electronic Stability Control	Left		18J384411	
		with 7800lb Axle(s); Except Roll Stability Control	Left		18J4238	
	2013-09	with 6,340lb Axle(s); without Dual Rear Wheels	Right		18J4239	
	2013-08	w/ ESP	Left		18J383597	
	2010	with 7800lb Axle(s); w/o Electronic Stability Control; without Dual Rear Wheels	Right		18J4811	
	2009	with 7800lb Axle(s); without Dual Rear Wheels	Right		18J4811	
	2008	Except Vehicle Stability Control; without 7800lb Axle(s)	Right		18J4811	
		with 7800lb Axle(s); Except Vehicle Stability Control	Right		18J4239	
	2007-05	10000lb GVW and Over	Left		18J1601	
		Except Vehicle Stability Control; Under 9600lb GVW	Left		18J1601	
		Under 9600lb GVW; with Vehicle Stability Control	Left		18J4772	
		with 9600lb Gross Vehicle Weight (GVW)	Left		18J4238	
	2007-04	10000lb GVW and Over	Right		18J4342	
		Under 9600lb GVW	Right		18J4341	
		with 9600lb Gross Vehicle Weight (GVW)	Right		18J4518	
	2006-04		Center		18J1225	
	2004		Left		18J1601	
	2000	From 1/10/00	Right		18J4341	
		Thru 1/9/00	Right		18J4342	
	2000-99		Center		18J1225	
			Left		18J1601	
	1999		Right		18J4342	

Master Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2019-18	Single Rear Wheels			18M2574	
	2018	With Dual Rear Wheels			18M2575	
	2017	w/o Electronic Stability Control			18M2574	
	2017-15	w/ ESP			18M2571	
	2016-15	w/o Electronic Stability Control; With Dual Rear Wheels			18M2575	
		w/o Electronic Stability Control; without Dual Rear Wheels			18M2574	

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	2014	4-Speed Automatic Transmission; w/o Electronic Stability Control; without Dual Rear Wheels		18M2573	
		5-Speed Automatic Transmission; w/o Electronic Stability Control; without Dual Rear Wheels		18M2574	
		V10 6.8L 415cid; w/ ESP		18M2571	
		With Dual Rear Wheels; w/o Electronic Stability Control		18M2575	
	2013	Except Vehicle Stability Control; With Dual Rear Wheels		18M2575	
		V10 6.8L 415cid; Except Vehicle Stability Control; without Dual Rear Wheels		18M2574	
		V10 6.8L 415cid; with Vehicle Stability Control		18M2571	
		V8 5.4L 330cid; Except Vehicle Stability Control; without Dual Rear Wheels		18M2573	
		V8 5.4L 330cid; with Vehicle Stability Control		18M2572	
	2012	Except Active Brake Control; w/ ESP		18M2572	
		with Active Brake Control; w/ ESP		18M2571	
		With Dual Rear Wheels; w/o Electronic Stability Control		18M2575	
	2012-11	5-Speed Automatic Transmission; w/o Electronic Stability Control; without Dual Rear Wheels		18M2574	
	2012-10	4-Speed Automatic Transmission; w/o Electronic Stability Control; without Dual Rear Wheels		18M2573	
	2011	Except Integrated Brake Control; w/ ESP; without Dual Rear Wheels		18M2572	
		Integrated Brake Control; w/ ESP; without Dual Rear Wheels		18M2571	
		With Dual Rear Wheels		18M2575	
	2010	4-Speed Automatic Transmission; With Dual Rear Wheels; w/o Electronic Stability Control		18M2575	
	2010-09	Except Integrated Brake Control; w/ ESP		18M2572	
		Integrated Brake Control; w/ ESP		18M2571	
		V10 6.8L 415cid; 5-Speed Automatic Transmission; w/o Electronic Stability Control; without Dual Rear Wheels		18M2574	
		V10 6.8L 415cid; 5-Speed Automatic Transmission; With Dual Rear Wheels; w/o Electronic Stability Control		18M2575	
		V8 5.4L 330cid; 5-Speed Automatic Transmission; w/o Electronic Stability Control; without Dual Rear Wheels		18M2574	
		V8 5.4L 330cid; 5-Speed Automatic Transmission; With Dual Rear Wheels; w/o Electronic Stability Control		18M2575	

Ford – E-350 Super Duty (Cont.)

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	2010-09	V8 6.0L 363cid; 5-Speed Automatic Transmission; w/o Electronic Stability Control; without Dual Rear Wheels		18M2635	
		V8 6.0L 363cid; 5-Speed Automatic Transmission; With Dual Rear Wheels; w/o Electronic Stability Control		18M2710	
	2009	4-Speed Automatic Transmission; w/o Electronic Stability Control		18M2573	
	2008	w/ ESP		18M2640	
		w/o Electronic Stability Control; without Dual Rear Wheels		18M2635	
		With Dual Rear Wheels; w/o Electronic Stability Control		18M2710	
	2007-06	w/ ESP		18M391044	
		w/o Electronic Stability Control		18M2743	
	2005			18M2743	
	2004	Cruise Control		18M906	
		w/o Cruise Control		18M903	
	2000-99	Except Stripped Chassis		18M1281	
		Stripped Chassis; Cruise Control		18M906	
		w/o Cruise Control; Stripped Chassis		18M903	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-21		14D1328MHF1	17D1328MXH	17D1328MHSV
			14D1328MH	17D1328MH	
	2019-08		14D1328MHF1	17D1328MXH	17D1328MHSV
			14D1328MH	17D1328MH	
	2007-99		14D655CH	17D655MH	
			14D655M		
14D655MH					
Rear					
Disc Brake Pad Set	2023-21		14D1329MH	17D1329MH	17D1329MHSV
				17D1329MXH	
	2019-08		14D1329MH	17D1329MH	17D1329MHSV
				17D1329MXH	
	2007-99	2nd Generation, Copper Free Friction Formula	14D802CHF2		
			Friction Contains Copper	14D802CHF1	
			14D802CH	17D802MH	
			14D802M		
			14D802MH		
Rear					
Drum Brake Shoe	2006-04	with 12in x 2-1/2in Brakes	14316B	17316R	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Drum Brake Shoe	2006-04	with 12in x 2-1/2in Brakes	B316L		
	2004	with 12in x 3in Brakes	14314R	17314R	
			R358		
	2000-99	with 12in x 3in Brakes	14314R	17314R	
			R358		
Driveline					
Parking Brake Shoe	2000-99	w/ 9" x 3" Driveline Parking Brake Shoe	14647B	17647B	
Rear					
Parking Brake Shoe	2023-21			17952B	
	2019-08			17952B	
	2007-06			17854B	
	2005	From 11/29/04		17854B	
		Thru 11/28/04	14771B	17771B	
			B771		
	2004-99		14771B	17771B	
			B771		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2006-04	with 4.70in Center Hole; without Dual Rear Wheels		18B324	
	2004	With Dual Rear Wheels		18B170	
	2000-99	with 4.70in Center Hole; without Dual Rear Wheels		18B324	
		with 5in Center Hole; without Dual Rear Wheels		18B279	
Rear					
Disc Brake Rotor	2023-21	With Dual Rear Wheels	18A2607AC	18A2607	
		with Single Rear Wheels (SRW)	18A2582A	18A2582	
			18A2582AC		
	2019-08	With Dual Rear Wheels	18A2607AC	18A2607	
		with Single Rear Wheels (SRW)	18A2582A	18A2582	
			18A2582AC		
	2007-05	with Single Rear Wheels (SRW)	18A933A	18A933	
			18A933AC		
	2007-99	with Dual Rear Wheels (DRW)	18A960A	18A960	
			18A960AC		
	2004-99	Except Cutaway Chassis; with Single Rear Wheels (SRW); Except Stripped Chassis	18A933A	18A933	
			18A933AC		
	2003-99	with Single Rear Wheels (SRW); Cutaway Chassis; Stripped Chassis	18A960A	18A960	
			18A960AC		

Ford – E-350 Super Duty (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor and Hub Assembly	2023-21	With Dual Rear Wheels	18A2599A	18A2599	
			18A2599AC		
		with Single Rear Wheels (SRW)	18A2581A	18A2581	
			18A2581AC		
	2019-08	With Dual Rear Wheels	18A2599A	18A2599	
			18A2599AC		
		with Single Rear Wheels (SRW)	18A2581A	18A2581	
			18A2581AC		
	2007-00	With Dual Rear Wheels	18A724A	18A724	
			18A724AC		
		with Single Rear Wheels (SRW)	18A723A	18A723	
			18A723AC		
	1999	With Dual Rear Wheels	18A725A	18A725	
		with Single Rear Wheels (SRW)	18A722A	18A722	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2006-04	With Dual Rear Wheels Left		18E857	
		Right		18E89	
	2000-99	With Dual Rear Wheels Left		18E857	
		Right		18E89	
		without Dual Rear Wheels Left		18E1133	
				18E433	

Ford – Transit Connect

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Parking Brake Cable	2019-14			18P97275	
	2013			18P96909	
Rear					
Parking Brake Cable	2013-10			18P97611	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2023-14	Left		18FR12621C	
				18R12621C	
		Right		18FR12622C	
				18R12622C	
	2013-10	Left		18FR12249	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2013-10	Left		18R12249	
		Right		18FR12250	
				18R12250	
Rear					
Disc Brake Caliper	2023-14	Left		18FR12807C	
				18FR12807N	
		Right		18FR12808C	
				18FR12808N	
Front					
Disc Brake Caliper Bushing	2017-15			18K1447	
	2014	104.8" Wheelbase		18K1447	
		120.6" Wheelbase		18K1447	
Rear					
Disc Brake Caliper Bushing	2017-14			18K1447	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2021-14			18J383714	
	2013-10			18J382944	
Rear					
Brake Hydraulic Hose	2021-14	Left		18J384416	
	2013-10			18J382945	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2013-10			18M2582	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-22	2nd Generation, Copper Free Friction Formula		17D1645CF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D1645C	
			14D1645C		
			14D1645CH		
	2021-19	without Tire Repair Kit	14D1645C		
		without Tire Repair Kit; 2nd Generation, Copper Free Friction Formula		17D1645CF1	

Ford – Transit Connect (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2021-19	without Tire Repair Kit; In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D1645C	
	2018	From 05/28/2018; without Tire Repair Kit	14D1645C		
			14D1645CH		
		From 05/28/2018; without Tire Repair Kit; 2nd Generation, Copper Free Friction Formula		17D1645CF1	
		From 05/28/2018; without Tire Repair Kit; In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D1645C	
		To 05/28/2018	14D1645C		
			14D1645CH		
		To 05/28/2018; 2nd Generation, Copper Free Friction Formula		17D1645CF1	
		To 05/28/2018; In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D1645C	
	2017-15	2nd Generation, Copper Free Friction Formula		17D1645CF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D1645C	
			14D1645C		
			14D1645CH		
	2014	104.8" Wheelbase	14D1044CF2		
		104.8" Wheelbase; 2nd Generation, Copper Free Friction Formula		17D1044CF2	
		104.8" Wheelbase; Original Part Design	14D1044C		
		104.8" Wheelbase; Revised F1 Part Design	14D1044CF1		
		104.8" Wheelbase; Original Part Design		17D1044C	
		104.8" Wheelbase; In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D1044CF1	
		120.6" Wheelbase	14D1645C		
			14D1645CH		
		120.6" Wheelbase; 2nd Generation, Copper Free Friction Formula		17D1645CF1	
		120.6" Wheelbase; In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D1645C	
	2013-10	2nd Generation, Copper Free Friction Formula		17D970CH	
		Friction Contains Copper		17D970C	
			14D970C	17D970M	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2013-10		14D970CH	17D970M	
Rear					
Disc Brake Pad Set	2023-14	2nd Generation, Copper Free Friction Formula		17D1095CHF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D1095CH	
			14D1095CH		
			14D1095CHF1		
Rear					
Drum Brake Shoe	2013-10			17974B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2013-10			18B600	
Front					
Disc Brake Rotor	2023-19		18A82503A	18A82503	
	2018	From 05/28/2018	18A82503A	18A82503	
		To 05/28/2018	18A2962A	18A2962	
			18A2962AC		
	2017-14		18A2962A	18A2962	
			18A2962AC		
	2013-10		18A2729A	18A2729	
			18A2729AC		
Rear					
Disc Brake Rotor	2023-19		18A82502A	18A82502	
	2018	From 05/28/2018	18A82502A	18A82502	
		To 05/28/2018	18A2963A	18A2963	
			18A2963AC		
	2017-14		18A2963A	18A2963	
			18A2963AC		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2013-10			18E1420	

Ford – Transit-150

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2019-15	Left		18FR12875C	
				18FR12875N	
		Right		18FR12876C	
				18FR12876N	
Rear					
Disc Brake Caliper	2019-15	Left		18FR12964N	
		Right		18FR12963N	
Front					
Disc Brake Caliper Bushing	2019-15			18K6229	
Rear					
Disc Brake Caliper Bushing	2019-15			18K2074	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2021-20	w/o Heavy Duty Front Axle		18J384410	
	2019-15			18J384410	
Rear					
Brake Hydraulic Hose	2023-22	Lower		18J384470	
	2021-15			18J384470	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2019-15			18M391513	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-20	with Heavy Duty Front Axle		17D2301MH	
				17D2301SDH	
	2021-20	w/o Heavy Duty Front Axle		17D1774MH	17D1774MHSV
	2019-15			17D1774MH	17D1774MHSV
Rear					
Disc Brake Pad Set	2019-15			17D1775MH	17D1775MHSV

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-20	111mm Bolt Circle; 5 Lugs; w/o Heavy Duty Front Axle		18A81781SD	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2023-20	111mm Bolt Circle; with Heavy Duty Front Axle; 5 Lugs	18A81781A	18A81781	
			18A81781AC		
		w/ 115mm Bolt Circle; 5 Lugs; w/o Heavy Duty Front Axle	18A82343A	18A82343G	
	2019-15		18A81781A	18A81781	
			18A81781AC	18A81781SD	
Rear					
Disc Brake Rotor	2023-21		18A81790A	18A81790	
			18A81790AC		
	2020	5 Lugs	18A81939A	18A81939	
			18A81939AC	18A81939SD	
		6 Lug	18A81790A	18A81790	
			18A81790AC		
	2019-15		18A81939A	18A81939	
			18A81939AC	18A81939SD	

Ford – Transit-250
Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2019-15	Left		18FR12875C	
				18FR12875N	
		Right		18FR12876C	
				18FR12876N	
Rear					
Disc Brake Caliper	2019-15	Left		18FR12964N	
		Right		18FR12963N	
Front					
Disc Brake Caliper Bushing	2019-15			18K6229	
Rear					
Disc Brake Caliper Bushing	2019-15			18K2074	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2021-20	w/o Heavy Duty Front Axle		18J384410	
	2019-15			18J384410	
Rear					
Brake Hydraulic Hose	2021-15			18J384470	

Ford – Transit-250 (Cont.)

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2019-15			18M391513	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-20	with Heavy Duty Front Axle		17D2301MH	
				17D2301SDH	
	2021-20	w/o Heavy Duty Front Axle		17D1774MH	17D1774MHSV
	2019-15			17D1774MH	17D1774MHSV
Rear					
Disc Brake Pad Set	2019-15			17D1775MH	17D1775MHSV

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Rotor	2023-20	111mm Bolt Circle; 5 Lugs; w/o Heavy Duty Front Axle		18A81781SD		
		111mm Bolt Circle; with Heavy Duty Front Axle; 5 Lugs	18A81781A	18A81781		
			18A81781AC			
	w/ 115mm Bolt Circle; 5 Lugs; w/o Heavy Duty Front Axle	18A82343A	18A82343G			
		2019-15		18A81781A	18A81781	
				18A81781AC	18A81781SD	
Rear						
Disc Brake Rotor	2023-21		18A81790A	18A81790		
			18A81790AC			
	2020	5 Lugs	18A81939A	18A81939		
			18A81939AC	18A81939SD		
		6 Lug	18A81790A	18A81790		
			18A81790AC			
	2019-15		18A81939A	18A81939		
			18A81939AC	18A81939SD		

Ford – Transit-350

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2019-16	with Single Rear Wheels (SRW)	Left	18FR12875C	
				18FR12875N	
	2019-15	with Dual Rear Wheels (DRW)	Left	18FR12877N	
			Right	18FR12878N	
		with Single Rear Wheels (SRW)	Right	18FR12876C	
				18FR12876N	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2015	Left		18FR12875C	
				18FR12875N	
Rear					
Disc Brake Caliper	2019-16	Right		18FR12963N	
	2019-15	Left		18FR12964N	
Front					
Disc Brake Caliper Bushing	2019-15			18K6229	
Rear					
Disc Brake Caliper Bushing	2019-15			18K2074	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2021-20	w/o Heavy Duty Front Axle		18J384410	
	2019-15			18J384410	
Rear					
Brake Hydraulic Hose	2021-15			18J384470	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2019-15			18M391513	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-20	with 4,630lb Front Axle		17D2301MH	
				17D2301SDH	
	2021-20	Front Axle Maximum Rating		17D1774MH	17D1774MHSV
	2019-15			17D1774MH	17D1774MHSV
Rear					
Disc Brake Pad Set	2019-15			17D1775MH	17D1775MHSV

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-20	111mm Bolt Circle; 5 Lugs; w/o Heavy Duty Front Axle		18A81781SD	
		111mm Bolt Circle; with Heavy Duty Front Axle; 5 Lugs	18A81781A	18A81781	

Ford – Transit-350 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2023-20	111mm Bolt Circle; with Heavy Duty Front Axle; 5 Lugs	18A81781AC		
	2021-20	w/ 115mm Bolt Circle; 5 Lugs; w/o Heavy Duty Front Axle	18A82343A	18A82343G	
	2019-15		18A81781A	18A81781	
			18A81781AC	18A81781SD	
Rear					
Disc Brake Rotor	2023-21		18A81790A	18A81790	
			18A81790AC		
	2020	5 Lugs	18A81939A	18A81939	
			18A81939AC	18A81939SD	
		6 Lug	18A81790A	18A81790	
			18A81790AC		
	2019-15		18A81939A	18A81939	
			18A81939AC	18A81939SD	

Ford – Transit-350 HD

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2019-15	Left		18FR12877N	
		Right		18FR12878N	
Rear					
Disc Brake Caliper	2019-15	Left		18FR12964N	
		Right		18FR12963N	
Front					
Disc Brake Caliper Bushing	2019-15			18K6229	
Rear					
Disc Brake Caliper Bushing	2019-15			18K2074	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2021-20	w/o Heavy Duty Front Axle		18J384410	
	2019-15			18J384410	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2019-15			18M391513	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-20	Front Axle Maximum Rating		17D1774MH	17D1774MHSV
		with 4,630lb Front Axle		17D2301MH	
				17D2301SDH	
	2019-15			17D1774MH	17D1774MHSV
Rear					
Disc Brake Pad Set	2019-15			17D1775MH	17D1775MHSV

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-20	with Dual Rear Wheels (DRW); Rotor Diameter 308mm; Front Axle Maximum Rating	18A81782A	18A81782	
			18A81782AC		
	2019-15		18A81782A	18A81782	
			18A81782AC		
Rear					
Disc Brake Rotor	2019-15		18A81790A	18A81790	
			18A81790AC		

Freightliner – Sprinter 2500
Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2018-07		Left		18FR12320	
				18R12320		
			Right		18FR12319	
				18R12319		
	2006-02		Left		18FR2317	
			Right		18FR2316	
		Upper Hose Inlet; Casting # 231 22; Bosch System; Dual Piston Caliper	Left		18FR2331	
				18R2331		
		Upper Hose Inlet; Casting # 232 22; Bosch System; Dual Piston Caliper	Right		18FR2330	
				18R2330		
		w/ Wabco Caliper; Dual Piston Caliper; w/ 285mm Disc	Left		18FR2423	
				18R2423		
			Right		18FR2422	
Rear						
Disc Brake Caliper	2018-07		Left		18FR12321	
				18R12321		
			Right		18FR12322	
				18R12322		
	2006-04	Lower Hose Inlet; Casting # 050 318; w/ WABCO and Perrot System; Dual Piston Caliper	Left		18FR2425	

Freightliner – Sprinter 2500 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Disc Brake Caliper	2006-04	Lower Hose Inlet; Casting # 051 318; w/ WABCO and Perrot System; Dual Piston Caliper	Right		18FR2424	
		Lower Hose Inlet; Casting # 231 22; Bosch System; Dual Piston Caliper	Left		18FR2419	
					18R2419	
		Lower Hose Inlet; Casting # 232 22; Bosch System; Dual Piston Caliper	Right		18FR2418	
				18R2418		
	2006-02	Upper Hose Inlet; Casting # 231 22; Bosch System; Dual Piston Caliper	Left		18FR2331	
					18R2331	
		Upper Hose Inlet; Casting # 232 22; Bosch System; Dual Piston Caliper	Right		18FR2330	
					18R2330	
		w/ ATE Calipers; Single Piston Caliper	Left		18FR2427	
			Right		18FR2426	
		w/ Bosch Caliper; Single Piston Caliper	Left		18FR2420	
					18R2420	
	Right			18FR2421		
			18R2421			
Front						
Disc Brake Caliper Bushing	2015-13				18K1930	
	2012-08				18K16212	
	2007				18K1930	

Rear

Disc Brake Caliper Bushing	2015-07				18K1932	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2006-02				18J3989	
Rear						
Brake Hydraulic Hose	2006-02				18J3989	

Master Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2014	To 2/14			18M391426	
	2013-10				18M391426	
	2009-07				18M2481	
	2006-03	Cargo Van Only			18M2380	
		Passenger Van			18M2436	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-19			17D1268M	
				17D1268MH	
	2018-16			17D1316MH	
				17D1316MHF1	
	2014-07			17D1316MH	
				17D1316MHF1	
	2006-02	Dual Piston Caliper; w/ 285mm Disc; w/ Clip Style Wear Sensor		17D1136M	
		Dual Piston Caliper; w/ 285mm Disc; w/ Pin Style Wear Sensor		17D949MH	
		Single Piston Caliper; w/ 276mm Rotors; w/ Pin Style Wear Sensor		17D950M	
Rear					
Disc Brake Pad Set	2018-07			17D1317MH	
	2006-02	w/ ATE Calipers; w/ Pin Style Wear Sensor		17D1006M	
		w/ Bosch Caliper		17D928M	
Rear					
Parking Brake Shoe	2018-07			17938B	
	2006-02			17866B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2020-19	RWD	18A2552A	18A2552	
			18A2552AC		
	2018-07		18A2552A	18A2552	
			18A2552AC		
	2006-04	Counter Sunk Hole In Rotor Hat; w/ 276mm Rotors		18A1613	
	2006-02	Stepped Hole In Rotor Hat; w/ 276mm Rotors	18A1461A	18A1461	
		w/ 285mm Disc	18A2327A	18A2327	
			18A2327AC		
	2002	Counter Sunk Hole In Rotor Hat; w/ 276mm Rotors		18A1613	
Rear					
Disc Brake Rotor	2020-19	Manual Parking Brake; Vented Rotor		18A2597	
	2018-07		18A2579A	18A2579	
			18A2579AC		
	2006-02	Counter Sunk Hole In Rotor Hat	18A1462A	18A1462	
			18A1462AC		
		with 285mm Rear Rotors		18A2341	

Freightliner – Sprinter 3500

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty		
Front								
Disc Brake Caliper	2018-07		Left		18FR12868C			
				18FR12868N				
		Right		18FR12867C				
				18FR12867N				
	2006-02	Upper Hose Inlet; Casting # 231 22; Bosch System; Dual Piston Caliper	Left		18FR2331			
				18R2331				
		Upper Hose Inlet; Casting # 232 22; Bosch System; Dual Piston Caliper	Right		18FR2330			
				18R2330				
		w/ Wabco Caliper; Dual Piston Caliper	Left		18FR2423			
				18R2423				
	Right		18FR2422					
		2005-02	Single Piston Caliper	Left		18FR2317		
Right				18FR2316				
Rear								
Disc Brake Caliper	2018-15	with Dual Rear Wheels (DRW); with Single Rear Wheels (SRW); Over 10,000 lb. GVW	Left		18FR12657			
					18FR12657N			
					18R12657			
				Right		18FR12658		
					18FR12658N			
					18R12658			
			with Single Rear Wheels (SRW); Under 10,000 lb. GVWR		Left		18FR12321	
					18R12321			
		Right			18FR12322			
					18R12322			
			2014-07	with Dual Rear Wheels (DRW)	Left		18FR12657	
							18FR12657N	
						18R12657		
		Right					18FR12658	
						18FR12658N		
						18R12658		
	with Single Rear Wheels (SRW)				Left		18FR12321	
					18R12321			
		Right			18FR12322			
					18R12322			
	2006			w/ Wabco Caliper; Dual Piston Caliper	Left		18FR2423	
							18R2423	
		Right			18FR2422			
			2006-04		Lower Hose Inlet; Casting # 231 22; Bosch System; Dual Piston Caliper	Left		18FR2419
		18R2419						
	Lower Hose Inlet; Casting # 232 22; Bosch System; Dual Piston Caliper	Right			18FR2418			
					18R2418			
	2006-02	Upper Hose Inlet; Casting # 231 22; Bosch System; Dual Piston Caliper	Left		18FR2331			

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Disc Brake Caliper	2006-02	Upper Hose Inlet; Casting # 231 22; Bosch System; Dual Piston Caliper	Left		18R2331	
		Upper Hose Inlet; Casting # 232 22; Bosch System; Dual Piston Caliper	Right		18FR2330	
	2005-02	Solid Rotor; Single Piston Caliper; w/ Bosch Caliper	Left		18FR2420	
					18R2420	
		Solid Rotor; w/ ATE Rear Calipers; Single Piston Caliper	Left		18FR2427	
			Right		18FR2426	
		Solid Rotor; w/ Bosch Caliper; Single Piston Caliper	Right		18FR2421	
					18R2421	
	w/ Wabco Caliper; Dual Piston Caliper; Vented Rotor	Left		18FR2425		
		Right		18FR2424		
Front						
Disc Brake Caliper Bushing	2015-08				18K16212	
	2007				18K1930	
Rear						
Disc Brake Caliper Bushing	2015-07				18K1931	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2006-02				18J3989	
Rear						
Brake Hydraulic Hose	2018-15	RWD; with Dual Rear Wheels (DRW)			18J4573	
	2014-07	with Dual Rear Wheels (DRW)			18J4573	
	2006-02	Vented Rotor			18J3990	
	2005-02	Solid Rotor			18J3989	

Master Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2014	To 2/14			18M391426	
	2013-10				18M391426	
	2009-07				18M2481	
	2006				18M2436	
	2005-03	Cargo Van Only			18M2380	
		Passenger Van			18M2436	

Freightliner – Sprinter 3500 (Cont.)

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-07			17D1268M	
				17D1268MH	
	2006-02	285mm Rotor Diameter; w/ Clip Style Wear Sensor		17D1136M	
		285mm Rotor Diameter; w/ Pin Style Wear Sensor		17D949MH	
	2005-02	w/ 276mm Rotors; w/ Pin Style Wear Sensor		17D950M	
Rear					
Disc Brake Pad Set	2018-15	with Dual Rear Wheels (DRW); with Single Rear Wheels (SRW); Over 10,000 lb. GVW		17D1318MH	
		with Single Rear Wheels (SRW); Under 10,000 lb. GVWR		17D1317MH	
	2014-07	with Dual Rear Wheels (DRW)		17D1318MH	
		with Single Rear Wheels (SRW)		17D1317MH	
	2006-02	with Vented Rotors; 285mm Rotor Diameter; w/ Clip Style Wear Sensor		17D1136M	
		with Vented Rotors; 285mm Rotor Diameter; w/ Pin Style Wear Sensor		17D949MH	
	2005-02	w/ ATE Calipers; w/ Solid Disc; w/ Pin Style Wear Sensor		17D1006M	
		w/ Bosch Caliper; w/ Solid Disc		17D928M	
Rear					
Parking Brake Shoe	2018-15	with Dual Rear Wheels (DRW); with Single Rear Wheels (SRW); Over 10,000 lb. GVW		17940B	
		with Single Rear Wheels (SRW); Under 10,000 lb. GVWR		17938B	
	2014-07	with Dual Rear Wheels (DRW)		17940B	
		with Single Rear Wheels (SRW)		17938B	
	2005-02	w/ Solid Disc		17866B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2018-07		18A2552A	18A2552	
			18A2552AC		
	2006-02	w/ 285mm Disc; w/ 16" Wheels	18A2327A	18A2327	
			18A2327AC		
	2005-02	Counter Sunk Hole In Rotor Hat; w/ 276mm Rotors; Thru Front Axle Y422059; Thru Front Axle S482213		18A1613	
		Stepped Hole In Rotor Hat; w/ 276mm Rotors; From Front Axle Y422060; From Front Axle S482214	18A1461A	18A1461	
Rear					
Disc Brake Rotor	2018-15	Solid Rotor; with Single Rear Wheels (SRW); Under 10,000 lb. GVWR	18A2579A	18A2579	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2018-15	Solid Rotor; with Single Rear Wheels (SRW); Under 10,000 lb. GVWR	18A2579AC		
		with Dual Rear Wheels (DRW); with Single Rear Wheels (SRW); Over 10,000 lb. GVW; Vented Rotor		18A2597	
	2014-07	Solid Rotor; with Single Rear Wheels (SRW)	18A2579A	18A2579	
			18A2579AC		
	2006	with Dual Rear Wheels (DRW); Vented Rotor		18A2597	
				18A2341	
	2005-02	Counter Sunk Hole In Rotor Hat; w/ Solid Disc; To Axle Stamped L874988, X304860, Z16213	18A1462A	18A1462	
			18A1462AC		
		Vented Rotor		18A2341	

GMC – Savana 1500

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2014-03			18P97206	
Front					
Parking Brake Cable	2004-03			18P97445	
	2002	144" Length		18P2692	
	2001-96			18P2501	
Rear					
Parking Brake Cable	2014-03	Left		18P96865	
		Right		18P96866	
	2002-96	Left		18P2018	
		Right		18P1812	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2014-09	Right		18R2659	
				18R2660	
				18FR2660	18R2660PV
				18FR2660C	
				18FR2660N	
		Left		18R2660C	
				18FR2659	18R2659PV
				18FR2659C	
				18FR2659N	
				18R2659C	
	2008-03	Left		18FR1379	18R1379PV

GMC – Savana 1500 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Caliper	2008-03	Left		18FR1379C	
				18FR1379N	
				18R1379	
				18R1379C	
		Right		18FR1378	18R1378PV
				18FR1378C	
				18FR1378N	
				18R1378	
				18R1378C	
	2002-96	Right		18R745	
			Left		18R746
				18FR746	
				18FR746C	
				18FR746N	
				18R746C	
		Right		18FR745	
				18FR745C	
				18FR745N	
Rear					
Disc Brake Caliper	2014-03	Left		18FR2165	
				18FR2165N	
				18R2516	
		Right		18FR2166	
				18FR2166N	
				18R2517	
Front					
Disc Brake Caliper Bushing	2013-09			18K1169	
	2002-96			18K1524	
Rear					
Disc Brake Caliper Bushing	2013-03			18K2416	
Front					
Disc Brake Caliper Piston	2002-96			18K2390	
Front					
Disc Brake Caliper Set	2014-09				18FR2659KSD
	2008-03				18FR1378KSD
Rear					
Disc Brake Caliper Set	2014-03				18FR2165KSD

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2014-10	Left		18J383554	
	2013-03	Right		18J4395	
	2009-03	Left		18J4394	
	2002-96	Left		18J3627	
		Right		18J1653	
Rear					
Brake Hydraulic Hose	2014-08	with Active Brake Control Left		18J4623	
	2014-03	Right		18J4396	
	2013-08	Except Active Brake Control Left		18J4884	
	2007-03	Left		18J4884	
	2002-96	Center		18J2064	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2014-11			18M2580	
	2010-09	Except Active Brake Control		18M2581	
		with Active Brake Control		18M2580	
	2008	Except Active Brake Control		18M2563	
		with Active Brake Control		18M2579	
	2007-03			18M2404	
	2002-96			18M794	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2014	2nd Generation, Copper Free Friction Formula		17D1363CHF1	
		Friction Contains Copper		17D1363CH	
			14D1363CH	17D1363SDH	
			14D1363CHF1		
	2013-09	2nd Generation, Copper Free Friction Formula		17D1367CHF1	
		Revised F1 Part Design			17D1367MHPVF1
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D1367CH	
			14D1367CH	17D1367SDH	
	2008-03	2nd Generation, Copper Free Friction Formula		17D785CHF1	
		Original Part Design		17D785MH	
		Revised F1 Part Design		17D785MHF1	
		Friction Contains Copper		17D785CH	
			14D785CH	17D785SDH	

GMC – Savana 1500 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2008-03		14D785CHF1		
			14D785MH		
	2002-96	2nd Generation, Copper Free Friction Formula		17D369CHF1	
		Friction Contains Copper		17D369CH	
			14D369CH	17D369MH	
			14D369CHF1	17D369MX	
			14D369MX		
Rear					
Disc Brake Pad Set	2014-03	2nd Generation, Copper Free Friction Formula		17D974ACHF1	
		Friction Contains Copper		17D974ACH	
				17D974AM	
			14D974ACH	17D974AMH	
			14D974ACHF1	17D974ASDH	
Rear					
Drum Brake Shoe	2002-96		B473	17473R	
Rear					
Parking Brake Shoe	2013-03		14781B	17781B	
			B781		

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2002-96		18B276A	18B276	
Front					
Disc Brake Rotor	2014-09		18A1705A	18A1705	18A1705PV
			18A1705AC	18A1705SD	
	2008-03		18A925A	18A925	
			18A925AC	18A925SD	
Rear					
Disc Brake Rotor	2014-03		18A1412A	18A1412	
			18A1412AC	18A1412SD	
Front					
Disc Brake Rotor and Hub Assembly	2002-96		18A503A	18A503	
			18A503AC	18A503SD	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2002-96			18E394	

Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2018-12	w/ 135" Wheelbase		18P97247	
		w/ 155" Wheelbase		18P97246	
	2010	Base; w/ 135" Wheelbase		18P97206	
	2009	w/ 135" Wheelbase		18P97206	
		w/ 155" Wheelbase		18P97207	
	2000-96			18P1825	
Front					
Parking Brake Cable	2004-03			18P97445	
	2002	144" Length		18P2692	
	2001-96			18P2501	
Intermediate					
Parking Brake Cable	2011	34" Overall Length		18P97248	
		38.0in Length		18P97247	
		53.7" Overall Length		18P97244	
		57.7in Length		18P97246	
	2010	w/ 155" Wheelbase		18P97207	
	2008-03	w/ 135" Wheelbase		18P97206	
		w/ 155" Wheelbase		18P97207	
Rear					
Parking Brake Cable	2018-03		Left	18P96865	
			Right	18P96866	
	2002	with 10-1/2in Ring Gear	Left	18P1820	
			Right	18P1815	
		with 8-1/2in Ring Gear	Left	18P2018	
			Right	18P1812	
	2001-97	w/ 7700 Lb. GVW; 8600lb GVW	Right	18P1815	
	2001-96	w/ 7700 Lb. GVW; 8600lb GVW	Left	18P1820	
		with 7,300lb Gross Vehicle Weight (GVW)	Left	18P2018	
			Right	18P1812	
	1999-97	with 7700lb & 8600lb GVW	Right	18P1815	
	1996	with 7700lb or 8600lb GVW	Right	18P1815	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2020-08	Original Part Design	Left	18R1381	
			Right	18R1380	
			Left	18FR1381	18R1381SV
				18FR1381C	
				18FR1381N	
				18R1381F1	
			Right	18FR1380	18R1380SV
				18FR1380C	

GMC – Savana 2500 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	2020-08		Right		18FR1380N	
					18R1380F1	
	2007-03	8500 And 8600 Pound Gross Vehicle Weight	Left		18FR1381	18R1381SV
					18FR1381C	
					18FR1381N	
					18R1381F1	
			Right		18FR1380	18R1380SV
					18FR1380C	
					18FR1380N	
					18R1380F1	
		Original Part Design; 8500 And 8600 Pound Gross Vehicle Weight	Left		18R1381	
			Right		18R1380	
	2006-03	w/ 7300 GVW	Left		18FR1379	18R1379PV
					18FR1379C	
					18FR1379N	
					18R1379	
					18R1379C	
			Right		18FR1378	18R1378PV
					18FR1378C	
					18FR1378N	
					18R1378	
					18R1378C	
	2002-01	V6 4.3L 262cid; 8600 lb. G.V.W.	Left		18FR742	
					18FR742C	
					18FR742N	
					18R742	
					18R742F1	
			Right		18FR741	
					18FR741C	
					18FR741N	
					18R741	
					18R741F1	
		V8 5.7L 350cid; 8600 lb. G.V.W.	Left		18FR742	
					18FR742C	
					18FR742N	
					18R742	
					18R742F1	
			Right		18FR741	
					18FR741C	
					18FR741N	
					18R741	
					18R741F1	
		V8 6.5L 395cid; 7700 lb. & 8600 lb. GVR	Left		18FR982	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty		
Front (Cont.)								
Disc Brake Caliper	2002-01	V8 6.5L 395cid; 7700 lb. & 8600 lb. GVR	Left		18FR982C			
					18FR982N			
					18R982			
					18R982F1			
			Right		18FR981			
					18FR981C			
					18FR981N			
					18R981			
				18R981F1				
			2002-96	w/ 7300 GVW	Right		18R745	
					Left		18R746	
							18R746C	
							18FR746	
		18FR746C						
		18FR746N						
	Right				18FR745			
					18FR745C			
			18FR745N					
	2000-96	8600 lb. G.V.W.; w/ 7700 Lb. GVW	Left		18FR742			
					18FR742C			
					18FR742N			
					18R742			
					18R742F1			
			Right		18FR741			
					18FR741C			
					18FR741N			
					18R741			
					18R741F1			
	Rear							
	Disc Brake Caliper	2017-07	Original Part Design	Left		18R2171		
Right					18R2172			
Left				18FR2171	18R2171SV			
				18FR2171C				
				18FR2171N				
				18R2171F1				
			Right		18FR2172	18R2172SV		
					18FR2172C			
				18FR2172N				
			18R2172F1					
2006-03		8500 And 8600 Pound Gross Vehicle Weight	Left		18FR2171	18R2171SV		
					18FR2171C			
					18FR2171N			

GMC – Savana 2500 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Disc Brake Caliper	2006-03	8500 And 8600 Pound Gross Vehicle Weight	Left		18R2171F1	
		GVW 8,500 Lbs.; 8,600 Lb. GVW	Right		18FR2172	18R2172SV
					18FR2172C	
					18FR2172N	
					18R2172F1	
		Original Part Design; 8500 And 8600 Pound Gross Vehicle Weight	Left		18R2171	
		Original Part Design; GVW 8,500 Lbs.; 8,600 Lb. GVW	Right		18R2172	
		w/ 7300 GVW	Left		18FR2169	18R2169SV
		Right		18FR2170	18R2170SV	
Front						
Disc Brake Caliper Bushing	2002-99	w/ 7300 GVW			18K1524	
	2002-96	7,700 to 8,600 lb GVW			18K1524	
		with 7,300lb Gross Vehicle Weight (GVW)			18K1524	
	1998-96	Except 8,600 lb. GVW			18K1524	
Rear						
Disc Brake Caliper Bushing	2017-03				18K1934	
Front						
Disc Brake Caliper Piston	2002-99	w/ 7300 GVW			18K2390	
	1998-96	Except 8,600 lb. GVW			18K2390	
Front						
Disc Brake Caliper Set	2006-03	w/ 7300 GVW				18FR1378KSD

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2017-06		Left		18J4878	
			Right		18J4879	
	2005-03	8600lb GVW	Left		18J4878	
			Right		18J4879	
		with 7,300lb Gross Vehicle Weight (GVW)	Left		18J4394	
			Right		18J4395	
	2002-96	with Hydraulic Booster	Left		18J1422	
			Right		18J2052	
		with Vacuum Booster	Left		18J3627	
			Right		18J1653	
Rear						
Brake Hydraulic Hose	2019-08	with Active Brake Control	Left		18J4623	
	2019-03		Right		18J4396	
	2014-08	Except Active Brake Control	Left		18J4884	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Hydraulic Hose	2007-03	Left		18J4884	
	2002-96	with Hydraulic Booster Center		18J2064	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2019-09	with Active Brake Control		18M2568	
	2017	w/o Active Brake Control (JL4)		18M2557	
	2014-09	Except Active Brake Control		18M2557	
	2008	Except Active Brake Control		18M391082	
		with Active Brake Control		18M2564	
	2007-06			18M2426	
	2005-03	8600lb GVW		18M2426	
		with 7,300lb Gross Vehicle Weight (GVW)		18M2404	
	2002-96	with Hydraulic Booster		18M970	
		with Vacuum Booster		18M794	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-18			17D784BMH	
				17D784BSDH	
	2017-06	2nd Generation, Copper Free Friction Formula		17D784CHF1	
		Friction Contains Copper		17D784CH	
			14D784CH	17D784MH	17D784MHSV
			14D784CHF1	17D784MXH	
			14D784MH	17D784SDH	
	2005-03	2nd Generation, Copper Free Friction Formula; 8600lb GVW		17D784CHF1	
		8600lb GVW	14D784CH	17D784MH	17D784MHSV
			14D784CHF1	17D784MXH	
			14D784MH	17D784SDH	
		Friction Contains Copper; 8600lb GVW		17D784CH	
		with 7,300lb Gross Vehicle Weight (GVW)	14D785CH	17D785SDH	
			14D785CHF1		
			14D785MH		
		with 7,300lb Gross Vehicle Weight (GVW); 2nd Generation, Copper Free Friction Formula		17D785CHF1	
		with 7,300lb Gross Vehicle Weight (GVW); Original Part Design		17D785MH	
		with 7,300lb Gross Vehicle Weight (GVW); Revised F1 Part Design		17D785MHF1	
		with 7,300lb Gross Vehicle Weight (GVW); Friction Contains Copper		17D785CH	

GMC – Savana 2500 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2002-01	BI-FUEL; 2nd Generation, Copper Free Friction Formula; w/ 7700 Lb. GVW		17D370CHF1	
		BI-FUEL; Friction Contains Copper; w/ 7700 Lb. GVW		17D370CH	
		BI-FUEL; w/ 7700 Lb. GVW	14D370CH	17D370MH	
			14D370CHF1		
			14D370CHF2		
			14D370MH		
		BI-FUEL; with 7,300lb Gross Vehicle Weight (GVW)	14D369CH	17D369MH	
			14D369CHF1	17D369MX	
			14D369MX		
		BI-FUEL; with 7,300lb Gross Vehicle Weight (GVW); 2nd Generation, Copper Free Friction Formula		17D369CHF1	
		BI-FUEL; with 7,300lb Gross Vehicle Weight (GVW); Friction Contains Copper		17D369CH	
		DIESEL	14D459CH	17D459MH	
			14D459CHF1		
			14D459M		
			14D459MH		
		DIESEL; 2nd Generation, Copper Free Friction Formula		17D459CHF1	
		DIESEL; Friction Contains Copper		17D459CH	
		GAS; 2nd Generation, Copper Free Friction Formula; 8600lb GVW		17D370CHF1	
		GAS; 2nd Generation, Copper Free Friction Formula; w/ 7700 Lb. GVW		17D370CHF1	
		GAS; 8600lb GVW	14D370CH	17D370MH	
			14D370CHF1		
			14D370CHF2		
			14D370MH		
		GAS; Friction Contains Copper; 8600lb GVW		17D370CH	
		GAS; Friction Contains Copper; w/ 7700 Lb. GVW		17D370CH	
		GAS; w/ 7700 Lb. GVW	14D370CH	17D370MH	
			14D370CHF1		
			14D370CHF2		
			14D370MH		
		GAS; with 7,300lb Gross Vehicle Weight (GVW)	14D369CH	17D369MH	
			14D369CHF1	17D369MX	
			14D369MX		
		GAS; with 7,300lb Gross Vehicle Weight (GVW); 2nd Generation, Copper Free Friction Formula		17D369CHF1	
		GAS; with 7,300lb Gross Vehicle Weight (GVW); Friction Contains Copper		17D369CH	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Pad Set	2000-96	2nd Generation, Copper Free Friction Formula; 8600lb GVW		17D370CHF1	
		8600lb GVW	14D370CH	17D370MH	
			14D370CHF1		
			14D370CHF2		
			14D370MH		
		Friction Contains Copper; 8600lb GVW		17D370CH	
		with 7,300lb Gross Vehicle Weight (GVW)	14D369CH	17D369MH	
			14D369CHF1	17D369MX	
			14D369MX		
		with 7,300lb Gross Vehicle Weight (GVW); 2nd Generation, Copper Free Friction Formula		17D369CHF1	
with 7,300lb Gross Vehicle Weight (GVW); Friction Contains Copper		17D369CH			
Rear					
Disc Brake Pad Set	2020-03	2nd Generation, Copper Free Friction Formula		17D974CHF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D974CH	
			14D974CH	17D974MH	17D974MHSV
			14D974CHF1	17D974SDH	
Rear					
Drum Brake Shoe	2002-96	11 5/32" X 2 3/4" Brake Shoe	B473	17473R	
		with 13in x 2-1/2in Brakes	14451R	17451R	
			R451		
		with 13in x 3-1/2in Brakes	14452R	17452R	
			R452		
Rear					
Parking Brake Shoe	2023-21			17962B	
	2014-09			17962B	
	2008-06		14771B	17771B	
			B771		
	2005	From 11/29/04	14771B	17771B	
			B771		
	2004-03		14771B	17771B	
			B771		
Rotors & Drums					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2002-96	Vacuum Brake System; with 6 Lug Wheels; 11 5/32" X 2 3/4" Brake Shoe		18B187	

GMC – Savana 2500 (Cont.)

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Brake Drum	2002-96	with 13in x 2-1/2in Brakes; with Hydraulic Brake System; with 8 Lug Wheels	18B147A	18B147	
		with Hydraulic Brake System; with 8 Lug Wheels; with 13in x 3-1/2in Brakes	18B277A	18B277	
Front					
Disc Brake Rotor	2022-21		18A1206A	18A1206	
			18A1206AC	18A1206SD	
	2020-08		18A927A	18A927	
			18A927AC	18A927SD	
	2007	with 8500lb & 8600lb GVW	18A927A	18A927	
			18A927AC	18A927SD	
	2006	w/ 8,500 or 8,600 lb. GVW	18A927A	18A927	
			18A927AC	18A927SD	
	2006-03	with 7,300lb Gross Vehicle Weight (GVW)	18A925A	18A925	
			18A925AC	18A925SD	
	2005-03	with 8500lb & 8600lb GVW	18A927A	18A927	
			18A927AC	18A927SD	
Rear					
Disc Brake Rotor	2023-20		18A2437A	18A2437	
			18A2437AC		
	2019-11	RPO Code GU6	18A2437A	18A2437	
			18A2437AC		
	2016-11	RPO Code GH0	18A926A	18A926	
			18A926AC	18A926SD	
	2010	DIESEL	18A926A	18A926	
			18A926AC	18A926SD	
		FLEX	18A928A	18A928	
			18A928AC		
	2009-08	DIESEL; RPO Code GH0	18A926A	18A926	
			18A926AC	18A926SD	
		GAS; w/o Electronic Stability Control	18A928A	18A928	
			18A928AC		
		RPO Code GU6	18A2437A	18A2437	
	18A2437AC				
	2007	DIESEL	18A926A	18A926	
			18A926AC	18A926SD	
		GAS	18A928A	18A928	
			18A928AC		
	2006	V8 4.8L 294cid; 8,600 Lb. GVW	18A928A	18A928	
			18A928AC		
		V8 4.8L 294cid; with 7,300lb Gross Vehicle Weight (GVW)	18A1753A	18A1753	
V8 6.0L 5967cc 364cid; 8,600 Lb. GVW		18A928A	18A928		
		18A928AC			

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Rotor	2006	V8 6.0L 5967cc 364cid; with 7,300lb Gross Vehicle Weight (GVW)	18A1753A	18A1753	
			18A926A	18A926	
			18A926AC	18A926SD	
	2005-03	with 7,300lb Gross Vehicle Weight (GVW)	18A1753A	18A1753	
			18A928A	18A928	
			18A928AC		
Front					
Disc Brake Rotor and Hub Assembly	2002-96	with 7,300lb Gross Vehicle Weight (GVW)	18A737A	18A737	
			18A737AC		
		with 7700lb & 8600lb GVW	18A507A	18A507	
			18A507AC		

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2002-01	DIESEL		18E1362	
	2002-96	GAS; with 6 Lug Wheels		18E394	
		GAS; with 8 Lug Wheels		18E112	
	2000-96	DIESEL		18E292	

GMC – Savana 3500
Cable

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center					
Parking Brake Cable	2018	Except Cutaway Chassis; w/ 135" Wheelbase		18P97247	
	2018-15	w/ 155" Wheelbase		18P97246	
	2018-12	with Cutaway Chassis; w/ 139" Wheelbase		18P97102	
		with Cutaway Chassis; w/ 159" Wheelbase		18P97103	
	2017-15	w/ 135" Wheelbase		18P97247	
	2016-12	Except Cutaway Chassis; w/ 135" Wheelbase		18P97247	
		Except Cutaway Chassis; w/ 155" Wheelbase		18P97246	
		with Cutaway Chassis; w/ 177" Wheelbase		18P97104	
	2011	139.0" Wheelbase; with Cutaway Chassis		18P97102	
		159.0" Wheelbase; with Cutaway Chassis		18P97103	
		177.0" Wheelbase; with Cutaway Chassis		18P97104	
	2010-08	w/ 135" Wheelbase		18P97206	
	2010-06	w/ 155" Wheelbase		18P97207	
	2006	w/ 135" Wheelbase		18P97206	
	2005	139.0" Wheelbase		18P97102	
		159.0" Wheelbase		18P97103	

GMC – Savana 3500 (Cont.)

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Center (Cont.)					
Parking Brake Cable	2005	177.0" Wheelbase		18P97104	
	2005-03	135.0" Wheelbase		18P97206	
		155.0" Wheelbase		18P97207	
	2002-96	155.0" Wheelbase		18P1825	
		159.0" Wheelbase		18P1825	
		177.0" Wheelbase		18P1824	
Front					
Parking Brake Cable	2004-03			18P97445	
	2002-96	110.31" Length		18P2690	
		144" Length		18P2692	
Intermediate					
Parking Brake Cable	2011	38.0in Length; Except Cutaway Chassis		18P97247	
		57.7in Length; Except Cutaway Chassis		18P97246	
		Except Cutaway Chassis; 34" Overall Length		18P97248	
		Except Cutaway Chassis; 53.7" Overall Length		18P97244	
	2010-06	w/ 139" Wheelbase		18P97102	
		w/ 159" Wheelbase		18P97103	
		w/ 177" Wheelbase		18P97104	
Rear					
Parking Brake Cable	2018-15	Left		18P96865	
		Right		18P96866	
	2016-13	Cutaway Chassis; Except 14040 GVW	Right	18P97608	
	2014	Base; Except 14040lb GVW	Left	18P96865	
		Base; Except Cutaway Chassis	Right	18P96866	
		LS; Except 14040lb GVW	Left	18P96865	
		LS; Except Cutaway Chassis	Right	18P96866	
		LT; Except 14040lb GVW	Left	18P96865	
		LT; Except Cutaway Chassis	Right	18P96866	
		2013-10	155.0" Wheelbase	Left	18P96865
			Right	18P96866	
	2013-09	135.0" Wheelbase	Left	18P96865	
		139.0" Wheelbase; Single Rear Wheels	Left	18P96865	
	2013-03	135.0" Wheelbase	Right	18P96866	
	2012-09	Cutaway Chassis; Under 9,900 lb. GVW	Right	18P97608	
	2008-06		Left	18P96865	
	2008-03	Cutaway Chassis	Right	18P97608	
	2005	135.0" Wheelbase	Left	18P96865	
	2004-03		Left	18P96865	
	2002-01	139.0" Wheelbase	Left	18P2655	
			Right	18P2656	
		159.0" Wheelbase	Left	18P2655	
			Right	18P2656	

Cable (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Parking Brake Cable	2002-01	177.0" Wheelbase	Left	18P2655	
			Right	18P2656	
	2002-96	135.0" Wheelbase	Left	18P1820	
			Right	18P1815	
		155.0" Wheelbase	Left	18P1820	
			Right	18P1815	
	2000-96	139.0" Wheelbase	Left	18P1827	
			Right	18P1813	
		159.0" Wheelbase	Left	18P1827	
			Right	18P1813	
		177.0" Wheelbase	Left	18P1827	
			Right	18P1813	

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2020-16	Original Part Design; Single Rear Wheels	Right	18R1380	
			Right	18FR1380	18R1380SV
		Single Rear Wheels		18FR1380C	
				18FR1380N	
				18R1380F1	
	2020-03	Original Part Design; Single Rear Wheels	Left	18R1381	
			Left	18FR1381	18R1381SV
		Single Rear Wheels		18FR1381C	
				18FR1381N	
				18R1381F1	
	2019-03	Original Part Design; With Dual Rear Wheels	Left	18R1996	
			Right	18R1995	
		With Dual Rear Wheels	Left	18FR1996	18R1996SV
				18FR1996C	
				18FR1996N	
				18R1996F1	
			Right	18FR1995	18R1995SV
				18FR1995C	
				18FR1995N	
				18R1995F1	
	2016-03	with Police Package; Original Part Design; Single Rear Wheels	Left	18R1381	
			Left	18FR1381	18R1381SV
		with Police Package; Single Rear Wheels		18FR1381C	
				18FR1381N	
				18R1381F1	

GMC – Savana 3500 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	2015-03	with Police Package; Original Part Design; Single Rear Wheels	Right		18R1380	
			Right		18FR1380	18R1380SV
		with Police Package; Single Rear Wheels	Right		18FR1380C	
					18FR1380N	
					18R1380F1	
	2013-03	Original Part Design; Single Rear Wheels	Right		18R1380	
			Right		18FR1380	18R1380SV
		Single Rear Wheels	Right		18FR1380C	
					18FR1380N	
					18R1380F1	
	2002-01	Single Rear Wheels; Rotor Thickness - 39.1mm	Left		18FR982	
					18FR982C	
					18FR982N	
					18R982	
					18R982F1	
			Right		18FR981	
					18FR981C	
					18FR981N	
					18R981	
					18R981F1	
	2002-00	32.7mm Rotor Thickness; Single Rear Wheels	Right		18FR741	
					18FR741C	
					18FR741N	
					18R741	
					18R741F1	
	2002-98	32.7mm Rotor Thickness; Single Rear Wheels	Left		18FR742	
					18FR742C	
					18FR742N	
					18R742	
					18R742F1	
	2000-96	With Dual Rear Wheels	Left		18FR982	
					18FR982C	
					18FR982N	
					18R982	
					18R982F1	
			Right		18FR981	
					18FR981C	
					18FR981N	
					18R981	
					18R981F1	
	1999-98	Single Rear Wheels; 32.7mm Rotor Thickness	Right		18FR741	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	1999-98	Single Rear Wheels; 32.7mm Rotor Thickness	Right		18FR741C	
					18FR741N	
					18R741	
					18R741F1	
	1997	Single Rear Wheels; 32.7mm Rotor Thickness	Left		18FR742	
					18FR742C	
					18FR742N	
					18R742	
					18R742F1	
	1997-96	32.7mm Rotor Thickness; Single Rear Wheels	Right		18FR741	
					18FR741C	
					18FR741N	
					18R741	
					18R741F1	
	1996	32.7mm Rotor Thickness; Single Rear Wheels	Left		18FR742	
					18FR742C	
					18FR742N	
					18R742	
					18R742F1	
		Single Rear Wheels; 13" X 2-1/2" Brakes	Left		18FR650	
					18R650	
			Right		18FR649	
					18R649	
		w/ 13" x 3.5" Brakes; Single Rear Wheels	Left		18FR652	
					18FR652N	
					18R652	
			Right		18FR651	
					18FR651N	
					18R651	
Rear						
Disc Brake Caliper	2020-09	With Dual Rear Wheels	Left		18FR12667C	
					18R12667C	
			Right		18FR12668C	
					18R12668C	
	2017-03	Original Part Design; Single Rear Wheels	Left		18R2171	
			Right		18R2172	
		Single Rear Wheels	Left		18FR2171	18R2171SV
					18FR2171C	
					18FR2171N	
					18R2171F1	
		Right		18FR2172	18R2172SV	
				18FR2172C		
				18FR2172N		

GMC – Savana 3500 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)						
Disc Brake Caliper	2017-03	Single Rear Wheels	Right		18R2172F1	
	2016-14	with Police Package; Original Part Design; Single Rear Wheels	Left		18R2171	
			Right		18R2172	
		with Police Package; Single Rear Wheels	Left		18FR2171	18R2171SV
					18FR2171C	
					18FR2171N	
					18R2171F1	
			Right		18FR2172	18R2172SV
					18FR2172C	
					18FR2172N	
					18R2172F1	
	2012	with Police Package; Original Part Design; Single Rear Wheels	Right		18R2172	
		with Police Package; Single Rear Wheels	Right		18FR2172	18R2172SV
					18FR2172C	
	2008-03	Original Part Design; With Dual Rear Wheels	Left		18R2436	
			Right		18R2437	
		With Dual Rear Wheels	Left		18FR2436	
					18R2436F1	
			Right		18FR2437	
					18R2437F1	

Front

Disc Brake Caliper Bushing	2002-96	Single Rear Wheels			18K1524	
		with Standard Duty Brakes			18K1524	

Rear

Disc Brake Caliper Bushing	2017-15	Single Rear Wheels			18K1934	
		With Dual Rear Wheels			18K1933	
	2013-08	With Dual Rear Wheels			18K1933	
	2013-07	Single Rear Wheels			18K1934	
	2007	With Dual Rear Wheels			18K1934	
	2006-03				18K1934	

Hoses

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Brake Hydraulic Hose	2013-03		Left		18J4878	
			Right		18J4879	
	2002-96	Single Rear Wheels	Left		18J1422	
			Right		18J2052	
		With Dual Rear Wheels	Left		18J4007	

Hoses (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Brake Hydraulic Hose	2002-96	With Dual Rear Wheels Right		18J4008	
Rear					
Brake Hydraulic Hose	2019	Right		18J4396	
	2019-17	with Active Brake Control Left		18J4623	
	2019-13	Except Vehicle Stability Control; With Dual Rear Wheels; Cutaway Chassis Right		18J383739	
	2018-05	Cutaway Van; Single Rear Wheels Right		18J4393	
	2017-14	Right		18J4396	
	2016-14	Base; Except Cutaway Chassis Left		18J4623	
		LS Left		18J4623	
		LT Left		18J4623	
	2015-13	Cutaway Chassis; w/ Stability Control Right		18J383739	
	2013	Except Cutaway Chassis Left		18J4623	
		Standard Passenger Van; Except Active Brake Control		18J4884	
		V8 6.0L 5967cc 364cid; LS Left		18J4623	
		V8 6.0L 5967cc 364cid; LT Left		18J4623	
	2013-03	Standard Cargo Van Right		18J4396	
		Standard Passenger Van Right		18J4396	
	2012	Standard Cargo Van; Except Active Brake Control Left		18J4884	
		Standard Cargo Van; with Active Brake Control Left		18J4623	
	2012-09	With Dual Rear Wheels; Cutaway Chassis Right		18J383739	
	2012-05	Cutaway Van; Single Rear Wheels Left		18J4622	
	2012-04	Standard Passenger Van; Except Active Brake Control Left		18J4884	
		Standard Passenger Van; with Active Brake Control Left		18J4623	
	2011-03	Standard Cargo Van Left		18J4884	
	2009	Cutaway Van; 90 Degree Bend At Caliper; With Dual Rear Wheels Right		18J383046	
	2008-05	Cutaway Van; With Dual Rear Wheels Left		18J4392	
		Right		18J383046	
	2004-03	Cutaway Van Left		18J4622	
		Right		18J4393	
	2003	Standard Passenger Van Left		18J4884	
	2002-96	Center		18J2064	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2019-09	with Active Brake Control		18M2568	
	2017-09	Except Active Brake Control		18M2557	
	2008	Except Active Brake Control		18M391082	

GMC – Savana 3500 (Cont.)

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	2008	with Active Brake Control		18M2564	
	2007-04	Except Active Brake Control		18M2426	
		with Active Brake Control		18M2425	
	2003			18M2426	
	2002-96			18M970	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-18			17D784BMH	
				17D784BSDH	
	2017-03	2nd Generation, Copper Free Friction Formula		17D784CHF1	
		Friction Contains Copper		17D784CH	
			14D784CH	17D784MH	17D784MHSV
			14D784CHF1	17D784MXH	
			14D784MH	17D784SDH	
	2002-96	2nd Generation, Copper Free Friction Formula; Single Rear Wheels		17D370CHF1	
		2nd Generation, Copper Free Friction Formula; With Dual Rear Wheels		17D459CHF1	
		Single Rear Wheels	14D370CH	17D370MH	
			14D370CHF1		
			14D370CHF2		
			14D370MH		
		Friction Contains Copper; Single Rear Wheels		17D370CH	
		Friction Contains Copper; With Dual Rear Wheels		17D459CH	
		With Dual Rear Wheels	14D459CH	17D459MH	
			14D459CHF1		
			14D459M		
			14D459MH		
Rear					
Disc Brake Pad Set	2020-19	2nd Generation, Copper Free Friction Formula; Single Rear Wheels		17D974CHF1	
		2nd Generation, Copper Free Friction Formula; With Dual Rear Wheels	14D1411CHF1	17D1411CHF1	
		Single Rear Wheels	14D974CH	17D974MH	17D974MHSV
			14D974CHF1	17D974SDH	17D974MHSV
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper; With Dual Rear Wheels	14D1411CH	17D1411CH	

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2020-19	In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper; Single Rear Wheels		17D974CH	
		With Dual Rear Wheels		17D1411MH	17D1411MHSV
				17D1411SDH	
	2018	Base; 2nd Generation, Copper Free Friction Formula; Dual Rear Wheels	14D1411CHF1	17D1411CHF1	
		Base; 2nd Generation, Copper Free Friction Formula; Single Rear Wheels		17D974CHF1	
		Base; Dual Rear Wheels		17D1411MH	17D1411MHSV
				17D1411SDH	
		Base; Single Rear Wheels	14D974CH	17D974MH	17D974MHSV
			14D974CHF1	17D974SDH	17D974MHSV
		Base; In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper; Dual Rear Wheels	14D1411CH	17D1411CH	
		Base; In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper; Single Rear Wheels		17D974CH	
	2018-17	LS	14D974CH	17D974MH	17D974MHSV
			14D974CHF1	17D974SDH	17D974MHSV
		LS; 2nd Generation, Copper Free Friction Formula		17D974CHF1	
		LS; In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D974CH	
		LT	14D974CH	17D974MH	17D974MHSV
			14D974CHF1	17D974SDH	17D974MHSV
		LT; 2nd Generation, Copper Free Friction Formula		17D974CHF1	
		LT; In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D974CH	
	2017	Base; with 14,050 Gross Vehicle Weight (GVW)		17D1411MH	17D1411MHSV
				17D1411SDH	
		Base; with 14,050 Gross Vehicle Weight (GVW); 2nd Generation, Copper Free Friction Formula	14D1411CHF1	17D1411CHF1	
		Base; with 14,050 Gross Vehicle Weight (GVW); In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper	14D1411CH	17D1411CH	
		Base; without 14,050 Gross Vehicle Weight (GVW)	14D974CH	17D974MH	17D974MHSV
			14D974CHF1	17D974SDH	17D974MHSV
		Base; without 14,050 Gross Vehicle Weight (GVW); 2nd Generation, Copper Free Friction Formula		17D974CHF1	

GMC – Savana 3500 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Pad Set	2017	Base; without 14,050 Gross Vehicle Weight (GVW); In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D974CH	
	2016-09	2nd Generation, Copper Free Friction Formula; With Dual Rear Wheels	14D1411CHF1	17D1411CHF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper; With Dual Rear Wheels	14D1411CH	17D1411CH	
		With Dual Rear Wheels		17D1411MH	17D1411MHSV
				17D1411SDH	
	2016-03	2nd Generation, Copper Free Friction Formula; Single Rear Wheels		17D974CHF1	
		Single Rear Wheels	14D974CH	17D974MH	17D974MHSV
			14D974CHF1	17D974SDH	17D974MHSV
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper; Single Rear Wheels		17D974CH	
	2008-03	2nd Generation, Copper Free Friction Formula; With Dual Rear Wheels		17D989CHF1	
		With Dual Rear Wheels		17D989C	
		Friction Contains Copper; With Dual Rear Wheels		17D989CH	
		With Dual Rear Wheels	14D989CH	17D989M	
			14D989CHF1	17D989MXH	
			14D989CHF2		
	Rear				
Drum Brake Shoe	2002-96	with 13in x 3-1/2in Brakes	14452R	17452R	
			R452		
Rear					
Parking Brake Shoe	2023-22	SRW		17962B	
		with Dual Rear Wheels (DRW)		17973B	
	2019-13	w/ Stability Control		17962B	
		w/o Stability Control		17973B	
	2012-08	Cutaway Van		17973B	
		Standard Cargo Van		17962B	
		Standard Passenger Van		17962B	
	2007-03		14771B	17771B	
			B771		
Rotors & Drums					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2002-96	With Dual Rear Wheels	18B254A		
		with Single Rear Wheels (SRW)	18B277A	18B277	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty	
Front						
Disc Brake Rotor	2023-03	w/ 8,600 or 9,600 lb. GVW	18A1206A	18A1206		
			18A1206AC	18A1206SD		
	2021-03	Over 9,600 lb GVW	18A1193A	18A1193		
			18A1193AC			
Rear						
Disc Brake Rotor	2023-18	with Single Rear Wheels (SRW)	18A2437A	18A2437		
			18A2437AC			
	2020-10	With Dual Rear Wheels	18A2630A	18A2630		
	2017-10	with Single Rear Wheels (SRW); w/ RPO Code GU6	18A2437A	18A2437		
			18A2437AC			
	2016-10	RPO Code GH0; with Single Rear Wheels (SRW)	18A926A	18A926		
			18A926AC	18A926SD		
	2012-11	with Single Rear Wheels (SRW); w/ RPO Code GU6; w/ Posi-Traction (G80)	18A928A	18A928		
			18A928AC			
	2009	DIESEL; Rotor Diameter 330mm	18A926A	18A926		
			18A926AC	18A926SD		
		GAS; Rotor Diameter 330mm	18A2437A	18A2437		
			18A2437AC			
	Rotor Diameter 345mm	18A2630A	18A2630			
		2008	V8 6.6L 6599cc 403cid; Base		18A926SD	
			V8 6.6L 6599cc 403cid; Standard Cargo Van	18A926A	18A926	
				18A926AC		
	2008-07	Base; with Limited Slip Differential; with Single Rear Wheels (SRW)	18A928A	18A928		
			18A928AC			
		With Dual Rear Wheels	18A1417A	18A1417		
			18A1417AC			
	2008-05	with Single Rear Wheels (SRW)	18A2437A	18A2437		
			18A2437AC			
	2007	Standard Cargo Van	18A2437A	18A2437		
			18A2437AC			
	2006-03	with 12.80in Diameter Rotor; With Dual Rear Wheels	18A1417A	18A1417		
			18A1417AC			
		with 4.84in Center Hole; with Single Rear Wheels (SRW)	18A926A	18A926		
			18A926AC	18A926SD		
	Front					
	Disc Brake Rotor and Hub Assembly	2002-01	with 39.1mm Rotor Thickness; with Single Rear Wheels (SRW)	18A1320A	18A1320	
2002-96		With Dual Rear Wheels	18A874A	18A874		
			18A874AC			
		with Single Rear Wheels (SRW); 32.7mm Rotor Thickness	18A507A	18A507		
18A507AC						

GMC – Savana 3500 (Cont.)

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2002-96	Single Rear Wheels		18E292	
		With Dual Rear Wheels		18E1362	

Mercedes-Benz – Metris

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	2021-16			18K1930	
Rear					
Disc Brake Caliper Bushing	2017-16			18K16212	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-16			17D1316MH	
				17D1316MHF1	
Rear					
Disc Brake Pad Set	2021	To 04/01/2021		17D1893MH	
	2020-16			17D1893MH	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2021-16		18A81439A	18A81439	
			18A81439AC		
Rear					
Disc Brake Rotor	2021-16		18A82191A	18A82191	
			18A82191AC		

Mercedes-Benz – Sprinter 2500

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2018-10	Left		18FR12320	
				18R12320	
		Right		18R12319	
				18FR12319	
Rear					
Disc Brake Caliper	2018-10	Left		18FR12321	
				18R12321	

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear (Cont.)					
Disc Brake Caliper	2018-10	Right		18FR12322	
				18R12322	
Front					
Disc Brake Caliper Bushing	2018-13			18K1930	
	2012-10			18K16212	
Rear					
Disc Brake Caliper Bushing	2016-10			18K1932	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2014-10			18J4142	
Rear					
Brake Hydraulic Hose	2014			18J4142	
	2013	without Camper Package		18J4142	
	2012-10			18J4142	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2014-11	Base		18M391426	
	2010	From 9/30/09		18M391426	
		Thru 9/30/09		18M2481	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023-19			17D1268M	
				17D1268MH	
	2018-10			17D1316MH	
				17D1316MHF1	
Rear					
Disc Brake Pad Set	2023-21			17D2201MH	
				17D2201SDH	
	2020-19	with Electronic Parking Brake; with Solid Rear Rotors		17D2201MH	
				17D2201SDH	
	2018-10			17D1317MH	
Rear					
Parking Brake Shoe	2018-10			17938B	

Mercedes-Benz – Sprinter 2500 (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-10		18A2552A	18A2552	
			18A2552AC		
Rear					
Disc Brake Rotor	2018-10		18A2579A	18A2579	
			18A2579AC		

Mercedes-Benz – Sprinter 3500

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2018-10	Left		18FR12868C	
				18FR12868N	
		Right		18FR12867C	
				18FR12867N	
Rear					
Disc Brake Caliper	2018-10	With Dual Rear Wheels Left		18FR12657	
				18FR12657N	
				18R12657	
		Right		18FR12658	
				18FR12658N	
				18R12658	
Front					
Disc Brake Caliper Bushing	2016-10			18K16212	
Rear					
Disc Brake Caliper Bushing	2016-10			18K1931	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2014-10			18J4142	
Rear					
Brake Hydraulic Hose	2016-15	RWD		18J4573	
	2014-13	With Dual Rear Wheels		18J4573	
	2012-11			18J4573	
	2010	With Dual Rear Wheels		18J4573	
		without Dual Rear Wheels		18J4142	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2014-11	Base		18M391426	
	2010	Thru 9/30/09		18M2481	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2022-21	RWD		17D1268M	
				17D1268MH	
	2020-10			17D1268M	
				17D1268MH	
Rear					
Disc Brake Pad Set	2023-21	Solid Rotor		17D2201MH	
				17D2201SDH	
		Vented Rotor		17D2236MH	
				17D2236SDH	
	2020-19	Electric Parking Brake		17D2201MH	
				17D2201SDH	
		Manual Parking Brake		17D2236MH	
				17D2236SDH	
	2013-12			17D1318MH	
	2011-10			17D1317MH	
Rear					
Parking Brake Shoe	2023-10	Vented Rotor		17940B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-10		18A2552A	18A2552	
			18A2552AC		
Rear					
Disc Brake Rotor	2023-21	Manual Parking Brake; Vented Rotor		18A2597	
	2023-10	Vented Rotor		18A2597	
	2018-10	Solid Rotor	18A2579A	18A2579	
			18A2579AC		

Mercedes-Benz – Sprinter 3500XD

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2018	Left		18FR12868C	
				18FR12868N	
		Right		18FR12867C	
				18FR12867N	

Mercedes-Benz – Sprinter 3500XD (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Disc Brake Caliper	2018	Left		18FR12657	
				18FR12657N	
				18R12657	
		Right		18FR12658	
				18FR12658N	
				18R12658	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	2018	RWD		18J4573	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2022-18			17D1268M	
				17D1268MH	
Rear					
Disc Brake Pad Set	2023-19	Electric Parking Brake; Solid Rotor		17D2201MH	
				17D2201SDH	
		Manual Parking Brake; Vented Rotor		17D2236MH	
				17D2236SDH	
Rear					
Parking Brake Shoe	2018			17940B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-18		18A2552A	18A2552	
			18A2552AC		
Rear					
Disc Brake Rotor	2023-18	Manual Parking Brake; Vented Rotor		18A2597	

Nissan – NV200

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2021-20	with Taxi Package; Innovative dual-bleeder design can fit either left or right position without modification		18FR12951DN	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	2021-20	with Taxi Package; Innovative dual-bleeder design can fit either left or right position without modification	Right		18FR12951DN	
	2020	Except Taxi Package; To 08/2019; Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR12951DN	
			Right		18FR12951DN	
	2019-13	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR12951DN	
			Right		18FR12951DN	
	Front					
Disc Brake Caliper Bushing	2017-13				18K2071	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2019-13	Left		18J383701	
		Right		18J383700	
Rear					
Brake Hydraulic Hose	2019-13			18J383889	

Master Cylinder

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2019-13				18M391535	

Pads & Shoes

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Pad Set	2021	Except Taxi Package		14D2138CH	17D2138CH	
		with Taxi Package		14D1094CH		
				14D1094CHF1		
		with Taxi Package; 2nd Generation, Copper Free Friction Formula			17D1094CHF1	
		with Taxi Package; In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper			17D1094CH	
	2020-13	2nd Generation, Copper Free Friction Formula			17D1094CHF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper			17D1094CH	
				14D1094CH		
				14D1094CHF1		

Nissan – NV200 (Cont.)

Pads & Shoes (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Shoe	2021-13			171052B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2019-13		18B7846A	18B7846	
Front					
Disc Brake Rotor	2021-13		18A27981A	18A2798SD	

Wheel Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2019-13			18E370258	

Nissan – NV1500

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2021-12	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR12913DN	
			Right		18FR12913DN	
Rear						
Disc Brake Caliper	2021-12	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR12915DN	
			Right		18FR12915DN	
Front						
Disc Brake Caliper Bushing	2017-12				18H1224	
Rear						
Disc Brake Caliper Bushing	2017-12				18H1224	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2019-12	Left		18J383670	
		Right		18J383669	
Rear					
Brake Hydraulic Hose	2019-12	Center		18J383668	
		Left		18J383458	
		Right		18J383459	
	2012	Upper		18J4611	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-12	2nd Generation, Copper Free Friction Formula	14D1411CHF1	17D1411CHF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper	14D1411CH	17D1411CH	
				17D1411MH	17D1411MHSV
				17D1411SDH	
Rear					
Disc Brake Pad Set	2021-12	2nd Generation, Copper Free Friction Formula		17D1411ACHF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D1411ACH	
Rear					
Parking Brake Shoe	2019-12			17952B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2021-12		18A2933A	18A2933	
			18A2933AC	18A2933SD	
Rear					
Disc Brake Rotor	2021-12		18A2932A	18A2932	
			18A2932AC	18A2932SD	

Nissan – NV2500
Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2021-12	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR12913DN	
			Right		18FR12913DN	
Rear						
Disc Brake Caliper	2021-12	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR12915DN	
			Right		18FR12915DN	
Front						
Disc Brake Caliper Bushing	2016-12				18H1224	
Rear						
Disc Brake Caliper Bushing	2016-12				18H1224	

Nissan – NV2500 (Cont.)

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2019-12	Left		18J383670	
		Right		18J383669	
Rear					
Brake Hydraulic Hose	2019-12	Center		18J383668	
		Left		18J383458	
		Right		18J383459	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-12	2nd Generation, Copper Free Friction Formula	14D1411CHF1	17D1411CHF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper	14D1411CH	17D1411CH	
				17D1411MH	17D1411MHSV
			17D1411SDH		
Rear					
Disc Brake Pad Set	2021-12	2nd Generation, Copper Free Friction Formula		17D1411ACHF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D1411ACH	
Rear					
Parking Brake Shoe	2019-12			17952B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2021-12		18A2933A	18A2933	
			18A2933AC	18A2933SD	
Rear					
Disc Brake Rotor	2021-12		18A2932A	18A2932	
			18A2932AC	18A2932SD	

Nissan – NV3500

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2021-12	Innovative dual-bleeder design can fit either left or right position without modification	Left	18FR12913DN	

Calipers (Cont.)

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)						
Disc Brake Caliper	2021-12	Innovative dual-bleeder design can fit either left or right position without modification	Right		18FR12913DN	
Rear						
Disc Brake Caliper	2021-12	Innovative dual-bleeder design can fit either left or right position without modification	Left		18FR12915DN	
			Right		18FR12915DN	
Front						
Disc Brake Caliper Bushing	2016-12				18H1224	
Rear						
Disc Brake Caliper Bushing	2016-12				18H1224	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2019-12	Left		18J383670	
		Right		18J383669	
Rear					
Brake Hydraulic Hose	2019-12	Center		18J383668	
		Left		18J383458	
		Right		18J383459	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-12	2nd Generation, Copper Free Friction Formula	14D1411CHF1	17D1411CHF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper	14D1411CH	17D1411CH	
				17D1411MH	17D1411MHSV
				17D1411SDH	
Rear					
Disc Brake Pad Set	2021-12	2nd Generation, Copper Free Friction Formula		17D1411ACHF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D1411ACH	
Rear					
Parking Brake Shoe	2019-12			17952B	

Nissan – NV3500 (Cont.)

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2021-12		18A2933A	18A2933	
			18A2933AC	18A2933SD	
Rear					
Disc Brake Rotor	2021-12		18A2932A	18A2932	
			18A2932AC	18A2932SD	

Ram – ProMaster 1500

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2020-14	Heavy Duty Brakes	Left	18FR12881N	
			Right	18FR12882N	
	2017-14	Except Heavy Duty Brakes	Left	18FR12767N	
			Right	18FR12768N	
Rear					
Disc Brake Caliper	2020-14	Except Heavy Duty Brakes	Left	18FR12765C	
				18FR12765N	
			Right	18FR12766C	
				18FR12766N	
		Heavy Duty Brakes	Left	18FR12769N	
			Right	18FR12770N	
Front					
Disc Brake Caliper Bushing	2020-14			18K1930	
Rear					
Disc Brake Caliper Bushing	2020-17			18K2074	
	2015-14			18K16226X	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2022			18J384385	
	2016-14			18J384385	
Rear					
Brake Hydraulic Hose	2016-14			18J384387	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2022			18M391521	
	2019-14			18M391521	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023			17D1540BMH	
	2022			17D1540AMH	
				17D1540AMHF1	
	2021-14	with Solid Rear Rotors		17D1540AMH	
				17D1540AMHF1	
	with Vented Rear Rotors		17D1540BMH		
Rear					
Disc Brake Pad Set	2021-14	with Solid Rear Rotors		17D1490MH	
				17D1490MHF1	
		with Vented Rear Rotors		17D1746MH	
Rear					
Parking Brake Shoe	2021-18			171067B	
	2017-16	Manual Operated Parking Brakes		171067B	
	2015-14			171067B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-14		18A81766A	18A81766	
			18A81766AC	18A81766SD	
Rear					
Disc Brake Rotor	2021-14	with Solid Rotors	18A81109A	18A81109	
			18A81109AC	18A81109SD	
		with Vented Rotors	18A81138A	18A81138	
			18A81138AC	18A81138SD	

Ram – ProMaster 2500

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper	2020-14	Heavy Duty Brakes	Left		18FR12881N
			Right		18FR12882N
	2017-14	Except Heavy Duty Brakes	Left		18FR12767N
			Right		18FR12768N
Rear					
Disc Brake Caliper	2020-14	Except Heavy Duty Brakes	Left		18FR12765C
					18FR12765N
			Right		18FR12766C
					18FR12766N
		Heavy Duty Brakes	Left		18FR12769N
			Right		18FR12770N

Ram – ProMaster 2500 (Cont.)

Calipers (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	2020-14			18K1930	
Rear					
Disc Brake Caliper Bushing	2020-17			18K2074	
	2015-14			18K16226X	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2022			18J384385	
	2016-14			18J384385	
Rear					
Brake Hydraulic Hose	2016-14			18J384387	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2022			18M391521	
	2019-14			18M391521	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023			17D1540BMH	
	2022			17D1540AMH	
				17D1540AMHF1	
	2021-14	with Solid Rear Rotors		17D1540AMH	
				17D1540AMHF1	
	with Vented Rear Rotors		17D1540BMH		
Rear					
Disc Brake Pad Set	2021-14	with Solid Rear Rotors		17D1490MH	
				17D1490MHF1	
		with Vented Rear Rotors		17D1746MH	
Rear					
Parking Brake Shoe	2021-19			171067B	
	2018-16	Manual Operated Parking Brakes		171067B	
	2015-14			171067B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-14		18A81766A	18A81766	

Rotors & Drums (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front (Cont.)					
Disc Brake Rotor	2023-14		18A81766AC	18A81766SD	
Rear					
Disc Brake Rotor	2021-14	with Solid Rotors	18A81109A	18A81109	
			18A81109AC	18A81109SD	
		with Vented Rotors	18A81138A	18A81138	
			18A81138AC	18A81138SD	

Ram – ProMaster 3500

Calipers

	Year Range	Application Notes		ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front						
Disc Brake Caliper	2020-14	Heavy Duty Brakes	Left		18FR12881N	
			Right		18FR12882N	
	2017-14	Except Heavy Duty Brakes	Left		18FR12767N	
			Right		18FR12768N	
Rear						
Disc Brake Caliper	2020-14	Except Heavy Duty Brakes	Left		18FR12765C	
					18FR12765N	
			Right		18FR12766C	
					18FR12766N	
		Heavy Duty Brakes	Left		18FR12769N	
			Right		18FR12770N	
Front						
Disc Brake Caliper Bushing	2020-14				18K1930	
Rear						
Disc Brake Caliper Bushing	2020-17				18K2074	
	2015-14				18K16226X	

Hoses

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Brake Hydraulic Hose	2022			18J384385	
	2016-14			18J384385	
Rear					
Brake Hydraulic Hose	2016-14			18J384387	

Master Cylinder

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2022			18M391521	

Ram – ProMaster 3500 (Cont.)

Master Cylinder (Cont.)

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
(Cont.)					
Brake Master Cylinder	2019-14			18M391521	

Pads & Shoes

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2023			17D1540BMH	
	2022			17D1540AMH	
				17D1540AMHF1	
	2021-14	with Solid Rear Rotors		17D1540AMH	
				17D1540AMHF1	
	with Vented Rear Rotors		17D1540BMH		
Rear					
Disc Brake Pad Set	2021-14	with Solid Rear Rotors		17D1490MH	
				17D1490MHF1	
		with Vented Rear Rotors		17D1746MH	
Rear					
Parking Brake Shoe	2021-19			171067B	
	2018-16	Manual Operated Parking Brakes		171067B	
	2015-14			171067B	

Rotors & Drums

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Rotor	2023-14		18A81766A	18A81766	
			18A81766AC	18A81766SD	
Rear					
Disc Brake Rotor	2021-14	with Solid Rotors	18A81109A	18A81109	
			18A81109AC	18A81109SD	
		with Vented Rotors	18A81138A	18A81138	
			18A81138AC	18A81138SD	

Ram – ProMaster City

Calipers

	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Caliper Bushing	2017-15			18K1447	

Hoses					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Hydraulic Hose	2019-15			18J384436	
Master Cylinder					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Brake Master Cylinder	2019-15			18M391529	
Pads & Shoes					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Front					
Disc Brake Pad Set	2020-15	2nd Generation, Copper Free Friction Formula		17D1721ACF1	
		In the State of California, this part can only be installed on vehicles manufactured prior to 1/1/2021; Friction Contains Copper		17D1721AC	
			14D1721AC		
Rear					
Drum Brake Shoe	2022-15			171080B	
Rotors & Drums					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Brake Drum	2022		18B7869A	18B7869	
	2020-15		18B7869A	18B7869	
Front					
Disc Brake Rotor	2022-15		18A81950A	18A81950	
			18A81950AC		
	2021-15		18A81950A	18A81950SD	
			18A81950AC		
Wheel Cylinder					
	Year Range	Application Notes	ACDelco Advantage	ACDelco Professional	ACDelco Professional Severe Duty
Rear					
Drum Brake Wheel Cylinder	2022			18E370260	
	2019-15			18E370260	




Air Disc Brake Applications



HEAVY-DUTY AIR DISC BRAKES

AIR DISC BRAKE PADS

- Semi-metallic friction designed for **best stopping power** performance for vehicles operating at maximum GVW.
- **Improved shear strength** for higher temperatures, heavy loads, and harsh corrosive environments.
- Includes all necessary hardware.
- Steel and plated backing plate.
- **Mechanical Locking System** for corrosion resistance to inhibit rust jacking.
- Improved cost per mile.
- **FMVSS121 Air Disc testing.**
- ACDelco passed Performance and Wear – good durability to minimize cost per mile.



Mechanical Locking System
holds friction firmly in place

GM LONG NUMBER	ACDELCO NUMBER	FMSI FRICTION #	PAD THICKNESS MM	PLATE WIDTH MM	BRAKE MODEL	CALIPER	MODEL
19296128	17D1203MHD	8323	29.70	247.30	SB7, SN7	Knorr Bremse	12K-20K Air Disc Brake Axle Applications
19296129	17D1310MHD	8425	29.90	249.10	D-Elsa II	Meritor	Lucas D-Elsa II Caliper, European Style Truck and Bus Applications
19296130	17D1311MHD	8426	29.99	249.10	EX225 H2	Meritor	Meritor EX225 Caliper, Highway Coach and Truck Applications
19296131	17D1312MHD	8427	27.68	248.90	D-Lisa	Meritor	Meritor D-Lisa Caliper, Highway Coach and Transit Bus Applications
19296132	17D1323MHD	8435	28.10	249.10	EX225 H3	Meritor	Meritor EX225 H2/H3 Caliper, Truck and Transit Bus Applications
19296133	17D1369MD	8479	29.20	210.80	ADS22X, SK7, SN7	Knorr Bremse	SB6000 Caliper, Trailer Applications
19296134	17D1370MHD	8480	28.19	216.10	EX225 H2	Meritor	Meritor EX225 Caliper, Truck and Trailer Applications
19296135	17D1407MD	8515	27.60	249.40	D-Elsa I	Meritor	Meritor D-Elsa I
19296136	17D1560MD	8771	28.90	249.09	D Duco	N/A	# N/A


Additional Air Disc part numbers coming soon: 17D1369MHD, 17D1407MHD, 17D1438MHD, 17D1441MHD, 17D1518MHD, 17D1525MHD, 17D1560MHD, 17D1690MHD and 17D1777MHD.

WARRANTY – US Only

**24 MONTH/
UNLIMITED
MILE
LIMITED WARRANTY**

ACDelco Gold brake products have a 24 month/Unlimited mile limited warranty. Effective on parts purchased April 1, 2018 and later to the original retail purchaser. Contact seller for limited warranty part details, qualifications, and possible labor coverage.


ACDelco Silver brake products have a 12 month/Unlimited mile limited warranty. Effective on parts purchased April 1, 2018 and later to the original retail purchaser. Contact seller for limited warranty part details, qualifications, and possible labor coverage.



17D1203MHD

SPECIFICATIONS


Thickness: 1.170" [29.72 mm] FMSI D1203
 NOTE: w/22.5" wheel



17D1323MHD

SPECIFICATIONS


Thickness: 1.10" [28.10 mm] FMSI D1323
 NOTE: For larger radius use D1311



17D1310MHD

SPECIFICATIONS


Thickness: 1.18" [29.90 mm] FMSI D1310



17D1369MD & 17D1369MHD*

SPECIFICATIONS


Thickness: 1.15" [29.20 mm] FMSI D1369
 *Coming Soon



17D1311MHD

SPECIFICATIONS


Thickness: 1.18" [29.90 mm] FMSI D1311
 NOTE: For smaller radius use D1323



17D1370MHD

SPECIFICATIONS


Thickness: 1.11" [28.19 mm] FMSI D1370



17D1312MHD

SPECIFICATIONS


Thickness: 1.09" [27.68 mm] FMSI D1312



17D1407MD & 17D1407MHD*

SPECIFICATIONS

Thickness: 1.09" [27.68 mm] FMSI D1410
 *Coming Soon




17D1438MHD*

SPECIFICATIONS

Thickness: 1.155" [29.30 mm]

FMSI D1438

*Coming Soon




17D1560MD & 17D1560MHD*

SPECIFICATIONS

Thickness: 1.145" [29.08 mm]

FMSI D1560

*Coming Soon




17D1441MHD*

SPECIFICATIONS

Thickness: 1.175" [29.85 mm]

FMSI D1441

*Coming Soon




17D1690MHD*

SPECIFICATIONS

Thickness: 1.150" [29.21 mm]

FMSI D1690

*Coming Soon




17D1518MHD*

SPECIFICATIONS

Thickness: 1.020" [25.91 mm]

FMSI D1518

*Coming Soon




17D1777MHD*

SPECIFICATIONS

Thickness: 1.235" [31.37 mm]

FMSI D1777

*Coming Soon



17D1525MHD*

SPECIFICATIONS

Thickness: 1.065" [27.05 mm]

FMSI D1525

*Coming Soon


©2023 General Motors. All rights reserved. The marks appearing in this ad are the trademarks or service marks of GM, its subsidiaries, affiliates or licensors.



HEAVY-DUTY AIR DISC BRAKES

AIR DISC ROTORS

- Application specific vane configurations help to dissipate heat.
- Application specific metallurgy.
- Cool Shield™ coating helps reduce corrosion – including cast-in ABS sensor ring to prevent false ABS warning.
- Exceptional performance to match the high-stress environments.



NEW NEWS

- Three new Class 8 Air Disc numbers coming soon.

TESTING

- SAE J3080 Air Disc testing.

All Manufacturing Plants are ISO9001 or TS16949 Certified

ACDELCO PART NUMBER	OE BRAKE	OE BRAKE DESIGN	OE ROTOR PART NUMBER	VEHICLE APPLICATIONS
18A82082	Bendix, Knorr, Bremse	ADB225, ADB22X	802082	PACCAR Kenworth T660, T680, T800, T880, T2000 & W900 Peterbilt Model 367, 587 Class 8 - Fitted with Std Rotor Trailer Applications
18A82083	Meritor	EX2252L2	23123642002	MCI, NABI, Prevost Coach, Spartan, Oshkosh, Pierce Fire Trucks
18A82084	Meritor	EX225H2	68326014	MCI - D, E & J Series, Prevost, NABI Coaches Class 8 Tractors, Spartan, Oshkosh & Pierce Fire Trucks

WARRANTY – US Only

**24 MONTH/
UNLIMITED
MILE
LIMITED WARRANTY**

ACDelco Gold brake products have a 24 month/Unlimited mile limited warranty. Effective on parts purchased April 1, 2018 and later to the original retail purchaser. Contact seller for limited warranty part details, qualifications, and possible labor coverage.

ACDelco Silver brake products have a 12 month/Unlimited mile limited warranty. Effective on parts purchased April 1, 2018 and later to the original retail purchaser. Contact seller for limited warranty part details, qualifications, and possible labor coverage.

©2023 General Motors. All rights reserved. The marks appearing in this ad are the trademarks or service marks of GM, its subsidiaries, affiliates or licensors.

OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
Ascent Tranz Group, LLC		Brake Pro (Cont.)		Brake Pro (Cont.)		Brake Pro (Cont.)	
ATR432045000...18J397		4615022.....18A97A	4920052.....14D52M	5204299.....18FR745			
ATR434143194...18J4221		4615594.....18A503	4920052.....14D52MH	5204299.....18FR745C			
Blue Bird		4615594.....18A503A	4920052.....17D52C	5204299.....18FR745N			
00043758.....18J4366		4615594.....18A503AC	4920052.....17D52CH	5204299.....18R745			
0044647.....18A2772		4615598.....18A507	4920052.....17D52CHF1	5204300.....18FR746			
0044647.....18A2772A		4615598.....18A507A	4920052.....17D52M	5204300.....18FR746C			
1317148.....18J1409		4615598.....18A507AC	4920052.....17D52MH	5204300.....18FR746N			
1317239.....18J1413		4615925.....18A230A	4920120.....14D120M	5204300.....18R746			
1317379.....18J1411		4615980.....18A274A	4920120.....17D120M	5204300.....18FR746C			
1317379.....18J4365		4616018.....18A1656	4920123.....17D123	5204413.....18FR741			
1468305.....18J4369		4616020.....18A1346A	4920123.....17D123M	5204413.....18FR741C			
1468313.....18J1412		4616037.....18A428A	4920149.....14D149MX	5204413.....18FR741N			
1468321.....18J1410		4616050.....18A46A	4920149.....17D149MH	5204413.....18R741			
1550144.....18J4368		4616058.....18A88	4920149.....17D149MX	5204413.....18R741F1			
3518689C1.....18J382957		4616058.....18A88A	4920153.....14D153MH	5204414.....18FR742			
BMW AG		4616078.....18A64	4920153.....14D153MHF1	5204414.....18FR742C			
34111157038.....18K274X		4616078.....18A64A	4920153.....17D153MH	5204414.....18FR742N			
34111162177.....18K2410		4616978.....18A272A	4950541.....17D541M	5204414.....18R742			
34111162884.....17D682M		4617022.....18A103	4970269.....14D269M	5204414.....18R742F1			
34116768018.....18K2370		4617022.....18A103A	4970269.....17D269C	5205060.....18FR685			
34321108135.....18J173		4617023.....18A33A	4970269.....17D269MF1	5205060.....18R685			
Brake Pro		4617040.....18A148A	4970269.....17D269MH	5205061.....18FR686			
4001106.....18H1106		4618573.....18A297	4970369.....14D369CH	5205061.....18R686			
4001108.....18H1108		4618573.....18A297A	4970369.....14D369CHF1	5205094.....18FR603			
4001109.....18H1109		4618574.....18A269A	4970369.....14D369MX	5205094.....18R603			
4001110.....18H1110		4792808.....18P97	4970369.....17D369CH	5205095.....18FR604			
4001139.....18K2395		4792882.....18P152	4970369.....17D369CHF1	5205095.....18R604			
4001150.....18H1350		4793012.....18P318	4970369.....17D369MH	5205100.....18FR593			
4001150.....18H1350X		4793019.....18P239	4970369.....17D369MX	5205100.....18R593			
4001177.....18H1277		4793124.....18P321	4970411.....14D411M	5205101.....18FR594			
4002114.....18H2114		4793209.....18P383	4970411.....17D411M	5205101.....18R594			
4007044.....18K590		4793210.....18P384	4970459.....14D459CH	5205221.....18FR649			
4007055.....18K561		4793212.....18P386	4970459.....14D459CHF1	5205221.....18R649			
4105019.....18K101		4793213.....18P387	4970459.....14D459M	5205222.....18FR650			
4105113.....18K5113		4793227.....18P401	4970459.....14D459MH	5205222.....18R650			
4105201.....18K1524		4793228.....18P402	4970459.....17D459CH	5207007.....18FR797			
4105202.....18K1525		4793239.....18P413	4970459.....17D459CHF1	5207007.....18R797			
4105419.....18K2270		4793240.....18P414	4970459.....17D459MH	5207008.....18FR798			
4105419.....18K2277		4793241.....18P415	4970557.....17D557M	5207008.....18R798			
4105515.....18K226X		4793252.....18P426	4970557.....17D557MH	5207015.....18FR801			
4105516.....18K227X		4793253.....18P427	4979370.....14D370CH	5207015.....18R801			
4105519.....18K229X		4793254.....18P428	4979370.....14D370CHF1	5207016.....18FR802			
4105524.....18K256X		4793255.....18P429	4979370.....14D370CHF2	5207016.....18R802			
4105529.....18K235X		4793256.....18P430	4979370.....14D370MH	5309025.....18E889			
4105600.....18K274X		4793257.....18P431	4979370.....17D370CH	5309026.....18E855			
4105607.....18K278X		4793258.....18P432	4979370.....17D370CHF1	5317507.....18E1342			
4353201.....18K2329		4793401.....18P536	4979370.....17D370MH	5317508.....18E1337			
4353210.....18K2327		4793402.....18P537	5036408.....18M1061	5317509.....18E1330			
4601604.....18B175		4793404.....18P539	5039075.....18M92	5317510.....18E1324			
4601605.....18B141		4793519.....18P612	5130063.....18M1887	5324954.....18E24			
4601607.....18B170		4798095.....18P276	5130094.....18M118	5324955.....18E25			
4601643.....18B17		4798471.....18P755	5130925.....18M348	5333614.....18E96			
4601661.....18B52		4820228.....14228B	5136176.....18M9	5333615.....18E97			
4601665.....18B42		4820228.....17228B	5136258.....18M15	5336057.....18E40			
4602005.....18B407		4820248.....17248R	5136356.....18M36356	5336058.....18E41			
4608021.....18B108		4820280.....17280B	5136461.....18M48	5337118.....18E61			
4608024.....18B147		4820357.....14316B	5136463.....18M49	5337119.....18E62			
4608027.....18B147A		4820357.....17316R	5139014.....18M69	5337132.....18E969			
4608027.....18B111		4820357.....B316L	5139017.....18M71	5337133.....18E960			
4608501.....18B187		4820358.....14314R	5139116.....18M97	5337218.....18E926			
4608667.....18B254A		4820358.....17314R	5139173.....18M115	5337219.....18E76			
4608995.....18B279		4820358.....R358	5139368.....18M196	5337235.....18E80			
4608998.....18B276		4820451.....14451R	5139434.....18M229	5337250.....18E857			
4608998.....18B276A		4820451.....17451R	5139435.....18M230	5337251.....18E89			
4615010.....18A63A		4820451.....R451	5139445.....18M236	5337290.....18E112			
4615016.....18A21A		4820452.....14452R	5139634.....18M1755	5337291.....18E113			
4615022.....18A97		4820452.....17452R	5139636.....18M1753	5337337.....18E1362			
		4820452.....R452	5139649.....18M364	5337537.....18E180			
		4820473.....17473R	5139862.....18M472	5337538.....18E181			
		4820473.....B473	5204112.....18FR652	5337781.....18E292			
		4850583.....14583R	5204112.....18FR652N	5338720.....18E522			
		4850583.....17583R	5204112.....18R652	5338721.....18E523			
		4850583.....R583	5204113.....18FR651	5339344.....18E771			
		4920052.....14D52CH	5204113.....18FR651N	5339345.....18E772			
		4920052.....14D52CHF1	5204113.....18R651	5634468.....18J2027			

INTERCHANGES



OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
Brake Pro (Cont.)		Casting Numbers (Cont.)		Casting Numbers (Cont.)		Casting Numbers (Cont.)	
5634871.....	18J24	570.....	18E522	29390.....	18E36	325414.....	18A752SD
5636003.....	18J410	632.....	18FR742	29390.....	18E574	325426.....	18A724
5636531.....	18J3725	632.....	18FR742C	29391.....	18E575	325426.....	18A724A
5636564.....	18J15	632.....	18FR742N	29537.....	18E632	325426.....	18A724AC
5636718.....	18J2031	632.....	18R742	29767.....	18M3	325485.....	18A930A
5636759.....	18J2033	632.....	18R742F1	30508.....	18E119	325797.....	18A1216
5636760.....	18J2034	649.....	18FR745	30509.....	18E120	325993.....	18A1613
5636765.....	18J2119	649.....	18FR745C	30525.....	18E181	326112.....	18A532A
5636786.....	18J1823	649.....	18FR745N	30531.....	18E58	326165.....	18A1085
5636787.....	18J1824	649.....	18R745	30532.....	18E59	326286.....	18A2437
5636812.....	18J82	655.....	18E44	41206.....	18M9	326286.....	18A2437A
5636813.....	18J83	656.....	18E35	41207.....	18M177	326286.....	18A2437AC
5636840.....	18J102	0966.....	18M249	41207.....	18M54	326386.....	18A2552
5636850.....	18J110	0966.....	18M294	43300.....	18E53	326386.....	18A2552A
5636950.....	18J2065	1529.....	18M69	61217.....	18E364	326386.....	18A2552AC
5636951.....	18J141	2749.....	18E2	101004.....	18A230A	326394.....	18A2558
5636952.....	18J2204	2749.....	18E3	101628.....	18A274A	326394.....	18A2558A
5636953.....	18J587	2749.....	18E960	122956.....	18B170	326394.....	18A2558AC
5636954.....	18J2038	2749.....	18E969	130773.....	18A933	326394.....	18A2558SD
5636957.....	18J2206	2751.....	18E76	130773.....	18A933A	326397.....	18A2599
5636963.....	18J151	2751.....	18E926	130773.....	18A933AC	326397.....	18A2599A
5638044.....	18J194	3067.....	18E52	133218.....	18A960	326397.....	18A2599AC
5638090.....	18J221	3067.....	18E78	133218.....	18A960A	326410.....	18A2614
5638105.....	18J2284	3067.....	18E90	133218.....	18A960AC	326410.....	18A2614A
5638106.....	18J2285	3068.....	18E79	135903.....	18A968	326410.....	18A2614AC
5638121.....	18J2293	3068.....	18E91	135903.....	18A968A	326413.....	18A2615
5638171.....	18J285	3069.....	18E4	135903.....	18A968AC	326413.....	18A2615A
5638261.....	18J349	3069.....	18E71	135903.....	18A968SD	326413.....	18A2615AC
5638286.....	18J370	3069.....	18E92	204870.....	18A313	326419.....	18A2668
5638624.....	18J2064	3069.....	18E94	204870.....	18A313A	326419.....	18A2668A
5638631.....	18J646	3070.....	18E72	204870.....	18A617	326421.....	18A2574
5638636.....	18J650	3070.....	18E93	204870.....	18A617A	326431.....	18A2582
5900638.....	18H6	3070.....	18E95	204870.....	18A950A	326431.....	18A2582A
5900702.....	18H9	3742.....	18E483	204871.....	18A725	326431.....	18A2582AC
5900806.....	18H16	4510.....	18E121	204871.....	18A725A	326432.....	18A2607
5901451.....	18H66	9534.....	18E123	204872.....	18A754A	326432.....	18A2607AC
5901473.....	18H70	9694.....	18E726	204873.....	18A874	326433.....	18A2581
5910021.....	18G3	9694.....	18E727	204873.....	18A874A	326433.....	18A2581A
5910035.....	18G4	11652.....	18M9221	204873.....	18A874AC	326433.....	18A2581AC
5910129.....	18G11	14200.....	18E523	204874.....	18A749A	326442.....	18A2606A
5910422.....	18G29	14501.....	18E594	204875.....	18A297	326442.....	18A2606AC
5910442.....	18G32	16925.....	18E68	204875.....	18A297A	345014.....	18B52
6200119.....	18FR619	16925.....	18E69	204952.....	18A957	345053.....	18B187
6200119.....	18FR619N	16925.....	18E599	204952.....	18A957A	345071.....	18B253
6200119.....	18R619	18280.....	18E488	204984.....	18A452A	616812.....	18M2
6200119.....	18R725	18292.....	18E24	300358.....	18M51	617438.....	18E771
6200120.....	18FR620	18292.....	18E25	300371.....	18M36433	618178.....	18M36177
6200120.....	18FR620N	18292.....	18E40	300929.....	18E777	618387.....	18E498
6200120.....	18R726	18292.....	18E61	300930.....	18E778	2225951.....	18M1061
6204041.....	18FR571	18292.....	18E215	301115.....	18E479	2226091.....	18M25
6204042.....	18FR572	18292.....	18E1324	301118.....	18E482	2227383.....	18E80
6204087.....	18FR595	18292.....	18E857	301169.....	18E480	2228671.....	18M39013
6204088.....	18FR596	18293.....	18E41	302857.....	18E772	2229071.....	18M68
6204088.....	18R596	18293.....	18E62	305260.....	18E855	2229071.....	18M71
6204351.....	18FR1053	18293.....	18E89	305260.....	18E889	2229521.....	18M1887
6204351.....	18FR1053C	18293.....	18E216	306246.....	18E1330	2229581.....	18M196
6204351.....	18FR1053N	19106.....	18E73	306246.....	18E1337	2229642.....	18E97
6204351.....	18R1053	19108.....	18E23	306246.....	18E1342	2229643.....	18E96
6204352.....	18FR1054	19110.....	18E26	325145.....	18A33A	2230600.....	18M284
6204352.....	18FR1054C	19112.....	18E77	325155.....	18A148A	2230600.....	18M315
6204352.....	18FR1054N	20741.....	18A272A	325232.....	18A64	2230600.....	18M317
6204352.....	18R1054	20741.....	18A88	325232.....	18A64A	2230605.....	18M280
		20741.....	18A88A	325289.....	18A63A	2230943.....	18M115
		20801.....	18A103	325308.....	18A269A	2231365.....	18E180
		20801.....	18A103A	325324.....	18A21A	2232543.....	18M1203
		23127.....	18M22976	325326.....	18A97	2259705.....	18M470
		23477.....	18M6	325326.....	18A97A	2621301.....	18E1362
		29179.....	18E83	325332.....	18A177	2621302.....	18E112
		29259.....	18E473	325332.....	18A177A	2621700.....	18E113
		29266.....	18E5	325412.....	18A714	4151706.....	18FR2189
		29268.....	18E6	325412.....	18A714A	4151706.....	18FR2189N
		29269.....	18E7	325414.....	18A752	4151706.....	18R2189
		29279.....	18E481	325414.....	18A752A	4152279.....	18FR813
Casting Numbers							
32.....	18M5						
43.....	18M7850						
100.....	18M19089						
121.....	18M15						
121.....	18M26						
121.....	18M36355						
121.....	18M36356						
0454.....	18A178						
567.....	18E1						

OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
Casting Numbers (Cont.)		Casting Numbers (Cont.)		Casting Numbers (Cont.)		Casting Numbers (Cont.)	
4152279	18FR813N	210568C	18A558AC	211280C	18A1194A	212409C	18B279
4152279	18R813	210568C	18A558SD	211280C	18A1194AC	212411C	18B175
4300455	18M40	210581C	18A1419	211281C	18A1222	212424C	18B305
5461547	18E472	210581C	18A1420	211329C	18A1429	212486C	18B415
5463097	18E45	210581C	18A809	211329C	18A1429A	212489C	18B410
5468115	18M49	210581C	18A810	211330C	18A1430	212512C	18B423
5472003	18M92	210582C	18A176	211330C	18A1430A	21721C	18M21698
13144701	18FR2352	210582C	18A176A	211375C	18A1307	2225871A	18M48
13144702	18FR2353	210594C	18A462	211375C	18A1307A	2231532A	18M230
15007371	18A925	210594C	18A462A	211375C	18A1307AC	23103887	18A873
15007371	18A925A	210601C	18A632	211375C	18A1307SD	23103887	18A873A
15007371	18A925AC	210607C	18A631	211408C	18A1448	23122527	18A181A
15007371	18A925SD	210634C	18A715	211408C	18A1448A	23122691	18A179A
15622364	18B276	210634C	18A715A	211409C	18A1449	23122693	18A692A
15622364	18B276A	210646C	18A717	211428C	18A1696	23122701	18A180
15622390	18B277	210646C	18A717A	211428C	18A1696A	23122743	18A341A
15622390	18B277A	210647C	18A686	211519DP	18A956	23122920	18A1217A
15650050	18B254A	210647C	18A686A	211519DP	18A956A	23123041	18A954
15718989	18A927	210651C	18A674	211519DP	18A956AC	23123060	18A965
15718989	18A927A	210651C	18A674A	211535C	18A1461	23123434	18A1221
15718989	18A927AC	210704C	18A737	211535C	18A1461A	23123440	18A141A
15718989	18A927SD	210704C	18A737A	211564C	18A1462	23123572	18A82030
15727135	18A926	210704C	18A737AC	211564C	18A1462A	23123574004	18A2772
15727135	18A926A	210706C	18A722	211564C	18A1462AC	23123574004	18A2772A
15727135	18A926AC	210706C	18A722A	211565C	18A1412	2704C	18M1
15727135	18A926SD	210707C	18A723	211565C	18A1412A	29339C	18E21
15733627	18A1193	210707C	18A723A	211565C	18A1412AC	29340C	18E20
15733627	18A1193A	210707C	18A723AC	211565C	18A1412SD	29398C	18E566
15733627	18A1193AC	210838C	18A479A	211596C	18A2341	29399C	18E567
15749904	18A1753	210876C	18A808	211657C	18A2426	29538C	18E67
15749904	18A1753A	211041C	18A663	211657C	18A2426A	29541C	18E70
15769075	18A1320	211041C	18A663A	211666C	18A1708	29571C	18E87
15769075	18A1320A	211051C	18A691	211666C	18A1708A	29572C	18E86
15769474	18A1417	211055C	18A705	211666C	18A1708AC	29578C	18E82
15769474	18A1417A	211055C	18A705A	211666C	18A1708SD	29786C	18M34404
15769474	18A1417AC	211055C	18A705AC	211671C	18A1821	29789C	18M34403
18011796	18M348	211096C	18A706	211671C	18A1821A	29825C	18M36127
18012985	18M422	211096C	18A706A	211686C	18A1799	29825C	18M58
18048387	18A1705	211096C	18A706AC	211686C	18A1799A	29846C	18M36154
18048387	18A1705A	211119C	18A881	211686C	18A1799AC	29847C	18M36155
18048387	18A1705AC	211119C	18A881A	211687C	18A2346	29895C	18M229
18048387	18A1705PV	211119C	18A881AC	211687C	18A2346A	29934C	18M11
18048387	18A1705SD	211184C	18A916	211687C	18A2346AC	29958C	18M118
68660520	18E280	211184C	18A916A	211687C	18A2346SD	30009C	18M236
68660521	18E279	211199C	18A1219	211712C	18A1840	30014C	18M228
204202173	18A1482	211201C	18A1688	211712C	18A1840A	30042C	18M20
204202173	18A1482A	211223C	18A1676	211712C	18A1840AC	300459C	18M39
204202173	18A1482AC	211223C	18A1676A	211712C	18A1840SD	30067C	18M4
204202173	18A1482SD	211223C	18A931	211713C	18A1839	30070C	18M17
0204212035	18A1592	211223C	18A931A	211713C	18A1839A	30073C	18M52
0204212035	18A1592A	211224C	18A1629	211717C	18A1822	30076C	18M176
0204212035	18A1592AC	211227C	18A958A	211717C	18A1822A	30076C	18M181
0204212035	18A1592SD	211235C	18A932	211717C	18A1822AC	30076C	18M349
15733624C	18A1206	211235C	18A932A	211719C	18A2327	30077C	18M50
15733624C	18A1206A	211236C	18A934	211719C	18A2327A	30087C	18M1753
15733624C	18A1206AC	211236C	18A934A	211719C	18A2327AC	30087C	18M1755
15733624C	18A1206SD	211236C	18A934AC	211742C	18A2435	30087C	18M353
210143C	18A1656	211236C	18A934SD	211742C	18A2435A	30087C	18M631
210191C	18A1346A	211243C	18A1087	211742C	18A2435AC	30096C	18M178
210203C	18A619A	211243C	18A1087A	211761C	18A2330	30207C	18M472
210225C	18A616A	211248C	18A959	211761C	18A2330A	303889L	18E22
210266C	18A46A	211248C	18A959A	211761C	18A2330AC	31125AC	18M1281
210289C	18A428A	211248C	18A959AC	211761C	18A2330SD	31125AC	18M484
210402C	18A507	211253C	18A928	212051C	18B17	3346C	18M903
210402C	18A507A	211253C	18A928A	212052C	18B407	51336L	18E361
210402C	18A507AC	211253C	18A928AC	212106C	18B42	51336R	18E362
210541C	18A503	211277C	18A1090	212158C	18B509	FE103386	18E252
210541C	18A503A	211277C	18A1090AC	212268C	18B324	FE575	18M22
210541C	18A503AC	211277C	18A1090SD	212286C	18B111	FE57577	18M12
210541C	18A503SD	211277C	18A1090SD	212290C	18B141	FE64506	18M175
210552C	18A504A	211278C	18A1220	212303C	18B147	FE86450	18E287
210568C	18A558	211278C	18A1220A	212303C	18B147A	FE86451	18E288
210568C	18A558A	211280C	18A1194	212325C	18B108		

INTERCHANGES



OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
Certified Division		Certified Division (Cont.)		Certified Division (Cont.)		Certified Division (Cont.)	
AB10.....	18H1109	H8116.....	18J6	M75549.....	18M22	W73532.....	18E72
AB11.....	18H1110	H86550.....	18J2034	M77015.....	18M1061	W73537.....	18E92
AB20.....	18H1350	H86551.....	18J2033	M785.....	18M7850	W73538.....	18E93
AB5.....	18H1106	H97668.....	18J83	M79821.....	18M92	W73543.....	18E94
AB62.....	18H2114	H97669.....	18J82	M80568.....	18M118	W73544.....	18E95
AB63X.....	18H2107	HDK313.....	18K227X	M9221.....	18M9221	W73614.....	18E96
AB8.....	18H1108	HDK317.....	18K226X	P12411.....	18K6858	W73615.....	18E97
AB98.....	18K494	HDK323.....	18K235X	P4211.....	18K1524	W746.....	18E121
AC6.....	18H20584	HDK6260.....	18K590	P4212.....	18K1525	W7563.....	18E2
AL4.....	18H1277	HR107.....	18A103	P5412.....	18K2270	W7564.....	18E3
AM2.....	18H2122	HR107.....	18A103A	P5412.....	18K2277	W75880.....	18E80
AM8.....	18H2148	HR108.....	18A33A	PBK111.....	18H1310	W78744.....	18E82
AS411.....	18H411	HR112.....	18A21A	W15306.....	18E472	W78745.....	18E83
BD1006.....	18B407	HR129.....	18A88	W15307.....	18E473	W79767.....	18E112
BD1647C.....	18B17	HR129.....	18A88A	W17012.....	18E479	W79768.....	18E1362
BD1981C.....	18B42	HR132.....	18A63A	W17013.....	18E480	W82000.....	18E113
C2970.....	18P97	HR59.....	18A1656	W17014.....	18E481	W8806.....	18E4
C3175.....	18P152	HR60.....	18A1346A	W17015.....	18E482	W8807.....	18E5
D100184.....	17D184M	HR94.....	18A46A	W17507.....	18E1342	W8852.....	18E6
D100184.....	17D184MH	K1.....	18G1130	W17508.....	18E1337	W8853.....	18E7
D100224.....	17D224MH	K101.....	18G187	W17509.....	18E1330	W949.....	18E1
D100225.....	17D225M	K110.....	18G1204	W17510.....	18E1324	W9697.....	18E777
D100225.....	17D225MH	K129.....	18G11	W17786.....	18E483	W9698.....	18E778
D100236.....	17D236M	K147.....	18G1158	W18196.....	18E488	CNH Industrial	
D433.....	17D92M	K149.....	18G12	W18197.....	18E487		
D435.....	14D52CH	K150.....	18G17	W18984.....	18E926	1906297.....	
D435.....	14D52CHF1	K152.....	18G13	W18985.....	18E76		
D435.....	14D52M	K156.....	18G3	W19107.....	18E498	Consolidated MetCo	
D435.....	14D52MH	K176.....	18G18	W19111.....	18E22		
D435.....	17D52C	K178.....	18G20	W24489.....	18E23	10003830.....	
D435.....	17D52CH	K184.....	18G19	W24954.....	18E24		
D435.....	17D52CHF1	K205.....	18G1159	W24955.....	18E25	10019996.....	
D435.....	17D52M	K214.....	18G1135	W26159.....	18E73		
D435.....	17D52MH	K215.....	18G1218	W26172.....	18E26	10019996.....	
D439.....	17D123	K218.....	18G21	W26181.....	18E77		
D439.....	17D123M	K253.....	18G1138	W28720.....	18E522	10022169.....	
D442.....	14D120M	K261.....	18G1139	W28721.....	18E523		
D442.....	17D120M	K35.....	18G4	W28850.....	18E68	10022170.....	
D452.....	14D153MH	K39.....	18G1176	W28851.....	18E69		
D452.....	14D153MHF1	K422.....	18G29	W32349.....	18E58	10022170.....	
D452.....	17D153MH	K44.....	18G6	W32350.....	18E59		
D455.....	14D149MX	K442.....	18G32	W32357.....	18E86	10023879.....	
D455.....	17D149MH	K469.....	18G1188	W32358.....	18E87		
D455.....	17D149MX	K54.....	18G8	W34072.....	18E35	10080753.....	
D480.....	14D269M	K675.....	18H6	W34073.....	18E36		
D480.....	17D269C	K690.....	18H9	W34143.....	18E771	15021043.....	
D480.....	17D269MF1	K810.....	18H16	W34144.....	18E772		
D480.....	17D269MH	M1402.....	18M2	W34401.....	18E21	Daimler AG	
GP20.....	18K101	M19450.....	18M6	W34402.....	18E20		
H11149.....	18J1149	M21698.....	18M21698	W35325.....	18E40	1216289000.....	
H24458.....	18J7	M22976.....	18M22976	W35326.....	18E41		
H33511.....	18J33511	M2842.....	18M3	W38076.....	18E566	1216344000.....	
H33675.....	18J1735	M2951.....	18M4	W38077.....	18E567		
H33676.....	18J33676	M34403.....	18M34403	W41760.....	18E44	1221206001.....	
H34468.....	18J2027	M34404.....	18M34404	W41761.....	18E45		
H35909.....	18J2072	M34451.....	18M19089	W42190.....	18E574	9024210612.....	
H36333.....	18J36507	M39970.....	18M36154	W42191.....	18E575		
H36337.....	18J1	M42192.....	18M9	W43375.....	18E52	9024210712.....	
H37549.....	18J4	M42193.....	18M36177	W43376.....	18E53		
H37571.....	18J35018	M42194.....	18M36127	W55674.....	18E599	9024210712.....	
H39508.....	18J12	M4572.....	18M5	W55675.....	18E594		
H4497.....	18J3815	M57529.....	18M12	W55890.....	18E61	9024230412.....	
H4751.....	18J2	M57530.....	18M11	W55891.....	18E62		
H49866.....	18J36511	M57597.....	18M17	W57146.....	18E969	9024230412.....	
H49927.....	18J3725	M64858.....	18M36355	W57147.....	18E960		
H64843.....	18J36540	M661.....	18M1	W71225.....	18E632	9024230412.....	
H64846.....	18J18	M71259.....	18M26	W71237.....	18E67		
H66854.....	18J15	M71268.....	18M36356	W71238.....	18E70	23123574004.....	
H73248.....	18J1807	M71879.....	18M36346	W72360.....	18E889		
H78092.....	18J24	M72215.....	18M20	W72361.....	18E855	23123574004.....	
H80000.....	18J2119	M73334.....	18M15	W73500.....	18E90		
H80952.....	18J2031	M73354.....	18M25	W73501.....	18E91	1215026000.....	
H80968.....	18J48	M75548.....	18M181	W73531.....	18E71		
						3531663C2.....	
						3531663C2.....	
						A0034201720.....	
						A1218220000.....	
						ASL2232273.....	
						ASL22336176.....	
						ASL2233741.....	
						ASL2234567.....	
						ASL2234927.....	
						ASL2234931.....	
						ASL2236173.....	
						ASL2260592.....	
						ASL2260593.....	
						ASL4152092.....	
						ASL4152092.....	

OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
Daimler AG (Cont.)		Dayton Walther (Cont.)		Dayton Walther (Cont.)		Dayton Walther (Cont.)	
BWK038574.....18A82082		600284.....18FR1054C		602288.....18E93		23123552004....18A1839A	
FRL42019028.....18FR1330		600284.....18FR1054N		602289.....18E94		23123557004....18A2426	
FRL42019028.....18FR1330N		600284.....18R1054		602290.....18E95		23123557004....18A2426A	
GUND6194M.....18A2663		600285.....18FR1053		602291.....18E67		23123572.....18A1430	
GUND6194M.....18A2663A		600285.....18FR1053C		602292.....18E82		23123572.....18A1430A	
		600285.....18FR1053N		602293.....18E83		85123397.....18B356	
		600285.....18R1053		602297.....18E1362		CH2588.....18K39	
		600904.....18FR813		602298.....18E287		CH2589.....18K40	
		600904.....18FR813N		602299.....18E288		CH3500.....18K1490	
		600904.....18R813		602302.....18E6		CH3501.....18K1491	
		602110.....18M50		602303.....18E7		CH3502.....18K1498	
		602111.....18M12		602304.....18E4		CH3510.....18K1492	
		602112.....18M11		602305.....18E5		CH3511.....18K1493	
		602114.....18M92		602308.....18G1263		CH3536.....18K1494	
		602119.....18M115		602323.....18G1201		CH3537.....18K1495	
		602121.....18M249		602356.....18G11		CH3538.....18K1124	
		602134.....18M230		602357.....18G12		CH3539.....18K1125	
		602135.....18M229		602358.....18G13		CH3540.....18K1496	
		602138.....18M236		602373.....18G17		CH3541.....18K1497	
		602139.....18M312		602374.....18G18		CH521.....18H521	
		602145.....18M284		602376.....18G39		D0179.....18A269A	
		602149.....18M280		602384.....18G32		D0180.....18A297	
		602150.....18M286		602388.....18G148		D0180.....18A297A	
		602151.....18M391541		603132.....18J2284		D109836.....18B170	
		602152.....18M317		603251.....18J2119		D1643.....18B17	
		602153.....18M246		603264.....18J2204		D1661.....18B52	
		602154.....18M315		603265.....18J594		D1665.....18B42	
		602155.....18M250		23103770.....18A663		D1673.....18B175	
		602156.....18M285		23103770.....18A663A		D2005.....18B407	
		602157.....18M353		23105248.....18A631		D2311.....18B509	
		602163.....18M20		23106835.....18A462		D2591.....18B254A	
		602164.....18M175		23106835.....18A462A		D4520.....18A63A	
		602165.....18M176		23122527.....18A181A		D4586.....18A33A	
		602166.....18M177		23122688.....18A810		D4599.....18A46A	
		602167.....18M178		23122693.....18A692A		D4605.....18A21A	
		602171.....18M52		23122701.....18A180		D4619.....18A1346A	
		602176.....18M68		23122728.....18A664A		D4627.....18A97	
		602181.....18M196		23122897.....18A1219		D4627.....18A97A	
		602182.....18M97		23122945.....18A1218A		D4654.....18A88	
		602183.....18M118		23122962.....18A460A		D4654.....18A88A	
		602185.....18E215		23123486.....18A1419		D4656.....18A148A	
		602186.....18E216		23123489.....18A1220		D4659.....18A428A	
		602202.....18E857		23123489.....18A1220A		D4667.....18A230A	
		602203.....18E89		60050110.....18H9		D4712.....18A274A	
		602246.....18E1342		60050145.....18FR815		D4734.....18A272A	
		602247.....18E1337		60050146.....18H106		D4747.....18A103	
		602248.....18E926		60050150.....18FR814		D4747.....18A103A	
		602249.....18E76		60050150.....18FR814N		D4748.....18A452A	
		602250.....18E22		60050150.....18R814		D4749.....18A313	
		602251.....18E23		60050151.....18H107		D4749.....18A313A	
		602252.....18E73		60050178.....18H103		D4751.....18A558	
		602253.....18E26		60050179.....18H112		D4751.....18A558A	
		602254.....18E77		60050180.....18H16		D4751.....18A558AC	
		602255.....18E58		60050198.....18H162		D4751.....18A558SD	
		602256.....18E59		60150110.....18A1656		D4759.....18A617	
		602257.....18E86		03123025.....18B349		D4759.....18A617A	
		602258.....18E87		12123427.....18B358		D4763.....18A504A	
		602259.....18E35		13122947.....18B357		D4765.....18A503	
		602260.....18E36		13122954.....18B331		D4765.....18A503A	
		602261.....18E20		23122687.....18A177		D4765.....18A503AC	
		602262.....18E21		23122687.....18A177A		D4765.....18A503SD	
		602263.....18E40		23122691.....18A179A		D4770.....18B279	
		602264.....18E41		23122700.....18A178		D4771.....18B324	
		602269.....18E52		23122729.....18A176		D4776.....18A722	
		602270.....18E53		23122729.....18A176A		D4776.....18A722A	
		602271.....18E71		23122743.....18A341A		D4778.....18A723	
		602272.....18E72		23122920.....18A1217A		D4778.....18A723A	
		602278.....18E969		23123434.....18A1222		D4778.....18A723AC	
		602282.....18E70		23123485.....18A1221		D4779.....18A725	
		602283.....18E78		23123527002....18A2436		D4779.....18A725A	
		602285.....18E91		23123550.....18A1429		D4780.....18A724	
		602286.....18E90		23123550.....18A1429A		D4780.....18A724A	
		602287.....18E92		23123552004....18A1839		D4780.....18A724AC	
Dayton Walther							
123396.....18B355							
123642.....18A82083							
600200.....18FR572							
600201.....18FR571							
600206.....18FR604							
600206.....18R604							
600207.....18FR603							
600207.....18R603							
600208.....18FR595							
600209.....18FR596							
600209.....18R596							
600228.....18FR798							
600228.....18R798							
600229.....18FR797							
600229.....18R797							
600230.....18FR652							
600230.....18FR652N							
600230.....18R652							
600231.....18FR651							
600231.....18FR651N							
600231.....18R651							
600232.....18FR650							
600232.....18R650							
600233.....18FR649							
600233.....18R649							
600248.....18FR810							
600248.....18FR810C							
600248.....18FR810N							
600248.....18R810							
600249.....18FR809							
600249.....18FR809C							
600249.....18FR809N							
600249.....18R809							
600252.....18FR746							
600252.....18FR746C							
600252.....18FR746N							
600252.....18R746							
600252.....18R746C							
600253.....18FR745							
600253.....18FR745C							
600253.....18FR745N							
600253.....18R745							
600260.....18FR742							
600260.....18FR742C							
600260.....18FR742N							
600260.....18R742							
600260.....18R742F1							
600261.....18FR741							
600261.....18FR741C							
600261.....18FR741N							
600261.....18R741							
600261.....18R741F1							
600278.....18FR686							
600278.....18R686							
600279.....18FR685							
600279.....18R685							
600280.....18FR802							
600280.....18R802							
600281.....18FR801							
600281.....18R801							
600282.....18FR1048							
600282.....18R1048							
600283.....18FR1047							
600283.....18R1047							
600284.....18FR1054							

INTERCHANGES



OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
Dayton Walther (Cont.)		Dorman Products (Cont.)		Dorman Products (Cont.)		Dorman Products (Cont.)	
D8021.....	18B253	077203.....	18K1524	C660554.....	18P2790	C661214.....	18P96981
D8024.....	18B147	077405.....	18K2270	C660559.....	18P96920	C661215.....	18P96980
D8024.....	18B147A	077405.....	18K2277	C660560.....	18P96916	C661225.....	18P97458
D8027.....	18B111	077412.....	18K227X	C660587.....	18P97445	C661226.....	18P97303
D8102.....	18B187	077414.....	18K1541	C660589.....	18P96890	C661235.....	18P97273
DexKo Global		077418.....	18K829	C660600.....	18P2789	C661236.....	18P97457
05406200.....	18E40	081011.....	18K226X	C660897.....	18P97207	C661239.....	18P97265
05406300.....	18E41	081032.....	18K229X	C660898.....	18P97206	C661240.....	18P97267
Dorman Products		081048.....	18K235X	C660922.....	18P97040	C661241.....	18P97264
3600.....	18G3	084047.....	18K35	C660923.....	18P97025	C661242.....	18P97266
3604.....	18G6	084048.....	18K36	C660924.....	18P97041	C661247.....	18P97268
5355.....	18G8	086065.....	18K590	C660925.....	18P97042	C661252.....	18P97263
11303.....	18G11	086073.....	18K561	C660926.....	18P96894	C661255.....	18P96967
11304.....	18G12	C126813.....	18P2002	C660927.....	18P97043	C661272.....	18P97104
11336.....	18G13	C132453.....	18P1786	C660928.....	18P97026	C661296.....	18P97608
11337.....	18G44	C660016.....	18P2613	C660929.....	18P97027	C661297.....	18P97102
13644.....	18G19	C660030.....	18P2925	C660930.....	18P97274	C661298.....	18P97103
13648.....	18G18	C660049.....	18P2515	C660931.....	18P97044	C661301.....	18P97254
13690.....	18G1159	C660052.....	18P2522	C660932.....	18P97028	C661302.....	18P97252
19349.....	18G17	C660089.....	18P2523	C660933.....	18P97037	C661303.....	18P97253
19381.....	18G20	C660120.....	18P97289	C660934.....	18P97038	C661304.....	18P97251
19386.....	18G4	C660151.....	18P2524	C660935.....	18P96922	C661305.....	18P97255
24493.....	18K2350	C660177.....	18P1522	C660936.....	18P97032	C661306.....	18P97250
35101.....	18G187	C660183.....	18P2087	C660937.....	18P97033	C661319.....	18P97611
46349.....	18G29	C660197.....	18P2617	C660938.....	18P97034	C661323.....	18P96915
46393.....	18G32	C660198.....	18P2618	C660939.....	18P97036	C92794.....	18P2395
103251.....	18G118	C660199.....	18P2611	C660940.....	18P97035	C92796.....	18P86
105396.....	18K2327	C660202.....	18P440	C660941.....	18P97039	C92797.....	18P87
105407.....	18K2329	C660203.....	18P303	C660942.....	18P97029	C92801.....	18P91
107391.....	18K2410	C660204.....	18P2125	C660943.....	18P97030	C92807.....	18P96
107392.....	18K2370	C660205.....	18P2609	C660944.....	18P97031	C92808.....	18P97
123245.....	18G170	C660206.....	18P2610	C660947.....	18P96897	C92821.....	18P109
123263.....	18G173	C660208.....	18P2501	C660963.....	18P96909	C92824.....	18P112
123268.....	18G167	C660208.....	18P2692	C661049.....	18P96976	C92835.....	18P121
123271.....	18G171	C660218.....	18P429	C661050.....	18P96918	C92872.....	18P148
123276.....	18G172	C660220.....	18P2615	C661051.....	18P96919	C92882.....	18P152
123279.....	18G169	C660221.....	18P2616	C661052.....	18P96917	C93015.....	18P238
123281.....	18G168	C660222.....	18P2783	C661085.....	18P96977	C93019.....	18P239
351683.....	18G126	C660223.....	18P2688	C661103.....	18P1030	C93024.....	18P241
351832.....	18G145	C660256.....	18P2812	C661114.....	18P97299	C93028.....	18P245
351853.....	18G148	C660288.....	18P1974	C661115.....	18P97297	C93050.....	18P264
060287.....	18H1310	C660289.....	18P2015	C661116.....	18P97411	C93067.....	18P276
060384.....	18H521	C660295.....	18P2040	C661131.....	18P97298	C93098.....	18P301
060404.....	18H2122	C660296.....	18P2041	C661132.....	18P97410	C93121.....	18P318
060405.....	18H411	C660297.....	18P2022	C661141.....	18P96921	C93124.....	18P321
060443.....	18H2148	C660302.....	18P2597	C661166.....	18P834	C93126.....	18P323
075005.....	18H1108	C660303.....	18P2513	C661170.....	18P2005	C93141.....	18P334
075006.....	18H1109	C660304.....	18P2712	C661171.....	18P2101	C93174.....	18P356
075007.....	18H1110	C660305.....	18P2711	C661173.....	18P96938	C93177.....	18P358
075026.....	18H1277	C660306.....	18P2511	C661175.....	18P96939	C93190.....	18P367
075045.....	18H20584	C660307.....	18P2027	C661176.....	18P96937	C93192.....	18P369
075050.....	18H1350	C660311.....	18P96951	C661177.....	18P2838	C93193.....	18P370
075050.....	18H1350X	C660313.....	18P1519	C661183.....	18P96854	C93194.....	18P371
075069.....	18K2395	C660314.....	18P96940	C661184.....	18P96855	C93195.....	18P372
075070.....	18H1106	C660315.....	18P96722	C661185.....	18P96870	C93199.....	18P375
075080.....	18H2114	C660316.....	18P2833	C661186.....	18P96871	C93200.....	18P376
075113.....	18K2412	C660352.....	18P1957	C661189.....	18P2039	C93202.....	18P378
075114.....	18K2357	C660353.....	18P2060	C661192.....	18P2845	C93205.....	18P381
075116.....	18H2140	C660359.....	18P2683	C661193.....	18P2839	C93206.....	18P382
075117.....	18K896	C660360.....	18P2714	C661194.....	18P2841	C93209.....	18P383
075122.....	18H2107	C660361.....	18P95851	C661195.....	18P2843	C93210.....	18P384
075127.....	18K2397	C660362.....	18P95852	C661196.....	18P2842	C93211.....	18P385
075145.....	18K6858	C660363.....	18P2710	C661197.....	18P2942	C93212.....	18P386
075155.....	18K517	C660364.....	18P2708	C661198.....	18P2937	C93213.....	18P387
075156.....	18K518	C660365.....	18P2709	C661199.....	18P2938	C93214.....	18P388
075157.....	18K511	C660366.....	18P2680	C661200.....	18P2939	C93223.....	18P397
075158.....	18K512	C660367.....	18P2713	C661201.....	18P2873	C93224.....	18P398
077010.....	18K101	C660389.....	18P2084	C661202.....	18P2874	C93225.....	18P399
077202.....	18K1525	C660390.....	18P2085	C661203.....	18P2840	C93227.....	18P401
		C660425.....	18P2624	C661205.....	18P96896	C93228.....	18P402
		C660520.....	18P96865	C661207.....	18P96982	C93229.....	18P403
		C660521.....	18P96866	C661210.....	18P97239	C93230.....	18P404
		C660547.....	18P2791	C661211.....	18P97240	C93231.....	18P405

OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
Dorman Products (Cont.)		Dorman Products (Cont.)		Dorman Products (Cont.)		Dorman Products (Cont.)	
C93238.....	18P412	C94508.....	18P1665	C95514.....	18P2037	H126751.....	18J1507
C93239.....	18P413	C94644.....	18P1318	C95518.....	18P1820	H126752.....	18J1506
C93240.....	18P414	C94657.....	18P1319	C95525.....	18P1824	H128952.....	18J380527
C93241.....	18P415	C94658.....	18P1320	C95527.....	18P1825	H24458.....	18J7
C93247.....	18P421	C94660.....	18P1322	C95529.....	18P1827	H33511.....	18J33511
C93252.....	18P426	C94661.....	18P1323	C95529.....	18P2655	H33675.....	18J1735
C93253.....	18P427	C94688.....	18P1692	C95548.....	18P2018	H33676.....	18J33676
C93254.....	18P428	C94689.....	18P1693	C95785.....	18P2001	H35018.....	18J35018
C93256.....	18P430	C94690.....	18P1344	C95796.....	18P2104	H36507.....	18J36507
C93257.....	18P431	C94692.....	18P1694	C95846.....	18P2767	H36511.....	18J36511
C93258.....	18P432	C94693.....	18P1345	C95882.....	18P2036	H36512.....	18J12
C93259.....	18P433	C94730.....	18P1361	C95884.....	18P2038	H36540.....	18J36540
C93260.....	18P434	C94745.....	18P1369	C95994.....	18P2622	H36605.....	18J18
C93276.....	18P447	C94975.....	18P1449	C96076.....	18P2656	H36686.....	18J1801
C93285.....	18P455	C95018.....	18P1480	C96081.....	18P2690	H36696.....	18J31
C93344.....	18P499	C95019.....	18P1481	C96129.....	18P2693	H36697.....	18J1806
C93354.....	18P508	C95024.....	18P1486	C96138.....	18P2807	H36742.....	18J41
C93361.....	18P512	C95026.....	18P1488	CA10115L.....	18FR746	H36753.....	18J48
C93362.....	18P513	C95032.....	18P1494	CA10115L.....	18FR746C	H36786.....	18J1823
C93401.....	18P536	C95034.....	18P2464	CA10115L.....	18FR746N	H36787.....	18J1824
C93402.....	18P537	C95036.....	18P97441	CA10115L.....	18R746	H36792.....	18J68
C93403.....	18P538	C95037.....	18P1498	CA10115L.....	18R746C	H36806.....	18J77
C93404.....	18P539	C95038.....	18P1499	CA10116R.....	18FR745	H36807.....	18J78
C93405.....	18P540	C95039.....	18P1500	CA10116R.....	18FR745C	H36808.....	18J79
C93470.....	18P574	C95071.....	18P1518	CA10116R.....	18FR745N	H36811.....	18J81
C93471.....	18P575	C95071.....	18P2103	CA10116R.....	18R745	H36813.....	18J1437
C93472.....	18P576	C95073.....	18P1520	CA10509L.....	18FR1054	H36814.....	18J84
C93473.....	18P577	C95076.....	18P1523	CA10509L.....	18FR1054C	H36819.....	18J86
C93510.....	18P604	C95082.....	18P1525	CA10509L.....	18FR1054N	H36820.....	18J87
C93519.....	18P612	C95083.....	18P1526	CA10509L.....	18R1054	H36840.....	18J102
C93597.....	18P676	C95084.....	18P1527	CA10510R.....	18FR1053	H36851.....	18J111
C93680.....	18P743	C95086.....	18P1528	CA10510R.....	18FR1053C	H36951.....	18J141
C93682.....	18P745	C95087.....	18P1529	CA10510R.....	18FR1053N	H36952.....	18J2204
C93690.....	18P751	C95088.....	18P1530	CA10510R.....	18R1053	H36954.....	18J2038
C93694.....	18P755	C95099.....	18P1537	CA10901L.....	18FR620	H36957.....	18J2206
C93734.....	18P775	C95123.....	18P1553	CA10901L.....	18FR620N	H36963.....	18J151
C93753.....	18P789	C95136.....	18P1559	CA10901L.....	18R726	H36982.....	18J162
C93816.....	18P835	C95140.....	18P1580	CA10902R.....	18FR619	H37552.....	18J6
C93817.....	18P836	C95142.....	18P1582	CA10902R.....	18FR619N	H38002.....	18J173
C93818.....	18P837	C95144.....	18P1562	CA10902R.....	18R619	H380045.....	18J953
C93891.....	18P898	C95181.....	18P1587	CA10902R.....	18R725	H380046.....	18J954
C93893.....	18P900	C95183.....	18P1589	D351451.....	18H66	H380077.....	18J981
C93894.....	18P901	C95185.....	18P1591	D351473.....	18H70	H380137.....	18J1346
C93898.....	18P905	C95217.....	18P1610	D351667.....	18H103	H380195.....	18J1046
C93904.....	18P911	C95218.....	18P1611	D351680.....	18H106	H380196.....	18J3062
C93913.....	18P919	C95222.....	18P1614	D351681.....	18H107	H380248.....	18J675
C93914.....	18P920	C95363.....	18P1772	D351708.....	18H112	H380249.....	18J674
C93915.....	18P921	C95364.....	18P1773	D351979.....	18H162	H380283.....	18J1113
C93916.....	18P922	C95365.....	18P1774	D35702.....	18H9	H380295.....	18J1121
C93917.....	18P923	C95366.....	18P1775	D76390.....	18H6	H380303.....	18J1126
C94040.....	18P976	C95367.....	18P1776	D83297.....	18H16	H380321.....	18J1143
C94132.....	18P1027	C95368.....	18P1777	H102130.....	18J371	H380322.....	18J1144
C94136.....	18P1031	C95369.....	18P1778	H103204.....	18J75	H380339.....	18J1161
C94151.....	18P1040	C95374.....	18P1783	H107733.....	18J1416	H380340.....	18J1162
C94152.....	18P1041	C95378.....	18P1787	H107734.....	18J1296	H380343.....	18J3170
C94162.....	18P1047	C95379.....	18P1788	H107735.....	18J1401	H380344.....	18J1166
C94166.....	18P1051	C95381.....	18P1790	H111393.....	18J1402	H380353.....	18J1170
C94171.....	18P1054	C95382.....	18P1791	H11147.....	18J11149	H380354.....	18J1171
C94239.....	18P1092	C95384.....	18P1793	H111946.....	18J773	H380355.....	18J2047
C94244.....	18P1094	C95386.....	18P1795	H111947.....	18J1417	H380382.....	18J1195
C94375.....	18P1172	C95391.....	18P2626	H118118.....	18J1386	H380383.....	18J2048
C94475.....	18P1242	C95392.....	18P1954	H118650.....	18J1419	H380384.....	18J1197
C94476.....	18P1243	C95393.....	18P2627	H119660.....	18J1400	H380385.....	18J1225
C94477.....	18P1244	C95394.....	18P2628	H123792.....	18J1424	H380387.....	18J1199
C94482.....	18P1247	C95457.....	18P1972	H123793.....	18J1440	H380388.....	18J1226
C94483.....	18P1248	C95497.....	18P1807	H123794.....	18J1408	H38044.....	18J646
C94484.....	18P1249	C95505.....	18P1859	H123794.....	18J1611	H380468.....	18J1310
C94485.....	18P1250	C95506.....	18P1860	H123795.....	18J1405	H380469.....	18J1272
C94486.....	18P1251	C95507.....	18P1861	H124996.....	18J1284	H380480.....	18J1279
C94488.....	18P1252	C95510.....	18P1812	H124997.....	18J1285	H380497.....	18J1283
C94489.....	18P1253	C95511.....	18P1813	H126748.....	18J384181	H380524.....	18J1522
C94506.....	18P1264	C95513.....	18P1815	H126749.....	18J4889	H380541.....	18J3624
C94507.....	18P1664	C95514.....	18P1816	H126750.....	18J384266	H380587.....	18J2052

INTERCHANGES



OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
Dorman Products (Cont.)		Dorman Products (Cont.)		Dorman Products (Cont.)		Dorman Products (Cont.)	
H380588.....	18J1422	H38317.....	18J394	H620337.....	18J384148	H620696.....	18J4386
H380747.....	18J1651	H38319.....	18J395	H620338.....	18J1617	H620697.....	18J382946
H380752.....	18J3627	H38320.....	18J396	H620339.....	18J1609	H620698.....	18J4614
H380753.....	18J1653	H38332.....	18J404	H620340.....	18J1610	H620712.....	18J4515
H38090.....	18J221	H38334.....	18J405	H620341.....	18J384136	H620713.....	18J4502
H380918.....	18J1334	H38339.....	18J410	H620342.....	18J384145	H620713.....	18J4525
H380940.....	18J4244	H38508.....	18J543	H620343.....	18J384125	H620714.....	18J4007
H380957.....	18J1517	H38509.....	18J544	H620344.....	18J384137	H620715.....	18J4008
H380962.....	18J1425	H38510.....	18J545	H620347.....	18J4890	H620774.....	18J383046
H380970.....	18J1333	H38511.....	18J546	H620348.....	18J383929	H620775.....	18J4622
H38105.....	18J2284	H38518.....	18J552	H620349.....	18J383250	H620776.....	18J4623
H38106.....	18J2285	H38520.....	18J554	H620350.....	18J383251	H620781.....	18J4849
H381061.....	18J1532	H38521.....	18J555	H620351.....	18J383252	H620782.....	18J4850
H381063.....	18J1533	H38535.....	18J567	H620355.....	18J1607	H620786.....	18J4892
H381077.....	18J1403	H38540.....	18J571	H620356.....	18J1608	H620787.....	18J4893
H381084.....	18J1409	H38563.....	18J587	H620357.....	18J1614	H620828.....	18J4631
H381085.....	18J1410	H38572.....	18J593	H620358.....	18J1615	H620880.....	18J4075
H381086.....	18J1411	H38573.....	18J594	H620360.....	18J1287	H620881.....	18J4076
H381088.....	18J1413	H38624.....	18J2064	H620361.....	18J1616	H620903.....	18J3989
H381109.....	18J1474	H38625.....	18J2065	H620362.....	18J4482	H620904.....	18J4159
H381159.....	18J1567	H38630.....	18J645	H620365.....	18J384124	H620921.....	18J4897
H381160.....	18J1568	H38636.....	18J650	H620366.....	18J384132	H620970.....	18J383311
H381161.....	18J3544	H38642.....	18J656	H620367.....	18J384178	H620972.....	18J383928
H381163.....	18J1539	H38764.....	18J752	H620368.....	18J384142	H620973.....	18J383312
H381164.....	18J1540	H38808.....	18J771	H620371.....	18J384140	H620976.....	18J4531
H381165.....	18J1541	H38823.....	18J784	H620372.....	18J384150	H620977.....	18J4550
H381166.....	18J1542	H38824.....	18J785	H620375.....	18J384167	H620978.....	18J383550
H381167.....	18J1543	H38872.....	18J822	H620376.....	18J384212	H620979.....	18J4544
H381168.....	18J1544	H38873.....	18J823	H620377.....	18J384013	H620980.....	18J4638
H381184.....	18J1488	H38897.....	18J2874	H620378.....	18J384012	H620985.....	18J383439
H381185.....	18J2061	H38898.....	18J2875	H620379.....	18J384209	H620986.....	18J383314
H381186.....	18J2062	H38901.....	18J850	H620380.....	18J384197	H620987.....	18J4508
H381190.....	18J381190	H38908.....	18J857	H620382.....	18J384260	H620988.....	18J4527
H381195.....	18J381195	H38911.....	18J859	H620387.....	18J384151	H620989.....	18J382951
H38121.....	18J2293	H38912.....	18J860	H620388.....	18J384138	H620990.....	18J382952
H381239.....	18J381239	H38913.....	18J861	H620443.....	18J4393	H620992.....	18J4518
H381280.....	18J1579	H38914.....	18J862	H620444.....	18J4392	H620993.....	18J4342
H381320.....	18J1612	H38947.....	18J880	H620445.....	18J4396	H620994.....	18J1601
H381321.....	18J1613	H38948.....	18J1376	H620446.....	18J4884	H620995.....	18J4238
H381367.....	18J1660	H38949.....	18J882	H620454.....	18J4227	H620996.....	18J4772
H38165.....	18J279	H38950.....	18J883	H620463.....	18J4394	H620997.....	18J4239
H38166.....	18J435	H38960.....	18J893	H620464.....	18J4395	H620998.....	18J4811
H38167.....	18J281	H38968.....	18J901	H620477.....	18J4879	H620999.....	18J383922
H381679.....	18J2016	H4000.....	18J1	H620478.....	18J4878	H621000.....	18J4234
H38171.....	18J285	H4497.....	18J3815	H620487.....	18J383937	H621001.....	18J4766
H38210.....	18J313	H4751.....	18J2	H620488.....	18J383935	H621002.....	18J4235
H38211.....	18J314	H4900.....	18J2072	H620489.....	18J4389	H621003.....	18J4767
H38212.....	18J315	H4960.....	18J4	H620490.....	18J4388	H621004.....	18J4236
H38235.....	18J330	H49927.....	18J3725	H620502.....	18J4639	H621005.....	18J4237
H382568.....	18J4124	H620037.....	18J1518	H620512.....	18J2007	H621038.....	18J1341
H382569.....	18J4125	H620042.....	18J1934	H620538.....	18J4611	H621039.....	18J1335
H38261.....	18J349	H620043.....	18J381625	H620578.....	18J4277	H621040.....	18J1340
H38264.....	18J351	H620044.....	18J1575	H620579.....	18J4278	H621041.....	18J1198
H38267.....	18J354	H620169.....	18J4320	H620580.....	18J4285	H621042.....	18J1336
H382709.....	18J4240	H620174.....	18J4251	H620581.....	18J4286	H621044.....	18J1362
H382710.....	18J4241	H620175.....	18J4319	H620590.....	18J1953	H621045.....	18J1547
H38285.....	18J369	H620176.....	18J4250	H620607.....	18J4217	H621046.....	18J1548
H38286.....	18J370	H620180.....	18J1946	H620608.....	18J4218	H621073.....	18J4750
H38290.....	18J372	H620284.....	18J1549	H620609.....	18J4219	H621141.....	18J4907
H38291.....	18J373	H620285.....	18J1550	H620610.....	18J4220	H621144.....	18J3990
H38292.....	18J374	H620286.....	18J1551	H620611.....	18J4383	H621178.....	18J4142
H38296.....	18J377	H620287.....	18J1552	H620612.....	18J4382	H621179.....	18J383598
H38297.....	18J378	H620288.....	18J1553	H620613.....	18J4385	H621180.....	18J383554
H38307.....	18J384	H620316.....	18J4341	H620614.....	18J4384	H621193.....	18J383628
H38308.....	18J385	H620328.....	18J384114	H620615.....	18J4221	H621199.....	18J383523
H38309.....	18J386	H620329.....	18J384122	H620626.....	18J4753	H621207.....	18J383684
H38310.....	18J387	H620330.....	18J384141	H620627.....	18J4754	H621208.....	18J383683
H38311.....	18J388	H620331.....	18J384134	H620690.....	18J1554	H621209.....	18J383809
H38312.....	18J389	H620332.....	18J384117	H620691.....	18J1555	H621213.....	18J382944
H38313.....	18J390	H620333.....	18J384126	H620692.....	18J4391	H621214.....	18J382945
H38314.....	18J391	H620334.....	18J384160	H620693.....	18J4390	H621216.....	18J383705
H38315.....	18J392	H620335.....	18J384166	H620694.....	18J4511	H621218.....	18J4751
H38316.....	18J393	H620336.....	18J384153	H620695.....	18J4387	H621317.....	18J383952

OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
Dorman Products (Cont.)		Dorman Products (Cont.)		Dorman Products (Cont.)		Dorman Products (Cont.)	
H621318	18J4666	H622115	18J383377	H71305	18J15	HW9237	18K1653
H621392	18J4573	H622116	18J383373	H77859	18J1406	HW9238	18K1654
H621394	18J383721	H622117	18J383374	H77860	18J1407	HW9239	18K1655
H621395	18J4672	H622118	18J383978	H78077	18J1834	HW9240	18K1656
H621405	18J383597	H622119	18J383948	H78092	18J24	HW9241	18K1657
H621406	18J383722	H622120	18J384056	H80001	18J380005	HW9242	18K1658
H621542	18J4315	H622121	18J383946	H80952	18J2031	HW9243	18K1659
H621546	18J383648	H622122	18J384057	H80967	18J2119	HW9244	18K1660
H621605	18J383717	H622123	18J383979	H86550	18J2034	HW9245	18K1661
H621606	18J383718	H622124	18J383954	H86551	18J2033	HW9246	18K1662
H621607	18J383719	H622125	18J383908	H86604	18J381202	HW9247	18K1663
H621608	18J383720	H622126	18J384163	HW14154	18K1333	HW9248	18K1664
H621610	18J383484	H622129	18J383918	HW14907	18K1518	HW9249	18K1665
H621612	18J4549	H622130	18J383949	HW16028	18K1395	HW9250	18K1666
H621613	18J382936	H622131	18J383931	HW16090	18K1436	M101266	18M92
H621614	18J4551	H622132	18J383911	HW16115	18K2416	M113751	18M808
H621615	18J383483	H622134	18J4916	HW16120	18K1934	M12000	18M892
H621616	18J384465	H622135	18J4917	HW16123	18K1184	M122228	18M482
H621618	18J383481	H622136	18J4919	HW16447	18K2417	M12430	18M838
H621665	18J383739	H622137	18J4922	HW16483	18K1940	M12430	18M870
H621682	18J383479	H622138	18J4923	HW1807	18K2396	M134457	18M903
H621683	18J383480	H622139	18J384061	HW1808	18H1808	M19450	18M6
H621684	18J383963	H622140	18J383955	HW1860	18H1860	M19451	18M7
H621685	18J383964	H622141	18J384062	HW1861	18H1861	M21698	18M21698
H621693	18J4577	H622142	18J383981	HW1875	18H1875	M22976	18M22976
H621694	18J4576	H622143	18J383925	HW2588	18K39	M2657	18M2
H621695	18J4759	H622144	18J383933	HW2589	18K40	M2842	18M3
H621696	18J4760	H622145	18J383966	HW3500	18K1490	M2951	18M4
H621697	18J383482	H622146	18J383967	HW3501	18K1491	M34403	18M34403
H621698	18J383734	H622149	18J383923	HW3502	18K1498	M36127	18M36127
H621699	18J383733	H622150	18J383982	HW3503	18K1499	M36176	18M9
H621742	18J384189	H622151	18J384010	HW3510	18K1492	M36177	18M36177
H621789	18J383450	H622152	18J384077	HW3511	18K1493	M36229	18M11
H621790	18J383449	H622153	18J384078	HW3536	18K1494	M36230	18M12
H621793	18J383977	H622155	18J383810	HW3537	18K1495	M36289	18M17
H621794	18J383976	H622184	18J383945	HW3538	18K1124	M36344	18M20
H621810	18J384089	H622196	18J383644	HW3539	18K1125	M36346	18M36346
H621811	18J384090	H622254	18J383849	HW3540	18K1496	M36350	18M22
H621812	18J384017	H622255	18J383850	HW3541	18K1497	M36355	18M36355
H621813	18J383950	H622256	18J383830	HW4087	18K747	M36356	18M36356
H621816	18J384088	H622257	18J383831	HW4800	18K5449	M36358	18M26
H621817	18J384087	H622276	18J384332	HW5036	18K111	M36433	18M36433
H621915	18J383714	H622277	18J384333	HW5037	18K112	M36437	18M39
H621922	18J1412	H622278	18J384334	HW5048	18K119	M36438	18M40
H621951	18J383375	H622279	18J384335	HW5077	18K1031	M36463	18M49
H621956	18J4920	H622281	18J384337	HW5209	18K1522	M36465	18M50
H621961	18J383669	H622282	18J384338	HW5307	18K5113	M36467	18M52
H621962	18J383670	H622288	18J384098	HW5420	18K5420	M36474	18M54
H621963	18J383668	H622289	18J384448	HW550	18K2438	M36492	18M58
H621964	18J383459	H622291	18J383906	HW5502	18K221X	M390117	18M631
H621965	18J383458	H622292	18J383907	HW5519	18K266X	M39012	18M68
H621968	18J383700	H622310	18J384345	HW5522	18K1550X	M39013	18M39013
H621969	18J383701	H622311	18J384346	HW5563	18K256X	M390158	18M766
H621975	18J4921	H622322	18J384351	HW5568	18K274X	M390182	18M676
H621994	18J383607	H622342	18J383771	HW5596	18K272	M390184	18M678
H621995	18J383650	H622350	18J383889	HW5597	18K264X	M390190	18M682
H621997	18J383629	H622365	18J384372	HW5603	18K278X	M390258	18M713
H621998	18J384273	H622366	18J384373	HW5768	18K1821X	M390279	18M742
H621999	18J382957	H622391	18J384385	HW5829	18K2024X	M390336	18M2443
H622011	18J382796	H622392	18J384386	HW597	18H605	M390337	18M762
H622012	18J383379	H622393	18J384387	HW7311	18K1618	M390338	18M781
H622013	18J383380	H622444	18J384410	HW7334	18K1130	M390339	18M782
H622038	18J383723	H622445	18J384470	HW7337	18K1133	M390363	18M794
H622039	18J383724	H622449	18J384411	HW8200	18H8200	M390389	18M809
H622105	18J383381	H622452	18J383860	HW9200	18K1639	M390390	18M810
H622106	18J384052	H622453	18J383861	HW9201	18K1640	M390391	18M811
H622107	18J384053	H622457	18J384444	HW9206	18K1642	M390394	18M814
H622108	18J4368	H622463	18J384416	HW9209	18K1644	M390426	18M826
H622109	18J4369	H622466	18J384417	HW9219	18K1647	M390516	18M878
H622110	18J4366	H622469	18J384418	HW9220	18K1648	M390530	18M886
H622111	18J4365	H622470	18J384419	HW9221	18K1649	M39173	18M115
H622112	18J383378	H622550	18J384436	HW9223	18K1650	M39309	18M1887
H622114	18J383376	H66856	18J2027	HW9236	18K1652	M39335	18M175

INTERCHANGES



OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
Dorman Products (Cont.)		Dorman Products (Cont.)		Dorman Products (Cont.)		Dorman Products (Cont.)	
M39337.....	18M176	M630621.....	18M2640	W128479.....	18E415	W37263.....	18E97
M39338.....	18M177	M630623.....	18M2571	W128480.....	18E413	W37290.....	18E112
M39339.....	18M178	M630624.....	18M2572	W128481.....	18E414	W37314.....	18E119
M39343.....	18M181	M630625.....	18M2573	W15306.....	18E472	W37315.....	18E120
M39434.....	18M229	M630626.....	18M2574	W15307.....	18E473	W37317.....	18E121
M39435.....	18M230	M630628.....	18M2575	W17012.....	18E479	W37319.....	18E123
M39445.....	18M236	M630663.....	18M2669	W17013.....	18E480	W37337.....	18E1362
M39457.....	18M246	M630666.....	18M2710	W17014.....	18E481	W37593.....	18E215
M39459.....	18M248	M630793.....	18M391472	W17015.....	18E482	W37594.....	18E216
M39461.....	18M249	M630858.....	18M391426	W17507.....	18E1342	W37669.....	18E726
M39462.....	18M250	M630946.....	18M391497	W17508.....	18E1337	W37729.....	18E277
M39477.....	18M391541	M630947.....	18M391498	W17786.....	18E483	W37730.....	18E278
M39522.....	18M280	M661.....	18M1	W18196.....	18E487	W37731.....	18E279
M39528.....	18M284	M71259.....	18M15	W18197.....	18E488	W37732.....	18E280
M39529.....	18M285	M73354.....	18M25	W18984.....	18E180	W37760.....	18E287
M39530.....	18M286	M785.....	18M7850	W18984.....	18E926	W37761.....	18E288
M39546.....	18M294	M80568.....	18M48	W18985.....	18E76	W37781.....	18E292
M39574.....	18M312	M83074.....	18M1061	W18985.....	18E181	W37811.....	18E419
M39577.....	18M2338	M87167.....	18M34404	W19090.....	18E20	W37812.....	18E418
M39577.....	18M315	M9221.....	18M9221	W19091.....	18E21	W37875.....	18E338
M39579.....	18M317	M97936.....	18M196	W19107.....	18E498	W37875.....	18E406
M39630.....	18M348	M97938.....	18M97	W19111.....	18E22	W37876.....	18E407
M39631.....	18M349	M98894.....	18M118	W24489.....	18E23	W37877.....	18E408
M39634.....	18M1755	M98953.....	18M71	W24954.....	18E24	W37938.....	18E351
M39635.....	18M353	P7594S.....	18K2390	W24955.....	18E25	W37939.....	18E352
M39636.....	18M1753	TM33160.....	18G1138	W26172.....	18E26	W37940.....	18E353
M39649.....	18M364	TM351425.....	18G1200	W28720.....	18E522	W37941.....	18E354
M39767.....	18M422	TM351624.....	18G1201	W28721.....	18E523	W37942.....	18E355
M39860.....	18M470	TM351625.....	18G1263	W28850.....	18E68	W37943.....	18E356
M39862.....	18M472	TM351723.....	18G1259	W35325.....	18E40	W37951.....	18E364
M39871.....	18M480	TM35175.....	18G1204	W35326.....	18E41	W37952.....	18E365
M39873.....	18M770	TM35214.....	18G1135	W36043.....	18E35	W37953.....	18E366
M39876.....	18M484	TM35215.....	18G1218	W36044.....	18E36	W37985.....	18E394
M4572.....	18M5	TM35261.....	18G1139	W36105.....	18E44	W55890.....	18E61
M630020.....	18M2656	TM3539.....	18G1176	W36106.....	18E45	W55891.....	18E62
M630027.....	18M970	TM35469.....	18G1188	W370042.....	18E1133	W57146.....	18E889
M630028.....	18M949	TM35775.....	18G1216	W370043.....	18E433	W57147.....	18E855
M630035.....	18M1107	TM3613.....	18G1130	W370077.....	18E431	W610064.....	18E427
M630038.....	18M2505	W104533.....	18E252	W37017.....	18E566	W610065.....	18E781
M630039.....	18M2504	W123241.....	18E361	W37018.....	18E567	W610066.....	18E780
M630157.....	18M1255	W123242.....	18E360	W370192.....	18E1330	W610067.....	18E1430
M630163.....	18M1257	W123243.....	18E363	W370193.....	18E1324	W610068.....	18E1431
M630210.....	18M1202	W123244.....	18E362	W37033.....	18E52	W610095.....	18E841
M630211.....	18M1188	W123246.....	18E341	W37034.....	18E53	W610096.....	18E842
M630227.....	18M887	W123247.....	18E336	W37035.....	18E574	W610158.....	18E1420
M630255.....	18M906	W123248.....	18E337	W37036.....	18E575	W610177.....	18E1442
M630266.....	18M1281	W123249.....	18E359	W37091.....	18E58	W610178.....	18E1441
M630276.....	18M861	W123250.....	18E357	W37092.....	18E59	W610179.....	18E1440
M630277.....	18M885	W123251.....	18E358	W37094.....	18E594	W610180.....	18E1439
M630281.....	18M2404	W123269.....	18E346	W37099.....	18E599	W610181.....	18E1438
M630309.....	18M1230	W123269.....	18E409	W37132.....	18E969	W610182.....	18E1437
M630334.....	18M2426	W123270.....	18E345	W37133.....	18E960	W610183.....	18E1443
M630335.....	18M2425	W123270.....	18E410	W37149.....	18E67	W610184.....	18E1436
M630371.....	18M2742	W123272.....	18E350	W37151.....	18E69	W610185.....	18E1435
M630375.....	18M2380	W123273.....	18E349	W37152.....	18E70	W610186.....	18E1433
M630376.....	18M2436	W123274.....	18E348	W37167.....	18E71	W610187.....	18E1434
M630391.....	18M2743	W123275.....	18E347	W37168.....	18E72	W610188.....	18E1432
M630403.....	18M2539	W123277.....	18E343	W37180.....	18E73	W610236.....	18E370258
M630454.....	18M391082	W123278.....	18E344	W37182.....	18E632	W7563.....	18E2
M630505.....	18M2567	W123280.....	18E342	W37222.....	18E77	W7564.....	18E3
M630510.....	18M2580	W128417.....	18E403	W37227.....	18E78	W78734.....	18E80
M630511.....	18M2581	W128418.....	18E402	W37228.....	18E79	W78744.....	18E82
M630516.....	18M2481	W128419.....	18E401	W37248.....	18E86	W78745.....	18E83
M630518.....	18M2516	W128420.....	18E779	W37249.....	18E87	W86000.....	18E113
M630519.....	18M2514	W128463.....	18E782	W37250.....	18E857	W8806.....	18E4
M630521.....	18M2582	W128464.....	18E784	W37251.....	18E89	W8807.....	18E5
M630523.....	18M2513	W128465.....	18E783	W37252.....	18E90	W8852.....	18E6
M630524.....	18M2512	W128466.....	18E422	W37253.....	18E91	W8853.....	18E7
M630530.....	18M2564	W128467.....	18E405	W37254.....	18E92	W9344.....	18E771
M630531.....	18M2579	W128468.....	18E404	W37255.....	18E93	W9345.....	18E772
M630536.....	18M2563	W128475.....	18E411	W37256.....	18E94	W949.....	18E1
M630550.....	18M391044	W128476.....	18E412	W37257.....	18E95	W9697.....	18E777
M630551.....	18M2474	W128478.....	18E785	W37262.....	18E96	W9698.....	18E778

OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
Fiat Chrysler		Fiat Chrysler (Cont.)		Fiat Chrysler (Cont.)		Fiat Chrysler (Cont.)	
047593.....18J3815		03491500.....18M48		04636589.....18FR652N		22113474.....18J1279	
303907.....18J1149		03492880.....18J68		04636589.....18R652		52004620.....18M472	
530483.....18E1		03621974.....18H6		04746344.....18FR981		52007662.....18A752	
598677.....18J2		03633311.....18E726		04746344.....18FR981C		52007662.....18A752A	
696383.....18M7850		03633312.....18E727		04746344.....18FR981N		52007662.....18A752SD	
937959.....18E969		03633321.....18E76		04746344.....18R981		52007675.....18J1161	
937960.....18E960		03633322.....18E926		04746344.....18R981F1		52007676.....18J1162	
947621.....18G6		03633852.....18E41		04746345.....18FR982		52007715.....18A619A	
01394348.....18E483		03637626.....18A103		04746345.....18FR982C		52007902.....18B305	
01450272.....18G1159		03637626.....18A103A		04746345.....18FR982N		52008005.....18J3170	
01507984.....18E121		3638742.....18J381202		04746345.....18R982		52008448.....18P1694	
01664582.....18E772		3640628.....18J2031		04746345.....18R982F1		52008449.....18P1345	
01664583.....18E771		03766183.....18M118		4746350.....18K2329		52008461.....18P1692	
01752231.....18G3		03820186.....18A33A		04746352.....14D459CH		52008462.....18P1344	
01752232.....18G8		03820823.....18M39013		04746352.....14D459CHF1		52008463.....18P1693	
01785539.....18J4		03821590.....18E91		04746352.....14D459M		52008860.....18P1519	
01790154.....18E522		03821591.....18E90		04746352.....17D459CH		52008891.....18J1651	
01790155.....18E523		03880072.....18P264		04746352.....17D459CHF1		52008895.....18J3624	
01793118.....18E24		03893589.....18M49		04746352.....17D459MH		52008897.....18J1121	
01793119.....18E25		03897391.....18P97		04746354.....18FR741		52008923.....18J1126	
01797016.....18E498		03898231.....18P369		04746354.....18FR741C		52008977.....18P1974	
01797261.....18E23		03898232.....18P370		04746354.....18FR741N		52009105.....18P1614	
01797265.....18K2350		03898996.....18J221		04746354.....18R741		52009216.....18P2040	
01799518.....18H411		04030358.....18P367		04746354.....18R741F1		52009221.....18P2022	
01799628.....18E855		04030359.....18P371		04746355.....18FR742		52009404.....18P1522	
01799629.....18E889		04031345.....18M68		04746355.....18FR742C		52009415.....18A1087	
01799636.....18G11		04032777.....18P91		04746355.....18FR742N		52009415.....18A1087A	
01799655.....18M22976		04036450.....18J285		04746355.....18R742		52010013.....18A754A	
01818763.....18G20		04036494.....18P245		04746355.....18R742F1		52010021.....18P1520	
01843494.....18G17		04036495.....18P109		04746364.....14D370CH		52010029.....18P1523	
01843495.....18G21		04036497.....18P241		04746364.....14D370CHF1		83501356.....14D52CH	
01881981.....18G1135		04037711.....18J151		04746364.....14D370CHF2		83501356.....14D52MH	
01881989.....18G1130		04049106.....18H16		04746364.....14D370MH		83501356.....14D52C	
01881991.....18G1204		4049681.....18H1277		04746364.....17D370CH		83501356.....17D52CH	
01921101.....18E26		04086830.....18A148A		04746364.....17D370CHF1		83501356.....17D52MH	
01921366.....18J33511		04088904.....14316B		04746364.....17D370MH		83501356.....17D52C	
01922181.....18E3		04088904.....17316R		04746366.....18FR745		83501356.....17D52CHF1	
01922191.....18E2		04088904.....B316L		04746366.....18FR745C		83501356.....17D52M	
01923402.....18H1350		04088907.....14314R		04746366.....18FR745N		83501356.....17D52MH	
01923402.....18H1350X		04088907.....17314R		04746366.....18R745		898350455.....18K2410	
01924376.....18K6858		04088907.....R358		04746367.....18FR746		04683286AC.....18P2812	
01927318.....18J2072		04112233.....18P96		04746367.....18FR746C		04721996AB.....18A2558	
01927319.....18J7		04112235.....18P112		04746367.....18FR746N		04721996AB.....18A2558A	
01936561.....18J6		04176778.....17D123		04746367.....18R746		04721996AB.....18A2558AC	
02260548.....18H1108		04176778.....17D123M		04746367.....18R746C		04779713AA.....18A2922	
02260549.....18H1110		04186988.....18H66		04746370.....18K2390		04779713AA.....18A2922A	
02260789.....18H1310		04219048.....18E181		04746371.....14D369CH		04779713AA.....18A2922AC	
02405720.....18H1106		04219049.....18E180		04746371.....14D369CHF1		04779783AB.....18A2606A	
02460666.....18E80		04294375.....18P414		04746371.....14D369MX		04779783AB.....18A2606AC	
02825502.....18E594		04313198.....14D149MX		04746371.....17D369CH		04897210AB.....18M878	
02825503.....18E599		04313198.....17D149MH		04746371.....17D369CHF1		05003321AA.....18M826	
02826494.....18J35018		04313198.....17D149MX		04746371.....17D369MH		050039006AA.....18FR1483	
02830251.....18M15		04313390.....18FR619		04746371.....17D369MX		050039006AA.....18R1483	
02908655.....18H1109		04313390.....18FR619N		04746398.....18M364		050039007AA.....18FR1484	
02908734.....18E53		04313390.....18R619		04746402.....18M682		050039007AA.....18R1484	
02908735.....18E52		04313390.....18R725		04761600.....14451R		05003999AA.....14583R	
02952410.....18E480		04313391.....18FR620		04761600.....17451R		05003999AA.....17583R	
02952411.....18E479		04313391.....18FR620N		04761600.....R451		05003999AA.....R583	
02952412.....18E482		04313391.....18R726		04761601.....14452R		05010005AA.....18E431	
02952413.....18E481		04318727.....14D269M		04761601.....17452R		05015230AA.....18A1090	
02954188.....18E71		04318727.....17D269C		04761601.....R452		05015230AA.....18A1090A	
02954189.....18E72		04318727.....17D269MF1		04761602.....18E394		05015230AA.....18A1090AC	
03004690.....18G12		04318727.....17D269MH		04761603.....18E112		05015230AA.....18A1090SD	
03004802.....18G19		4318768.....18P413		04761605.....18G29		05015252AA.....18FR1808	
03004919.....18G13		04383267.....18K2357		4772935.....18J1166		05015252AA.....18FR1808C	
03142572.....18E1330		04383843.....18J596		04778456.....18M713		05015252AA.....18R1808	
03142573.....18E1324		04383925.....18P575		04798314.....18A558		05015253AA.....18FR1809	
03146138.....18E1342		04383929.....18J650		04798314.....18A558A		05015253AA.....18FR1809C	
03146139.....18E1337		04423786.....18P1172		04798314.....18A558AC		05015253AA.....18R1809	
03205756.....18G4		04636588.....18FR651		04798314.....18A558SD		05015254AA.....14D821M	
3223416.....18K101		04636588.....18FR651N		04882869.....18M970		05015254AA.....14D821MH	
03225198.....18E40		04636588.....18R651		08133845.....18H70		05015254AA.....17D821M	
03461664.....18H2114		04636589.....18FR652					
03491012.....18P388							
03491013.....18P372							

INTERCHANGES



OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
Fiat Chrysler (Cont.)		Fiat Chrysler (Cont.)		Fiat Chrysler (Cont.)		Fiat Chrysler (Cont.)	
05015254AA.....	17D821MH	5139225AA.....	18P97139	52122184AA.....	18A2679AC	68195534AA.....	18A81138A
05017034AA.....	18M1255	5139226AA.....	18P97141	68005054AA.....	18M2481	68195534AA.....	18A81138AC
05018550AA.....	14771B	5139227AA.....	18P97142	68006716AA.....	18A2552	68211341AA.....	18M391521
05018550AA.....	17771B	5154276AB.....	18J384189	68006716AA.....	18A2552A	68212910AB.....	18J384448
05018550AA.....	B771	52009033AB.....	18P2015	68006716AA.....	18A2552AC	68224903AA.....	18J383906
05018563AA.....	14D702AM	52009374AB.....	18P1972	68006723AA.....	18FR12320	68224904AA.....	18J383907
05018563AA.....	14D702AMH	52009374AD.....	18P2101	68006723AA.....	18R12320	68226919AA.....	17D1490MH
05018563AA.....	17D702AMH	52009449AB.....	18J1567	68006725AA.....	18FR12868C	68226919AA.....	17D1490MHF1
05018563AA.....	17D702AMHF1	52009450AB.....	18J1568	68006725AA.....	18FR12868N	68226935AA.....	18FR12765C
05018570AA.....	18FR1938	52009451AB.....	18J3544	68006732AA.....	17D1316MH	68226935AA.....	18FR12765N
05018570AA.....	18R1938	52009519AC.....	18B410	68006732AA.....	17D1316MHF1	68226939AA.....	18FR12766C
05018571AA.....	18FR1939	52009575AB.....	18J1660	68006734AA.....	17D1268M	68226939AA.....	18FR12766N
05018571AA.....	18R1939	52009683AA.....	18J4320	68006734AA.....	17D1268MH	68227781AA.....	18A2921
05080888AA.....	18M1257	52009689AA.....	18J4251	68006735AA.....	18FR12319	68227781AA.....	18A2921A
05083697AA.....	18A1482	52009695AA.....	18P2103	68006735AA.....	18R12319	68227781AA.....	18A2921AC
05083697AA.....	18A1482A	52009696AA.....	18P2597	68006736AA.....	18FR12867C	68230092AA.....	18FR12770N
05083697AA.....	18A1482AC	52009697AA.....	18P2513	68006736AA.....	18FR12867N	68230093AA.....	18FR12769N
05083697AA.....	18A1482SD	52009698AA.....	18P2712	68013475AA.....	18P97131	68230095AA.....	17D1746MH
05083728AA.....	18A1592	52009712AA.....	18P2711	68013581AA.....	18J4159	68230105AA.....	17D1540BMH
05083728AA.....	18A1592A	52009713AA.....	18P2511	68013764AA.....	18A2579	68261875AA.....	18J384436
05083728AA.....	18A1592AC	52009741AA.....	18B4231	68013764AA.....	18A2579A	68269695AB.....	17D1540AMH
05083728AA.....	18A1592SD	52009751AA.....	18P2041	68013764AA.....	18A2579AC	68269695AB.....	17D1540AMHF1
05093267AA.....	14D965M	52009767AA.....	18P2027	68013765AA.....	18A2597	68269703AA.....	18B7869
05093267AA.....	14D965MH	52009768AA.....	18P2005	68013780AA.....	18P97140	68269703AA.....	18B7869A
05093267AA.....	17D965MH	52009845AA.....	18J4315	68019140AA.....	17938B	68269712AA.....	18M391529
05093267AA.....	17D965MHF1	52009932AA.....	18A1307	68026168AA.....	17940B	68276444AA.....	18A81950
05093407AA.....	18M1230	52009932AA.....	18A1307A	68026376AA.....	17847B	68276444AA.....	18A81950A
05102106AA.....	18FR2352	52009932AA.....	18A1307AC	68034090AA.....	18K2067	68276444AA.....	18A81950AC
05102107AA.....	18FR2353	52009932AA.....	18A1307SD	68034093AD.....	17D1335MH	68281390AA.....	14D1721AC
05103550AA.....	17D1006M	52009945AA.....	18J4250	68034093AD.....	17D1335MHF1	68281390AA.....	17D1721AC
05103556AA.....	17D949MH	52009989AA.....	18P2838	68049116AA.....	17854B	68281390AA.....	17D1721ACF1
05103556AB.....	17D1136M	52009990AA.....	18J383648	68049148AA.....	14D1399MH	68281393AA.....	18E370260
05103557AA.....	17D928M	52009991AA.....	18J4907	68049148AA.....	14D1399MHF1	68451229AA.....	14D2224MH
05103602AA.....	18A1461	52010030AA.....	18P96951	68049148AA.....	17D1399MH	68451229AA.....	17D2224MH
05103602AA.....	18A1461A	52010070AA.....	18P2104	68049148AA.....	17D1399MHF1	68453097AA.....	14D2225MH
05103603AA.....	18A1462	52010133AA.....	18P2789	68049148AA.....	17D1399SDH	68453097AA.....	17D2225MH
05103603AA.....	18A1462A	52010174AA.....	18J1946	68049158AA.....	14D1400MH	68461656AA.....	14D2223MH
05103603AA.....	18A1462AC	52010294AA.....	18P2791	68049158AA.....	14D1400MHF1	68461656AA.....	17D2223MH
05103606AA.....	18A2341	52010310AA.....	18J4277	68049158AA.....	17D1400MH	J8126314.....	17D92M
05103794AA.....	17D950M	52010311AA.....	18J4278	68049158AA.....	17D1400SDH	MB366146.....	18K2327
05104561AA.....	18A1613	52010312AA.....	18J4285	68053152AB.....	14D1273ACH	MB857585.....	18J893
05143230AA.....	17D682M	52010313AA.....	18J4286	68053152AB.....	17D1273ACH	MR249625.....	18K5386
05179892AA.....	18M2656	52010323AA.....	18P96723	68053152AB.....	17D1273ACHF1		
06104317AA.....	18K7041	52010414AA.....	18P2807	68084100AA.....	18J383450		
4581491AA.....	18M391424	52013005AA.....	18P96722	68085101AA.....	18J383449		
4683996AC.....	18J4075	52013007AA.....	18P2833	68099237AC.....	18J384385		
4683997AC.....	18J4076	52013026AC.....	18J4666	68110743AB.....	18J384386		
4721493AC.....	18P96976	52013027AC.....	18J4897	68133197AA.....	18FR12767N		
4721494AC.....	18P96977	52013534AA.....	18P96937	68133198AA.....	18FR12768N		
4721495AC.....	18P96967	52013574AA.....	18P96940	68133180AD.....	18J384387		
4721677AA.....	18A2558SD	52013618AA.....	18P96939	68144163AF.....	14D1589CH		
4779942AE.....	18J384333	52013619AA.....	18P96938	68144163AF.....	14D1589CHF1		
4779943AA.....	18J384332	52013814AC.....	18J383607	68144163AF.....	17D1589CH		
4779943AA.....	18J384334	52013815AC.....	18J383650	68144163AF.....	17D1589CHF1		
4779982AB.....	18J384335	52013816AC.....	18J383651	68144209AA.....	14D1596CH		
4779991AC.....	18J384337	52013818AC.....	18J383629	68144209AA.....	14D1596CHF1		
4779991AC.....	18J384338	52013819AC.....	18J384273	68144209AA.....	17D1596CH		
4779993AC.....	18J384464	52013842AA.....	18A2734	68144209AA.....	17D1596CHF1		
4779996AA.....	18J384372	52013842AA.....	18A2734A	68144664AA.....	18M391465		
4779997AA.....	18J384373	52013843AB.....	18A2812	68159138AA.....	14D1719CH		
4862602AA.....	17D1317MH	52013843AB.....	18A2812A	68159138AA.....	14D1719CHF1		
4862603AA.....	17D1318MH	52013843AB.....	18A2812AC	68159138AA.....	17D1719CH		
4877805AA.....	18M2669	52121101AA.....	18P2790	68159138AA.....	17D1719CHF1		
5014431AA.....	18K2370	52121102AA.....	18P2693	68160913AA.....	18J384098		
5018550AB.....	17962B	52121118AA.....	18J1953	68174125AA.....	18A81830		
5103792AA.....	17866B	52121334AA.....	18J383952	68174125AA.....	18A81830A		
5104087AA.....	18J3989	52121335AA.....	18J383644	68193434AA.....	18A81109		
5114479AA.....	18A2327	52121414AA.....	18J383945	68193434AA.....	18A81109A		
5114479AA.....	18A2327A	52122182AA.....	18A2680	68193434AA.....	18A81109AC		
5114479AA.....	18A2327AC	52122182AA.....	18A2680A	68195026AA.....	18A81766		
5119131AA.....	18J3990	52122182AA.....	18A2680AC	68195026AA.....	18A81766A		
5119354AA.....	18M2436	52122184AA.....	18A2679	68195026AA.....	18A81766AC		
5119355AA.....	18M2380	52122184AA.....	18A2679A	68195534AA.....	18A81138		

Ford

1500156.....	18A2476
1500156.....	18A2476A
1500156.....	18A2476AC
1683383.....	18A2963
1683383.....	18A2963A
1683383.....	18A2963AC
2234927.....	18M885
23123625002.....	18A2593
1691291C91.....	18M861
1C222001AA.....	14D655AM
1C222001AA.....	14D655CH
1C222001AA.....	14D655M
1C222001AA.....	14D655MH
1C222001AA.....	17D655AM
1C222001AA.....	17D655MH
1C222078AA.....	18J1199
1C222648AA.....	17962B
1C222A635AA.....	18P2783
1C222A635AB.....	18P2688
1C322001AA.....	14D824CH
1C322001AA.....	14D824CHF1
1C322001AA.....	14D824M
1C322001AA.....	17D824CH
1C322001AA.....	17D824CHF1
1C322001AA.....	17D824MH
1C322001AA.....	17D824MHF1
1C322001AA.....	17D824MHF1
1C322001AA.....	14583R

OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
Ford (Cont.)		Ford (Cont.)		Ford (Cont.)		Ford (Cont.)	
1C3Z2200AA.....17583R		4C3Z2078AA 18J384090		5C3Z2282AA 18J4383		7C2Z2853A 18P97307	
1C3Z2200AA.....R583		4C3Z2078AB.....18J384089		5C3Z2282BA 18J4382		7C3Z1102A 18A2615	
1C3Z2282AA 18J383978		4C3Z2209AA 14771B		5C3Z2282CA 18J4385		7C3Z1102A 18A2615A	
1C3Z2853AA 18P2087		4C3Z2209AA 17771B		5C3Z2282DA 18J4384		7C3Z1102A 18A2615AC	
1C3Z2C026AA 18A1688		4C3Z2209AA B771		5C3Z2282EA 18J4221		7C3Z1102B 18A2614	
1C3Z2V386DA 18K7038		4C3Z2267AA.....18J384017		5C3Z22648AA 17854B		7C3Z1102B 18A2614A	
1C4Z2001AA 17D224M		4C3Z2267CA.....18J383928		5C3Z22648BA 17847B		7C3Z1102B 18A2614AC	
1C4Z2001AA 17D224MH		4C3Z2268BA 18J383312		5C3Z2853BA 18P96890		7C3Z2078BL.....18J4234	
2599937C92 18A2887		4C3Z2282AA 18J384088		5C3Z2853CA 18P97280		7C3Z2078BR.....18J4235	
2599937C92 18A2887A		4C4Z1125GC 18A1430		5C3Z2A635AA.....18P96920		7C3Z2078CL.....18J4236	
2C2Z1102BA.....18A1194		4C4Z1125GC 18A1430A		5C3Z2A635AB.....18P96916		7C3Z2208R.....18J4237	
2C2Z1102BA.....18A1194A		4C4Z1125HB 18A1429		5C3Z2A635BA.....18P96921		7C3Z2078DL.....18J4240	
2C2Z1102BA.....18A1194AC		4C4Z1125HB 18A1429A		5C3Z2A635BB.....18P96917		7C3Z2078DR.....18J4241	
2C2Z2078AA 18J383684		4C4Z2001B 17980B		5C3Z2A635CA.....18P97458		7C3Z2140F.....18M2516	
2C2Z2078AB.....18J383683		4C4Z2078BA.....18J383375		5C3Z2A635CB.....18P96918		7C3Z22140H.....18M2514	
2C2Z2078BB.....18J1226		4C4Z2078C 18J383377		5C3Z2A635DA.....18P97292		7C3Z2267F.....18J383722	
2C2Z2140CA.....18M2742		4C4Z2282A.....18J382796		5C3Z2A635DB.....18P96919		7C3Z2268F.....18J383721	
2C2Z2140GA.....18M887		4C4Z2C150AB 18K2084		5C3Z2A635EB.....18P97291		7C3Z2282F.....18J4672	
2C2Z2200AA 18D802CH		4R3Z2208AA 18K2410		5C3Z2A793AA 18P97263		7C3Z22853B 18P97282	
2C2Z2200AA 14D802CHF1		5C2Z2200BA 14D411M		5C3Z2A793CA 18P97265		7C3Z2853C 18P96922	
2C2Z2200AA 14D802CHF2		5C2Z2200BA 17D411M		5C3Z2A793DA 18P97267		7C3Z2A635AC 18P97298	
2C2Z2200AA 14D802M		5C3Z1102AA 18A2346		5C3Z2A793EA 18P97264		7C3Z2A635AL 18P97299	
2C2Z2200AA 14D802MH		5C3Z1102AA 18A2346A		5C3Z2A793HA 18P97266		7C3Z2A635BL 18P97297	
2C2Z2200AA 17D802MH		5C3Z1102AA 18A2346AC		5C3Z2A793KA 18P96986		7C3Z2A635CD 18P97410	
2C2Z2267AA.....18J383809		5C3Z1102AA 18A2346SD		5C3Z2A793LA 18P96985		7C3Z2A635CL 18P97411	
2C2Z2268AA 18J383810		5C3Z1102GA 18A1821		5C3Z2A793MA.....18P96987		7C3Z2A635DE 18P97300	
2C2Z2282AA 18J2016		5C3Z1102GA 18A1821A		5C3Z2A793NA 18P97318		7C3Z2A635EL 18P97301	
2C342282NA 18J1542		5C3Z1125AA 18A1708		5C3Z2A793RA 18P97269		7C3Z2A793B 18P97025	
2C3Z2267AA.....18J383937		5C3Z1125AA 18A1708A		5C3Z2A793SA 18P97268		7C3Z2A793C 18P97457	
2C3Z2267BA.....18J4389		5C3Z1125AA 18A1708AC		5C3Z2C026AA.....18A2330		7C3Z2A793D 18P97273	
2C3Z2268AA 18J383935		5C3Z1125AA 18A1708SD		5C3Z2C026AA.....18A2330A		7C3Z2A793E 18P96894	
2C3Z2268BA 18J4388		5C3Z1125CA 18A1799		5C3Z2C026AA.....18A2330AC		7C3Z2A793F 18P97026	
2C3Z2853CA 18P97278		5C3Z1125CA 18A1799A		5C3Z2C026AA.....18A2330SD		7C3Z2A793G 18P97027	
2C4Z2001AA.....14D1032MH		5C3Z1125CA 18A1799AC		5C3Z2C026BA.....18A1822		7C3Z2A793H 18P97274	
2C4Z2001AA.....14D1032MX		5C3Z1125DA 18A1840		5C3Z2C026BA.....18A1822A		7C3Z2A793J 18P97028	
2C4Z2001AA.....17D1032MH		5C3Z1125DA 18A1840A		5C3Z2C026BA.....18A1822AC		7C3Z2A793K 18P97029	
2C4Z2001AA.....17D1032MX		5C3Z1125DA 18A1840AC		5C3Z2C026CA.....18A2435		7C3Z2A793L 18P97030	
2M5Z2001AB 14D970C		5C3Z1125DA 18A1840SD		5C3Z2C026CA.....18A2435A		7C3Z2A793M 18P97031	
2M5Z2001AB 14D970CH		5C3Z2001AA.....14D1069M		5C3Z2C026CA.....18A2435AC		7C3Z2A793N 18P97032	
2M5Z2001AB 17D970C		5C3Z2001AA.....14D1069MH		6C2Z2078BC.....18J4508		7C3Z2A793P 18P97033	
2M5Z2001AB 17D970CH		5C3Z2001AA.....17D1069M		6C2Z2078BD.....18J4527		7C3Z2A793R 18P97034	
2M5Z2001AB 17D970M		5C3Z2001AA.....17D1069MH		6C2Z2140HA.....18M391044		7C3Z2A793S 18P97035	
2T1Z1125A.....18A2729		5C3Z2001AA.....17D1069SDH		6C2Z2282AA 18J1225		7C3Z2A793T 18P97036	
2T1Z1125A.....18A2729A		5C3Z2001AA.....17D1333MH		6C2Z2552B 18FR809		7EQ2061.....18E1	
2T1Z1125A.....18A2729AC		5C3Z2001AA.....17D1333SDH		6C2Z2552B 18FR809C		7T1Z2004A.....18M2582	
2T1Z1126C.....18B600		5C3Z2001BA.....14D1066M		6C2Z2552B 18FR809N		7T1Z2A603A 18P97611	
2T1Z2078A.....18J382944		5C3Z2001BA.....17D1066MH		6C2Z2552B 18R809		8A2049A 18H411	
2T1Z2200C.....17974B		5C3Z2001BA.....17D1066SDH		6C2Z2552CA 18FR1406		8A2069A 18H1106	
2T1Z2261B 18E1420		5C3Z2078BA.....18J4753		6C2Z2552CA 18FR1406C		8C2Z1102A 18A2581	
2T1Z2282A.....18J382945		5C3Z2078BC.....18J4754		6C2Z2552CA 18FR1406N		8C2Z1102A 18A2581A	
385217S 18K101		5C3Z2078CA.....18J4217		6C2Z2552CA 18R1406		8C2Z1102A 18A2581AC	
3C2Z2140CA 18M2743		5C3Z2078CC.....18J4218		6C2Z2552CA 18R1406SV		8C2Z1102C 18A2599	
3C2Z2140DA 18M903		5C3Z2078DA.....18J4219		6C2Z2553B 18FR810		8C2Z1102C 18A2599A	
3C2Z2A442BA.....18J4238		5C3Z2078DB.....18J4220		6C2Z2553B 18FR810C		8C2Z1102C 18A2599AC	
3C2Z2A442BB.....18J4518		5C3Z2140BA.....18M2474		6C2Z2553B 18FR810N		8C2Z2001C 14D1328MH	
3C3Z1102BA.....18A1676		5C3Z2140DA.....18M2489		6C2Z2553B 18R810		8C2Z2001C 14D1328MHF1	
3C3Z1102BA.....18A1676A		5C3Z2140FA 18M2505		6C2Z2553CA 18FR1407		8C2Z2001C 17D1328MH	
3C3Z1102CA.....18A1629		5C3Z2140HA.....18M2504		6C2Z2553CA 18FR1407C		8C2Z2001C 17D1328MHX	
3C3Z2140AA.....18M886		5C3Z2200AA 14D1068M		6C2Z2553CA 18FR1407N		8C2Z2001C 17D1328MXH	
3C3Z2267AA 18J383311		5C3Z2200AA 14D1068MH		6C2Z2553CA 18R1407		8C2Z2078BL.....18J383314	
3C3Z2268AA 17D14639		5C3Z2200AA 17D1068M		6C2Z2553CA 18R1407SV		8C2Z2078BR.....18J383439	
3M512K021AB.....14D1044C		5C3Z2200AA 17D1068MH		6C2Z2853BA 18P97308		8C2Z2140A 18M2640	
3M512K021AB.....14D1044CF1		5C3Z2200AA 17D1068MHF1		6C2Z2853D 18P1861		8C2Z2140B 18M2635	
3M512K021AB.....14D1044CF2		5C3Z2200BA 14D1067M		6C2Z2A442CB.....18J1601		8C2Z2140E 18M2710	
3M512K021AB.....17D1044C		5C3Z2200BA 14D1067MH		6C2Z2A442EA.....18J4772		8C2Z2200A 14D1329MH	
3M512K021AB.....17D1044CF1		5C3Z2200BA 17D1067MH		6C2Z2A635A 18P97281		8C2Z2200A 17D1329MH	
3M512K021AB.....17D1044CF2		5C3Z2200BA 17D1067MHF1		6C2Z2A635B 18P97295		8C2Z2200A 17D1329MHX	
3M512M008AGLC.14D1095CH		5C3Z2200BA 17D1334MH		6C2Z2A793B.....18P97271		8C2Z2200B 17D1329MHX	
3M512M008AGLC.14D1095CHF1		5C3Z2200BA 17D1334SDH		6C2Z2A793C.....18P96897		8C2Z2200B 17D1330MXH	
3M512M008AGLC.17D1095CH		5C3Z2267AA.....18J4531		6C3Z2C150BA 18K1031		8C2Z2200B 17D1330MXH	
3M512M008AGLC.17D1095CHF1		5C3Z2267BA.....18J4550		6C4Z2001AA.....17D786AM		8C2Z2200B 17D1330SDH	
4C2Z2267AA 18J382951		5C3Z2267DA 18J383550		6C4Z2001AA.....17D786AMH		8C2Z2552A 18FR2669	
4C2Z2268AA 18J382951		5C3Z2268AB 18J4544		6E5Z2208B 18K2327		8C2Z2552A 18FR2669N	
4C2Z2A442CA.....18J4341		5C3Z2268BA 18J4638		6E7Z2268A 18J383931		8C2Z2552A 18R2669	
4C2Z2A442DA.....18J4342				6L5Z2L126A.....18K6858			

INTERCHANGES



OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
Ford (Cont.)		Ford (Cont.)		Ford (Cont.)		Ford (Cont.)	
8C2Z2552B.....18FR2673		B7Q2140A.....18M6		C4TZ2062D.....18E52		D0HZ2078B.....18J381231	
8C2Z2552B.....18FR2673C		B7QH2140A.....18M7		C4TZ2221C.....18G12		D0HZ2140C.....18M40	
8C2Z2552B.....18R2673		B7T2061A.....18E778		C5TZ2078A.....18J3725		D0HZ2140D.....18M178	
8C2Z2553A.....18FR2670		B7T2061A1.....18E777		C5TZ2261A.....18E26		D0HZ2140G.....18M175	
8C2Z2553A.....18FR2670C		B7T2069A.....18H1109		C5TZ2261B.....18E23		D0HZ2282A.....18J381201	
8C2Z2553A.....18FR2670N		B8E2069A.....18H1110		C5TZ2261D.....18E960		D0HZ2282B.....18J397	
8C2Z2553A.....18R2670		B9D2140A.....18M22976		C5TZ2262B.....18E969		D0TZ2061A.....18E91	
8C2Z2553A.....18R2670SV		B9J2004A.....18G1130		C6OZ2061A.....18E62		D0TZ2061B.....18E79	
8C2Z2553B.....18FR2674		B9J2140A.....18M5		C6OZ2062A.....18E61		D0TZ2061C.....18E72	
8C2Z2553B.....18FR2674C		B9TT2061A.....18E24		C6TZ1126B.....18B17		D0TZ2061D.....18E95	
8C2Z2553B.....18R2674		B9TT2062A.....18E25		C6TZ2061A.....18E76		D0TZ2061E.....18E93	
8C2Z2648A.....17952B		BC3Z2001A.....14D1333AMH		C6TZ2062A.....18E926		D0TZ2062A.....18E90	
8C2Z2A442A.....18J4239		BC3Z2001A.....17D1333AMH		C6TZ2068A.....18K2397		D0TZ2062B.....18E78	
8C2Z2A442BR.....18J4811		BC3Z2001A.....17D1333ASDH		C6TZ2140B.....18M36433		D0TZ2062C.....18E94	
8C2Z2A442EL.....18J383597		BC3Z2078A.....18M22976		C5TZ2261B.....18E599		D0TZ2062D.....18E71	
8C2Z2A442ER.....18J383922		BC3Z2078B.....18J383724		C6TZ2261C.....18E594		D0TZ2062E.....18E92	
8C2Z2A635BL.....18P96896		BC3Z2078C.....18J383717		C6TZ2A178A.....18K2357		D0TZ2078B.....18J1834	
8C2Z2A635BR.....18P96915		BC3Z2078D.....18J383718		C7TZ2078B.....18J18		D0TZ2140B.....18M22	
8C2Z2C026A.....18A2607		BC3Z2078E.....18J383719		C7TZ2140B.....18M36355		D0TZ2221A.....18G13	
8C2Z2C026A.....18A2607AC		BC3Z2078F.....18J383720		C8HZ2140A.....18M4		D1TZ2078A.....18J555	
8C2Z2C026B.....18A2654		BC3Z2140A.....18M2622		C8TZ1102B.....18A1656		D1TZ2078B.....18J552	
8C2Z2C026B.....18A2654A		BC3Z2140B.....18M2623		C8TZ1102D.....18A1346A		D2OZ2078A.....18J24	
8C2Z2C026C.....18A2582		BC3Z2140C.....18M2627		C8TZ1102H.....18B52		D2HZ2140D.....18M176	
8C2Z2C026C.....18A2582A		BC3Z2267A.....18J4511		C8TZ2004L.....18G1200		D2HZ2140F.....18M177	
8C2Z2C026C.....18A2582AC		BC3Z2267B.....18J383484		C8TZ2018A.....17361R		D2HZ2282A.....18J75	
8C3Z2078L.....18J4766		BC3Z2268A.....18J4549		C8TZ2078C.....18J1801		D2OZ2221A.....18H6	
8C3Z2078R.....18J4767		BC3Z2268B.....18J382936		C8TZ2078E.....18J78		D2TZ2078C.....18J1824	
8C3Z2140B.....18M2513		BC3Z2268C.....18J4551		C8TZ2128A.....18G38		D2TZ2120A.....18H9	
8C3Z2140D.....18M2512		BC3Z2268D.....18J383483		C8TZ2128B.....18G39		D2TZ2282A.....18J84	
8C3Z2A793V.....18P97037		BC3Z2282A.....18J384465		C8TZ2140B.....18M36356		D3HZ2078C.....18J330	
8C3Z2A793W.....18P97038		BC3Z2282E.....18J383481		C8TZ2140G.....18M51		D3HZ2078D.....18J390	
8C3Z2A793X.....18P97039		BC3Z22648A.....17990B		C8TZ2140M.....18M181		D3HZ2648B.....17646B	
8M2128.....18G3		BC3Z2A635A.....18P2839		C8TZ2261B.....18E67		D3HZ2853J.....18P121	
8M2261A.....18E855		BC3Z2A635C.....18P2842		C8TZ2261C.....18E70		D3TZ2140D.....18M1061	
8M2262A.....18E889		BC3Z2A635D.....18P2844		C8TZ2261F.....18E68		D3TZ2140G.....18M58	
8Q2221.....18G8		BC3Z2A635E.....18P2840		C8TZ2262E.....18E77		D3TZ2140H.....18M54	
8S4Z2208A.....18K2329		BC3Z2A635F.....18P2841		C8TZ2262F.....18E69		D3TZ2282C.....18J48	
8U9Z2001BB.....14D786M		BC3Z2A635G.....18P2843		C8YA2078BE.....18J1		D3TZ2853C.....18P2395	
8U9Z2001BB.....14D786MH		BC3Z2A635H.....18P2845		C9TZ2078D.....18J77		D3TZ2C077A.....18K226X	
8U9Z2001BB.....17D786MH		BC3Z2A793A.....18P2937		C9TZ2140J.....18M39		D4UZ1113A.....18B42	
8U9Z2001BB.....17D786MHF1		BC3Z2A793AA.....18P2876		CC2Z2A442C.....18J384411		D5HZ1102B.....18A1216	
8U9Z2078L.....18J383977		BC3Z2A793BA.....18P2941		CH7311.....18K1618		D5TZ2078B.....18J1823	
8U9Z2078R.....18J383976		BC3Z2A793C.....18P2942		CK4Z1125A.....18A81781		D5TZ2078D.....18J79	
8U9Z2267A.....18J384010		BC3Z2A793E.....18P2938		CK4Z1125A.....18A81781A		D5TZ2078S.....18J395	
8U9Z2268A.....18J383982		BC3Z2A793H.....18P2939		CK4Z1125A.....18A81781AC		D5TZ2078T.....18J396	
8U9Z2C026A.....18A1839		BC3Z2A793J.....18P2871		CK4Z1125B.....18A81782		D5UZ2078C.....18J381195	
8U9Z2C026A.....18A1839A		BC3Z2A793K.....18P2940		CK4Z1125B.....18A81782A		D5UZ2853C.....18P148	
91A2221.....18G187		BC3Z2A793L.....18P2872		CK4Z1125B.....18A81782AC		D5UZ2A635A.....18P375	
9C2Z2140A.....18M2571		BC3Z2A793M.....18P2873		CK4Z1125F.....18A82343A		D5UZ2A635B.....18P676	
9C2Z2140C.....18M2574		BC3Z2A793N.....18P2874		CK4Z1125F.....18A82343G		D6TZ1102D.....18A46A	
9C2Z2140D.....18M2573		BC3Z2A793P.....18P2875		CK4Z2001A.....17D1774MH		D6TZ2001A.....14D120M	
9C2Z2140F.....18M2575		BU9Z2268B.....18J383950		CK4Z2001A.....17D1774MHSV		D6TZ2001A.....17D120M	
9C2Z2140H.....18M2572		BV6Z2853B.....18P97275		CK4Z2078A.....18J384410		D6TZ2078E.....18J86	
9C3Z2A635A.....18P97302		C0LY2221A.....18G4		CK4Z2140A.....18M391513		D6TZ2078F.....18J87	
9C3Z2A635B.....18P97303		C0MM2035A.....18H1310		CK4Z2200A.....17D1775MH		D6TZ2078L.....18J102	
9C3Z2A793A.....18P97040		C1TT2061C.....18E36		CK4Z2200A.....17D1775MHSV		D6TZ2078N.....18J81	
9C3Z2A793C.....18P97041		C1TT2078U.....18J2072		CK4Z2282A.....18J384470		D6TZ2140G.....18M69	
9C3Z2A793D.....18P97042		C1TT2078Z.....18J36511		CK4Z2C026C.....18A81939		D6TZ2A635K.....18P2002	
9C3Z2A793E.....18P97043		C1TT2261A.....18E41		CK4Z2C026C.....18A81939A		D6TZ2C077A.....18K2409	
9C3Z2A793F.....18P97044		C1TT2262A.....18E40		CK4Z2C026C.....18A81939AC		D6TZ2C077A.....18K5113	
9C4Z2282E.....18J383918		C2OZ2261B.....18E1337		CK4Z2C026D.....18A81790		D6TZ2C077A.....18K829	
9C4Z2C245F.....18J383911		C2OZ2261C.....18E45		CK4Z2C026D.....18A81790A		D6UZ2078A.....18J82	
9L3Z2853A.....18P96909		C2OZ2262B.....18E1342		CK4Z2C026D.....18A81790AC		D6UZ2078B.....18J83	
A8QH2140A.....18M2		C2OZ2262C.....18E44		CV6Z1125A.....18A2556		D6UZ2078F.....18J1437	
B3Q2221A.....18G17		C2S22261A.....18E1330		CV6Z1125A.....18A2556A		D7HZ2140A.....18M349	
B3QH2004A.....18G1204		C3AZ2201B.....18G11		CV6Z1125A.....18A2556AC		D7TZ1102A.....18A88	
B3QH2221A.....18G21		C3OZ2261A.....18E1324		CV6Z1125B.....18A2962		D7TZ1102A.....18A88A	
B4Q2140A.....18M3		C3S22068A.....18H1350		CV6Z1125B.....18A2962A		D7TZ2140A.....18M97	
B5T2222A.....18G20		C3S22068A.....18H1350X		CV6Z1125B.....18A2962AC		D7TZ2140B.....18M196	
B6Q2261A.....18E498		C3TZ2061B.....18E575		CV6Z2001B.....14D1645C		D7TZ2200A.....14314R	
B6QH2261B.....18E22		C3TZ2062B.....18E574		CV6Z2001B.....14D1645CH		D7TZ2200A.....17314R	
B7A2069A.....18H1108		C3TZ2140C.....18M36127		CV6Z2001B.....17D1645C		D7TZ2200A.....R358	
B7Q2004A.....18G1135		C3TZ2140E.....18M9		CV6Z2001B.....17D1645CF1		D7TZ2853C.....18P87	
B7Q2004B.....18G1218		C3TZ2140K.....18M36177		CV6Z2078A.....18J383714		D7TZ2A635C.....18P385	
B7Q2078A.....18J7		C4TZ2061D.....18E53		D0HZ2078A.....18J381206		D7TZ2A635D.....18P378	

OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
Ford (Cont.)		Ford (Cont.)		Ford (Cont.)		Ford (Cont.)	
D7TZ2A635G 18P376		E0UZ2A635C 18P383		E8TZ1125A 18A462		F2UZ2078E 18J981	
D8TZ2282B 18J110		E1HZ2853B 18P1040		E8TZ1125A 18A462A		F2UZ2140A 18M631	
D8TZ2282C 18J111		E1HZ2853C 18P1041		E8TZ2078C 18J880		F2UZ2261A 18E96	
D8TZ2853B 18P86		E1TZ1102B 18A1085		E8TZ2078D 18J881		F2UZ2262A 18E97	
D8TZ2A635C 18P381		E1TZ2078A 18J2285		E8TZ2140A 18M484		F2UZ2853A 18P1242	
D8TZ2A635D 18P382		E1TZ2200A 14316B		E8TZ2267A 18J1339		F2UZ2853B 18P1243	
DC3Z1102A 18A81785		E1TZ2200A 17316R		E8TZ2282A 18J882		F2UZ2853C 18P1244	
DC3Z1102A 18A81785A		E1TZ2200A B316L		E8TZ2282B 18J2065		F2UZ2A635C 18P1252	
DC3Z1102A 18A81785AC		E2HZ1126D 18B329		E8TZ2282C 18J646		F2UZ2A635D 18P1251	
DC3Z1102B 18A81778		E3HZ1102A 18A179A		E8TZ2853A 18P921		F2UZ2A635G 18P1253	
DC3Z1102B 18A81778A		E3HZ2001A 17D236M		E8TZ2A635A 18P901		F2UZ2B120A 18FR1047	
DC3Z1102B 18A81778AC		E3HZ2078A 18J394		E8TZ2A635B 18P900		F2UZ2B120A 18R1047	
DC3Z1125A 18A81016		E3HZ2140B 18M317		E8UZ2282B 18J645		F2UZ2B121A 18FR1048	
DC3Z1125A 18A81016A		E3HZ2207A 18H106		E8UZ2853A 18P898		F2UZ2B121A 18R1048	
DC3Z1125A 18A81016AC		E3HZ2B120A 18FR815		E8UZ2853C 18P919		F3HZ1125A 18B313	
DC3Z2001A 17D1680MH		E3TZ2853C 18P447		E8UZ2853D 18P920		F3HZ1126A 18B350	
DC3Z2001A 17D1680MHF1		E3TZ2853D 18P499		E9HZ1126D 18B391		F3TZ2853C 18P1369	
DC3Z2001A 17D1680SDH		E4HT2282FB 18J773		E9TZ2267A 18J1336		F4HZ1125A 18A691	
DC3Z2078A 18J383861		E4HZ1125A 18A178		E9TZ2268A 18J1340		F4TZ2140B 18M678	
DC3Z2078B 18J383850		E4HZ1125D 18A341A		E9TZ2282A 18J656		F4TZ2140C 18M766	
DC3Z2078C 18J383831		E4HZ2140A 18M315		E9TZ2853A 18P922		F4TZ2140H 18M676	
DC3Z2078D 18J383860		E4HZ2140B 18M312		E9TZ2853B 18P923		F4UZ1102C 18A714	
DC3Z2078E 18J383849		E4HZ2200A 17542R		EU9Z2267D 18J384461		F4UZ1102C 18A714A	
DC3Z2078F 18J383830		E4HZ2200B 17543R		EU9Z2268D 18J384462		F4UZ1102D 18A715	
DC3Z2140A 18M391497		E4HZ2207A 18H107		EU9Z2C026A 18A82056		F4UZ1102D 18A715A	
DC3Z2140B 18M391498		E4HZ2261A 18E277		F0HZ1125A 18B315		F4UZ2078A 18J1143	
DC3Z2140D 18M391496		E4HZ2261B 18E279		F0HZ1125B 18B312		F5TZ1102A 18A674	
DC3Z2200B 17D1691MH		E4HZ2262A 18E278		F0HZ1125C 18B347		F5TZ1102A 18A674A	
DC3Z2200B 17D1691MHF1		E4HZ2262B 18E280		F0HZ1125D 18B327		F5TZ1102E 18A722	
DC3Z2200B 17D1691SDH		E4HZ2A225B 18K264X		F0HZ2078A 18J1195		F5TZ1102E 18A722A	
DC3Z2648A 171043B		E4HZ2B107B 18G145		F0HZ2282B 18J893		F5TZ1102F 18A749A	
DC3Z2A635C 18P97655		E4HZ2B107C 18G126		F0TZ2078A 18J2874		F5TZ2078A 18J2048	
DC3Z2A635D 18P97658		E4HZ2B120A 18FR814		F0TZ2078B 18J883		F5TZ2078AA 18J1376	
DC3Z2A635E 18P97657		E4HZ2B120A 18FR814N		F0TZ2078C 18J2875		F5TZ2078B 18J1197	
DC3Z2C026A 18A81017		E4HZ2B120A 18R814		F0TZ2853C 18P1264		F5TZ2078C 18J1171	
DC3Z2C026A 18A81017A		E4HZ2C198A 18E418		F0UZ2282B 18J850		F5TZ2078D 18J1170	
DC3Z2C026A 18A81017AC		E4HZ2C198C 18E419		F1HZ1125B 18B309		F5TZ2282EA 18J1425	
DC3Z2C026B 18A81018		E4HZ2C199A 18G183		F1HZ1125C 18B307		F5UZ1102A 18A723	
DC3Z2C026B 18A81018A		E4TZ2140B 18M236		F1HZ1126A 18B349		F5UZ1102A 18A723A	
DC4Z2078A 18J384417		E4TZ2853D 18P536		F1HZ1126B 18B351		F5UZ1102A 18A723AC	
DU9Z2282A 18J384052		E4TZ2853G 18P537		F1LY2A478A 18J1144		F5UZ1102B 18A724	
DU9Z2282B 18J384053		E4TZ2853J 18P539		F1TZ2001A 14D450M		F5UZ1102B 18A724A	
DV6Z2282B 18J384416		E4TZ2853K 18P789		F1TZ2001A 17D450M		F5UZ1102B 18A724AC	
E0HT2078LB 18J391		E4TZ2853L 18P455		F1TZ2001A 17D450MH		F5UZ1102C 18A725	
E0HZ2004A 18G1263		E4TZ2B120B 18FR797		F1TZ2B120A 18FR1053		F5UZ1102C 18A725A	
E0HZ2004B 18G1201		E4TZ2B120B 18R797		F1TZ2B120A 18FR1053C		F5UZ1126A 18B324	
E0HZ2061A 18E216		E4TZ2B121B 18FR798		F1TZ2B120A 18FR1053N		F5UZ2078C 18J2047	
E0HZ2062A 18E215		E4TZ2B121B 18R798		F1TZ2B120A 18R1053		F5UZ2261A 18E433	
E0HZ2078A 18J384		E4UZ2853C 18P538		F1TZ2B121A 18FR1054		F5UZ2262A 18E1133	
E0HZ2078B 18J385		E4UZ2853D 18P540		F1TZ2B121A 18FR1054C		F5UZ2853GD 18P1772	
E0HZ2078D 18J386		E5TZ1102B 18A272A		F1TZ2B121A 18FR1054N		F5UZ2A635CC 18P1774	
E0HZ2078E 18J387		E5TZ1126A 18B175		F1TZ2B121A 18R1054		F5UZ2A635DD 18P1775	
E0HZ2078F 18J388		E5TZ1126B 18B141		F2HZ1125C 18B348		F5UZ2A793A 18P1773	
E0HZ2078G 18J389		E5TZ2282A 18J410		F2HZ1125D 18B311		F5UZ2A793B 18P264	
E0HZ2078J 18J392		E5TZ2282B 18J404		F2HZ2140A 18M2338		F5UZ2A793BB 18P1787	
E0HZ2078P 18J393		E5TZ2A635D 18P743		F2TZ2267B 18J1334		F5UZ2A793C 18P1795	
E0HZ2140A 18M249		E5UZ2282A 18J405		F2TZ2267C 18J1335		F5UZ2A793CB 18P1788	
E0HZ2261A 18E73		E6HZ1125F 18A965		F2TZ2268B 18J1341		F6TZ2140AA 18M2443	
E0TZ1102C 18A64		E6HZ2140A 18M470		F2TZ2282A 18J953		F6TZ2140BA 18M762	
E0TZ1102C 18A64A		E6HZ2282C 18J1419		F2TZ2282B 18J954		F6TZ2140EA 18M782	
E0TZ1102F 18A532A		E6HZ2A225A 18K272		F2TZ2282C 18J3062		F6TZ2140FA 18M781	
E0TZ2078C 18J2293		E6TZ2B120B 18FR801		F2TZ2282D 18J1198		F6TZ2853EA 18P1954	
E0TZ2078D 18J141		E6TZ2B120B 18R801		F2TZ2853A 18P1664		F6TZ2A793AA 18P2624	
E0TZ2078E 18J2284		E6TZ2B121B 18FR802		F2TZ2853B 18P1665		F6TZ2A793GA 18P1777	
E0TZ2078F 18J162		E6TZ2B121B 18R802		F2TZ2A635G 18P1247		F6TZ2A793JA 18P1777	
E0TZ2140B 18M115		E7HZ2001A 17D379M		F2TZ2A635H 18P1248		F6TZ2A793LA 18P1786	
E0TZ2282B 18J194		E7TZ1102C 18A428A		F2TZ2A635J 18P1249		F6UZ2267AA 18J1533	
E0TZ2853B 18P323		E7TZ1126A 18B170		F2TZ2A635K 18P1250		F6UZ2268AA 18J1532	
E0TZ2853D 18P321		E7TZ2078F 18J383949		F2TZ2A793C 18P1783		F6UZ2282AA 18J4244	
E0TZ2853F 18P318		E7TZ2140B 18M1753		F2TZ2A793G 18P1776		F6UZ2853AA 18P2627	
E0TZ2853H 18P239		E7TZ2140C 18M1755		F2UZ1102A 18A504A		F6UZ2A793BA 18P1790	
E0TZ2853J 18P238		E7TZ2261A 18E89		F2UZ1126B 18B279		F6UZ2A793CA 18P1793	
E0TZ2A635C 18P387		E7TZ2262A 18E857		F2UZ2001A 17D557M		F6UZ2A793DA 18P1791	
E0TZ2A635D 18P386		E7UZ2140B 18M353		F2UZ2001A 17D557MH		F6UZ2C026AA 18A881	
E0TZ2A635H 18P384		E7UZ2853A 18P775		F2UZ2078D 18J1046		F6UZ2C026AA 18A881A	

ACDelco

940

OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
General Motors (Cont.)		General Motors (Cont.)		General Motors (Cont.)		General Motors (Cont.)	
05466565.....18G32		10369337.....18J384166		12387805.....14D1032MH		14067107.....18P834	
5468432.....18H6		10369338.....18J384141		12387805.....14D1032MX		14067108.....18P837	
5468892.....18E632		10369339.....18J384345		12387805.....17D1032MH		14067109.....18P604	
5469625.....17248R		10369340.....18J384346		12387805.....17D1032MX		14071826.....18K2327	
5470056.....18M36355		10369341.....18J384150		12388047.....18A1220		14071965.....18J2038	
5471528.....18M15		10369344.....18J384140		12388047.....18A1220A		14071966.....18J587	
5472728.....18M25		10369345.....18J384125		12389421.....17D184M		15000378.....18P1827	
5472732.....18M26		10369346.....18J384137		12389421.....17D184MH		15003979.....18P1812	
5472864.....18G1218		10369347.....18J384197		12472852.....14781B		15004608.....18FR2496	
5472998.....18M36356		10369348.....18J384209		12472852.....17781B		15004608.....18FR2496N	
5473004.....18M9		10369349.....18J384145		12472852.....B781		15004609.....18FR2497	
5473006.....18M1		10369350.....18J384212		12473088.....14771B		15004609.....18FR2497N	
5473007.....18M2		10369351.....18J384013		12473088.....17771B		15004609.....18R2497	
5473010.....18M6		10369353.....18J384012		12473088.....B771		15007799.....18M870	
5473012.....18M36127		10369356.....18J384167		12474647.....17D225M		15015714.....18P1813	
5473015.....18M3		10369357.....18J384178		12474647.....17D225MH		15016299.....18P1498	
5473016.....18M4		10369358.....18J384142		12475227.....17D224M		15017171.....18P2617	
5473054.....18E574		10369359.....18J384136		12475227.....17D224MH		15017172.....18P2618	
5473055.....18E575		10369360.....18J384122		12477878.....14452R		15018840.....18P2039	
5473060.....18E62		10369361.....18J384151		12477878.....17452R		15020669.....18P2622	
5473061.....18E61		10369362.....18J384138		12477878.....R452		15020670.....18P2611	
5473108.....18E1		10369363.....18J384117		12541130.....18A558		15021199.....18P1816	
5473131.....18E479		10369364.....18J384126		12541130.....18A558A		15023387.....18P2037	
5473132.....18E480		10369365.....18J384114		12541130.....18A558AC		15023390.....18P1031	
5473133.....18E481		10369805.....18J384153		12541130.....18A558SD		15023391.....18P2036	
5473134.....18E482		10369806.....18J384148		12542220.....18B357		15023392.....18P1030	
5473140.....18E473		10388576.....18J384124		12542221.....18B358		15023394.....18P1807	
5473159.....18E926		10388578.....18J384132		12544298.....14D149MX		15023396.....18P2038	
5473160.....18E76		10394605.....18J4315		12544298.....17D149MH		15023867.....18J4917	
5473162.....18G6		10394610.....18J381625		12544298.....17D149MX		15023868.....18J4916	
5473166.....18G187		10394612.....18J1934		12547509.....18A686		15028639.....18J4920	
05473181.....18G17		11513776.....18K1179		12547509.....18A686A		15028640.....18J4921	
5473568.....18K494		12321430.....14D369CH		12547510.....18A717		15041327.....18P2655	
5474000.....18E1330		12321430.....14D369CHF1		12547510.....18A717A		15041328.....18P2656	
6259173.....18M68		12321430.....14D369MX		12547785.....18A1222		15048488.....18B276	
6259782.....18P356		12321430.....17D369CH		13512717.....18A82636A		15048488.....18B276A	
6260588.....18B111		12321430.....17D369CHF1		13512717.....18A82636G		15054287.....18J1575	
6260806.....18A97		12321430.....17D369MH		14002543.....18FR652		15061113.....18P2125	
6260806.....18A97A		12321430.....17D369MX		14002543.....18FR652N		15061114.....18P2609	
6260830.....18B108		12321431.....14D370CH		14002543.....18R652		15061117.....18P2610	
6260843.....17418R		12321431.....14D370CHF1		14002544.....18FR651		15065077.....18A1412	
6271370.....18P399		12321431.....14D370CHF2		14002544.....18FR651N		15065077.....18A1412A	
6271371.....18P397		12321431.....14D370MH		14002544.....18R651		15065077.....18A1412AC	
6271465.....18P358		12321431.....17D370CH		14007604.....18P751		15065077.....18A1412SD	
6271467.....18P334		12321431.....17D370CHF1		14008238.....18M71		15076437.....18P2501	
6271469.....18P403		12321431.....17D370MH		14009145.....18M1887		15076437.....18P2692	
6273936.....18M48		12321437.....14D153MH		14012952.....18A63A		15076438.....18P2690	
9750960.....18J33511		12321437.....14D153MHF1		14023437.....18K5453		15083702.....18A2668	
9754994.....18J2033		12321437.....17D153MH		14023439.....18K5301		15083702.....18A2668A	
9757640.....18J1346		12321454.....14D459CH		14034565.....18P402		15101916.....18J4316	
9758203.....18J1494		12321454.....14D459CHF1		14049416.....18P512		15101917.....18J4317	
9758637.....18J373		12321454.....14D459M		14049418.....18P440		15102358.....18J4884	
09758861.....18J2034		12321454.....14D459MH		14049419.....18P412		15102359.....18J4393	
09758862.....18J41		12321454.....17D459CH		14049420.....18P413		15102360.....18J4622	
9758863.....18J593		12321454.....17D459CHF1		14049421.....18P414		15102361.....18J4396	
09758864.....18J594		12321454.....17D459MH		14049458.....18P513		15106442.....18M391082	
9758868.....18J1977		12338037.....18K101		14049459.....18P415		15107401.....18J4623	
9762564.....18J567		12350920.....18E6		14049460.....18P301		15127537.....18A2437	
9762803.....18J280		12350921.....18E7		14049534.....18P303		15127537.....18A2437A	
9762804.....18J281		12350926.....18G13		14050302.....18B147A		15127537.....18A2437AC	
9765609.....18J279		12350930.....18G21		14050302.....18B147A		15149083.....18P2018	
10356407.....18J4227		12361076.....18A1414		14053593.....18P421		15149085.....18P1820	
10356593.....18A2426		12370010.....14451R		14053595.....18P426		15149086.....18P1815	
10356593.....18A2426A		12370010.....17451R		14053596.....18P432		15152071.....18FR814	
10362946.....18P2613		12370010.....R451		14053597.....18P431		15152071.....18FR814N	
10367834.....18J4849		12383990.....18K561		14054770.....18P434		15152071.....18R814	
10367835.....18J4850		12384847.....18FR1408		14054771.....18P433		15181111.....18B254A	
10367838.....18J4631		12384847.....18R1408		14064663.....18P427		15181156.....18A925	
10367839.....18J383523		12386682.....18A1419		14064664.....18P428		15181156.....18A925A	
10367840.....18J383598		12386685.....18A1420		14064667.....18P429		15181156.....18A925AC	
10369332.....18J384260		12386718.....18A1221		14064668.....18P430		15181156.....18A925SD	
10369333.....18J384134		12387799.....18FR2495		14066425.....18M230		15218119.....18J4892	
10369336.....18J384160		12387800.....18FR2494		14067106.....18P836		15218120.....18J4893	

INTERCHANGES



OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
General Motors (Cont.)		General Motors (Cont.)		General Motors (Cont.)		General Motors (Cont.)	
15253255	18A2759	15626367	18P1319	15780130	18J4394	17999935	18J1310
15253255	18A2759A	15627158	18P1320	15780131	18J4395	17999936	18J1272
15269590	18M2425	15633399	18B253	15795983	18M2564	18002458	18M92
15271565	14D1095CH	15634823	18K39	15816881	18P96980	18002500	18E40
15271565	14D1095CHF1	15638924	18P1322	15816882	18P96981	18002501	18E41
15271565	17D1095CH	15640539	18P1027	15816883	18P96870	18004609	18E1362
15271565	17D1095CHF1	15644751	18J1408	15816884	18P96854	18004702	18K2329
15281899	18J4392	15644903	18P976	15816886	18P96855	18004794	18E112
15281900	18J383046	15649953	18A503	15816887	18P96871	18004947	18E113
15500326	18A632	15649953	18A503A	15823492	18J4879	18008403	18E2
15500339	18A631	15649953	18A503AC	15823493	18J4878	18008404	18E3
15500481	18M284	15649953	18A503SD	15835280	18M2579	18008624	18M34403
15501011	18K2350	15649969	18A507	15837546	18M2539	18008625	18M19089
15502519	18J372	15649969	18A507A	15880724	18M2563	18009753	18FR650
15510025	18H107	15649969	18A507AC	15886462	14D785CH	18009753	18R650
15513991	18G1201	15650039	18B277	15886462	14D785CHF1	18009754	18FR649
15514357	18A176	15650039	18B277A	15886462	14D785MH	18009754	18R649
15514357	18A176A	15657342	18P1318	15886462	17D785CH	18010746	18M229
15514492	18A692A	15661543	18A809	15886462	17D785CHF1	18012251	18K2390
15515786	18A177	15661993	14647B	15886462	17D785MH	18013441	18M348
15515786	18A177A	15661993	17647B	15886462	17D785MHF1	18013978	18M364
15515789	18A810	15663136	18B355	15886462	17D785SDH	18014081	18E292
15518729	18J1400	15663137	18B356	15886464	14D909CH	18014744	18FR746
15521254	18M294	15666388	18P1323	15886464	14D909CHF1	18014744	18FR746C
15522539	18P1587	15671784	18J2206	15886464	17D909CH	18014744	18FR746N
15534074	18A274A	15674441	18A617	15886464	17D909CHF1	18014744	18R746
15536126	18G1259	15674441	18A617A	15886464	17D909MH	18014744	18R746C
15544322	18A230A	15677039	18A616A	15886468	14D784CH	18014745	18FR745
15544636	18J1517	15679397	18P1526	15886468	14D784CHF1	18014745	18FR745C
15549116	18P745	15679603	18A21A	15886468	14D784MH	18014745	18FR745N
15549118	18P755	15683822	18P1488	15886468	17D784CH	18014745	18R745
15556656	18J1405	15688666	18P1527	15886468	17D784CHF1	18014747	18FR742
15565880	18J1284	15688667	18P1528	15886468	17D784MH	18014747	18FR742C
15565881	18J1285	15691511	18P1537	15886468	17D784MHSV	18014747	18FR742N
15566042	18FR813	15691513	18P1525	15886468	17D784MXH	18014747	18R742
15566042	18FR813N	15691514	18P1553	15886468	17D784SDH	18014747	18R742F1
15566042	18R813	15691785	18J435	15935842	18M2567	18014748	18FR741
15566044	18P1530	15691951	18A737	15935845	18M2568	18014748	18FR741C
15567537	18J674	15691951	18A737A	15936936	18M2557	18014748	18FR741N
15567538	18J675	15691951	18A737AC	15941083	18P96982	18014748	18R741
15574499	18M838	15691956	18A874	15942198	18A1206	18014748	18R741F1
15574590	18J1283	15691956	18A874A	15942198	18A1206A	18015481	18M422
15579020	18A954	15691956	18A874AC	15942198	18A1206AC	18017227	18FR982
15579641	18B353	15696701	18P1361	15942198	18A1206SD	18017227	18FR982C
15589447	18A269A	15699097	18P1494	15942858	18P96865	18017227	18FR982N
15589448	18A297	15706382	18P1591	15942860	18P97103	18017227	18R982
15589448	18A297A	15706386	18P1589	15942861	18P97102	18017227	18R982F1
15589588	18B187	15708243	18J4919	15942862	18P97207	18017378	18M949
15594391	18A313	15712803	18A926	15942863	18P97206	18020178	18E82
15594391	18A313A	15712803	18A926A	15942865	18P96866	18020179	18E83
15597951	18P612	15712803	18A926AC	15953193	18P1449	18020674	18E394
15597952	18P576	15712803	18A926SD	15955695	18P1529	18021277	18M742
15597953	18P575	15713541	18J1607	15964860	18P1481	18026447	14D792CH
15597954	18P574	15713542	18J1608	15964861	18P1480	18026447	14D792CHF1
15597955	18P577	15714007	18J1609	15964862	18P2464	18026447	14D792M
15601632	18J1386	15714008	18J1610	15976509	18P1486	18026447	14D792MH
15603712	18P2001	15718986	18A927	15986401	18P97441	18026447	17D792CH
15607207	18J2064	15718986	18A927A	15986403	18P1499	18026447	17D792CHF1
15607234	18P1610	15718986	18A927AC	15990763	18P1580	18026447	17D792CHF2
15607677	18P911	15718986	18A927SD	15990765	18P1582	18026447	17D792M
15607678	18P1051	15720252	18P1559	15993147	18P1562	18026447	17D792MH
15607685	18P1054	15725531	18P1611	15997316	18P1825	18029954	18M970
15607686	18P1047	15733625	18A1193	15997319	18P1824	18029955	18M794
15609499	18P1500	15733625	18A1193A	17982962	18J349	18040236	18M1107
15611179	18M892	15733625	18A1193AC	17983488	18J370	18046692	18M2429
15615215	18H112	15740766	18A950A	17983489	18J369	18047512	18M2426
15615551	18H162	15749909	18A1753	17990533	18J784	18047519	18M2404
15616063	18B354	15749909	18A1753A	17990976	18J822	18048687	18K1518
15619929	17823B	15762656	18P2615	17996161	18J785	18060656	18A1320
15619977	18B359	15762657	18P2616	17996162	18J771	18060656	18A1320A
15619979	18B331	15769474	18A1417	17996513	18J823	18060785	18M1257
15622376	18A452A	15769474	18A1417A	17999726	18J1113	19150140	18FR2503N
15624633	18P905	15769474	18A1417AC	17999730	18J1287	19150141	18FR2502N

OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
General Motors (Cont.)		General Motors (Cont.)		General Motors (Cont.)		General Motors (Cont.)	
19150141	18R2502	22761958	18A2805A	88982627	14D974CH	94366167	18E406
19316546	18A81042	22761958	18A2805AC	88982627	14D974CHF1	94366168	18E407
19316546	18A81042A	22761959	18A81945	88982627	17D974CH	94366169	18E408
19316567	18B7846	22761959	18A81945A	88982627	17D974CHF1	94406618	18M480
19316567	18B7846A	22761959	18A81945AC	88982627	17D974MH	94441330	18M482
19316582	18E370258	22761959	18A81945SD	88982627	17D974MHSV	94468357	18E338
19316593	18M391535	22818355	18A1705	88982627	17D974SDH	94840680	18K5449
19316603	18J383889	22818355	18A1705A	88982640	14D989CH	95004783	17727R
19317044	14D1094CH	22818355	18A1705AC	88982640	14D989CHF1	97015857	18A479A
19317044	14D1094CHF1	22818355	18A1705PV	88982640	14D989CHF2	97015887	18A1449
19317044	17D1094CH	22905846	18J4759	88982640	17D989C	97022028	18E779
19317044	17D1094CHF1	22905847	18J4760	88982640	17D989CH	97022029	18E401
19317047	171052B	22905848	18J384351	88982640	17D989CHF1	97022030	18E402
19405429	18A2887	22989338	18M391534	88982640	17D989M	97022031	18E403
19405429	18A2887A	25745116	18P97445	88982640	17D989MXH	97029278	18E784
19405800	18M391540	25745121	18P97104	88982725	18FR2529	97029279	18E783
20777332	14D1411CH	25792698	18A2630	88982726	18FR2576	97029280	18E782
20777332	14D1411CHF1	25792698	18A2630A	88982726	18R2576	97038681	18E405
20777332	17D1411CH	25807301	18A2805SD	89026795	14D1064M	97038682	18E404
20777332	17D1411CHF1	25807428	18A2804SD	89026795	17D1064M	97039542	18J1424
20777332	17D1411MH	25809241	18M2581	89026795	17D1064MH	97078037	18E427
20777332	17D1411MHSV	25809242	18M2580	89026840	18FR2528	97078038	18E781
20777332	17D1411SDH	25815024	18A2797	89026840	18FR2528N	97078039	18E780
20777336	18K2370	25815024	18A2797A	89026840	18R2528	97080398	17D546M
20778485	17973B	25815024	18A2797AC	89040524	17847B	97168631	18A1448
20779563	18P97608	25815024	18A2797SD	94011495	18J383252	97168631	18A1448A
20803177	18J383739	25819670	18A1705SD	94035346	18E345	97168632	18A1661
20838671	18J383628	25843140	18P97255	94035347	18E346	97168633	17D825M
20852864	18J383554	25843141	18P97254	94036204	18G167	97168633	17D825MH
20909250	171050B	25843146	18P97250	94037633	18J384266	97182771	18A1696
20932370	18J383479	25843147	18P97252	94038193	18E342	97182771	18A1696A
20932371	18J383480	25843148	18P97251	94038194	18E343	97182898	18J4890
20932372	18J383963	25843149	18P97253	94038195	18E344	97191500	18E1431
20932373	18J383964	25845503	18P97239	94038682	18G168	97207159	18E1430
20978667	18P97244	25845508	18P97240	94039083	18G169	97211691	17D827M
20978668	18P97248	25882060	18J4577	94040194	18J1506	97211691	17D827MH
22111869	18J1518	25882061	18J4576	94040320	18J1507	97222444	18J383929
22112623	18J2204	25887167	18J383482	94044493	18P1092	97253569	18J383251
22113357	18J1286	25887171	18J383734	94046913	18G170	97315166	18M391472
22113463	18J1089	25887178	18J383733	94048807	18P1094	97319056	18B415
22113464	18J2045	25900782	18K2410	94050883	18E349	97331291	18B7832
22113491	18J351	25904969	17962B	94050884	18E348	97331291	18B87832A
22113492	18J354	47600554	18E410	94050885	18E350	97365482	18J384163
22163235	18J1611	47600555	18E409	94051074	18G171	97365907	18FR2542
22163386	18J2052	47600706	18E412	94051075	18G172	97365907	18R2542
22163397	18J3627	47600707	18E411	94051232	18P1093	97365908	18FR2543
22163398	18J1653	47600708	18E414	94051445	18J4889	97365908	18R2543
22163513	18J1422	47600709	18E415	94052156	18FR1400	97724179	17792R
22163541	18J1612	47600710	18E413	94052158	18FR1401	97725516	18B7833
22163542	18J1613	47600817	18E785	94054929	18E351	97725516	18B87833A
22163605	18J4007	84394388	17D784BMH	94054930	18E352	97725531	17833R
22163606	18J4008	84394388	17D784BSDH	94054931	18E353	98105272	18A82559
22163671	18J1614	84571661	14D2250ACH	94054932	18E354	98303469	18FR2442
22163672	18J1615	84571661	17D2250ACH	94054933	18E355	98303470	18FR2443
22163673	18J1616	84571661	17D2250ASDH	94054934	18E356	W8003783	18A2718
22163674	18J4482	84702753	14D2250CH	94055727	18G173	W8003783	18A2718A
22163767	18J1617	84702753	17D2250CH	94059754	18J901		
22738078	18P97246	84702753	17D2250SDH	94128141	18E357		
22738079	18P97247	88936163	18A2442	94128142	18E358		
22742382	14D1363CH	88936163	18A2442A	94128143	18E359		
22742382	14D1363CHF1	88936163	18A2442AC	94131650	18E336		
22742382	14D1367CH	88936210	18A2772	94131651	18E337		
22742382	17D1363CH	88936210	18A2772A	94131652	18E341		
22742382	17D1363CHF1	88964197	14D974ACH	94154773	17612R		
22742382	17D1363SDH	88964197	14D974ACHF1	94154904	18E360		
22742382	17D1367CH	88964197	17D974ACH	94154905	18E361		
22742382	17D1367CHF1	88964197	17D974ACHF1	94154906	18E362		
22742382	17D1367MHPVF1	88964197	17D974AM	94154907	18E363		
22742382	17D1367SDH	88964197	17D974AMH	94159293	18J1440		
22752762	18A2804	88964197	17D974ASDH	94159294	18J752		
22752762	18A2804A	88982418	14D1010MX	94340530	18E364		
22752762	18A2804AC	88982418	17D1010MH	94340531	18E365		
22761958	18A2805	88982418	17D1010MX	94340532	18E366		

Gunite

3575	18B311
3646	18B307
3721AX	18B309
D5069	18A692A
D6052	18A176
D6052	18A176A
D6054	18A177
D6054	18A177A
D6054C	18A178
D6115A	18A460A
D6128A	18A1217A
D6133	18A1219
D6145	18A1218A
D6147	18A1353

INTERCHANGES



OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
Gunitite (Cont.)		Hino (Cont.)		Isuzu (Cont.)		Isuzu (Cont.)	
D6147.....	18A1353A	23123624007.....	18A2645	1878303620.....	18G168	8971686330.....	17D825MH
D6153.....	18A808	23123625002.....	18A2593	1878303670.....	18G169	8971686340.....	17D826M
D6176M.....	18A2664A	23123626002.....	18A2598	1878303980.....	18G173	8971687550.....	18E1444
D6178AM.....	18A80923	900472465A.....	18J384057	1878304670.....	18G171	8971687570.....	18E1445
D6178AM.....	18A80923A	900472468A.....	18J383948	1878304690.....	18G172	8971687590.....	18E1446
D6178M.....	18A80922	900472472A.....	18J383979	5870901220.....	17699R	8971813330.....	18J383250
D6178M.....	18A80922A	9094702D85.....	18J384078	5878305340.....	18G170	8971827710.....	18A1696
D6183M.....	18A1839	9094702G76.....	18J384077	5878316930.....	17792R	8971827710.....	18A1696A
D6183M.....	18A1839A	S465301210.....	17I060B	8103693510.....	18J384013	8971828980.....	18J4890
D6194.....	18A2951	S465301240.....	17I062R	8103693530.....	18J384012	8971915000.....	18E1431
D6194.....	18A2951A	SJ1035.....	18K2068	8103693590.....	18J384136	8972071590.....	18E1430
D6194A.....	18A82030	SZ94072235.....	18J383946	8123866820.....	18A1419	8972071620.....	18E1447
G14520.....	18A63A	Hyster - Yale		8123867180.....	18A1221	8972116910.....	17D827M
G14545.....	18A1656	54049.....	18G17	8123880470.....	18A1220	8972116910.....	17D827MH
G14605.....	18A21A	54613.....	18G6	8123880470.....	18A1220A	8972224440.....	18J383929
G14616.....	18A46A	54537A.....	18G3	8125477850.....	18A1222	8972535690.....	18J383251
G14619.....	18A1346A	54671A.....	18G21	8151636710.....	18J384345	8973151660.....	18M391472
G14627.....	18A97	54837A.....	18M3	8151636720.....	18J384346	8973190550.....	18B7831
G14627.....	18A97A	54859A.....	18G1204	8156199290.....	17823B	8973190550.....	18B87831A
G14640.....	18A103	54942A.....	18G19	8156199540.....	18A177	8973312914.....	18B7832
G14640.....	18A103A	Isuzu		8156199540.....	18A177A	8973312914.....	18B87832A
G14641.....	18A33A	1036935.....	18J4125	8889357430.....	14781B	8973497010.....	18E1442
G14656.....	18A148A	10369355.....	18J4124	8889357430.....	17781B	8973497020.....	18E1441
G14659.....	18A64	0053134800.....	18J383252	8889357430.....	B781	8973497030.....	18E1440
G14659.....	18A64A	1093644531.....	18J1507	8941036553.....	18P508	8973497040.....	18E1439
G14660.....	18A88	1093644541.....	18J1506	8941281412.....	18E357	8973497050.....	18E1438
G14660.....	18A88A	1093646200.....	18J4889	8941281422.....	18E358	8973497060.....	18E1437
G16003.....	18A313	1093646410.....	18J384181	8941281432.....	18E359	8973497070.....	18E1443
G16003.....	18A313A	1093647240.....	18J901	8941316501.....	18E336	8973497080.....	18E1436
G16004.....	18A230A	1423153521.....	18B7838	8941316511.....	18E337	8973588780.....	18E1435
G16007.....	18A269A	1423153521.....	18B87838A	8941316521.....	18E341	8973588790.....	18E1433
G16010.....	18A274A	1423153531.....	18B7833	8941549041.....	18E360	8973588800.....	18E1434
G16012.....	18A428A	1423153531.....	18B87833A	8941549051.....	18E361	8973588810.....	18E1432
G16016.....	18A272A	1423153591.....	18B7840	8941549061.....	18E362	8973654810.....	18J383908
G16030.....	18A297	1423153591.....	18B87840A	8941549071.....	18E363	8981296710.....	18J383954
G16030.....	18A297A	1423153600.....	18B7839A	8941592930.....	18J1440	9476150270.....	18K2370
G16031.....	18A341A	1423153610.....	18B7834	8941592940.....	18J752	3870758C2.....	18J383918
G1607.....	18B170	1423153610.....	18B87834A	8942028970.....	18K2327	Mazda	
G1643.....	18B17	1461513015.....	18P1092	8943153151.....	18M770	B3YF3323Z.....	17D1111DC
G1657.....	18B175	1461513025.....	18P1094	8943398600.....	17612R	B3YF3323Z.....	17D1111DM
G1661.....	18B52	1461513443.....	18P1093	8943405300.....	18E364	B3YF33690.....	18K2410
G1665.....	18B42	1462200240.....	17I009B	8943405310.....	18E365	B3YH3323Z.....	14D1044C
G2005.....	18B407	1471200051.....	17727R	8943405320.....	18E366	B3YH3323Z.....	14D1044CF1
G2169.....	18B187	1471207631.....	17833R	8943661670.....	18E406	B3YH3323Z.....	14D1044CF2
G2311.....	18B509	1476003780.....	18E345	8943661680.....	18E407	B3YH3323Z.....	17D1044C
G2320.....	18B141	1476003790.....	18E346	8943661690.....	18E408	B3YH3323Z.....	17D1044CF1
G8021.....	18B108	1476005240.....	18E342	8943820852.....	18B415	B3YH3323Z.....	17D1044CF2
G8024.....	18B147	1476005343.....	18E343	8944066180.....	18M480	BPYK2648ZB.....	14D1095CH
G8024.....	18B147A	1476005353.....	18E344	8944413300.....	18M482	BPYK2648ZB.....	14D1095CHF1
G8027.....	18B111	1476005541.....	18E410	8944551420.....	18J1424	BPYK2648ZB.....	17D1095CH
R3064X.....	18A1216	1476005551.....	18E409	8944683570.....	18E338	BPYK2648ZB.....	17D1095CHF1
R6115.....	18A664A	1476005560.....	18E347	8970158570.....	18A479A	F15133691.....	18K2327
Hino		1476005570.....	18E349	8970158870.....	18A1449	Meritor	
6045481.....	18FR2503N	1476005580.....	18E348	8970220280.....	18E779	60450473.....	18FR2502N
60450476.....	18FR12847N	1476005590.....	18E350	8970220290.....	18E401	60450474.....	18FR2503N
60450477.....	18FR12848N	1476005810.....	18E351	8970220300.....	18E402	60450480.....	18FR2502N
60450478.....	18FR12845N	1476005820.....	18E352	8970220310.....	18E403	23123557004.....	18A2426
60450479.....	18FR12846N	1476005830.....	18E353	8970292780.....	18E784	23123624007.....	18A2645
60450480.....	18FR2502N	1476005840.....	18E354	8970292790.....	18E783	23123625002.....	18A2593
60450480.....	18R2502	1476005850.....	18E355	8970292800.....	18E782	Mitsubishi	
60450482.....	18FR2496	1476005860.....	18E356	8970330090.....	18M767	4605A566.....	18K2410
60450482.....	18FR2496N	1476007060.....	18E412	8970330100.....	18M768	MB857585.....	18J893
60450483.....	18FR2497	1476007070.....	18E411	8970386810.....	18E405	MC837658.....	17I013B
60450483.....	18FR2497N	1476007080.....	18E414	8970386820.....	18E404	MC869379.....	17I014B
60450483.....	18R2497	1476007090.....	18E415	8970386830.....	18E422	MC869773.....	17D735M
0446537270.....	17D1695MH	1476007100.....	18E413	8970780370.....	18E427	MC869773.....	17D735MF1
0446537280.....	17D1683MH	1476007340.....	18E842	8970780380.....	18E781	MC869779.....	17D433BM
900472462.....	18J384056	1476007350.....	18E841	8970780390.....	18E780	MC894601.....	17D734M
23123557004.....	18A2426	1476008170.....	18E785	8970803980.....	17D546M	MC894846.....	18A2573
23123557004.....	18A2426A	1878302610.....	18G167	8971476042.....	18B7830		
23123617004.....	18A2468			8971476042.....	18B87830A		
23123617004.....	18A2468A			8971686311.....	18A1448		
23123618007.....	18A2644			8971686311.....	18A1448A		
				8971686321.....	18A1661		
				8971686330.....	17D825M		

OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
Mitsubishi (Cont.)		Navistar Inc (Cont.)		Navistar Inc (Cont.)		Navistar Inc (Cont.)	
MC894848.....18A2574		2594594C1.....18A1430A		486745C1.....18J315		D6194M.....18A2951	
MK326334.....18A2575		2594595C1.....18A1429		48819H.....18K6858		D6194M.....18A2951A	
MK374048.....18A2555		2594595C1.....18A1429A		489432C91.....18M391541		H5650.....18K1032X	
MK528495.....17D1265MH		2594596C1.....18A1839		489433C91.....18M285		PFH39008620.....18A2426	
MK528495.....17D1265MHF1		2594596C1.....18A1839A		489506C1.....18J313		PFH39008620.....18A2426A	
MK530539.....171045B		2599937C91.....18A2887		489518C1.....18J546		PFH39019320.....18A2772	
Navistar Inc		2599937C91.....18A2887A		49567H.....18J7		PFH39019320.....18A2772A	
111625R91.....18G20		260551C91.....18E77		497489C1.....18J543		NFI Group	
111682R91.....18G17		2608016C1.....18A2435		498216C91.....18E287		631622CG.....18A82480	
116154H.....18M1		2608016C1.....18A2435A		498217C91.....18E288		Nissan	
121382H.....18G3		2608016C1.....18A2435AC		499924C91.....18G1201		402061PA1A.....18A2933	
121387H.....18G8		2642543C91.....18A82081G		501748C1.....18J544		402061PA1A.....18A2933A	
121391H.....18G187		308151C91.....18E25		508526C2.....18A873		402061PA1A.....18A2933AC	
121400H.....18G1130		308152C91.....18E24		508526C2.....18A873A		402063LM0A.....18A27981A	
121401HB.....18G1176		334359C91.....18G44		571250C1.....18K2350		410600T387.....17D701M	
121403HB.....18G1204		341035C91.....18E71		572075C91.....18M286		410600T387.....17D701MF1	
127778R1.....18H1310		341036C91.....18E72		572076C91.....18M280		41060EA025.....14D1094CH	
127781R91.....18E889		341037C91.....18E52		573922C1.....18A643		41060EA025.....14D1094CHF1	
127782R91.....18E855		341038C91.....18E53		574702C1.....18J1416		41060EA025.....17D1094CH	
128147R1.....18H1106		3523113C3.....18J383377		574762C1.....18J1403		41060EA025.....17D1094CHF1	
135284R91.....18G21		352786C91.....18E1342		577869C2.....18J314		411287S025.....18K2410	
144696H.....18M3		352787C91.....18E1337		578961C2.....18J545		41128AW70A.....18K2327	
149096R91.....18J4		352789C91.....18G11		582024C91.....18FR1330		41128ZC60A.....18K2370	
1513590C1.....18J859		356039C91.....18M26		582024C91.....18FR1330N		432061PA1A.....18A2932	
1513688C1.....18J860		365262C91.....18M20		582027C91.....18H103		432061PA1A.....18A2932AC	
1646750C1.....18A1219		3821729C91.....18FR12845N		582028C91.....17D184M		432063LM0A.....18B7846	
1646770C1.....18A663		3821824C91.....18FR12847N		582028C91.....17D184MH		432063LM0A.....18B7846A	
1646770C1.....18A663A		3821825C91.....18FR12848N		582029C1.....18A1218A		441003LM0A.....18E370258	
1646770C2.....18A2663		3821827C91.....18FR12846N		587280C1.....18J862		460103LM0A.....18M391535	
1646770C2.....18A2663A		3823326C2.....18J383911		588126C1.....18A180		46201Z0006.....18J1522	
1648169C91.....18H112		384597C92.....18J571		589843C1.....18A181A		462100T801.....18J383955	
1648517C1.....18A1217A		386026C92.....18K1498		589868C1.....18A748		462101PA0A.....18J383669	
1648518C1.....18A460A		386077C91.....18K1497		589868C1.....18A748A		462101PA2B.....18J383668	
1658240C91.....17381R		386273C91.....17383R		592692C91.....18M808		462101PA3B.....18J383459	
1658443C91.....18FR813		3870750C2.....18J383375		592696C1.....18J861		462101Z600.....18J2007	
1658443C91.....18FR813N		3870754C3.....18J383949		593691C91.....17D225M		4621036D00.....18J384061	
1658443C91.....18R813		3870758C1.....18J383918		593691C91.....17D225MH		462103LM5A.....18J383889	
1660669C1.....18A1353		3870815C2.....18J384101		595987C1.....18A664A		462103SH0A.....18J383700	
1660669C1.....18A1353A		3870888C91.....18J383373		61060R91.....18E121		462108B410.....18J1474	
1664103C3.....18J1406		3870898C2.....18J383931		680482R91.....18E1		46210EA300.....18J4611	
1664135C2.....18J1407		3872762C2.....18J384100		684833R91.....18E73		462111PA0A.....18J383670	
166769R91.....18E498		3880200C1.....18J383374		684834R91.....18E23		462111PA2B.....18J383458	
166930R91.....18G18		388066C91.....18E1330		684835R91.....18E26		4621136D00.....18J384062	
1669311C91.....18FR2189		388067C91.....18E1324		73120R91.....18E6		462113SH0A.....18J383701	
1669311C91.....18FR2189N		3880684C1.....18J382957		73121R91.....18E7		D10601PA0A.....14D1411CH	
1669311C91.....18R2189		391040C1.....18K2397		73232R11.....18E4		D10601PA0A.....14D1411CHF1	
1681210C91.....18M885		391178C91.....18M25		73233R11.....18E5		D10601PA0A.....17D1411CH	
1691024C92.....18M911		391314C91.....18E40		75080R91.....18E2		D10601PA0A.....17D1411CHF1	
1691291C91.....18M861		391315C91.....18E41		75081R91.....18E3		D10601PA0A.....17D1411MH	
174044C91.....18J378		391320C91.....18E857		75084R91.....18E771		D10601PA0A.....17D1411MHSV	
2007173C1.....18A808		391321C91.....18E89		75085R91.....18E772		D10601PA0A.....17D1411SDH	
2007173C2.....18A2664A		392592C91.....18E123		78731R11.....18E119		D10605TA0A.....14D2138CH	
237566R91.....18J33511		393321C91.....18G19		78732R11.....18E120		D10605TA0A.....17D2138CH	
2501838C91.....18FR1514		404946C91.....18E97		85360R93.....18E472		D10601PA0A.....17D1411ACH	
2501838C91.....18FR1514N		404947C91.....18E96		85480R93.....18E473		D40601PA0A.....17D1411ACHF1	
2501838C91.....18R1514		425072C91.....18M4		860736R91.....18J36507		D40603LM0A.....171052B	
2501839C91.....18FR1515		436148C92.....18M48		863791R91.....18M36154			
2501839C91.....18FR1515N		442196C1.....18K101		863793R91.....18M36155			
2501839C91.....18R1515		453448C3.....18J381190		865014R1.....18H1108			
2501841C91.....17D786AM		453449C3.....18J381256		868443R91.....18G1138			
2501841C91.....17D786AMH		455650C91.....18E45		87489R93.....18E479			
2501842C91.....14D786M		455776C91.....18H16		87490R91.....18E480			
2501842C91.....14D786MH		459226C91.....18M49		875350R91.....18J12			
2501842C91.....17D786MH		459275C91.....14316B		87859R93.....18E481			
2501842C91.....17D786MHF1		459275C91.....17316R		87860R91.....18E482			
2505097C1.....18A82030		459275C91.....B316L		87896R91.....18E777			
250545C91.....18M2		46201Z5007.....18J380527		87897R91.....18E778			
2509252C92.....18K2084		48150HA.....18J2072		894875R91.....18J377			
2510711C91.....14D1066M		48159HA.....18J1		95303R91.....18G12			
2510711C91.....17D1066MH		48185H.....18J3815		95304R91.....18G13			
2510711C91.....17D1066SDH		483637C1.....18J1296		967142R91.....18B509			
2516321C91.....18A82082		483638C1.....18J1401		97370R91.....18E523			
2594594C1.....18A1430		486163C3.....18J1402		97371R91.....18E522			

INTERCHANGES



OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
Qualis (Cont.)		Qualis (Cont.)		Qualis (Cont.)		Qualis (Cont.)	
5393.....18A1090		8965.....18B175		53003.....18A1307AC		55023.....18A452A	
5393.....18A1090A		8970.....18B187		53003.....18A1307SD		55025.....18A617	
5393.....18A1090AC		8975.....18B170		53011.....18A1592		55025.....18A617A	
5393.....18A1090SD		8995.....18B279		53011.....18A1592A		55026.....18A737	
5398.....18A1087		8997.....18B254A		53011.....18A1592AC		55026.....18A737A	
5398.....18A1087A		8998.....18B276		53011.....18A1592SD		55026.....18A737AC	
5423.....18A1346A		8998.....18B276A		53012.....18A1482		55028.....18A558	
5431.....18A88		24191.....18B600		53012.....18A1482A		55028.....18A558A	
5431.....18A88A		31296.....18A1448		53012.....18A1482AC		55028.....18A558AC	
5443.....18A64		31296.....18A1448A		53012.....18A1482SD		55028.....18A558SD	
5443.....18A64A		34057.....18A706		54000.....18A1085		55029.....18A686	
5457.....18A46A		34057.....18A706A		54021.....18A722		55029.....18A686A	
5458.....18A428A		34057.....18A706AC		54021.....18A722A		55030.....18A616A	
5459.....18A462		34061.....18A705		54022.....18A714		55031.....18A717	
5459.....18A462A		34061.....18A705A		54022.....18A714A		55031.....18A717A	
5471.....18A272A		34061.....18A705AC		54023.....18A715		55032.....18A874	
5477.....18A965		34225.....18A1613		54023.....18A715A		55032.....18A874A	
5480.....18A178		34226.....18A1461		54026.....18A674		55032.....18A874AC	
5481.....18A179A		34226.....18A1461A		54026.....18A674A		55033.....18A313	
5483.....18A341A		34227.....18A1462		54031.....18A723		55033.....18A313A	
5486.....18A504A		34227.....18A1462A		54031.....18A723A		55035.....18A479A	
5497.....18A532A		34227.....18A1462AC		54031.....18A723AC		55054.....18A925	
5520.....18A97		41270.....18A2797		54033.....18A724		55054.....18A925A	
5520.....18A97A		41270.....18A2797A		54033.....18A724A		55054.....18A925AC	
5521.....18A21A		41270.....18A2797AC		54033.....18A724AC		55054.....18A925SD	
5535.....18A63A		41270.....18A2797SD		54034.....18A725		55055.....18A926	
5573.....18A297		42150.....18A933		54034.....18A725A		55055.....18A926A	
5573.....18A297A		42150.....18A933A		54039.....18A749A		55055.....18A926AC	
5574.....18A269A		42150.....18A933AC		54053.....18A881		55055.....18A926SD	
5583.....18A1221		42246.....18A2346		54053.....18A881A		55056.....18A927	
5583.....18A176		42246.....18A2346A		54053.....18A881AC		55056.....18A927A	
5583.....18A176A		42246.....18A2346AC		54054.....18A691		55056.....18A927AC	
5584.....18A177		42246.....18A2346SD		54063.....18A916		55056.....18A927SD	
5584.....18A177A		42250.....18A2435		54063.....18A916A		55057.....18A928	
5589.....18A692A		42250.....18A2435A		54064.....18A956		55057.....18A928A	
5591.....18A954		42250.....18A2435AC		54064.....18A956A		55057.....18A928AC	
5592.....18A1420		42250.....18A81830		54064.....18A956AC		55062.....18A1193	
5592.....18A809		42250.....18A81830A		54071.....18A930A		55062.....18A1193AC	
5595.....18A503		42259.....18A2615		54072.....18A931		55062.....18A1193AC	
5595.....18A503A		42259.....18A2615A		54072.....18A931A		55063.....18A1220	
5595.....18A503AC		42259.....18A2615AC		54074.....18A934		55063.....18A1220A	
5595.....18A503SD		42264.....18A2581		54074.....18A934A		55063.....18A1414	
5598.....18A507		42264.....18A2581A		54074.....18A934AC		55064.....18A950A	
5598.....18A507A		42264.....18A2581AC		54074.....18A934SD		55067.....18A1412	
5598.....18A507AC		42269.....18A2729		54075.....18A932		55067.....18A1412A	
5601.....18A1219		42269.....18A2729A		54075.....18A932A		55067.....18A1412AC	
5601.....18A1839		42269.....18A2729AC		54076.....18A957		55072.....18A1206	
5601.....18A1839A		43088.....18A2327		54076.....18A957A		55072.....18A1206A	
5602.....18A180		43088.....18A2327A		54077.....18A1194		55072.....18A1206AC	
5603.....18A1217A		43088.....18A2327AC		54077.....18A1194A		55072.....18A1206SD	
5604.....18A181A		43163.....18A2552		54077.....18A1194AC		55075.....18A1417	
5606.....18A2663		43163.....18A2552A		54078.....18A968		55075.....18A1417A	
5606.....18A2663A		43163.....18A2552AC		54078.....18A968A		55075.....18A1417AC	
5606.....18A663		43163.....18A2680		54078.....18A968AC		55081.....18A1320	
5606.....18A663A		43163.....18A2680A		54078.....18A968SD		55081.....18A1320A	
5607.....18A1430		43163.....18A2680AC		54083.....18A958A		55084.....18A1412SD	
5607.....18A1430A		43166.....18A2606A		54084.....18A959		55097.....18A1705	
5607.....18A643		43166.....18A2606AC		54084.....18A959A		55097.....18A1705A	
5608.....18A460A		43167.....18A2558		54084.....18A959AC		55097.....18A1705AC	
5609.....18A1429		43167.....18A2558A		54085.....18A960		55097.....18A1705PV	
5609.....18A1429A		43167.....18A2558AC		54085.....18A960A		55097.....18A1705SD	
5609.....18A808		43167.....18A2558SD		54085.....18A960AC		80000.....18B277	
5610.....18A1353		44317.....18A2330		54119.....18A1688		80000.....18B277A	
5610.....18A1353A		44317.....18A2330A		54121.....18A1676		80018.....18B324	
5612.....18A748		44317.....18A2330AC		54121.....18A1676A		80022.....18B305	
5612.....18A748A		44317.....18A2330SD		54135.....18A1840		80035.....18B509	
8106.....18B407		44733.....18A27981A		54135.....18A1840A		80037.....18B410	
8790.....18B17		45440.....18A2556		54135.....18A1840AC		80048.....18B309	
8849.....18B253		45440.....18A2556A		54135.....18A1840SD		80055.....18B327	
8851.....18B111		45440.....18A2556AC		55000.....18A631		80060.....18B329	
8861.....18B42		45440.....18A2962		55000.....18A810		80061.....18B347	
8864.....18B52		45440.....18A2962A		55001.....18A274A		80068.....18B353	
8945.....18B147		45440.....18A2962AC		55002.....18A1419		80088.....18B423	
8945.....18B147A		53003.....18A1307		55002.....18A632			
8964.....18B141		53003.....18A1307A		55003.....18A230A			

OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #	OE#	ACDelco #
Studebaker		Toyota		Volkswagen (Cont.)		Volvo (Cont.)	
252505.....18G8		0446504020 17D389		7B0615601C 18A2922		31400818.....18A2962	
315829 18J3815		0446504020 17D389C		7B0615601C 18A2922A		31400818.....18A2962A	
426535.....18E889		0446504020 17D389M		7B0615601C 18A2922AC		31400818.....18A2962AC	
636190 18J1		4351228190 18A82191		7B0698151E 14D1589CH		31445975.....17D1865M	
641924 18J7		4351228190 18A82191A		7B0698151E 14D1589CHF1		32663098.....18K2410	
644752.....18M1		4351228190 18A82191AC		7B0698151E 17D1589CH		35165687.....18J173	
680515 18E472		4754712010 18K2327		7B0698151E 17D1589CHF1		50038132 18FR1693	
681032 18J2072		9094702109.....18J41		7B0698151E 17D1589CHF1		50038132 18R1693	
681093 18G19		TruStar		7B0698451B 14D1596CH		50038140 18FR1694	
683448.....18E772				7B0698451B 14D1596CHF1		50038140 18R1694	
683449.....18E771				7B0698451B 17D1596CH		50038140 18R1694	
903204.....18J4				7B0698451B 17D1596CHF1		85129575.....18A82081G	
1685449.....18G20		114376 18FR1381		Volvo		91577379 18M1202	
1685450.....18E473		114376 18FR1381C		271788.....18A706		91578856.....18M1188	
1687216.....18E41		114376 18FR1381N		271788.....18A706A		314007790 18A82112	
1687217.....18E40		114376 18R1381		271788.....18A706AC		314007790 18A82112A	
1688284.....18G3		114376 18R1381F1		271794.....18A705		314007790 18A82112AC	
1688295.....18E498		114376 18R1381SV		271794.....18A705A		314717520.....18A82110	
1688324.....18E7		114377 18FR1380C		271794.....18A705AC		314717520.....18A82110A	
1688325.....18E6		114377 18FR1380N		272276 18A1711		314717520.....18A82110AC	
1691808 18E5		114377 18R1380		272276 18A1711A		Workhorse	
1691809.....18E4		114377 18R1380F1		272370 17D840BM		W0000274 18J383933	
1691879.....18G13		114377 18R1380SV		274510.....18A2556		W0000275 18J383925	
1691880 18G21		111088 18FR1935		274510.....18A2556A		W0000404.....18J383923	
1691908.....18G1204		111088 18FR1935N		274521.....18A2512		W0007678.....18M2718	
302959E 18K6858		111088 18FR2385C		274521.....18A2512AC		W0007679.....18M2429	
S380.....18G1176		111088 18FR2385N		274521.....18A2512A		W8000280 18A2663	
S383.....18G6		111281 18FR2509		274521.....18A2512AC		W8000280 18A2663A	
S387.....18G187		111281 18FR2509C		2713360 17D541M		W8002394 17D1027M	
T-Line Trucks & Chassis		111281 18FR2509N		2722880 17820B		W8002887 18A2763A	
		111281 18R2509		2723435 17D783M		W8003057 18A2770	
		Volkswagen		8111101 18FR11229		W8003057 18A2770A	
13371W.....18G1176				8111102 18FR11230		W8003609 18A2718	
16484C 18E1		357615273.....18K2370		9191400 18J4750		W8003609 18A2718A	
16484F 18E121		1K0615273A 18K2327		13301916.....18K2327		W8003800 18A2771	
23371W 18G1130		2D0698151 17D950M		20918891.....17D1560MD		W8003800 18A2771A	
6499F 18G6		2D0698151A.....17D949MH		20918891.....17D1560MHD		W8006739 18J4920	
DX4217 18J2072		2D0698151B.....17D1136M		30666802.....18A2476		W8006740 18J4921	
DX4731 18M1		2E0698451.....17D1317MH		30666802.....18A2476A		W8006747.....18J4916	
IE386 18K6858		2E0698451B 17D1318MH		30666802.....18A2476AC		W8006748 18J4917	
IP148 18J7		7B0611701 18J4076		30681723.....18J383705		W8006750 18J4919	
N10507 18M2		7B0611702.....18J4075		30681726.....18J4751		W8006755 18J4923	
N14325A 18J2		7B0611775C 18J383449		30681739.....14D1044C		W8006782 18J383966	
N33726C 18J1		7B0611776C.....18J383450		30681739.....14D1044CF1		W8006782 18J383967	
N33726E 18J4		7B0614019.....18M2669		30681739.....14D1044CF2		W8006783 18J383981	
N6507 18M3		7B0615301A.....18A2606A		30681739.....17D1044C		W8006784 18J4922	
Towmotor		7B0615301A.....18A2606AC		30681739.....17D1044CF1		W8810506.....18A686	
15537 18E121		7B0615301E 18A2921		30681739.....17D1044CF2		W8810506.....18A686A	
20722 18G6		7B0615301E 18A2921A		30742029 17D1111DC		W8810507.....18A717	
36397 18E1		7B0615301E 18A2921AC		30742029 17D1111DM		W8810507.....18A717A	
37343 18G8		7B0615601.....18A2558		30742031.....14D1095CH		W8810508.....18A950A	
93793.....18E24		7B0615601.....18A2558A		30742031.....14D1095CHF1			
93794 18E25		7B0615601.....18A2558AC		30742031.....17D1095CH			
		7B0615601.....18A2558SD		30742031.....17D1095CHF1			